GRAEME LOFTS | MERRIN J. EVERGREEN

JACARANDA

# SCIENCE QUEST 7

VICTORIAN CURRICULUM | SECOND EDITION

learnon
www.jacplus.com.au

jacaranda
A Wiley Brand

JACARANDA

# SCIENCE QUEST 7

VICTORIAN CURRICULUM | SECOND EDITION

JACARANDA

# SCIENCE QUEST 7

VICTORIAN CURRICULUM | SECOND EDITION

GRAEME LOFTS | MERRIN J. EVERGREEN

CONTRIBUTING AUTHORS

Catherine Bellair | Nicole Cox | Angela Stubbs

Neale Taylor | Dayna Wilkie

jacaranda

A Wiley Brand

Second edition published 2021 by
John Wiley & Sons Australia, Ltd
42 McDougall Street, Milton, Qld 4064

First edition published 2015
First revised edition published 2018

Typeset in 11/14 pt TimesLTStd

© Clynton Educational Services and Evergreen Quest Pty Ltd
2015, 2018, 2021

The moral rights of the authors have been asserted.

ISBN: 978-0-7303-8800-5

**Reproduction and communication for educational purposes**
The Australian *Copyright Act 1968* (the Act) allows a maximum of one chapter or 10% of the pages of this work, whichever is the greater, to be reproduced and/or communicated by any educational institution for its educational purposes provided that the educational institution (or the body that administers it) has given a remuneration notice to Copyright Agency Limited (CAL).

**Reproduction and communication for other purposes**
Except as permitted under the Act (for example, a fair dealing for the purposes of study, research, criticism or review), no part of this book may be reproduced, stored in a retrieval system, communicated or transmitted in any form or by any means without prior written permission. All inquiries should be made to the publisher.

**Trademarks**
Jacaranda, the JacPLUS logo, the learnON, assessON and studyON logos, Wiley and the Wiley logo, and any related trade dress are trademarks or registered trademarks of John Wiley & Sons Inc. and/or its affiliates in the United States, Australia and in other countries, and may not be used without written permission. All other trademarks are the property of their respective owners.

Front cover images: © anttoniart/Shutterstock

Illustrated by various artists, diacriTech and Wiley Composition Services

Typeset in India by diacriTech
Printed in Singapore by
Markono Print Media Pte Ltd

A catalogue record for this book is available from the National Library of Australia

10 9 8 7 6 5 4 3 2 1

All activities have been written with the safety of both teacher and student in mind. Some, however, involve physical activity or the use of equipment or tools. All due care should be taken when performing such activities. Neither the publisher nor the authors can accept responsibility for any injury that may be sustained when completing activities described in this textbook.

This suite of print and digital resources may contain images of, or references to, members of Aboriginal and Torres Strait Islander communities who are, or may be, deceased. These images and references have been included to help Australian students from all cultural backgrounds develop a better understanding of Aboriginal and Torres Strait Islander peoples' history, culture and lived experience.

# CONTENTS


Preface ..... viii
About the authors ..... ix
About this title ..... xi
Access all of your online resources ..... xii
Acknowledgements ..... xv

## SCIENCE INQUIRY

### 1 Discovering science 1

**1.1** Overview ..... 2
**1.2** Branches of science ..... 4
**1.3** The science laboratory ..... 8
**1.4** **SkillBuilder**—Measuring and reading scales ..... online only
**1.5** **SkillBuilder** — Using a Bunsen burner ..... online only
**1.6** Scientific inquiry ..... 21
**1.7** **SkillBuilder** — Writing an aim and forming a hypothesis ..... online only
**1.8** Controlled investigations ..... 24
**1.9** **SkillBuilder** — Controlled, dependent and independent variables ..... online only
**1.10** Analysing data ..... 29
**1.11** **SkillBuilder** — Constructing a pie chart ..... online only
**1.12** **SkillBuilder** — Creating a simple column or bar graph ..... online only
**1.13** **SkillBuilder** — Drawing a line graph ..... online only
**1.14** Reporting on investigations ..... 36
**1.15** **SkillBuilder** — From observation to conclusion ..... online only
**1.16** Extended investigation ..... 45
**1.17** Project — Bigger, better beans ..... 51
**1.18** Review ..... 52

online only

### 2 Learning keys

**2.1** Overview
**2.2** Understanding learning and thinking
**2.3** Types of intelligence
**2.4** Thinking keys
**2.5** Learning together
**2.6** Unlocking learning
**2.7** Question keys
**2.8** Feeding your brain
**2.9** Discovering your brain
**2.10** Thinking tools — Making thinking visible
**2.11** Review

## BIOLOGICAL SCIENCES

### 3 Classification 63

**3.1** Overview ..... 64
**3.2** Classification systems ..... 66
**3.3** Patterns in scientific language ..... 74
**3.4** Understanding scientific names ..... 81
**3.5** Keys to unlock identity ..... 87
**3.6** Classifying animals ..... 96
**3.7** Vertebrates ..... 104
**3.8** Mammals ..... 112
**3.9** Invertebrates ..... 119
**3.10** Classifying plants ..... 127
**3.11** The unique flora of Australia ..... 134
**3.12** Algae, fungi and lichens ..... 140
**3.13** Thinking tools — Tree maps ..... 143
**3.14** Project — Snakes alive ..... 145
**3.15** Review ..... 146

### 4 Ecosystems 157

**4.1** Overview ..... 158
**4.2** What are ecosystems? ..... 160
**4.3** Relationships in ecosystems ..... 170
**4.4** Food chains and food webs ..... 179
**4.5** The importance of flowering plants ..... 188
**4.6** Decomposition and nature's recycling ..... 195
**4.7** The connection of Indigenous Australians to their ecosystems ..... 205
**4.8** Human impact on ecosystems ..... 209
**4.9** Extinction ..... 220
**4.10** Ecological footprints and sustainability ..... 225
**4.11** Thinking tools — Relational diagrams ..... 232
**4.12** Project — Small acts, big changes ..... 235
**4.13** Review ..... 236

## CHEMICAL SCIENCES

### 5 Separating mixtures 245

**5.1** Overview ..... 246
**5.2** Mixtures and solutions ..... 249
**5.3** Separating solids from mixtures ..... 256
**5.4** Other separating techniques ..... 262
**5.5** Separating solutions ..... 266
**5.6** Separation in industry ..... 274
**5.7** Removing contamination from water ..... 279
**5.8** Separating our waste ..... 284
**5.9** Thinking tools — Single bubble maps ..... 290
**5.10** Project — The diamond flush ..... 292
**5.11** Review ..... 293

## EARTH AND SPACE SCIENCES


### 6 The Earth in space 303

**6.1** Overview 304
**6.2** The Earth in orbit 306
**6.3** The Moon 314
**6.4** Phases of the Moon 317
**6.5** Eclipses 320
**6.6** Tides 327
**6.7** Explaining the night sky 331
**6.8** Thinking tools — Mind maps 337
**6.9** Review 340

### 7 Precious resources 347

**7.1** Overview 348
**7.2** The Earth's mineral resources 350
**7.3** Fossil fuels 356
**7.4** Renewable energy 364
**7.5** Water in motion 372
**7.6** Water as a resource 380
**7.7** Soil as a resource 386
**7.8** Thinking tools — Plus, Minus, Interesting charts 396
**7.9** Review 398


## PHYSICAL SCIENCES


### 8 Forces in action 405

**8.1** Overview 406
**8.2** Forces 408
**8.3** Gravity 413
**8.4** Friction 422
**8.5** Keeping afloat 428
**8.6** Magnetic fields 432
**8.7** Electric fields 443
**8.8** Staying safe 449
**8.9** Thinking tools — Cluster maps 456
**8.10** Review 458

### 9 A world of machines 465

**9.1** Overview 466
**9.2** Using levers 469
**9.3** Pushing uphill using ramps, wedges and screws 476
**9.4** Wheels, axles and pulleys 480
**9.5** Getting into gear 487
**9.6** Compound machines 491
**9.7** Thinking tools — Venn diagrams 496
**9.8** Project — Paper, Scissors, Robot 498
**9.9** Review 499

Glossary 505
Periodic table 514
Index 516

# PREFACE

## To the science student

Science is much more than a body of knowledge. It is a way of thinking and learning, which we refer to as Science Inquiry. Science helps you understand the world around you: why the sun rises and sets every day, why it rains, how you see and hear, why you need a skeleton and how to treat water to make it safe to drink. You can't escape the benefits of science. Whenever you turn on a light, eat food, watch television or flush the toilet, you are using the products of scientific knowledge and inquiry.

Global pandemics, climate change, overpopulation, famine, pollution, resource shortages, the potential use of biological and nuclear weapons, and issues associated with genetic engineering currently challenge the world as we know it. Possible solutions to some of these challenges may be found by applying scientific knowledge to develop new technologies and creative ways of rethinking the problems. It's not just scientists who solve these problems; people with an understanding of science, like you, can influence the future. It can be as simple as using a recycling bin or saving energy and water in your home.

Science inquiry involves both identifying problems that need to be solved, and planning and conducting investigations. It involves collecting, processing and interpreting evidence so that useful conclusions can be reached. Science inquiry could involve, for example, investigating whether life is possible on other planets, discovering how to make food crops grow with less water, finding out how to swim faster, developing a vaccine for COVID-19 and even finding a cure for cancer. Science inquiry usually involves working with a team. The outcomes of science inquiry should be shared with other scientists and the community at large.

You live in a time in which the growth of scientific knowledge and technological development is occurring faster than ever before. A consequence of this is that learning how to learn has become just as important as learning itself. *Science Quest* has been designed with this in mind, taking you on a quest for both scientific knowledge and inquiry.

## To the science teacher

This edition of the *Science Quest* VC series has been developed to enhance the already comprehensive suite of engaging and innovative resources tailored to the Victorian Curriculum of the previous edition. It provides both activities that focus on seven **general capabilities** (literacy, numeracy, ICT competence, critical and creative thinking, ethical behaviour, personal and social competence, and intercultural understanding) and **differentiated learning**. The history and culture of Aboriginal and Torres Strait Islanders, Australia's engagement with Asia, and sustainability have been embedded with the general capabilities where relevant and appropriate.

*Science Quest* interweaves **Science understanding** with **Science as a human endeavour** and **Science inquiry skills** under the umbrella of six **Overarching ideas** that 'represent key aspects of a scientific view of the world and bridge knowledge and understanding across the disciplines of science'.

*Science Quest* provides the basis for the development of a course of study based on the Victorian Curriculum. This new edition incorporates practical activities and resources that provide tools for science inquiry in remote learning settings as well as in the classroom.

We have attempted to make the *Science Quest* VC series a valuable asset for teachers, and interesting and relevant to the students who are using it. *Science Quest* comes complete with online support for students, including answers to questions, interactivities to help students investigate concepts, and video eLessons featuring real scientists and real-world science.

Exclusively for teachers, the online *Science Quest* teacher resources provide teaching advice and suggested additional resources, testmaker questions with assessment rubrics, and worksheets and answers.

*Graeme Lofts* and *Merrin J. Evergreen*

# ABOUT THE AUTHORS

## AUTHORS

### Dr Merrin J. Evergreen

Merrin J Evergreen has been awarded academic qualifications from five different Australian universities, and was awarded Monash University's Jeff Northfield Memorial Award for Excellence in Teacher Research.

Merrin loves the excitement and fun of learning, and with thirty years of experience as a science and biology teacher (both Victorian Certificate of Education and International Baccalaureate), Merrin endeavours to share and transfer both her passion and understanding of teaching and learning into each new and evolving edition. Her quest continues to be that of inspiring others with the excitement of learning and understanding more about ourselves, our world, and our place within it.

### Graeme Lofts

Graeme Lofts has taught physics, science and mathematics at both government and independent schools in Victoria for more than twenty-three years. He has also lectured in Science Education at the University of Melbourne and RMIT University. During his teaching career Graeme was awarded an International Teaching Fellowship, the BHP Science Teacher Award and an STAV Fellowship 'for major contributions to the Science Teachers' Association of Victoria'.

Graeme remains passionate about science education and is keen to see *Science Quest* continue to improve and adapt to rapidly advancing teaching and learning technology. He is determined that it must remain relevant and address important issues of concern for the students and teachers using it.

# CONTRIBUTING AUTHORS

## Catherine Bellair

Catherine Bellair has a Bachelor of Science (Honours in Physics), a Diploma of Education and a Graduate Certificate in STEM Education. After a few years working in research, she realised her passion was for education and encouraging students to explore and question the world around them. Catherine is a specialist STEM teacher in addition to teaching VCE Physics and junior Science. She has also been a VCE Assessor for VCE Physics.

## Nicole Cox

Nicole Cox has a Master of Science in Geology. Her passion for exploring landscapes and learning how the Earth works has led her on many global adventures, which in-turn inspired her to share that passion to others through teaching. Nicole taught geologic and environmental subjects at a university level for 11 years and is currently an independent consultant for both geoscience education and the resource industry.

## Angela Stubbs

Angela Stubbs has a Bachelor of Science Education and a Bachelor of Education. While Head of Science she encouraged the development of innovative programs to bring the relevancy of science to students at years 7 to 10. A long-term author for both junior and VCE Chemistry, she delights in creating original resources for teachers and students, with a particular focus on developing critical thinking skills. Her knowledge and skills have been shared through regular presentations at Science and Chemistry Teachers' Conferences. Angela has also been a VCAA assessor for VCE Chemistry for many years.

## Neale Taylor

Neale Taylor has a Bachelor of Science (Chemistry and Pure Mathematics) and a Diploma of Education, with over 20-years secondary teaching experience, including two years of teaching the Diploma of Education, Chemistry at RMIT. Neale has authored both junior and senior Chemistry texts and has written and coordinated the VCE Chemistry Trial exams for The Centre for Strategic Education. Having previously enjoyed 14 years as Science publisher at Jacaranda, Neale has returned to authoring to share his enthusiasm and experience of science with the next generation of students.

## Dayna Wilkie

Dayna Wilkie has a Bachelor of Science (Physics and Applied Mathematics) from the University of Melbourne, a Diploma of Education, and is currently working towards her Master of Applied Science (Statistics). Dayna has been a teacher of Mathematics and Physics for 10 years at Star of the Sea College, has teaching experience in the UK and has been a VCAA assessor for VCE Further Mathematics.

# ABOUT THIS TITLE

## New features!

*Jacaranda Science Quest Victorian Curriculum Second Edition* has been completely revised and updated to help teachers and students navigate the Victorian Curriculum syllabus. The *Jacaranda Science Quest* series is designed to enrich the learning experience and improve learning outcomes for all students. The series is available across a number of digital formats: learnON, eBookPLUS, eGuidePLUS, PDF and iPad app.

**DIGITAL**

| learnON | eBookPLUS | eGuidePLUS | PDF | iPad app | Print |
|---|---|---|---|---|---|
| An immersive, interactive and flexible online learning course | An electronic version of the student text, with digital resources | Everything in the eBookPLUS plus additional resources designed for teachers | Downloadable PDFs directly from your Jacaranda bookshelf | Access trusted Jacaranda content both online and offline | Printed textbook with free digital access code inside |

## Teaching Science inquiry skills, sparking curiosity

Science is an engaging, dynamic, inquiry-based subject that provides students with the opportunity to understand the world around them. The understanding of science involves more than understanding concepts; it also involves learning how to inquire, communicate and investigate scientifically. Science inquiry skills (SIS) are integrated throughout, through explicitly targeted SkillBuilders and a dedicated, stand-alone science inquiry topic that introduces students to the key components of predicting, conducting, designing, communicating and evaluating scientific investigations. This topic has been specifically tailored for each year level in content and complexity, to show the progression of inquiry skills throughout students' studies of science. Throughout the topics, students will find links to SIS alongside exercises and activities.

This suite of resources is designed to allow for differentiation, flexible teaching and multiple entry and exit points so teachers can teach their class their way.



**Exercise sets** at the end of each subtopic allow students to check and apply their understanding.

**Corrective feedback and sample responses** are available online for every question.




Questions at 3 levels of difficulty provide differentiation while allowing all students to work on the same subtopic.

**Level 1** Try these for initial understanding.

**Level 2** Try these when you're feeling more confident.

**Level 3** Try these when you're ready to try something harder.

**Practical investigations** throughout each topic provide students with opportunities to engage with science and develop an understanding of content and science skills.

**Definitions** are provided within the content to help students understand key terms; online, definitions are included as clickable pop-up notes.

Content is presented using **age-appropriate language** and a wide range of engaging interactivities, diagrams and images to support concept learning.




**Resource summaries** for each topic help teachers and students to find online resources easily and quickly.

A **range of questions** and a post-test are available online and in print to test students' understanding of the topic.

**Summaries and key terms** are available in every topic review.

An online **eWorkbook** is available for customisation and printing. It contains numerous worksheets including a literacy builder, a student learning matrix and opportunities for reflection to encourage students to take ownership of their learning.



# ACCESS ALL OF YOUR ONLINE RESOURCES

## Using learnON

The *Jacaranda Science Quest Victorian Curriculum* series learnON resources provide an immersive digital learning platform that provides teachers with valuable insights into their students' learning and engagement. Hundreds of engaging videos and interactivities are embedded just where you need them — at the point of learning. learnON provides a deeper, richer and more meaningful teaching and learning experience for educators and their students in today's digital world, with important additional features that allow you to assign, mark and track student work. The platform can monitor and report progress in real time to give you immediate insights into student achievement. This helps you to easily isolate areas in which students (or groups of students) need additional support or extension.




The learnON platform gives you the control over your students' learning pathways.

Some of the many benefits of the learnON platform include:

- online questions with a 1 : 1 correspondence to questions in print
- real-time immediate corrective feedback and fully worked solutions for every question to help students get unstuck
- a new side-by-side lesson view, enabling access to reading content and question sets on one screen
- hundreds of videos and interactivities to bring concepts to life
- customisable course content, giving teachers more flexibility to create their own course
- the ability to connect students and teachers in a class group
- the ability to separate a class into subgroups, making differentiation simpler
- dashboards to track progress
- immediate insight into student progress and performance using the Results page
- the ability to send important documents to the class
- formative and summative assessments.



## Customise student learning

At Jacaranda, we understand that no-one knows your students' learning needs better than you. With learnON, you can tailor each task and assign it to individual students, create your own groups or assign to the whole class. You have complete control over assigning questions or tasks for each student, whether they are for practice or assessment, due dates and when students have access to results.

You also have the ability to hide specific parts of the reading content from student view, to allow for closed-book tests or to create your own pathway through the material for your class.




## Track activity

The learnON platform provides real-time summaries of student activity. At a glance, you can see how long a student spends reading content pages, how many question-sets they have attempted and their progress with assessment tasks.




## Provide meaningful feedback — quickly and easily

The learnON platform also provides an easy-to-navigate marking interface that allows you to see student responses, comment on and mark their work.

## Gain deep insights into student performance

You also have access to detailed reports on student progress that allow you to filter results for specific skills or question types. With learnON, you can show students (or their parents or carers) their own assessment data in fine detail. You can filter their results to show their development with each proficiency strand, skill, topic or subtopic. Results are also colour-coded to help students understand their strengths and weaknesses at a glance.




## Keep track of your 'to do' list

The learnON dashboard gives students and teachers a clear picture of their progress throughout the year. For teachers, it provides a visual summary of upcoming assessment deadlines, student submissions waiting to be marked and overdue tasks. For students, it providers reminders of due dates and notifications about the availability of feedback and marked tasks.

# NEW in the *Jacaranda Science Quest* VC series

## eWorkbook for Science Quest

The **eWorkbook** is the perfect companion to the series, adding another layer of individualised learning opportunities for students, and catering for multiple entry and exit points in student learning. The eWorkbook also features fun and engaging activities for students of all abilities and offers a space for students to reflect on their own learning.




The new eWorkbook and eWorkbook solutions are available as a downloadable PDF or a customisable Word document in learnON.

## Practical Investigation eLogbook for Science Quest

The **practical investigation eLogbook** ignites curiosity through science investigation work, with an extensive range of exciting and meaningful practical investigations. Aligned with the scientific method, students can develop rich science inquiry skills in conducting scientific investigations and communicating their findings, allowing them to truly think and act like scientists!




The practical investigation eLogbook is supported with an unrivalled teacher and laboratory guide, which provides suggestions for differentiation and alteration, risk assessments, expected practical results and exemplary responses.

## teachON

**teachON** offers teachers time-saving support and inspiration, with ready-made lesson plans, practical teaching advice, differentiated work programs, extensive practical and lab support and customisable assessment. With access to the learnON platform, teachers also receive immediate insights into their students' performance and engagement.



# ACKNOWLEDGEMENTS

The authors and publisher would like to thank the following copyright holders, organisations and individuals for their assistance and for permission to reproduce copyright material in this book.

The Victorian Curriculum F–10 content elements are © VCAA, reproduced by permission. The VCAA does not endorse or make any warranties regarding this resource. The Victorian Curriculum F–10 and related content can be accessed directly at the VCAA website. VCAA does not endorse nor verify the accuracy of the information provided and accepts no responsibility for incomplete or inaccurate information. You can find the most up to date version of the Victorian Curriculum at http://victoriancurriculum.vcaa.vic.edu.au.

• © jurgen freund / Getty Images: 130 • a. © clearviewstock / Shutterstock; b. © Kobie Douglas / Shutterstock; c. © Pete Niesen / Shutterstock: 162 • a. © Eric Isselee / Shutterstock; b. © chuyuss / Shutterstock; c. © Palo_ok / Shutterstock; d. © X-etra / Shutterstock: 162 • a. © john michael evan potter / Shutterstock; b. © Nick Hawkes / Shutterstock; c. © pernsanitfoto / Shutterstock: 186 • a. © Science Photo Library; b. © Yann hubert / Shutterstock; c. © Ken Griffiths / Shutterstock; d. © Andrew Barton Johns / Shutterstock: 221 • a. © Tammy Mazubert / Shutterstock; b. © worldswildlifewonders / Shutterstock; c. © Digital Vision: 175 • a. © Silver Spiral Arts / Shutterstock; b. © Mariia Khamidulina / Shutterstock: 189 • a. © Simo Graells / Shutterstock; b. © Øystein Paulsen; c. © David Osborn / Shutterstock; d. © Lebendkulturen.de / Shutterstock: 240 • a. © Steve Lovegrove / Shutterstock; b. © tristan tan / Shutterstock; c. © Eric Isselee / Shutterstock: 240 • Alamy: 83, 131, 140, 151, 206, 207, 381, 392, 493 • Alamy Stock Photo: 321, 393 • Brianne Makin / Newspix: 215 • Lonely Planet Image / Getty Images: 137 • spl rm / Getty Images: 141, 439 • jiang xin - imaginechina: 315 • National Geographic / Getty Images: 87 • Rev. Ronald Royer / Science Photo: 323 • 4 PM production / Shutterstock: 427 • adwo / Shutterstock: 351 • Alexey Seafarer / Shutterstock: 212 • Anterovium / Shutterstock: 365 • Benny Marty / Shutterstock: 384 • benoist / Shutterstock: 451 • BMJ / Shutterstock: 227 • Breedfoto / Shutterstock: 367 • Cris Kelly / Shutterstock: 427 • dalish / Shutterstock: 367 • ER_09 / Shutterstock: 393 • Ermolaev Alexande / Shutterstock: 428 • Everett Historica / Shutterstock: 353 • Fotokon / Shutterstock: 369 • FP media / Shutterstock: 100 • Gajus / Shutterstock: 428 • godrick / Shutterstock: 314 • Imagarium / Shutterstock: 135 • Jan Hopgood / Shutterstock: 135 • John Carnemolla / Shutterstock: 116 • Kletr / Shutterstock: 366 • Lumiere Media / Shutterstock: 352 • Marten_House / Shutterstock: 211 • Microgen / Shutterstock: 353 • NazaBasirun / Shutterstock: 433 • Nedim Mehmedbegov / Shutterstock: 158 • Nicku / Shutterstock: 210 • Olha Insight / Shutterstock: 189 • optimarc / Shutterstock: 348 • Photo travel VlaD / Shutterstock: 210 • Praweena style / Shutterstock: 136 • radu cadar / Shutterstock: 273 • Sam Chadwick / Shutterstock: 215 • SJ Travel Photo a / Shutterstock: 223 • tae208 / Shutterstock: 83 • Takayuki Nakamura / Shutterstock: 388 • takoburito / Shutterstock: 427 • Tomatito / Shutterstock: 122 • Ton Bangkeaw / Shutterstock: 71 • Triff / Shutterstock: 74 • VanderWolf Images / Shutterstock: 216 • Wendy Townrow / Shutterstock: 135 • Yevhen Prozhyrko / Shutterstock: 366 • © aarrows / Shutterstock: 460 • © Action Sports Photography / Shutterstock: 409 • © Aleksandr Lopatchenko / Shutterstock: 446 • © Aleksey Stemmer / Shutterstock: 459 • © Alister G Jupp / Shutterstock: 221 • © apiguide / Shutterstock: 222 • © B Brown / Shutterstock: 210 • © basel101658 / Shutterstock: 431 • © bettmann / Corbis: 377 • © c IFAS Communications: 198 • © ch'ien lee/minden pictures/co: 87 • © Christian Musat / Shutterstock: 213 • © Constantine Pankin / Shutterstock: 415 • © Creative Commons: 423 • © dagmara_k / Shutterstock: 209 • © danylyukk1 / Shutterstock: 200 • © DarioZg / Shutterstock: 407 • © david lade / Shutterstock: 209 • © Davo Blair / Alamy Stock Photo: 205 • © delcarmat / Shutterstock: 414 • © Dmitry Yashkin / Shutterstock: 408 • © Eyüp Alp ERMIS / Shutterstock: 461 • © Federico Rostagno / Shutterstock: 428 • © Garsya / Shutterstock: 409 • © Giulio_Fornasar / Shutterstock: 452 • © gorillaimages / Shutterstock: 449, 459 • © Iurii Osadchi / Shutterstock: 423 • © Jacob Lund / Shutterstock: 422 • © Janelle Lugge / Shutterstock: 174 • © Joggie Botma / Shutterstock: 419 • © kwest / Shutterstock: 235 • © Lukiyanova Natalia frenta / Shutterstock: 197 • © mashe / Shutterstock: 423 • © Massimiliano Trevisan / Alamy Stock Photo: 446 • © Milkovasa / Shutterstock: 427 • © NASA photo / Alamy Stock Photo: 425 • © Nattawit Khomsanit / Shutterstock: 426 • © optimarc / Shutterstock: 459 • © OtmarW / Shutterstock: 409 • © Patrick K. Campbell / Shutterstock: 213 • © Photodisc: 460 • © Praisaeng /

Shutterstock: 190 • © Radu Razvan / Shutterstock: 424 • © robert paul van beets / Shutterstock: 429 • © Samuel Borges Photography / Shutterstock: 429 • © Science Photo Library / Alamy Stock Photo: 437 • © science picture co. / Corbis: 125 • © Sergey Lavrentev / Shutterstock: 189 • © john michael evan / Shutterstock: 175 • © slyellow / Shutterstock: 412 • © steamroller_blues / Shutterstock: 413 • © Steve Byland / Shutterstock: 189 • © Tatiana Popova / Shutterstock: 222 • © thieury / Shutterstock: 452 • © THPStock / Shutterstock: 168 • © topimages / Shutterstock: 174 • © Triff / Shutterstock: 437 • © Varlamova Lydmila / Shutterstock: 419 • © VectorMine / Shutterstock: 406 • © Wiley: 459 • © worradirek / Shutterstock: 460 • © Zhukov Oleg / Shutterstock: 214 • © AlenKadr / Shutterstock: 300 • © Kim Reinick / Shutterstock: 299 • © Krakenimages.com / Shutterstock: 281 • © l i g h t p o e t / Shutterstock: 271 • © Marcos Mesa Sam Wordley / Shutterstock: 246 • © Marcos Mesa Sam Wordley / Shutterstock.com: 246 • © Nataly Studio / Shutterstock: 255 • © Richard Whitcombe / Shutterstock: 158 • © Richie Chan / Shutterstock: 300 • © Nick Hawkes / Shutterstock: 175 • © pernsanitfoto / Shutterstock: 175 • © White bear studio / Shutterstock: 291 • © Wiley art: 264, 266, 290, 299, 416, 443

Every effort has been made to trace the ownership of copyright material. Information that will enable the publisher to rectify any error or omission in subsequent reprints will be welcome. In such cases, please contact the Permissions Section of John Wiley & Sons Australia, Ltd.

# 1 Discovering science

## LEARNING SEQUENCE


1.1 Overview ..... 2
1.2 Branches of science ..... 4
1.3 The science laboratory ..... 8
1.4 **SkillBuilder** — Measuring and reading scales ..... online only
1.5 **SkillBuilder** — Using a Bunsen burner ..... online only
1.6 Scientific inquiry ..... 21
1.7 **SkillBuilder** — Writing an aim and forming a hypothesis ..... online only
1.8 Controlled investigations ..... 24
1.9 **SkillBuilder** — Controlled, dependent and independent variables ..... online only
1.10 Analysing data ..... 29
1.11 **SkillBuilder** — Constructing a pie chart ..... online only
1.12 **SkillBuilder** — Creating a simple column or bar graph ..... online only
1.13 **SkillBuilder** — Drawing a line graph ..... online only
1.14 Reporting on investigations ..... 36
1.15 **SkillBuilder** — From observation to conclusion ..... online only
1.16 Extended investigation ..... 45
1.17 Project — Bigger, better beans ..... 51
1.18 Review ..... 52

# 1.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au. They will help you to learn the content and concepts covered in this topic.

## 1.1.1 Introduction

Science is how humans discover new information about the physical and natural world. Imagine how exciting it would be to discover and understand something no-one has ever achieved before. The word *science* comes from the Latin word *scientia*, meaning 'knowledge'. Everybody uses scientific knowledge — or devices made using scientific knowledge — to solve problems or interpret information every day.

**FIGURE 1.1** We use the products and results of scientific knowledge every single day.



### Resources

**Video eLesson** Career spotlight: scientist (eles-0053)

Watch this video to learn about an exciting career in marine science. Marine biologist Jodie Haig talks about her experience and her day-to-day life working in the marine science field. She is doing her PhD at Griffith University in marine biology. Her research work includes lots of planning, thinking, reading, field work, lab testing, data analysis and results writing.

## 1.1.2 Think about science

1. What do scientists do?
2. Do people other than scientists use science in their work or leisure activities?
3. How is a science laboratory different from other rooms?
4. Is the science laboratory a dangerous place?
5. What type of observations do you make in your life? Do you think you are a good observer?

## 1.1.3 Science inquiry

### Science is everywhere

Scientific knowledge is all around you. Whenever you turn on a light, eat food, watch television or flush the toilet, you are using the products of scientific knowledge.

**FIGURE 1.2** How might scientists have been involved in each of these activities?

1. Work in a small team for this activity. For each of the photographs in figure 1.2, work together to write a paragraph about how scientists might be involved in the activity shown. Then, share your ideas with the class.
2. **a.** Make a mind map listing as many things as you can think of that a scientist might study.
   **b.** Circle the five you would be most interested in studying.
   **c.** Select one of the five you chose and research the following:
      **i.** What is a scientist who studies this called?
      **ii.** What do they do in their day-to-day job?
      **iii.** What you would need to study and do to get a job in that field?
3. **a.** Draw a picture of your own idea of what a scientist looks like.
   **b.** Make a list of the differences between real scientists and the scientist you have drawn. Think about the way they look as well as what they do.
   **c.** Get together in a group and compare your lists and drawings. Together, compile a group list and draw a group image or description of a scientist.
   **d.** As a group, suggest one single word that describes what all scientists do.

### on Resources

**eWorkbooks**
Topic 1 eWorkbook (ewbk-4609)
Student learning matrix (ewbk-4613)
Starter activity (ewbk-4611)

**Practical investigation eLogbook**
Topic 1 Practical investigation eLogbook (elog-0481)

**learnon**
Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions.

# 1.2 Branches of science

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe examples of the main branches of science.

## 1.2.1 Scientific knowledge

Scientific knowledge is all around you. Whenever you ride a bicycle, turn on a tap, use a phone or watch a video, you are using the products of scientific knowledge. Nurses, police, dietitians, teachers, doctors, vets, mechanics, gardeners, stage designers and artists all use scientific knowledge. In fact, you could easily add to this list yourself. For example, engineers use scientific knowledge to design bridges, computers, factories, artificial limbs, sewerage systems and buildings.

**FIGURE 1.3** Scientific knowledge is used in many jobs, including those of gardeners.

## 1.2.2 Branches of science

There are many branches of science, and some jobs use more than one branch, with different areas of science overlapping in the one profession. Here are some of the main branches of science.

### Biology

Biology is the study of living things. There are many branches of biology. For example, **zoology** is the study of animals, and **botany** of plants. **Entomology** is the study of insects, while **microbiology** is the study of living things that are too small to see without the help of a microscope. There are also many branches of health sciences involving biology. Some examples of these are medicine, beauty science, nursing and dentistry.

### Physics

Physics is the study of the behaviour of natural and manufactured things, and the reasons for their behaviour. Physics is the study of movement and different forms of energy such as light, heat, electricity and nuclear energy. Branches of physics include **acoustics**, the study of sound, and **biomechanics**, the study of the forces involved in human and other animal movement, as shown in figure 1.4.

**FIGURE 1.4** Physics is the study of movement and different forms of energy.

**zoology** the study of animals
**botany** the study of plants
**entomology** the study of insects
**microbiology** the study of micro-organisms, living things too small to see without a microscope
**acoustics** the study of sound and how the design of a room or theatre affects what is heard
**biomechanics** the study of how animals, including humans, move

## Astronomy

Astronomy is the study of the stars, the Sun, the planets, their moons and other heavenly bodies such as comets and asteroids. Examples of some areas being studied in astronomy are: astrogeology, extra-terrestrial life, gravity, and the origins of the universe. The Australia Telescope Compact Array (seen in figure 1.5) is important in radio astronomy.

**FIGURE 1.5** The Australia Telescope Compact Array.

**FIGURE 1.6** Palaeontologists study fossils.

## Geology

Geology is the study of the Earth and how it changes. A geologist might, for example, be concerned with how mountains are formed, or with using rocks to trace the Earth's history. Some of the branches of geology include: **vulcanology**, the study of volcanoes; **seismology**, the study of earthquakes; **palaeontology**, the study of fossils (seen in figure 1.6); and earth sciences including meteorology, climate science and pollution.

## Psychology

Psychology is the study of the mind and behaviour. Psych comes from the Greek word psyche, meaning 'soul' or 'mind'. Most psychologists are concerned with human thought and emotion, but some work with other animals. Branches of psychology include **sports psychology**, which deals with the motivation of athletes (as seen in figure 1.7), and **forensic psychology**, which deals with psychology and the law.

## Chemistry

Chemistry is the study of substances, what they are made of, how they are formed, how they change and what happens when they are combined (as shown in figure 1.8). Branches of chemistry include **radiochemistry**, the study of radioactive substances, and **pharmacology**, the study of the effect of drugs on living things.

**vulcanology** the study of volcanoes

**seismology** the study of earthquakes

**palaeontology** the study of fossils

**sports psychology** the study of how athletes train their minds to help improve sporting prowess

**forensic psychology** a branch of psychology dealing with the law

**radiochemistry** the study of radioactive substances

**pharmacology** the study of the effect of drugs on living things

**FIGURE 1.7** Sports psychologists study how psychological factors can affect performance of athletes.



**FIGURE 1.8** Some scientists like this chemist work in laboratories.

## 1.2.3 Scientists in different disciplines

Scientists can be found just about anywhere. They could be on a riverbank taking water samples, on a boat fitting dolphins with radio transmitters to track their movements, searching for fossils in outback cliffs, in a laboratory searching for the cause of a disease, beside a freeway measuring the effects of sound barriers — even in space investigating the effects of weightlessness. They work in groups with scientists from other disciplines or their own branch of science.

Some scientists work in more than one branch. For example, a **biochemist** works in biology and chemistry, studying the substances in living things. A **biophysicist** might study the small electrical signals that travel from your ear to your brain, which enable you to hear.

### on Resources

**Interactivities** The disciplines of science (int-5609)
How science helps improve performance (int-7130)

**eWorkbook** Exploring the branches of science (ewbk-4614)

### SCIENCE AS A HUMAN ENDEAVOUR: Are all scientists high achievers at school?

Not all scientists were high achievers at school. Some very famous scientists were average or below average school students. Albert Einstein is probably the most famous example. He did not talk until he was three years old. He left school at the age of 15 and went back later. He passed his university exams by studying the notes of his classmates.

## 1.2.4 STEM

Since prehistoric times, people have been making scientific discoveries that have improved the quality of life. The use of scientific ideas to design devices that make life easier is called **technology**. The invention of the wheel is a good example of early technology. The scientific idea behind the wheel is that objects roll over surfaces more easily than they slide across them. The interaction of science, technology, engineering and mathematics (**STEM**) has been the driving force behind our modern technological world.

**biochemist** a scientist who studies the composition and interaction of substances in living things

**biophysicist** a scientist who studies the forces, energy and electrical processes in living things

**technology** the application of science to the design of a device or process

**STEM** acronym stands for the disciplines of science, technology, engineering, and mathematics

### on Resources

assessON Additional automatically marked question sets

# 1.2 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4 | Questions<br>2, 3 | Questions<br>5, 6 |

## Remember and understand

**1.** Match each of the following occupations with the way people in these occupations might use science in their daily work.

| Occupation | Activities |
|---|---|
| **a.** Nurse | **A.** Knowing how to design a building that will not collapse under the weight of the roof |
| **b.** Mechanic | **B.** Adding chemicals to soil to make certain plants grow better |
| **c.** Gardener | **C.** Measuring blood pressure |
| **d.** Chef | **D.** Doing tests to find out the blood type left on a broken window during a crime |
| **e.** Architect | **E.** Using oil to stop parts from wearing too fast |
| **f.** Police officer | **F.** Using a saucepan lid to make something boil faster |

**2.** What would each of the following types of scientist be mainly concerned with?

| Type of scientist | Activities |
|---|---|
| **a.** Biochemist | **A.** The natural behaviour of the Earth |
| **b.** Geophysicist | **B.** The way in which living things interact with each other in the marine environment |
| **c.** Marine ecologist | **C.** Substances in living things |

## Apply and analyse

**3.** Match each of the following scientists with the way they could improve performance.

| Type of scientist | Activities |
|---|---|
| **a.** Nutritionist | **A.** Research the effects of frictional forces on balls, racquets and playing surfaces; they may also examine the effects of different materials for use in racquets |
| **b.** Sports psychologist | **B.** Might develop an eating program that will provide the right combinations of nutrients at different stages of the player's training regimen and performance |
| **c.** Physicist | **C.** Help by training the mind for motivation and performance |

**4.** List five devices that you have used today that would not have been invented without scientific knowledge.

### Evaluate and create

5. Imagine that you are given the chance to interview any scientist from the past or present. Who would you choose? Give reasons for your choice and prepare a list of questions that you would ask.
6. What do the initials CSIRO stand for? What does this organisation do?

**Fully worked solutions and sample responses are available in your digital formats.**

# 1.3 The science laboratory

### LEARNING INTENTION

At the end of this subtopic you will be able to describe the function of different laboratory equipment, and how to use this equipment safely.

## 1.3.1 Getting to know the science lab

Science laboratories (often referred to as 'labs') are found in many locations such as schools, industrial sites and universities. Your school may have one lab or multiple labs. All science labs have many common features that are important for its use in science and for safety.

### ACTIVITIES: A map of the science room

a. Sit quietly for a minute or two and look around the science laboratory.
b. List as many differences as you can between the science laboratory and other general classrooms at your school.
c. Draw a map of the science laboratory on a sheet of A4 paper, labelling each of the following items clearly.
   - student tables and work benches
   - teacher's desk or demonstration bench
   - gas taps
   - sinks
   - eye wash
   - fire blanket
   - doors
   - broken glass bin
   - power points
   - fume cupboard
   - fire extinguishers
   - sand bucket
   - rubbish bin



## 1.3.2 Laboratory equipment

Some of the equipment that you are likely to use in the science laboratory is illustrated in figure 1.9.

int-3414

**FIGURE 1.9** Some equipment that you are likely to use in the science laboratory



**TABLE 1.1** Scientific equipment and their uses in the science laboratory

| Equipment | Use |
|---|---|
| Beaker | Container for mixing or heating liquids and other substances |
| Bosshead | Holds the clamp to a retort stand |
| Bunsen burner | Heats substances |
| Clamp | Holds objects at the required height on a retort stand |
| Conical flask | Container for mixing substances or collecting filtered substances |
| Evaporating dish | Container for heating small amounts of substances over a Bunsen burner |
| Filter funnel | Used with filter paper to filter substances |
| Gauze mat | Supports a container over a Bunsen burner while it is heated |
| Heatproof mat | Protects benches from damage |
| Measuring cylinder | Used to measure the volume of a liquid accurately |
| Retort stand | Used with a clamp and bosshead to hold equipment at the required height |
| Safety glasses | Protect eyes |
| Spatula | Used to pick up small amounts of solid substances |
| Stirring rod | Used to stir mixtures |
| Test tube | Container for holding, heating or mixing small amounts of substances |
| Test tube holder | Holds a test tube while it is being heated |
| Test tube rack | Holds test tubes upright |
| Thermometer | Measures temperature |
| Tongs | Used to hold small objects while they are heated or to pick up hot glassware |
| Tripod | Supports a gauze mat over a Bunsen burner |
| Watchglass | Holds small quantities of solids |

### ACTIVITY: Finding scientific equipment

Can you find all the equipment outlined in figure 1.9 and table 1.1 in your science classroom? Write a list of all the equipment and note down where it was located in your laboratory.

## 1.3.3 Measuring and reading scales

### Measuring volume

Liquids inside containers such as measuring cylinders are often curved at the top edge. The curve is called a **meniscus**. The edges of the meniscus may curve up or down. We always measure the volume of liquids from the middle flat section of the meniscus (as shown in figure 1.10).

**meniscus** the curve seen at the top of a liquid, when in contact with a surface, specifically within a tube

**FIGURE 1.10** For an accurate reading, measure the volume of liquids from the flat section of the meniscus.



## Parallax error

Measurements should always be made with your eye in line with the reading you are taking. When scales are read from a different angle, the reading is not accurate. This type of reading error is called **parallax error** (as shown in figure 1.11).

**FIGURE 1.11** It is important to keep your eye in line with the measurement for the reading you are taking.




## Measuring temperature

A **thermometer** is used to measure temperature. The unit of measurement commonly used is degrees Celsius (°C). The thermometers used in schools are filled with alcohol, dyed red so that they are easier to read. When using thermometers, remember the following points:

- Never rest the bulb of the thermometer on the bottom of a container being heated as the bottom may be hotter than the rest of its contents.
- Ensure that the liquid for which you are measuring the temperature fully covers the thermometer bulb.
- Read the thermometer with your eye level with the top of the alcohol column.

**FIGURE 1.12** The temperatures measured by thermometers A and B are 39 °C and 23.6 °C, respectively.




## Reading scales

In science, a scale or set of numbered markings generally accompanies each measuring device. For example, your ruler measures length, and its scale has markings enabling you to measure with an accuracy of 0.1 cm. A laboratory thermometer has a scale that measures temperature with an accuracy of 0.5 °C.

When reading a scale, it is important to determine what each of the markings on the scale represents, as shown in the figure 1.12.

**on** Resources

**Interactivity** Reading scales (int-0201)

**eWorkbook** The science laboratory (ewbk-4616)

# 1.3.4 Safety in the laboratory

Doing experiments in science can be exciting, but accidents can happen if investigations are not carried out carefully. There are certain rules that must be followed for your own safety and the safety of others.

**parallax error** a reading error when scales are read from a different angle, the reading is not accurate

**thermometer** a device which measures temperature

## Investigating safety

- Use a **filter funnel** when pouring from a bottle or container without a lip.
- Never put wooden test tube holders near a flame.
- Always turn the tap on before putting a **beaker**, **test tube** or **measuring cylinder** under the stream of water.
- Remember that most objects get very hot when exposed to heat or a naked flame.
- Do not use tongs to lift or move beakers.

**filter funnel** used with filter paper to separate solids from liquids

**beaker** container for mixing or heating substances

**test tube** thin glass container for holding, heating or mixing small amounts of substances

**measuring cylinder** used to measure volumes of liquids accurately

### ALWAYS …

- follow the teacher's instructions
- wear safety glasses and a laboratory coat or apron, and tie back long hair when mixing or heating substances
- point test tubes away from your eyes and away from your fellow students
- push chairs in and keep walkways clear
- inform your teacher if you break equipment, spill chemicals or cut or burn yourself
- wait until hot equipment has cooled before putting it away
- clean your workspace — don't leave any equipment on the bench
- dispose of waste as instructed by your teacher
- wash your hands thoroughly after handling any substances in the laboratory.

**FIGURE 1.13** It is important to use appropriate safety equipment in a laboratory.

### NEVER …

- enter the laboratory without your teacher's permission
- run or push in the laboratory
- eat or drink in the laboratory
- smell or taste chemicals unless your teacher says it's ok. When you do need to smell substances, fan the odour to your nose with your hand
- leave an experiment unattended
- conduct your own experiments without the teacher's approval
- put solid materials down the sink
- pour hazardous chemicals down the sink (check with your teacher)
- put hot objects or broken glass in the bin.

**FIGURE 1.14** Experiments should not be left unattended.

### ACTIVITY: Safety rules

Select one of the safety rules and choose a strategy for publicising your message to the class. You might create a safety poster, video clip or play.

What is your strategy?

Why did you choose it?

## 1.3.5 Working with dangerous chemicals

Your teacher will tell you how to handle the chemicals in each experiment. At times, you may come across substances that are dangerous and have warning labels as shown in table 1.2.

**TABLE 1.2** Different hazardous symbols and their meaning

| | |
|---|---|
| | Always wear gloves and **safety glasses** when using chemicals with this symbol. Corrosive substances can cause severe damage to skin and eyes. Acid is an example of a **corrosive** substance. |
| | These substances are easily set on fire so keep them away from flames. Methylated spirits is **flammable**. |
| | Chemicals with this label can cause death or serious injury if swallowed or breathed in. They are also dangerous when touched without gloves because they can be absorbed by the skin. Mercury is a toxic substance. |

## 1.3.6 Heating substances

Many experiments that you will conduct in the laboratory require heating. In school laboratories, heating is usually done with a Bunsen burner, outlined in figure 1.15.

The barrel, shown in figure 1.15 is the part of the burner from where the flame comes out. Never touch the barrel with your bare hand as it is very hot long after use. The base of the burner is the safest part to touch, as it is designed to not get hot.

**safety glasses** plastic glasses used to protect the eyes during experiments

**corrosive** describes a chemical that wears away the surface of substances, especially metals

**flammable** substances such as methylated spirits that burn easily

The air hole controls the amount of oxygen that can mix with the gas in the burner. This air hole can be partially or completely open by turning it. The collar is a metal ring that can be adjusted to adjust the amount of oxygen that can enter the burner. Always light the Bunsen burner with the air holes completely closed. The gas inlet is where the gas enters the burner and mixes with the oxygen.

int-8166
ewbk-6640

**FIGURE 1.15 a.** The components of a Bunsen burner and **b.** The yellow visible flame is known as the safety flame and is less hot than the blue flame.




The flames of a Bunsen burner vary depending on their temperature and use, as seen in figure 1.15b. The bright yellow, visible flame is known as the safety flame. This flame will be least hot due to less oxygen in the gas. The light blue, less visible flame is known as the heating or roaring flame. This flame is used when heating something. Always tie hair back and wear safety glasses and a laboratory coat or apron when using a Bunsen burner.

eles-2360

## A GUIDE TO USING THE BUNSEN BURNER

- Place the Bunsen burner on a heatproof mat.
- Check that the gas tap is in the 'off' position.
- Connect the rubber hose to the gas tap.
- Close the airhole of the Bunsen burner collar.
- Light a match and hold it a few centimetres above the barrel.
- Turn on the gas tap and a yellow flame will appear.
- Adjust the flame by moving the collar until the airhole is open and a blue flame appears.
- Remember to close the collar to return the flame to yellow when the Bunsen burner is not in use.

**FIGURE 1.16** The process of lighting a Bunsen burner

## Heating containers

ewbk-6642

int-8167

Beakers and evaporating dishes can be placed straight onto a gauze mat for heating. Use a gauze mat over a tripod to hold containers over a Bunsen burner flame. Never look directly into a container while it is being heated. Wait until the equipment has cooled properly before handling it.

### SCIENCE AS A HUMAN ENDEAVOUR: The invention of the Bunsen burner

Have you noticed that 'Bunsen burner' is always spelt with a capital 'B'? It is named after Robert Bunsen, a German scientist who, along with his laboratory assistant Peter Desaga, improved on earlier models of laboratory burners. This improved their laboratory work. Bunsen also developed the most effective antidote for arsenic poisoning, which is still used today.

**FIGURE 1.17** The equipment used to heat substances and containers




elog-0482

## INVESTIGATION 1.1

### Which flame is hotter?

#### Aim

**To determine which is the hotter Bunsen burner flame: blue or yellow**

#### Materials

- Bunsen burner
- matches
- pieces of porcelain
- clock or watch
- heatproof mat
- tongs
- safety glasses

#### CAUTION

Before you use your Bunsen burner, ensure you are wearing safety glasses, your Bunsen burner is on a heatproof mat and long hair is tied back.

#### Method

1. Make a prediction about which flame is hotter.
2. Light the Bunsen burner according to the guide in section 1.3.6.
3. Open the airhole.
4. Hold a piece of porcelain over the flame with the airhole open.
5. Record roughly how long it takes for the porcelain to turn red-hot.
6. Let the porcelain cool on the heatproof mat.
7. Close the airhole.
8. Hold the porcelain in the yellow flame for a few minutes.

#### Results

1. Describe the flame when the airhole is open. What colour is it? Does it make a noise?
2. Describe the flame when the airhole is closed. Is it easy to see?
3. Does the porcelain turn red-hot in the yellow flame when the airhole is closed?
4. What else do you notice about the porcelain after heating in the yellow flame?

### Discussion

1. Give reasons for your prediction.
2. Which is the hotter flame? What observations did you make that support your answer?

### Conclusion

Write a conclusion for this investigation, linking back to your aim and the prediction you made.

elog-0484

## INVESTIGATION 1.2

### Where is the hottest part of the flame?

#### Aim

**To locate the hottest part of a Bunsen burner flame**

#### Materials

- Bunsen burner
- heatproof mat
- matches
- safety glasses
- nichrome wire
- tongs
- pin

**CAUTION**

Before you use your Bunsen burner, ensure you are wearing safety glasses, your Bunsen burner is on a heatproof mat and long hair is tied back.

#### Method

**Part A**

1. Predict where the hottest part of the flame will be.
2. Use a pin to hang an unburnt match over the barrel of a Bunsen burner.
3. Light the Bunsen burner according to in section 1.3.6.
4. Turn the collar to produce a blue flame.
5. Turn the Bunsen burner off and remove the match and pin with tongs.




**Part B**

6. Re-light the Bunsen burner and turn the collar to produce a blue flame again.
7. Use the tongs to hold the wire across the flame, close to the barrel of the Bunsen burner, and observe the wire.
8. Move the wire up a little and continue observing.

#### Results

1. What happens to the match hanging over the barrel? Explain why.
2. What colour does the wire become when held across the flame?
3. Is the colour of the wire different when it is held at the top of the flame?
4. Draw a diagram of the Bunsen burner flame, labelling the parts that are hottest.

#### Discussion

1. Students often heat substances in a test tube with a Bunsen burner. Why would it be unwise to:
   a. use a yellow flame rather than a blue flame
   b. position the test tube at the base of a blue flame?
2. Why is the yellow flame often called the safety flame?
3. Give reasons for your prediction about the hottest part of the flame. Was your prediction correct?

#### Conclusion

Write a conclusion for this investigation, linking back to your aim and the prediction you made.

elog-0486

## INVESTIGATION 1.3

### Heating a substance in a test tube

#### Aim

**To safely heat a substance in a test tube**

#### Materials

- 100 mL beaker
- Bunsen burner and heatproof mat
- matches
- safety glasses
- test tube
- test tube rack
- test tube holder
- food colouring

#### CAUTION

Before you use your Bunsen burner, ensure you are wearing safety glasses, your Bunsen burner is on a heatproof mat and long hair is tied back.

#### Method

1. Carefully pour water from a beaker into a test tube to a depth of about 2 cm as shown in the diagram. Add a drop of food colouring to make it easier to see.
2. Light the Bunsen burner correctly and heat the test tube gently in the blue flame as shown. Remember that the open end of the test tube should be pointing away from you and your fellow students. The base of the test tube should be moved gently in and out of the flame. This prevents the liquid from splashing out of the test tube.
3. Once the water has started boiling, stop heating and turn off the gas to the Bunsen burner. Place the test tube in the test tube rack. Leave it there until it has cooled before emptying it and cleaning up.



#### Results

1. Make a list of any changes you observed inside the test tube as you heated the water.

#### Discussion

1. Outline five safety techniques you used when heating your test tube.
2. Why is the test tube placed in a test-tube rack rather than in your hand?

#### Conclusion

Write a conclusion for this investigation, linking back to your aim and the prediction you made.

### on Resources

**Interactivity** Danger in the laboratory (int-3415)

**eWorkbook** Playing it safe (ewbk-4618)

**Video eLesson** Science safety rules (eles-2245)

**assess on** Additional automatically marked question sets

# 1.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3, 8 | Questions<br>4, 5, 7 | Questions<br>2, 6, 9 |

## Remember and understand

1. MC Why should you always wear gloves when working with corrosive substances?
   - A. In case the chemical dyes your hand
   - B. To prevent severe damage to the skin should the chemical be spilled
   - C. To protect against corrosive substances leaching through the glassware
   - D. To make sure you have more grip so you can hold the glassware betterr
2. Your teacher tells you it is safe to smell a chemical. Fill in the gaps in the sentence below to show the technique you should use.
   _____ the odour from _____ the mouth of the test tube or beaker to your nose with your hand.
3. Which colour flame of a Bunsen burner is hottest?
4. MC What should you do if you cut or burn yourself in the laboratory?
   - A. Get yourself a band-aid.
   - B. Leave the laboratory.
   - C. Continue with the experiment.
   - D. Tell your teacher immediately.

## Apply and analyse

5. Match the following pieces of equipment with their purpose.

| Equipment | Purpose |
|---|---|
| a. Heatproof mat | A. Used with clamps and bossheads to hold equipment at the required height |
| b. Evaporating dish | B. Protect benches from heat damage |
| c. Test tube rack | C. Porcelain container for evaporating small amounts of substances over a Bunsen burner |
| d. Retort stand | D. Hold test tube upright |

6. Match the item of equipment you would use for each of the following activities.

| Activity | Equipment |
|---|---|
| a. Hold a test tube that is to be heated | A. Spatula |
| b. Measure a volume of water exactly | B. Measuring cylinder |
| c. Transfer a small sample of a powder to a beaker | C. Stirring rod |
| d. Mix a sample of powder with water so it dissolves | D. Test tube holder |

7. Determine the temperatures measured by each of the thermometers shown.




## Evaluate and create

8. Look carefully at the picture of students in a laboratory.

   a. List at least five dangerous situations you can see.
   b. Explain why each situation is dangerous.

9. Complete the following passage.
   a. When in the science laboratory, matches can not be washed down the _____.
   Always point a test tube _____ from you when heating.
   Water spills _____ need to be cleaned up.
   b. You are going to a primary school to teach students about lab safety. Explain your top five tips and describe how you would explain these to a group of seven-year-olds.

**Fully worked solutions and sample responses are available in your digital formats.**

# 1.4 SkillBuilder—Measuring and reading scales

online only

## Why do we need to measure and read scales?

When conducting experiments, it is critical that measurements and data are recorded accurately. Whether measuring volume or temperature, or interpreting alternate scales, it is important that they are recorded accurately.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

### on Resources

**Video eLesson** Measuring and reading scales (eles-4153)

**Interactivity** Measuring and reading scales (int-8087)

**eWorkbook** SkillBuilder—Measuring and reading scales (ewbk-4620)

# 1.5 SkillBuilder — Using a Bunsen burner

online only

## Why use a Bunsen burner?

Many experiments in the laboratory require heating using a Bunsen burner. A Bunsen burner provides heat when a mixture of air and gas is lit. Bunsen burners heat objects or liquids with a naked flame, and therefore there are precautions that must be taken to ensure the safe usage of a Bunsen burner.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

### on Resources

**Video eLesson** Using a Bunsen burner (eles-4154)

**Interactivity** Using a Bunsen burner (int-8088)

**eWorkbook** SkillBuilder — Using a Bunsen burner (ewbk-4622)

# 1.6 Scientific inquiry

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe and apply the scientific method.

## 1.6.1 Scientific investigations

Crime scene investigators make **observations** at the scene of the crime. A footprint, the smell of perfume, an unusual sound or a warm log in a fireplace could provide clues to a crime.

The investigators also collect evidence so that they can make more observations in the laboratory. They use their observations to make an inference about what happened. An **inference** is a suggested explanation of what took place. But inferences are not always right. Further investigation is usually needed. The investigators often form a **hypothesis** about what happened. A hypothesis is a sensible guess about the outcome of an experiment. Your hypothesis should relate to your aim (the purpose of your investigation) and should be testable with an experiment, measurement or observation. A hypothesis is usually written in an 'IF....THEN...' format.

After testing a hypothesis you might be able to form a **conclusion** about what happened. A conclusion is a final explanation of what took place. Sometimes the investigator has to return to the scene of the crime to gather more evidence to make further observations and start the process all over again before a conclusion can be formed.

The process used by crime scene investigators, called the scientific **method**, is used in almost all scientific investigations. Sometimes scientists form a hypothesis without making an inference first and sometimes no hypothesis is formed before an experiment.

**FIGURE 1.18** This flowchart summarises the process of many scientific investigations.




## 1.6.2 Observing and making inferences

To solve the mystery shown in figure 1.19, careful observations have to be made. Normally you are able to use all five senses to make observations. However, in this case you can use only your sense of sight.

1. Write down as many observations as you can that might help solve the mystery.
2. Make an inference about what happened.
3. Form a hypothesis about the mystery that can be tested by closer observation, measurement or an experiment. Explain how your hypothesis could be tested by a real crime scene investigator.
4. Why is it not possible to form a conclusion about who or what caused the mess using the photo alone?

**FIGURE 1.19** Who or what did it?

**observations** information obtained by the use of our senses or measuring instruments

**inference** a suggested logical explanation for an event or occurrence

**hypothesis** a suggested testable explanation for observations or experimental results; it acts as a prediction for the investigation

**conclusion** a general statement that sums up the observations or results of an experiment

**method** the steps of an investigation or experiment

## CASE STUDY: Fictional detections

One of the most famous fictional detectives of all time was Sherlock Holmes. Together with Dr Watson he used observations and clever hypotheses to solve many crimes. Every hypothesis had to be tested until he could reach a conclusion about the crime. One of Sherlock's scientific tools was a simple magnifying glass.

elog-0488

## INVESTIGATION 1.4

### Are you a good observer?

#### Aim

**To form clear observations around a lit candle**

#### Materials

- candle and matches
- jar lid

#### Method

1. Light a candle and place it on the lid of a jar. Write down as many observations as you can of the burning candle, using sound, smell and sight. DO NOT TOUCH THE FLAME OF THE CANDLE.
2. Michael Faraday (1791–1867), a scientist famous for his discoveries in electricity and chemistry, made 53 observations of a burning candle. Take note of the number of observations you made.

#### Results

1. Write down your observations using a table to group them according to which sense you used to make the observation.
2. Use a table like the one shown to record the number of observations made by the people in your class.

**TABLE** Observations made by the people in the class

| 'Score' (number of observations made) | Number of people |
|---|---|
| 0–9 | |
| 10–19 | |
| 20–29 | |
| 30–39 | |
| More than 39 | |

#### Discussion

1. How many observations did you record?
2. Form a hypothesis about whether you are a better observer than most people in your class.
3. Was your hypothesis supported by the data?
4. Which sense did you use to make most of your observations? Suggest why this sense is most used.

#### Conclusion

Write a conclusion to answer the question 'Am I a better observer than most people in my class?'

## ACTIVITY: Outdoor observations

Sit quietly in a nearby outdoor location and write down as many observations as you can within five minutes.

- Identify the sense that you used the most.
- Which other senses did you use?
- Compare your observations with those of other classmates. What interesting observations did others make?

## Resources

**eWorkbook** Observing and recording (ewbk-4624)
**assessON** Additional automatically marked question sets

## 1.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2 | Questions<br>3, 4 | Questions<br>5, 6 |

### Remember and understand

1. How is a scientist like a detective?
2. What is the difference between a hypothesis and a conclusion?

### Apply and analyse

3. State the five senses that can be used to make observations and describe their functions.
4. Explain the difference between an inference and a hypothesis.
5. Read the following statements and decide whether each sentence is an observation, inference or conclusion.
   a. The dog in the house next door is barking.
   b. There are no lights on in the house.
   c. The owners must be asleep.
   d. There could be a prowler in the backyard.
   e. I heard the sound of breaking glass.
   f. The dog distressed as it is hungry.

### Evaluate and create

6. Imagine that you have lost your senses of sight and hearing. Write a description, giving as much detail as you can, about walking through a remote forest. Don't forget that your observations can be made only with your senses of touch, taste and smell.

**Fully worked solutions and sample responses are available in your digital formats.**

# 1.7 SkillBuilder — Writing an aim and forming a hypothesis

online only

### Why do we need to write aims and form hypotheses?

In science, we conduct investigations to gather data and results and draw conclusions. Every investigation requires an aim — a short statement of what we are trying to achieve. Alongside an aim, the ability to formulate predictions is important in science. This is done through the use of a hypothesis. Being able to write aims and hypotheses are vital skills for any scientist.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

### on Resources

**Video eLesson** Writing an aim and forming a hypothesis (eles-4155)

**Interactivity** Writing an aim and forming a hypothesis (int-8089)

**eWorkbook** SkillBuilder — Writing an aim and forming a hypothesis (ewbk-4626)

# 1.8 Controlled investigations

## LEARNING INTENTION

At the end of this subtopic you will be able to describe how to investigate reliably using controlled variables and controls.

## 1.8.1 Being scientific

In order to answer a question scientifically, a controlled investigation needs to be performed. In a controlled investigation, every variable except the one being tested is held constant, which stops the **results** being affected by an uncontrolled factor. The investigation must also be reliable, which means that any conclusions made are supported by data. The simple investigation of bouncing balls made of different materials illustrates how experiments can be both controlled and reliable.

**FIGURE 1.20**
Bouncing a ball can become a scientific experiment.

### Variables

There are many factors that affect how high a ball bounces after being dropped. They include:

- the height from which the ball is dropped
- the type of ball
- the type of surface the ball is dropped onto
- how much the ball has been used
- the method of dropping
- the technique used to measure the bounce height.

These factors are called **variables**. The variable that you are investigating is called the **independent variable**. In this investigation the independent variable is the type of material that the ball is made of. You are comparing balls of similar sizes made from different materials. The variable that you are measuring (the height of the bounce) is called the **dependent variable**. The dependent variable often relies on changes made to the independent variables.

**results** the details or data that are recorded from the outcome of an investigation

**variables** quantities or conditions in an experiment that can change

**independent variable** the variable that the scientist changes to observe its effect on another variable

**dependent variable** a variable that is observed or measured during the experiment

## Fair testing

Scientific investigations must be **fair tests**. In a fair test only one variable is changed at a time — the independent variable. In this investigation about the tennis ball bounce, that is the type of ball. All variables other than the dependent variable must be **controlled**; that is, they must be kept the same. If they were not, you couldn't tell which variable was affecting the height of the bounce. You might find it helpful when designing your own investigations to use a table like the one shown to identify all the variables.

**fair test** a method for determining an answer to a problem without favouring any particular outcome

**controlled** a parallel experiment where everything is the same as the test set-up except the variable

**TABLE 1.3** Variables involved when examining the bounce of balls of differing materials

| Type of variable | Variable in experiment |
|---|---|
| Independent variable | • The type of material the ball is made of |
| Dependent variable | • The height of the bounce |
| Controlled variables | • The type of surface the ball is dropped onto<br>• How much the ball has been used (use brand-new balls)<br>• The method of dropping<br>• The technique used to measure the bounce height |

elog-0490

## INVESTIGATION 1.5

### Which ball bounces the highest?

#### Aim

**To plan, conduct and report on a scientific investigation in which variables are controlled**

#### Materials

- tennis ball
- baseball
- rubber ball (about the size of a tennis ball)
- any other ball the same size as a tennis ball
- cricket ball
- one-metre ruler

#### Method

1. The question you are trying to answer is 'Which ball bounces the highest?'. Prepare a table in which to record your results.
2. Make a prediction. Write down a hypothesis.
3. Take care not to introduce unwanted variables. Make sure that the balls are dropped each time — don't accidently give them an extra push down. Also, think about which part of the ball you will measure the bounce height from.
4. You will be working in a small group, so decide who will drop the ball, who will make the measurements and who will record them.
5. Drop each ball from the same height and measure how high each one bounces. Now go ahead and answer the question — scientifically!

#### Results

Write a report about your investigation. You should outline your aim, materials and method, record your results and observations, summarise your findings in a discussion. Refer to section 1.14 if you aren't sure of what to include in your discussion.

#### Conclusion

Write a conclusion for this investigation that links back to your aim and hypothesis. Include this in your report.

## 1.8.2 Uncontrolled variables

Sometimes it is not possible to control all of the variables that need to be controlled. These variables are called uncontrolled variables. These 'out of control' variables can make your **data** unreliable. In the bouncing ball investigation the size of the ball is uncontrolled. However, the effect of size is minimised by testing balls of approximately the same diameter.

**data** observations or measurements made and recorded during an investigation

The word *data* comes from the Latin word *datum* meaning 'something given'. The English word *datum* means a single piece of information. *Data* means more than one piece of information.

## 1.8.3 Repetition and reliability

If you measured the bounce height of each ball only once, your result may not be reliable. Errors often occur in measurements due to carelessness, a minor change in method (for example in the way the ball was dropped) or inaccuracies in reading a scale (see figure 1.21). To reduce the effect of these errors, measurements should be repeated a number of times and an average calculated. The table 1.4 shows an example in which the bounce height of a wet tennis ball is compared with the bounce height of a dry tennis ball.

**FIGURE 1.21** A dry tennis ball is used to test whether wetting a ball affects how high it bounces.



**TABLE 1.4** Comparing the bounce height of wet and dry tennis balls

| Trial | Height of bounce (cm) | |
|---|---|---|
| | Wet tennis ball | Dry tennis ball |
| 1 | 47 | 47 |
| 2 | 45 | 48 |
| 3 | 42 | 50 |
| 4 | 42 | 48 |
| 5 | 44 | 52 |
| Average | 44 | 49 |

The average of these measurements suggests that a dry tennis ball will bounce higher than a wet one. If you recorded only trial 1, you would form a different — and incorrect — conclusion.

## 1.8.4 Including a control

Some investigations require a control or a control group. For example, you might be investigating the effects of watering plants with salty water. You could use three different containers of water, each with a different amount of salt in the water. The independent variable is the amount of salt dissolved in the water. The dependent variable might be the height of the plant after ten days of watering. For reliability you observe at least three plants for each amount of salt. To fully investigate the effect of the salt in the water you need a control group of plants, to which you give water without any added salt. In a control group the independent variable (the salt) is not applied.

**FIGURE 1.22** Some investigations require a control group.




### on Resources

**eWorkbook** Developing a fair test (ewbk-4628)

**assess on** Additional automatically marked question sets

## 1.8 Exercise

learn on

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4 | Questions<br>3, 5, 6 ,8 | Questions<br>7, 9, 10 |

### Remember and understand

1. What is a variable? Give an example of a variable.
2. State the difference between an independent variable and a dependent variable.
3. Explain why only one variable at a time should be changed in scientific investigations.
4. Identify some variables that might affect:
   a. how quickly a pot plant grows
   b. the cost of an overseas airfare
   c. the time it takes you to travel to school in the morning.

### Apply and analyse

5. Advertisements for washing powders and liquids often claim that they are more effective than others. Imagine that you are conducting an experiment to test a range of washing powders and liquids.
   a. Outline a method for your experiment.
   b. List the variables you will need to control.
   c. What variable will you change?
   d. How will you compare the results of your tests?

6. Amy and Nguyen are trying to find out whether stoneware or glass cups are better for keeping water hot. The figure shows their experiment in progress.
   a. List at least two weaknesses in their experiment design.
   b. Make a list of all the variables that could affect the results of Amy and Nguyen's experiment.
   c. List any variables that Amy and Nguyen do not need to control.



7. Simon and Jessie performed an experiment to determine out how effectively two plastic cups maintain the temperature of near boiling water. Their data is as follows:

**TABLE** The change in temperature of boiling water with respect to time in the two plastic cups

| | Temperature (°C) | |
|---|---|---|
| Time (min) | Simon's cup | Jessie's cup |
| 0 | 90 | 90 |
| 10 | 47 | 58 |
| 20 | 29 | 39 |
| 30 | 22 | 31 |
| 40 | 20 | 26 |
| 50 | 20 | 23 |

   a. Draw a graph to display the data in the table.
   b. Which cup maintained the temperature of the water more effectively?
   c. Estimate the temperature of the water in Simon's cup 15 minutes after timing commenced.
   d. Use your graph to estimate how long it would have taken the water in Jessie's cup to drop to a temperature of 20 °C.

## Evaluate and create

8. Brainstorm and produce a list of problems that you could investigate scientifically at home or in the school laboratory without using expensive scientific equipment.
9. a. Design an investigation to find out whether distances are easier to judge with two eyes than just one. You can do this by shooting for goal with a basketball or netball from a particular spot under three conditions:
   - left eye closed
   - right eye closed
   - both eyes open.

   To produce reliable results, more than one person should take the shooting test and each goal shooter should have several attempts.
   b. Identify the independent and dependent variables
   c. Describe the strategies you used to ensure that this was a fair test.
10. a. How is the bounce height of a tennis ball affected:
   i. when it is damp
   ii. when it is hot
   iii. as it gets old and worn
   iv. by different tennis court surfaces?
   b. Design an investigation to answer one or more of these questions.

**Fully worked solutions and sample responses are available in your digital formats.**

# 1.9 SkillBuilder — Controlled, dependent and independent variables

online only

### What is the difference between controlled, dependent and independent variables?

In order to answer a question scientifically, a controlled investigation needs to be performed. In a controlled investigation every variable except the one being tested is held constant, which stops the results being affected by an uncontrolled factor. The variable that you are investigating is called the independent variable. The variable that you are measuring is called the dependent variable.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

**on Resources**

**Video eLesson** Controlled, dependent and independent variables (eles-4156)

**Interactivity** Controlled, dependent and independent variables (int-8090)

**eWorkbook** Skillbuilder — Controlled, dependent and independent variables (ewbk-4630)

# 1.10 Analysing data

### LEARNING INTENTION

At the end of this subtopic you will be able to use different types of representations and consider their strengths and limitations.

## 1.10.1 What is a graph?

A graph is a diagram that shows the connection between two or more things using dots, lines or bars.

Values or measurements obtained from an investigation are called data. Having collected the data, it is important to present them clearly so that another person reading or studying them can understand them. Organising data as a graph is a widely recognised way of making a clear presentation. It makes the information easier to read and interpret, and makes it easier to show trends (patterns) and draw conclusions.

There are four different types of graph: a pie chart or sector graph, a bar chart or column graph, a histogram and a line graph.

## 1.10.2 Pie chart (or sector graph)

A **pie chart** (also known as a **sector graph**) is a circle divided into sections that represent parts of the whole. This type of graph can be used when the data can be added as parts of a whole. The example in figure 1.23 shows the food types, vitamins and minerals that make up the nutrients in a breakfast cereal.

**pie chart** uses sectors of a circle to compare the size of parts making up the whole

**sector graph** uses sectors of a circle to compare the size of parts making up the whole

**FIGURE 1.23** A pie chart




## 1.10.3 Column graph (or bar chart)

A **column graph** (also known as a **bar chart**) has two axes and uses rectangles (bars or columns) to represent each piece of data. The height or length of the bars represent the values in the data. The width of the bars is kept constant. This type of graph can be used when the data cannot be connected and are therefore not continuous.

**column graph** *see* bar chart

**bar chart** a diagram using the lengths of rectangles (bars) to show the size of the same property for different objects or at different times

The first example on the next page shows data on the average height to which different balls bounced during an experiment. Each bar represents a different type of ball. The second example on the next page shows the lengths of different metal bars when heated. Each bar represents a different metal bar.

**FIGURE 1.24** Two column graphs (also known as bar charts)






## 1.10.4 Histogram

**Histograms** are similar to column graphs except that the columns touch each other because the data are continuous and grouped. They are often used to present the results of surveys. In the histogram in figure 1.25, each column represents the number of students that reach a particular height.

**FIGURE 1.25** A histogram




## 1.10.5 Line graph

A **line graph** has two axes — a horizontal axis and a vertical axis. The horizontal axis is known as the ***x*-axis**, and the vertical axis is known as the ***y*-axis**. The line graph is formed by joining a series of points or drawing a line of 'best fit' through the points. Each point represents a set of data for two variables, such as height and time. Two or more lines may be drawn on the same graph.

Line graphs are used to show continuous and ungrouped data — that is, data in which the values follow on from each other. For example, the line graph in figure 1.26 shows the change in the solubility of a salt in water as the temperature of the water increases. (Solubility is a measure of the mass of a substance that can be dissolved in a liquid.)

**histograms** a graph with equal intervals marked on the x-axis for the values of a quantity, and frequency of occurrence of each value shown by the height of adjoining columns

**line graph** a graph made by plotting pairs of data as points and joining the points together

***x*-axis** the horizontal axis on a graph

***y*-axis** the vertical axis on a graph

**FIGURE 1.26** A line graph



## 1.10.6 Summary of graphs

As outlined in the earlier sections, there are many different types of graphs you can use to represent your data.

When determining the type of graph to use you should consider the type of data you have:

- Is your data all **numerical** (numbers), all **categorical** (categories such as eye colour) or both?
- If you have numerical data, can it take any value (**continuous**) or is it only set values (**discrete**)?
- Is your data in intervals?
- Does it make sense for your data to add up to 100%?

This will help you determine the type of graph you might choose to use. For example:

- line graphs are not used for categorical data, but are used for continuous numerical data
- histograms are only used when you have intervals and frequencies
- column and bar graphs are used when you have a combination of categorical and numerical data
- pie charts are only used when you are expressing parts of a total.

**numerical** data related to numbers; also known as quantitative

**categorical** data related to categories or non-numerical values; also known as qualitative

**continuous** numerical data that can be measured and be any value in a range, including decimals

**discrete** numerical data that can be counted and can only be certain values

**FIGURE 1.27** Different types of graphs used for analysing data.



Pie chart parts of a whole

Column graph ungrouped data

Histogram continuous, grouped data

Line graph continuous, ungrouped data

### Resources

**eWorkbook** Selecting and constructing graphs (ewbk-6644)

**assessON** Additional automatically marked question sets

## 1.10 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2 | Questions<br>3, 4 | Questions<br>5 |

## Remember and understand

1. Draw a column graph using the information in the table 'Nutrients in a 30 g serving of ice-cream'.

**TABLE** Nutrients in a 30 g serving of ice-cream

| Nutrient | Amount (g) |
|---|---|
| Protein | 2.00 |
| Fat | 6.00 |
| Carbohydrate — polysaccharide | 11.00 |
| Carbohydrate — sugar | 10.00 |
| Cholesterol | 0.02 |
| Calcium | 0.10 |
| Potassium | 0.80 |
| Sodium | 0.05 |

2. The provided table gives the energy contained in various types of food.

**TABLE** Energy content of foods

| Food | Energy (calories) |
|---|---|
| Apple (medium) | 75 |
| Bread (1 slice) | 70 |
| Butter (1 tbsp.) | 100 |
| Chocolate cake (medium slice) | 250 |
| Cornflakes (1 serving) | 75 |
| Milk (large glass) | 150 |
| Orange (medium) | 50 |
| Sugar (1 tbsp.) | 50 |

   a. Why are these data not suitable for graphing?
   b. What would you need to do to make them suitable?

## Apply and analyse

3. The provided table shows the percentage composition of salts present in sea water.

**TABLE** Salt composition of sea water

| Salt | Percentage % |
|---|---|
| Calcium carbonate | 0.34 |
| Calcium sulfate | 3.60 |
| Magnesium bromide | 0.22 |
| Magnesium chloride | 10.90 |
| Magnesium sulfate | 4.70 |
| Potassium sulfate | 2.50 |
| Sodium chloride | 77.24 |
| All others | 0.50 |

   a. Draw a pie chart from this table.
   b. Apart from sodium, the salts of which metal are the most abundant in sea water?

4. The following table shows the uses of plastics in Australia.

**TABLE** Uses of plastics in Australia

| Use | Percentage % |
|---|---|
| Agriculture | 4.0 |
| Building | 24.0 |
| Electrical/electronic | 8.0 |
| Furniture and bedding | 8.0 |
| Housewares | 4.0 |
| Marine, toys and leisure | 2.0 |
| Packaging and materials handling | 31.0 |
| Transport | 5.0 |
| Others | 14.0 |

a. Select a suitable graph type and prepare a graph from this table.
b. Choose two uses of plastic from your graph. For each use, state a particular item that is made of plastic.
c. There has been recent controversy about the waste products that humans create.
   i. Can you suggest any uses of plastics that would contribute to waste products? List them and explain your choices.
   ii. Can you suggest alternatives to reduce the amount of plastic waste products?

## Evaluate and create

5. The table shows the amount of energy required by males and females for various activities.

**TABLE** Amount of energy required for various activities

| Activity | Energy used per hour by average 58 kg female (kJ) | Energy used per hour by average 70 kg male (kJ) |
|---|---|---|
| Sleeping | 240 | 300 |
| Sitting, reading, desk work and studying | 360 | 450 |
| Light activity, such as driving, playing piano and standing with only arms moving | 480 | 600 |
| Walking slowly and gardening; working as a shop assistant or machinist | 720 | 900 |
| Physical work, such as factory or farm labouring; sports, such as cycling, tennis and cricket | 960 | 1200 |
| Heavy physical work, such as loading, stacking and carrying; vigorous sports, such as jogging, basketball, hockey and football (activity that leads to sweating) | 1440 | 1800 |
| Very heavy physical work and vigorous sports, such as football, hockey, running and swimming (activity that causes free sweating, requiring short bursts of extreme energy) | 2400–4800 | 3000–7200 |
| Transport | 5.0 | 4.0 |

a. Draw a column graph using the information in the table.
b. Why do you think males use more energy per hour than females for the same activity?

**c.** The following list shows the activities for an average female for one day.

**TABLE** Daily activities of an average female

| Activity | Number of hours |
|---|---|
| Sleeping | 8 |
| Light activity | 4 |
| Sitting, reading and desk work | 10 |
| Gardening | 1 |
| Basketball | 1 |

**i.** This female would need to consume _____ kilojoules to provide the energy for the day's activities.

**ii.** If an average male spent a similar day to the female in the previous question, he would need _____ kilojoules.

**Fully worked solutions and sample responses are available in your digital formats.**

# 1.11 SkillBuilder — Constructing a pie chart

online only

## What is a pie chart?

A pie chart, or pie graph, is a graph in which slices or segments represent the size of different parts that make up the whole. The size of the segments is easily seen and can be compared. Pie graphs give us an overall impression of data.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

### on Resources

**Video eLesson** SkillBuilder: Constructing a pie graph (eles-1632)

**Interactivity** SkillBuilder: Constructing a pie graph (int-3128)

**eWorkbook** Skillbuilder — Constructing a pie graph (ewbk-4634)

# 1.12 SkillBuilder — Creating a simple column or bar graph

online only

## What is a column or bar graph?

Column graphs show information or data in columns. In a bar graph the bars are drawn horizontally and in column graphs they are drawn vertically. They can be hand drawn or constructed using computer spreadsheets.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

### Resources

**Video eLesson** SkillBuilder: Creating a simple column or bar graph (eles-1639)

**Interactivity** SkillBuilder: Creating a simple column graph (int-3135)

**eWorkbook** Skillbuilder — Creating a simple column or bar graph (ewbk-4636)

# 1.13 SkillBuilder — Drawing a line graph

online only

## What is a line graph?

A line graph displays information as a series of points on a graph that are joined to form a line. Line graphs are very useful to show change over time. They can show a single set of data, or they can show multiple sets, which enables us to compare similarities and differences between two sets of data at a glance.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

### Resources

**Video eLesson** SkillBuilder: Drawing a line graph (eles-1635)

**Interactivity** SkillBuilder: Drawing a line graph (int-3131)

**eWorkbook** Skillbuilder — Drawing a line graph (ewbk-4638)

# 1.14 Reporting on investigations

### LEARNING INTENTION

At the end of this subtopic you will be able to write a scientific report.

## 1.14.1 Scientific reports

When scientists conduct investigations, they need to write reports to tell other people about their work. When you conduct experiments, you need to write reports that allow others to understand what you did and to read about what you found out.

### Components of a scientific report

**Aim**

A statement about why you did the experiment

**Materials**

A list of the equipment and chemicals that were used

**Method**

An account of what was done. This will usually include a diagram showing how your equipment was set up. There should be enough details included to allow the reader to repeat your experiment.

**Results**

A presentation of your data. This might include a list of observations, or tables and graphs, with clear titles.

**Discussion**

An explanation of your results and a description of any difficulties you had with the experiment. This section might also include suggestions for improvements to the experiment.

**Conclusion**

A brief account of what you found out and how your findings relate to your aim. It is a good idea to read your aim again before you write your conclusion.

While the components outlined are standard components, there are other features you may include. A common inclusion may be the hypothesis for the investigation.

## 1.14.2 Drawing science equipment

When reporting your experiments, a good, simple diagram can make it much easier for the reader to understand what was done. There are some rules to remember:

1. Diagrams in scientific reports should be drawn in pencil.
2. Straight lines should be drawn with a ruler.
3. Each item of equipment should be labelled.
4. Provide a title for the diagram.

Figure 1.28 shows how some commonly used items of equipment should be drawn.

**FIGURE 1.28** Diagrams in scientific reports should be simple. In each case here, the apparatus is shown on the left and the diagram of this apparatus on the right.



**FIGURE 1.29** A good quality report of an experiment

Date: 29 February

Dissolving sugar

Aim:

To find out how much sugar will dissolve in hot water compared with cold water

Materials:

Beaker, heatproof mat, Bunsen burner, tripod, gauze mat, matches, spatula, stirring rod, sugar, water

Method:

1. A spatula was used to add sugar to 100 mL of cold water in a beaker. The sugar was stirred and more added until no more would dissolve. The amount of sugar dissolved was recorded.

2. The mixture of sugar and water was heated with a Bunsen burner for 4 minutes and the extra amount of sugar that could be dissolved was recorded.




Results:

Amount of sugar dissolved in cold water = 2 spatulas
Extra amount of sugar dissolved in hot water = 4 spatulas
Total amount of sugar dissolved in hot water = 6 spatulas

Discussion:

I was able to dissolve more sugar in the hot water than in the cold water. A thermometer could have been used to measure the temperature of the water. The amount of sugar could have been measured more accurately by adding smaller amounts at a time.

Conclusion:

Three times as much sugar dissolves in hot water as in cold water.

## 1.14.3 Organising observations and data

When making a lot of observations, it is often helpful to organise them in a table. Observations and measurements that are organised in tables are easier to read. Tables also make it easier for you to draw graphs. Observation tables should have the title and table number if more than one table is used in a report.

elog-0492

### INVESTIGATION 1.6

### Recording observations in a table

#### Aim

**To record method and observations of simple experiments in a table**

#### Materials

- 4 test tubes
- 50 mL beaker
- eye-dropper
- vinegar
- sodium carbonate
- methylated spirits
- starch suspension
- safety glasses
- test tube rack
- spatula
- drinking straw
- sodium bicarbonate
- copper sulfate
- limewater
- iodine solution

**CAUTION**

Safety glasses should be worn while conducting these experiments.

#### Method

**Activity 1**

1. Pour vinegar into a clean test tube to a depth of about 1 cm. Add a spatula full of sodium bicarbonate.




**Activity 2**

2. Quarter-fill two clean test tubes with water. Add a dry spatula full of sodium carbonate to one test tube. Shake the tube until the sodium carbonate dissolves. Add a dry spatula full of copper sulfate to the other test tube and shake it until the crystals dissolve. Pour the contents of the second test tube into the first.



**Activity 3**

3. Use an eye-dropper to put one drop of methylated spirits onto the back of your hand. Blow air gently across the back of your hand.



### Activity 4

4. Quarter-fill a very small beaker with limewater. Gently blow out through a drinking straw into the limewater. Be careful not to share straws.

### Activity 5

5. Put a few drops of starch suspension in a clean test tube. Add a drop of iodine solution. Take care not to get iodine solution on your skin or clothers.

#### Results

Draw a table like the one shown to record your observations in each of the following activities.

**TABLE** Observation table for the five activities

| Activity | Summary of what was done | Observations |
|---|---|---|
| 1 | | |
| 2 | | |
| 3 | | |
| 4 | | |
| 5 | | |

#### Discussion

1. What senses did you use in making your observations?
2. Describe two safety precautions involved in this investigation.
3. Explain why it is important to use small quantities of chemicals when doing experiments like these.
4. Explain why it is useful to present the observations in a table.
5. In activity 4, you had to pour limewater into the beaker. If you took more limewater than required, why it is not a good idea to return any unused limewater to the original bottle?

#### Conclusion

Write a conclusion for this investigation.

elog-0494

## INVESTIGATION 1.7

### Graphing temperature

#### Aim

**To observe how the temperature of water changes while it is heated over a Bunsen burner**

#### Materials

- 100 mL measuring cylinder
- Bunsen burner
- matches
- gauze mat
- safety glasses
- retort stand, bosshead and clamp
- thermometer or data logger and temperature sensor
- 250 mL beaker
- heatproof mat
- tripod
- stopwatch

#### Method

1. Use a measuring cylinder to measure 100 mL of water.
2. Pour the water into the beaker.
3. Set up the equipment as shown in the diagram. Make sure that the bulb of the thermometer is not on the bottom of the beaker or out of the water.
4. Wait for a minute to allow the thermometer to adjust to the water temperature.
5. Measure the initial temperature of the water and record it in a table. The initial temperature is recorded when time is 0 minutes.
6. Put your safety glasses on.
7. Light the Bunsen burner.
8. Open the airhole and heat the beaker over a blue flame.
9. Measure and record the temperature of the water every minute for 10 minutes.
10. Turn off the Bunsen burner and allow the equipment to cool.




#### Results

1. Construct a table showing the change in temperature every minute. Make sure you include the initial temperature.
2. Plot a line graph of the data you have collected on a sheet of graph paper using labels like those below.




3. Draw a smooth line near as many points as possible to show the overall trend in the water temperature over time.

### Discussion

1. Why didn't you record the starting temperature of the water as soon as you poured the water into the beaker?
2. Describe in words how the temperature increased.
3. How does your graph compare with those of other groups?
4. Predict what would happen to the temperature of the water if you continued heating for another two minutes.

### Conclusion

Write a conclusion for this investigation.

## 1.14.4 Using technology: spreadsheets

A spreadsheet is a document that stores data in columns and rows. Spreadsheets used to be written on paper by hand. Shopkeepers and bank tellers needed to keep neat handwritten ledgers to record all transactions. Today, computers and software such as Microsoft Excel are used to create and edit spreadsheets. Spreadsheets can also be used to create graphs and charts at the click of a button.

### Some spreadsheet terminology

In a spreadsheet, the data are organised in rows and columns. The columns are named using letters (such as column B) and the rows are named using numbers (such as row 3). Cells are the boxes in the spreadsheet. The cell reference tells us which column and row the cell is in. For example, cell B3 is in column B and row 3. The active cell is the cell you will type the data in. In Excel, it has a dark border around it. This is shown in the diagram in figure 1.30.

**FIGURE 1.30** Cell B3 is the active cell.

| | A | B | C |
|---|---|---|---|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

### Working with Excel spreadsheets

When you create a spreadsheet, you need to decide how many columns and rows you will need and enter a suitable heading for each column. This is similar to designing a table. Make sure that you include units where relevant. When using Excel, you can format cells in a variety of ways by using the Format tool. Depending on your version, Excel may look different to your classmates' versions. There is lots of help online for your particular version if you are stuck!

### Drawing graphs and charts

Drawing a graph using Excel is easy. Just highlight the data you want to graph, click on the Insert tab, select the type of graph you want to draw and then follow the prompts. Remember that a scatter graph (XY chart) is used to plot one set of values against another in Excel.

### on Resources

**eWorkbooks** Scientific reports (ewbk-4640)
Designing an experiment (ewbk-4642)

**Digital document** Scientific report checklist (doc-34910)

**assessON** Additional automatically marked question sets

# 1.14 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 7 | Questions<br>3, 5, 6, 9 | Questions<br>4, 8, 10, 11 |

## Remember and understand

1. Explain why scientists write reports about their experiments.
2. Under which heading of your report of an experiment should the following information be included?

**TABLE** The different components of an experimental report

| Information | Part of the experiment report |
|---|---|
| a. Suggestions for improvements to your experiment | |
| b. A reason for doing the experiment | |
| c. Graphs and tables | |
| d. A description of what you did | |
| e. A statement saying what you found out by doing the experiment | |

3. Draw a neat, labelled scientific diagram of the following equipment set-ups.
   - Water in a conical flask is being heated with a Bunsen burner.
   - The conical flask is supported by a gauze mat on a tripod.
   - The Bunsen burner is standing on a heatproof mat.

## Apply and analyse

4. Using the screenshot, identify the letter pointing to:
   a. Cell C2
   b. Cell E5
   c. The active cell
   d. A formula
   e. The Insert scatter graph button
   f. The Insert function button
   g. A column
   h. A row



5. List two advantages and two disadvantages of using a computer spreadsheet program to store data, rather than keeping handwritten records in a book.
6. Draw a neat, labelled scientific diagram of the two sets of equipment that would be needed to safely perform the following activities.
   a. Muddy salt water is being poured from a beaker into a filter funnel (with filter paper). The filter funnel is resting in the opening of a conical flask.
   b. The filtered salt water, now in an evaporating dish, is being heated by a Bunsen burner. The evaporating dish is supported by a gauze mat on a tripod.
7. A hypothesis is often included in a scientific report — usually under the 'aim' heading, immediately after the reason for carrying out the experiment. What is a 'hypothesis'?

## Evaluate and create

8. Design an experiment to investigate whether adding salt to water changes how the temperature rises when the water is heated. Write a scientific report outlining the design of your experiment.
9. a. Create a spreadsheet with the column headings 'Time (min)' and 'Temperature (°C)'. Enter your data from Investigation 1.7 (or research expected results). You should end up with a table similar to the one shown.
   b. Use your data to create a scatter graph with the points joined by straight lines.
   c. Create a title for your graph.
   Label the *x*-axis 'Time (min)' and the *y*-axis 'Temperature (°C)'.

| | A | B |
|---|---|---|
| 1 | Time (min) | Temperature (°C) |
| 2 | 0 | 12 |
| 3 | 1 | 23 |
| 4 | 2 | 33 |
| 5 | 3 | 44 |
| 6 | 4 | 53 |
| 7 | 5 | 63 |
| 8 | 6 | 72 |
| 9 | 7 | 82 |
| 10 | 8 | 90 |
| 11 | 9 | 95 |
| 12 | 10 | 98 |
| 13 | | |

10. Use the graph provided to answer the following questions.
    a. For how long did the experiment run?
    b. What was the temperature of the water when the experiment began?
    c. How long did it take for the water to boil?
    d. How many readings were taken?
    e. What would you expect the graph to look like after 10 minutes?
    f. How would you expect the graph to change if only 50 mL of water was heated?
    g. Sketch a graph of what the predicted results would be for a 200 mL beaker of water. Perform the experiment to check your predictions.



11. a. Collect the following data for each student in your class.
    i. First name
    ii. Gender
    iii. Foot length (cm)
    iv. Height (cm)
    v. Favourite subject
    vi. Country where mother was born
    b. Enter the data you collected into a spreadsheet.
    c. Click on the Insert tab, then use the Chart function button to construct a scatter graph (without joining points) showing foot length on the x-axis and height on the y-axis.
    d. Use your graph to decide whether there is a relationship between foot length and height.

**Fully worked solutions and sample responses are available in your digital formats.**

# 1.15 SkillBuilder — From observation to conclusion

online only

## How do I draw a conclusion from my observations?

An investigation conclusion is a brief account of what you found out and how your findings relate to your aim. It is a good idea to read your aim again before you write your conclusion.

**Select your learnON format to access:**

- an overview of the skill and its application in science (Tell me)
- a video and a step-by-step process to explain the skill (Show me)
- an activity and interactivity for you to practise the skill (Let me do it)
- questions to consolidate your understanding of the skill.

### on Resources

**Video eLesson** From observation to conclusion (eles-4160)

**Interactivity** From observation to conclusion (int-8094)

**eWorkbook** SkillBuilder — From observation to conclusion (ewbk-4644)

# 1.16 Extended investigation

### LEARNING INTENTION

At the end of this subtopic you will be able to perform an extended controlled experiment and prepare a formal report.

## 1.16.1 Think like a scientist

Being able to design an investigation takes time, planning and care. There are many different ways you can design and conduct an investigation.

The following sections outline how an investigation exploring the growth of bean plants is designed, conducted and analysed. This shows the process of thinking like a scientist and shows you how to apply the concepts learned in earlier subtopics. You may use this to help you design your own investigations.

## 1.16.2 Planning your investigation

In planning your investigation, you need to ask yourself some key questions.

**FIGURE 1.31** You need at least two groups of plants.

1. *What is your research question?*
   *What do you want to find out?*
   Answering these questions will help you to answer the next questions concerning which variable you will deliberately change (independent variable), which you will measure (dependent variable) and which you will keep the same or constant (controlled variables).
2. *What is the one thing you are going to change?*
   In designing your investigation you should change only ONE variable at a time. The variable that you deliberately change is called the independent variable.
3. *What thing are you going to measure?*
   The variable that you measure is called the dependent variable.
4. What other variables are there to keep the same? How can you keep them the same?
   It is important to keep the variables that you are NOT investigating the same. These are called controlled variables. This increases the chance that it is the variable you are changing that is causing the effect you are measuring, rather than some other variable.
5. *How can you make sure that the investigation is fair and not a 'fluke' or mistake?*
   A control enables you to see whether the independent variable has an effect on the dependent variable and provides a baseline for comparison. A large sample size and repeating the investigation decreases the chance that your findings were a fluke or due to a mistake. It also helps to reduce the effects of individual variations that may occur in your data.
6. *What is your prediction of the answer to your research question?*
   A hypothesis is an educated guess or prediction of what the results of an investigation may be. An example is 'that bean growth is faster when watered with tap water rather than salt water' or 'that bean germination decreases with increasing salt concentration'.
7. *What materials and equipment do you need for your investigation?*
   Once you have decided on the variables in your investigation, you can write a list of what you will need to perform it. Include quantities and specific descriptions so that you remember to keep your controlled variables constant.
8. *What are you going to do in your investigation? What steps are you going to follow?*
   By having your steps clearly outlined you could repeat the investigation in exactly the same way if you were to do it again. This is your procedure or method. Others could repeat it as well. If you make any changes to your plan when you are conducting your investigation, make sure you record them. If you are using bean seeds, remember to soak your bean seeds (10 seeds or more) in a dish of water overnight. There are some examples of set-ups for you to consider in figures 1.32 and 1.33.

**FIGURE 1.32** Planting your seeds




Press a hole about 2 cm deep into the potting mixture with a pencil.

If you are planting more than one plant in each container, mark the position of each seed by sticking a toothpick beside it.

Label your container with your name and the date and any other vital information, e.g. 'salty water', 'red light'.

Water your seeds, but take care not to overwater! Leave your seeds in a warm and sunny position.

**FIGURE 1.33** Another way to set up your experiment




9. *What are you going to record and how are you going to record it?*
In your procedure you should have outlined what you intended to measure and how you intended to measure and record it. The details that you record are your results or data. You may decide to record your results in a table similar to the one shown in Table 1.5 or you may use a journal or diary to record observations as diagrams with descriptive labels and measurements.

**TABLE 1.5** Sample table: Effect of salt water on the height of seedling

| | | | | Height of seedling (mm) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Tap water | | | | | Salt water | | | | | | |
| Date | Day | Action | A | B | C | D | E | Ave. | A | B | C | D | E | Ave. | Observations and diagrams |
| 5/3 | 10 | Watered all plants at 3 pm; gave each plant 50 mL water | 7.1 | 8.0 | 8.9 | 7.5 | 8.2 | 7.4 | 5.0 | 4.4 | 5.8 | 4.8 | 5.2 | 5.0 | |

## 1.16.3 Example of investigation planning

### Research question: what is the effect of different concentrations of salt on bean germination?

- **Independent variable:** different concentrations of salt
- **Dependent variable:** bean germination
- **Controlled variables:** for example, types, ages and sizes of beans, type of salt, temperature, intensity and colour of light, volume of solution added
- **Control:** set-up that had everything the same, but used water with no salt. This could be used as a baseline for control to see whether the addition of salt had an effect on bean germination.
- **Sample size:** using 10 bean seeds instead of one seed in each set-up and using class results to increase the number of times that the investigation was performed.

**TABLE 1.6** Examples of variables that you may choose to investigate in an experiment on bean growth

| Dependent variable | Independent variables (vary only one at a time) |
|---|---|
| Number of seeds germinated in a week | Salt concentration<br>Volume of water added each day<br>Amount of light (e.g. using different types of cloth to cover) |
| Time taken for seeds to germinate | Colour of light (e.g. red, green, blue or yellow cellophane covers)<br>Different substances added to water<br>(e.g. caffeine, sugar, salt or garlic) |
| Height of shoots each day | Type of growth medium (e.g. water, sand, soil, gravel or cottonwool) |

**FIGURE 1.34** Scientific design for investigations




## 1.16.4 Reformatting your data

While your bean plants are growing, you can record their progress on a line graph such as the one in figure 1.35. This graph shows how the heights of two groups of plants change. If any of your plants die, your investigation is not a failure. You should, however, make a reasonable attempt to suggest why they died.

By changing the format of your data into graphs, it can help you see patterns. It will make it easier for you to make conclusions about your data.

**FIGURE 1.35** Use a graph to record the progress of your plants. The independent variable is on the x-axis; the dependent variable is on the y-axis




## 1.16.5 Writing your report

In reporting your investigation to others, you should use these headings listed below.

- Aim (you may include your research question or hypothesis)
- Materials (the equipment and substances you use)
- Method (the steps or procedure of your investigation)
- Results (all of the data that you have collected including graphs, diagrams and tables)
- Discussion (comments on patterns, relating your data to theory and what your results suggest)
- Conclusion (relate your key findings to the purpose of your investigation)

**on** Resources

**assessON** Additional automatically marked question sets

# 1.16 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4, 7, 8 | Questions<br>2, 5, 9, 11 | Questions<br>3, 6, 10 |

## Remember and understand

1. Complete the sentences in the table by matching the term to its meaning.

| Term | Meaning |
|---|---|
| a. Independent variable … | A. is used to see whether the independent variable had an effect on the dependent variable. It provides a baseline for comparison. |
| b Dependent variable … | B is an educated guess or prediction of what the results of the investigation may be. |
| c Controlled variables … | C is the variable that you measure. |
| d Control … | D are variables that you keep the same or constant. |
| e Hypothesis … | E is a variable that you deliberately change. |

2. In a graph, on which axis would you show the:
   a. independent variable
   b. dependent variable?
3. In the research question 'What is the effect of different coloured light on pea germination?', identify the:
   a. independent variable
   b. dependent variable.
   c. controlled variables
   d. control
   e. sample size

## Apply and analyse

4. In the table shown, five bean plants are watered with each type of water. Explain why this is better than testing just one plant with each type of water.

**TABLE** Progress in heights of bean plants

| | | | | Height of seedling (mm) | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Tap water | | | | | Salt water | | | | | | |
| Date | Day | Action | A | B | C | D | E | Ave. | A | B | C | D | E | Ave. | Observations and diagrams |
| 5/3 | 10 | Watered all plants with 50 mL of water at 3 pm | 7.1 | 8.0 | 8.9 | 7.5 | 8.2 | | 5.0 | 4.4 | 5.8 | 4.8 | 5.2 | | |

5. Genevieve is investigating the effect of shadecloth on the growth of bean plants at home. She places three plants under the pergola at the back of her house, which is covered with shadecloth. She places the other three against the wall at the front of the house. All plants are in the same size pots and are given the same amount of water. Describe how Genevieve could improve her experimental design.
6. Cameron is trying to find out whether sand or garden soil is better for growing radishes. He also wants to find out if sugar added to the water that is given to plants makes a difference. Cameron plants three seeds in sand and three seeds in garden soil. The plants growing in sand are watered with tap water. The plants growing in garden soil are given the same amount of a mixture of sugar and water.
   a. What two questions is Cameron trying to answer with his experiment?
   b. Identify the major problem with Cameron's experimental design.
   c. Is it possible for Cameron to design a better experiment to answer both of his questions with only six seeds? Explain how.
7. Summarise what you know about scientific method and show this as a mind map or another visual map.

## Evaluate and create

8. Propose how a plant would grow in a container that is upside down. Design an experiment that would allow you to find this out.
9. Propose how a plant would grow in a fully enclosed container with a hole in one side. Design an experiment that would allow you to find this out.
10. Can a plant grow without soil? Design an experiment that would allow you to find this out.
11. Research and explain hydroponic method of growing plants and how it might be useful for the future.

**Fully worked solutions and sample responses are available in your digital formats.**

# 1.17 Project — Bigger, better beans

## Scenario

The local agricultural show will be running its annual competition to find the biggest bean plant and you are determined that this year you are going to win. In previous years, you have just planted your seeds in their pots, added some fertiliser, put them in the Sun and watered them every day but, while the plants did grow, they didn't grow big enough to have a chance at the prize. As a good science student, you know that the growth of plants depends upon the process of photosynthesis, whereby light energy from the Sun causes water and nutrients and carbon dioxide to be combined by the plant to produce oxygen and starch (which is a form of chemical potential energy). The plant then uses this starch to grow. So, if the growth of the plants depends upon how much starch is produced, maybe there's something you could do to the plants that would make them produce more starch and grow faster and bigger?

**FIGURE 1.36** We can test different growth conditions of plants and measure the results.

## Your task

You will design and carry out an investigation that will test a number of different growth conditions (for example, different amounts of sunlight or different substances added to the soil) to determine which will give the greatest rate of growth over a three-week period of time. Use subtopic 1.16 to assist you in designing your investigation. Your findings will be presented in the form of a scientific report. At the end of this investigation analyse your method and suggest any improvements that can be made.

**FIGURE 1.37** There are many ways you can conduct your investigation.

### on Resources

**ProjectPLUS** Bigger, better beans (pro-0091)

# 1.18 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-4653 | ewbk-4655 | ewbk-4657 |

on Resources

## 1.18.1 Summary

### Branches of science

- The main branches of science are astronomy, biology, chemistry, geology, physics and psychology.

### The science laboratory

- To measure the volume of liquids, look at the reading from the middle flat section of the meniscus, the curved boundary a liquid makes at its surface.
- When scales are read from an angle, not level with the eye, the reading is not accurate. This type of reading error is called parallax error.
- A Bunsen burner provides heat when a mixture of air and gas is lit. Bunsen burners heat objects or liquids with a blue flame. A yellow flame, or safety flame, is not as hot as the blue flame.
- To reduce the risk to yourself and others in the laboratory, follow your teacher's instructions, point test tubes away from eyes and wear safety equipment.
- Some dangerous chemicals could be corrosive like acid, flammable like methylated spirits or toxic like mercury.

### Scientific inquiry

- An inference is a suggested logical explanation for an event or occurrence.
- A hypothesis is a suggested explanation for past observations that is tested in an experiment.
- A conclusion is what was found out in an investigation. It is a general statement that sums up a number of observations or the results of an experiment. The conclusion of an experiment relates to the stated aim.

### Controlled investigations

- The independent variable is the variable that the scientist changes to observe its effect on another variable.
- The dependent variable is a variable that is expected to change when the independent variable is changed. The dependent variable is observed or measured during the experiment.
- Fair tests are a method for determining an answer to a problem without favouring any particular outcome.
- In a controlled investigation, everything is the same as the test set-up except the variable.
- Measurements should be repeated a number of times and an average calculated.

### Analysing data

- A pie chart is a diagram using sectors of a circle to compare the size of parts making up the whole; also called a sector graph.
- A bar chart or column graph is a diagram using the lengths of rectangles (bars) to show the size of the same property for different objects or at different times.
- Histograms are similar to column graphs except that the columns touch each other because the data are continuous and grouped.

### Reporting on investigations

- A scientific report should contain an aim, materials, method, results, discussion, and a conclusion.
- A scientific drawing is a flat version of the equipment used in an investigation.

## 1.18.2 Key terms

**acoustics** the study of sound and how the design of a room or theatre affects what is heard
**bar chart** a diagram using the lengths of rectangles (bars) to show the size of the same property for different objects or at different times
**beaker** container for mixing or heating substances
**biochemist** a scientist who studies the composition and interaction of substances in living things
**biomechanics** the study of how animals, including humans, move
**biophysicist** a scientist who studies the forces, energy and electrical processes in living things
**botany** the study of plants
**categorical** data related to categories or non-numerical values; also known as qualitative
**column graph** *see* bar chart
**conclusion** a general statement that sums up the observations or results of an experiment
**continuous** numerical data that can be measured and be any value in a range, including decimals
**controlled** a parallel experiment where everything is the same as the test set-up except the variable
**corrosive** describes a chemical that wears away the surface of substances, especially metals
**data** observations or measurements made and recorded during an investigation
**dependent variable** a variable that is observed or measured during the experiment
**discrete** numerical data that can be counted and can only be certain values
**entomology** the study of insects
**fair test** a method for determining an answer to a problem without favouring any particular outcome
**filter funnel** used with filter paper to separate solids from liquids
**flammable** substances such as methylated spirits that burn easily
**forensic psychology** a branch of psychology dealing with the law
**histograms** a graph with equal intervals marked on the x-axis for the values of a quantity, and frequency of occurrence of each value shown by the height of adjoining columns
**independent variable** the variable that the scientist changes to observe its effect on another variable
**inference** a suggested logical explanation for an event or occurrence
**hypothesis** a suggested testable explanation for observations or experimental results; it acts as a prediction for the investigation
**line graph** a graph made by plotting pairs of data as points and joining the points together
**measuring cylinder** used to measure volumes of liquids accurately
**meniscus** the curve seen at the top of a liquid, when in contact with a surface, specifically within a tube
**method** the steps of an investigation or experiment
**microbiology** the study of micro-organisms, living things too small to see without a microscope
**numerical** data related to numbers; also known as quantitative
**observations** information obtained by the use of our senses or measuring instruments
**palaeontology** the study of fossils
**parallax error** a reading error when scales are read from a different angle, the reading is not accurate
**pharmacology** the study of the effect of drugs on living things
**pie chart** uses sectors of a circle to compare the size of parts making up the whole
**radiochemistry** the study of radioactive substances
**results** the details or data that are recorded from the outcome of an investigation
**safety glasses** plastic glasses used to protect the eyes during experiments
**sector graph** uses sectors of a circle to compare the size of parts making up the whole
**seismology** the study of earthquakes
**sports psychology** the study of how athletes train their minds to help improve sporting prowess
**STEM** acronym stands for the disciplines of science, technology, engineering, and mathematics
**test tube** thin glass container for holding, heating or mixing small amounts of substances
**technology** the application of science to the design of a device or process
**thermometer** a device which measures temperature
**variables** quantities or conditions in an experiment that can change
**vulcanology** the study of volcanoes
***x*-axis** the horizontal axis on a graph
***y*-axis** the vertical axis on a graph
**zoology** the study of animals

## Resources

| | |
|---|---|
| **Digital document** | Key terms glossary (doc-34911) |
| **eWorkbooks** | Study checklist (ewbk-4646)<br>Literacy builder (ewbk-4647)<br>Crossword (ewbk-4649)<br>Word search (ewbk-4651) |
| **Practical investigation eLogbook** | Topic 1 Practical investigation eLogbook (elog-0481) |

# 1.18 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4, 5, 7, 8, 9 | Questions<br>2, 3, 6, 11, 12 | Questions<br>10, 13, 14 |

## Remember and understand

**1.** Match the following scientists with their work.

| Scientist | Work |
|---|---|
| **a.** Physicist | **A.** Investigates how rocks and mountains form |
| **b.** Chemist | **B.** Studies living things |
| **c.** Biologist | **C.** Explains things like movement, heat and light |
| **d.** Astronomer | **D.** Studies how substances react with others |
| **e.** Earth scientist | **E.** Studies the sky |

**2.** Complete the table, by stating what each of the following scientists study.

| Scientist | Studies |
|---|---|
| **a.** Seismologist | |
| **b.** Biochemist | |
| **c.** Entomologist | |
| **d.** Botanist | |
| **e.** Zoologist | |
| **f.** Vulcanologist | |

**3.** Explain which of the scientists listed in question 2 could be correctly described as geologists.

4. Indicate whether each of the following actions is a 'do' or a 'don't' in the science laboratory.

| Action | 'Do' or a 'don't' |
|---|---|
| a. Wear safety glasses while mixing chemicals. | |
| b. Pour all substances down the sink when finished with them. | |
| c. Run in the science laboratory. | |
| d. Drink water from the taps in the science laboratory. | |
| e. Tie long hair back before using a Bunsen burner. | |
| f. Wait until the end of the lesson to tell your teacher that you have burnt yourself. | |

5. Write a list of all of the equipment that you would need to boil water in a beaker in your science laboratory. Draw a labelled scientific diagram to show the equipment in use.
6. Rewrite the following sentences correctly by selecting the appropriate words in *italics*.
   a. When lighting a Bunsen burner, light the match *before/immediately after* turning on the gas.
   b. When using a thermometer to measure the temperature of a liquid as it is heated, place the bulb of the thermometer on the *bottom/near the centre* of the beaker.
   c. When heating a test tube, hold the test tube using *tongs/a test-tube holder* at the *top/middle* of the test tube and *keep it steady/move it back and forth* over the flame.

## Apply and analyse

7. MC Identify which of the following is an important safety rule in science.
   A. When smelling chemicals, place your nose carefully over the container.
   B. Dispose of all materials in the rubbish bin.
   C. When reading the volume of a liquid, always read the bottom of the meniscus.
   D. Point test tubes away from your eyes and away from your fellow students.
8. MC Which equipment is used for measuring the volume of liquids?
   A. Conical flask, beaker, measuring cylinder
   B. Measuring cylinder, crucible, beaker
   C. Watchglass, filter funnel, conical flask
   D. Evaporating basin, test tube, beaker
9. Name each item of equipment.

(a)

(b)

(c)



(d)



(e)



(f)

10. Kimberley and Glenn were walking past their neighbour's house when they noticed that a front window was broken. Glenn told Kimberley that somebody had probably thrown a ball through the window. They had a closer look and noticed clothes scattered all over the floor and drawers open. Kimberley noticed some blood on the broken glass. She told Glenn that the house had been burgled. Glenn agreed and they called the police.
    a. What were the observations that were made?
    b. Who made an inference? What was the inference and why was it suggested?
    c. What conclusion was reached by Kimberley and Glenn?
    d. Suggest a different conclusion based on the observations that were made.
11. What item of equipment would you use to measure:
    a. the temperature of hot water
    b. the mass of a small beaker of water
    c. the volume of a small quantity of water?
12. Study the thermometers shown.




    a. Identify the temperature in figure a.
    b. Identify the temperature in figure b.

## Evaluate and create

13. The graph shows how far from the starting point a snail moves in an experiment.



a. Calculate how far from the starting point the snail was 7 minutes after timing began.
b. During what times did the snail not move at all?
c. What does the graph tell us about the snail's movement between 7 and 8 minutes after timing began?
d. Propose why a smooth line was not drawn in this graph.

14. Huang and Tina conducted an investigation to find out whether radish plants grow better in the shade. They placed three seedlings under a verandah at the back of the house and another three in a sunny place in the front yard. All plants were planted in the same soil and were watered equally each day. Huang and Tina measured the height of each plant and the number of healthy leaves at the same time every second day.



a. What was the independent variable in the investigation?
b. What were the dependent variables?
c. List the variables that should have been controlled.
d. How could Huang and Tina improve the design of their experiment? List as many improvements as possible.
e. In your opinion, did Huang and Tina conduct a fair test? Give reasons for your opinion.

**Fully worked solutions and sample responses are available in your digital formats.**

## on Resources

**eWorkbook** Reflection (ewbk-3038)

## teachon

**Test maker**
Create customised assessments and exams from our extensive range of questions, including teacher quarantined questions. Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 1.1 Overview

**eWorkbooks**
- Topic 1 eWorkbook (ewbk-4609)
- Student learning matrix (ewbk-4613)
- Starter activity (ewbk-4611)

**Practical investigation eLogbook**
- Topic 1 Practical investigation eLogbook (elog-0481)

**Video eLesson**
- Career spotlight: scientist (eles-0053)

## 1.2 Branches of science

**eWorkbook**
- Exploring the branches of science (ewbk-4614)

**Interactivities**
- How science helps improve performance (int-7130)
- The disciples of science (int-5609)

## 1.3 The science laboratory

**eWorkbooks**
- The science laboratory (ewbk-4616)
- Labelling a Bunsen burner (ewbk-6640)
- Labelling the equipment used to heat substances (ewbk-6642)

**Practical investigation eLogbook**
- Investigation 1.1 Which flame is hotter? (elog-0482)
- Investigation 1.2 Where is the hottest part of the flame? (elog-0484)
- Investigation 1.3 Heating a substance in a test tube (elog-0486)

**Video eLessons**
- Science safety rules (eles-2245)
- How to light a Bunsen burner (eles-2360)

**Interactivities**
- Reading scales (int-0201)
- What's my use? (int-3414)
- Labelling a Bunsen burner (int-8166)
- Labelling the equipment used to heat substances (int-8167)

## 1.4 SkillBuilder — Measuring and reading scales

**eWorkbook**
- SkillBuilder — Measuring and reading scales (ewbk-4620)

**Video eLesson**
- Measuring and reading scales (eles-4153)

**Interactivity**
- Measuring and reading scales (int-8087)

## 1.5 SkillBuilder — Using a Bunsen burner

**eWorkbook**
- SkillBuilder — Using a Bunsen burner (ewbk-4622)

**Video eLesson**
- Using a Bunsen burner (eles-4154)

**Interactivity**
- Using a Bunsen burner (int-8088)

## 1.6 Scientific inquiry

**eWorkbook**
- Observing and recording (ewbk-4624)

**Practical investigation eLogbook**
- Investigation 1.4 Are you a good observer? (elog-0488)

## 1.7 SkillBuilder — Writing an aim and forming a hypothesis

**eWorkbook**
- SkillBuilder — Writing an aim and forming a hypothesis (ewbk-4626)

**Video eLesson**
- Writing an aim and forming a hypothesis (eles-4155)

**Interactivity**
- Writing an aim and forming a hypothesis (int-8089)

## 1.8 Controlled investigations

**eWorkbook**
- Developing a fair test (ewbk-4628)

**Practical investigation eLogbook**
- Investigation 1.5 Which ball bounces the highest? (elog-0490)

## 1.9 SkillBuilder — Controlled, dependent and independent variables

**eWorkbook**
- SkillBuilder — Controlled, dependent and independent variables (ewbk-4630)

**Video eLesson**
- Controlled, dependent and independent variables (eles-4156)

**Interactivity**
- Controlled, dependent and independent variables (int-8090)

## 1.10 Analysing data

**eWorkbook**
- Selecting and constructing graphs (ewbk-6644)

## 1.11 SkillBuilder — Constructing a pie chart

**eWorkbook**
- SkillBuilder — Constructing a pie graph (ewbk-4634)

**Video eLesson**
- SkillBuilder: Constructing a pie graph (eles-1632)

**Interactivity**
- SkillBuilder: Constructing a pie graph (int-3128)

## 1.12 SkillBuilder — Creating a simple column or bar graph

**eWorkbook**
- SkillBuilder — Creating a simple column or bar graph (ewbk-4636)

**Video eLesson**
- SkillBuilder: Creating a simple column or bar graph (eles-1639)

**Interactivity**
- SkillBuilder: Creating a simple column graph (int-3135)

## 1.13 SkillBuilder — Drawing a line graph

**eWorkbook**
- SkillBuilder — Drawing a line graph (ewbk-4638)

**Video eLesson**
- SkillBuilder: Drawing a line graph (eles-1635)

**Interactivity**
- SkillBuilder: Drawing a line graph (int-3131)

## 1.14 Reporting on investigations

**eWorkbooks**
- Scientific reports (ewbk-4640)
- Designing an experiment (ewbk-4642)

**Practical investigation eLogbook**
- Investigation 1.6 Recording observations in a table (elog-0492)
- Investigation 1.7 Graphing temperature (elog-0494)

**Digital document**
- Scientific report checklist (doc-34910)

## 1.17 Project — Bigger, better beans

**ProjectPLUS**
- Bigger, better beans (pro-0091)

## 1.18 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-4653)
- Topic review Level 2 (ewbk-4655)
- Topic review Level 3 (ewbk-4657)
- Study checklist (ewbk-4646)
- Literacy builder (ewbk-4647)
- Crossword (ewbk-4649)
- Word search (ewbk-4651)
- Reflection (ewbk-3038)

**Practical investigation eLogbook**
- Topic 1 Practical investigation eLogbook (elog-0481)

**Digital document**
- Key terms glossary (doc-34911)

To access these online resources, log on to www.jacplus.com.au

# 2 Learning keys

LEARNING SEQUENCE

onlineonly


2.1 Overview
2.2 Understanding learning and thinking
2.3 Types of intelligence
2.4 Thinking keys
2.5 Learning together
2.6 Unlocking learning
2.7 Question keys
2.8 Feeding your brain
2.9 Discovering your brain
2.10 Thinking tools — Making things visible
2.11 Review




# 2.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au. They will help you to learn the content and concepts covered in this topic.

## 2.1.1 Introduction

Do you have keys to unlock your own learning? What happens when you learn? In this topic, we will explore different ways of learning and thinking. We will also introduce you to some 'thinking tools' and 'learning keys' to help you become a better learner.

**FIGURE 2.1** You learn in many different ways for many different reasons.



### Resources

**Video eLesson** Unlocking learning: flowcharts, cluster maps and concept maps (eles-0856)

This video explains some strategies to make learning easy and fun. There are three types of learning tools discussed in this video: flowcharts, cluster maps and concept maps. Each of these allows you to represent information in different ways, which can strengthen learning.

## 2.1.2 Think about learning

1. What are three different types of intelligence?
2. How can you use an 'alphabet' key to help unlock your thinking?
3. What are two ways of practising collaborative skills with your partner?
4. What are potential benefits of being an active learner?

# 2.1.3 Science inquiry

## Thinking with different hats

There are a number of very useful tools that can help develop your thinking. One of these was created by a great thinker by the name of Edward de Bono. He created the idea of using different coloured **thinking hats** for different types of thinking. These hats don't even have to be on your head. The idea behind each hat just needs to be *in* your head.

**FIGURE 2.2** The six coloured thinking hats




## Six thinking hats

1. Look at the different types of questions in figure 2.2 and table 2.1 that can be asked when 'wearing' the different coloured hats. These hats can be used to help direct your thinking about a particular problem in different ways.
2. With your partner, select one of the following problems.
   - Unhealthy food in the school canteen
   - Too much homework
   - Too much school litter
   - Sleepy students
3. Using each coloured hat, write down an answer using that type of thinking.
4. Taking turns, share your answers with your partner.
   a. How were your answers and those of your partner similar, and how were they different? Suggest some reasons for these findings.
   b. If you were to think about this particular problem again, how would your thinking be different?
5. Suggest two other problem-type questions that could be used with the thinking hats.
6. Add these to a class collective thinking jar, for some more 'hat thinking' at another time.

**TABLE 2.1** Coloured hat questions

| Problem | Students are to wear only black coloured clothes to school |
|---|---|
| **Red hat** | How do you feel about wearing only black clothes to school? |
| **Yellow hat** | What's good about the idea? |
| **Black hat** | What's wrong with this idea? |
| **White hat** | What information do you have (or need to have) on this idea? |
| **Green hat** | What are some ways to help this to happen? |
| **Blue hat** | What do you need to do next, or have done so far? |

**thinking hats** a thinking tool developed by Edward de Bono using different coloured hats for different types of thinking

## Resources

**eWorkbooks** Topic 2 eWorkbook (ewbk-4920)
Student learning matrix (ewbk-4925)
Starter activity (ewbk-4922)
Your quest (ewbk-4924)

**learnon** Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions.

# 2.2 Understanding learning and thinking

### LEARNING INTENTION

At the end of this subtopic you will be able to describe the factors that may influence how you learn and think.

## 2.2.1 Tinkering with your toolbox

Can you describe when, where and how you learn the best? Do you know why?

There are many factors that may influence how you learn and think, such as:

- visual — colour, lighting, shape
- auditory — sound, music
- kinaesthetic — movement, dance
- interactive — social, teams.

These factors can link with the types of tools in your multiple intelligence toolbox. Although you may have a preference for some of these over others, it is important to try them all whenever you can.

**FIGURE 2.3** What type of learner are you?

## 2.2.2 Hearing: auditory learning

Auditory learning can include musical or rhythmic and verbal or linguistic activities. Many melodies that you know well (such as *Row Row Row Your Boat, Twinkle Twinkle Little Star, Humpty Dumpty* and *Jack and Jill*) can be linked to new learning by rewriting the lyrics with key words from your lesson or topic. Different types of music can also help you focus on the task that you are involved in.

**FIGURE 2.4** The various types of auditory learning



## 2.2.3 Looking: visual learning

Visual learning can involve seeing an image in your mind or seeing with your eyes.

Looking at advertisements for various products, you will be able to see how they have used various visual cues to help you remember their product. The Nike sports clothing company, for example, has a tick symbol. How many symbols from other advertisements can you remember?

**FIGURE 2.5** The various types of visual learning




## 2.2.4 Smelling: olfactory learning

Smell and an awareness of aromas can help you become a very effective learner. Research suggests that peppermint, basil, lemon, cinnamon and rosemary enhance mental alertness. Lavender, chamomile, orange and rose calm nerves and encourage relaxation.

Your olfactory regions are rich in receptors for endorphins, chemicals that generate feelings of pleasure and wellbeing. You can distinguish odours with only tiny variations in their chemical structures. Can you think of examples of odours that make you remember a happy moment?

## 2.2.5 Doing: kinaesthetic learning

Kinaesthetic learning can involve learning through movement, touch and feeling, role-plays, pantomime stories, puppet shows, stretching, building models, exercise, sign language, hands-on experiments and dance. Movement and activity are also important to get more oxygen to your brain so that you can think better.

## 2.2.6 Social: interactive learning

It can be fun to learn with others. Interactive or social learning can involve learning through sharing, peer teaching, collaboration, discussion, and learning in pairs, groups and teams, and can help in your own development of self-awareness and an awareness and empathy for others. Learning these sorts of interpersonal skills is very important for both your learning and sense of wellbeing.

**FIGURE 2.6** Collaboration is a technique of interactive or social learning.

### Self

Not all learning needs to be with others. It is also important to learn how to learn on your own, by yourself. Solo thinking activities, such as imagery, journal writing, focusing and concentration exercises, self-assessment and reflection, are also important.

### ACTIVITY: Games to help with revision

**Play these games to help you revise a topic.**

#### Add-ons

- To start, one student comes to the front of the room and acts out or postures something that they have learned from the topic.
- Another student joins the first student to act out something they have learned, then other students do the same, creating a 'living sculpture'.

#### Brain ball toss

- Six to eight students stand in a circle facing each other about three metres apart.
- To start, one person tosses a ball or beanbag to anyone in the circle.
- The student who catches it asks a question about the topic, then throws the ball or beanbag to another student who must answer the question. They, in turn, throw the ball or beanbag to another student, and ask a new question (and so on).

**on** Resources

**assess on** Additional automatically marked question sets

## 2.2 Exercise

**learn on**

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4 | Questions<br>2, 5 | Questions<br>3, 6 |

### Remember and understand

1. Describe a technique that a visual learner might use.
2. Describe a technique that a kinaesthetic learner might use.

### Apply and analyse

3. Explain how a teacher might plan a lesson based on interactive learning.

### Evaluate and create

4. Create a concept (or mind) map to describe your ideal learning environment.
5. Design a game that helps others find out the type of learner they are and what their ideal learning environment is like.
6. SIS
   a. Record images that you have when you think of the aromas of the following.
      i. Freshly baked bread
      ii. Garlic
      iii. Strawberries
      iv. Orange juice
      v. Manure
      vi. Freshly baked chocolate cake
   b. Compare your images with a partner. How are they similar and how are they different?
   c. Design an experiment to find out which aromas relax you and which ones make you mentally alert.

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.3 Types of intelligence

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the theory about the eight different types of intelligence and how to develop mindful habits.

## 2.3.1 Intelligence multiplied

Did you know that it's not how smart you are that's important, but how you are smart? A great thinker by the name of Howard Gardner introduced a theory about eight different types of intelligence. He referred to these as:

- bodily/kinaesthetic intelligence
- verbal/linguistic intelligence
- logical/mathematical intelligence
- visual/spatial intelligence
- musical/rhythmic intelligence
- interpersonal intelligence
- intrapersonal intelligence
- naturalist intelligence.

By using a variety of strategies that use all types of intelligence, you can increase the effectiveness of your learning. Some examples of how multiple intelligences are used can be seen in figure 2.7.

**FIGURE 2.7** There are many different types of intelligences.



## Y charts and multiple intelligences

You can use your **multiple intelligences** to help you understand how to develop some very useful mindful habits. For example, using your verbal/linguistic, visual/spatial and intrapersonal intelligences, you can construct Y charts for what the mindful habits may sound like, look like and feel like. The Y charts shown in figure 2.8 and figure 2.9 show examples of this for 'persevering' and 'stopping and thinking before you leap'.

**multiple intelligences** eight types of intelligences suggested by Howard Gardner

**FIGURE 2.8** Persevering — persisting even when things get tough. Can you suggest other comments for this Y chart?




**FIGURE 2.9** Stopping and thinking before you leap — considering the consequences first. Can you suggest other comments for this Y chart?




## 2.3.2 Mindful habits

When on the 'road of life', it is a very good idea to be thoughtful about what you are doing. Sometimes it is less important to know something than to know how to act when you have that knowledge. Two 'mindful' thinkers, Bena Kallick and Arthur Costa, thought a lot about how some types of thinking and behaviour are more useful than others on our life's journey. They called these 16 types of thinking behaviours '**habits of mind**' and they are shown in figure 2.10.

**habits of mind** types of thinking behaviours promoted by Bena Kallick and Arthur Costa

**FIGURE 2.10** Sixteen mindful habits

## Resources

**eWorkbook** Intelligence toolbox (ewbk-4926)

**assessON** Additional automatically marked question sets

# 2.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 7 | Questions<br>4, 6, 8 | Questions<br>5, 9, 10 |

### Remember and understand

1. List three different mindful habits that you would like to focus on developing this month.
2. Which three multiple intelligences are used in a Y chart?

### Apply and analyse

3. Which mindful habit matches each of the following descriptions?
   - **a.** Working through frustration
   - **b.** Self-evaluating
   - **c.** Controlling quality
   - **d.** Wide-eyed
4. Which mindful habit matches each of the following descriptions?
   - **a.** Cooperative
   - **b.** Trying hard to understand others
   - **c.** Curious
   - **d.** Diligent
5. Which mindful habit matches each of the following descriptions?
   - **a.** Looking at situations in alternative ways
   - **b.** Checking over your results several times
   - **c.** Compassionate
   - **d.** 'Hanging in there'
6. Which mindful habits would be useful to develop your:
   - **a.** logical/mathematical intelligence
   - **b.** musical/rhythmic intelligence
   - **c.** interpersonal intelligence
   - **d.** bodily/kinaesthetic intelligence?
7. Find out the exact terms used by Kallick and Costa for the 16 habits of mind.
8. Find out more about metacognition and ways that you could do more of it yourself.

### Evaluate and create

9. Create examples of how you could teach a classmate something about 'mindful habits' using each of the different types of multiple intelligences.
10. **a.** Select three mindful habits.
    - **b.** Discuss how you could describe each of these mindful habits.
    - **c.** For each mindful habit, brainstorm what it would 'look like', 'feel like' and 'sound like'. Record your brainstorm in a Y chart, cluster map or mind map.
    - **d.** Compare your records with others or with online research.
    - **e.** Make any modifications or additions you wish to your charts or maps.

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.4 Thinking keys

## LEARNING INTENTION

At the end of this subtopic you will be able to describe the 'thinking keys' and use them to help you think creatively to solve problems.

## 2.4.1 Thinking keys

A creative thinker by the name of Tony Ryan developed the idea of '**thinking keys**' to unlock your thinking. The 12 thinking keys, and how they can be used, are shown in figure 2.11. Different keys unlock different types of thinking. These keys can 'tune' or focus your brain into thinking about tasks, situations or problems in creative, logical or challenging ways.

**thinking keys** a tool developed by Tony Ryan to help unlock thinking

**FIGURE 2.11** The 12 thinking tools developed by Tony Ryan



### DISCUSSION

Give an example of the use of one of these thinking key questions to think about an issue of your choice.

These thinking keys can be used to:

- 'switch you on' — they can motivate you, get you excited or interested, or 'hook' you into thinking about something
- 'open different doors' of your thinking — they can help you look at situations in different ways
- 'unlock your thinking' — they can help you become more effective at thinking critically and creatively
- 'unlock your feelings' — they can increase your interpersonal and intrapersonal experiences and help you to reflect.

### DISCUSSION

How do preconceptions limit ideas and alternatives? Give an example.

### Resources

**eWorkbook** Thinking keys (ewbk-3887)

**assessON** Additional automatically marked question sets

## 2.4 Exercise

**learnON**

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 9 | Questions<br>5, 6, 7, 10, 14 | Questions<br>4, 8, 11, 12, 13 |

### Remember and understand

1. What is the purpose of the 12 thinking keys?

### Apply and analyse

2. Use your 'what if' key in figure 2.11 to write a story about one of the following.
   - What if mosquitoes were the size of humans?
   - What if all plants were purple?
   - What if there were only female humans on Earth?
   - What if we could have holidays on Mars?
3. Use your 'disadvantages' key in figure 2.11 to unlock your thinking about an item in your classroom.
4. Use your 'alphabet' key in figure 2.11 for one of the following.
   - Biological classification
   - An ecosystem
   - Chemicals in your home
   - Food webs
   - Weather and climate

5. Use your 'variations' key in figure 2.11 to list as many ways as possible to do one of the following.
   - Hang out the washing
   - Get to school
   - Tell someone not to be a bully
   - Encourage a timid teammate to contribute to a discussion
6. Use your 'ridiculous' key in figure 2.11 to justify one of the following statements.
   - Children should be paid to go to school.
   - School should be 9 pm to 3 am instead of 9 am to 3 pm.
   - Students should only be taught maths, English and science at school.
7. Use your 'question' key in figure 2.11 for one of the following terms.
   - Gravity
   - Heart
   - *Diprotodon*
   - *Bufus marinus*
8. Use your 'interpretation' key in figure 2.11 for one of the following.
   - A fellow student with bright purple spots on their face
   - One of your teachers shrinking to the size of a coffee mug
   - A giant hole in the middle of your schoolyard
9. Use your 'combination' key in figure 2.11 to create items from one of the following pairs of items.
   - Pen and sunglasses
   - Phone and a microwave oven
   - Paperclip and a feather
10. Use your 'inventions' key in figure 2.11 for one of the following.
    - Banana peeler
    - Hat with four functions
    - Attachment that can be worn on your finger to assist in your learning
    - Earring with three functions
11. Use your 'construction' key in figure 2.11 to make a model from household materials that demonstrates one the following.
    - How mixtures can be separated
    - How gravity affects objects on Earth
    - The water cycle
    - Why we have seasons
12. Use your 'forced relationship' key in figure 2.11 to work out how to catch a cockroach with a match, a toothpaste tube and a mug.
13. Use your 'alternative' key in figure 2.11 to work out a way of tying your shoelaces without using your hands.

## Evaluate and create

14. **a.** Draw a table with the column headings: 'Type of thinking key', 'Switch you on', 'Open different doors', 'Unlock your thinking' and 'Unlock your feelings'.
    **b.** List all the thinking keys from figure 2.11 in the first column.
    **c.** Use a tick or cross in the other four columns to show which types of thinking each key may be used for.
    **d.** Compare your results with those of others in your class.
    **e.** Discuss reasons for any similarities or differences.

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.5 Learning together

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe different ways to communicate with and work successfully with a partner or group.

## 2.5.1 Learning together

Who will your partner be today? How will they be selected? Once you have your partner arranged, there are lots of different ways in which you can interact.

There are also many different ways to 'pair up' to discuss your thoughts before they are shared with a larger group. It could be the 'shoulder partner' who sits next to you, or even a 'face partner' who sits behind or in front of you in class. You can even be paired with someone who is the same star sign or who has the same favourite colour or music.

**FIGURE 2.12** Choose as many different learning partners throughout the year to gain a broad perspective of the world.

It's a good idea to work with as many different partners as you can to share your thoughts with throughout the year. You will learn a lot more and become a better thinker because you will have the opportunity to see things through different eyes and broaden the way that you see the world. Developing ways to communicate with your partners involves knowing what to say and when to say it.

## 2.5.2 Are you a good listener?

To communicate effectively with others also means being able to listen to others with respect, empathy and understanding. Do you really listen to what others are saying or are you rehearsing what you are going to say when it's your turn to speak? Are there other things going on that distract you from really listening to what is being said? What sorts of things do you find distracting? How could you be a better listener?

### Are you easy to understand?

Are you a vague or specific communicator? Do you use specific terminology or do you over-generalise? Do your thoughts spill out of your mouth in a jumble or are they organised and concise? What are some strategies that you could use to help you organise your thoughts? By organising your thoughts before you let them out, you can learn to express yourself with clarity and precision.

**ACTIVITY: Are you a good listener?**

Complete the following activity in a pair.

**a.** Partner A listens to partner B speak for three minutes about their favourite topic or hobby. Partner A must not interrupt, make any comments or ask any questions during this time.
**b.** After the three minutes, partner A paraphrases what the speaker, partner B, said.
**c.** Partner A may then make appropriate comments or queries.
**d.** Repeat steps (a) to (c) with the roles reversed.
**e.** Comment on the usefulness of paraphrasing in listening.

## 2.5.3 None of us are as clever as *all* of us!

You can learn a lot more when you learn with others. You learn not only the content of the topic you are studying, but also how to get along and work with other people. Developing helpful habits, such as well-developed social and collaborative skills, can be very useful throughout your life.

### Getting along

There are many social skills that you can focus on developing during your teamwork. These include:

- resolving conflicts or disagreements respectfully
- controlling impulsive actions and comments that may hurt others
- looking at each other while you talk and using people's names
- using both non-verbal and verbal praise and encouragement
- actively encouraging others to be involved and feel valued.

#### ACTIVITY: Matching game

Find someone in the class who matches one of the criteria in the list. Get them to sign their name next to the criterion. No person can sign more than one criterion. As you are seeking out criterion–classmate matches, think carefully about how you are communicating with them. Think about both your verbal and non-verbal messages during your communication.

**a.** Likes to get up early
**b.** Loves hip hop music
**c.** Watches old movies
**d.** Sends text messages more than ten times a day
**e.** Keeps a diary or journal
**f.** Has a younger brother
**g.** Has a pet cat

### Face to face

Some of the collaborative skills that you can develop while working as a team involve how you interact with your teammates. You can practise these by:

- actively listening with understanding and empathy
- being patient and understanding
- choosing fair ways to make decisions
- taking turns equally and not leaving anybody out
- criticising ideas rather than people
- sharing materials and equipment
- keeping each other focused and on-task
- being organised and well prepared, and managing time effectively
- helping others out when they have difficulties.

Often, establishing some learning team guidelines, such as 'only one person speaks at a time' or 'always be respectful of the feelings, opinions and space of others', can help you to interact effectively as a team.

#### DISCUSSION

In a pair, take turns telling each other what you think about:

**a.** the benefits of eating breakfast
**b.** the reasons people decide to become scientists
**c.** life as an astronaut.

## Hogs and logs

One way to make teams work more effectively is to allocate roles. Figure 2.14 describes the various roles that can be allocated, including examples of the way a person in each role might talk or act. These roles help you to work effectively together, particularly if you are given a project or a discussion topic but not told exactly how to perform the project or discussion.

**FIGURE 2.13** Allocating roles can help the team work together more effectively.




**FIGURE 2.14** Cooperative roles — you can allocate different roles on a project




### ACTIVITY: Helpful habits

**In this activity you will learn some strategies for working in a team.**

1. In your team, discuss the following helpful habits and suggest (i) how they can be useful to both the individual and the team, (ii) some strategies that could be used to develop them and (iii) some obstacles that make them difficult to achieve.
   - **a.** Persistence (optimism, sticking to the job, effort and hard work)
   - **b.** Confidence (failing wisely, taking responsible risks and speaking up)
   - **c.** Resilience (keeping perspective, maintaining your cool and bouncing back)
   - **d.** Organisation (goal setting and time management)
   - **e.** Social skills (tolerance, following instructions, resolving conflicts, managing impulsive behaviour)
2. Share and record the findings of your discussion with other teams and then collate them all into a class instruction and information booklet on helpful habits for your team activities.

### on Resources

**eWorkbook** Mapping your future (ewbk-4940)

**assess on** Additional automatically marked question sets

# 2.5 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3 | Questions<br>2, 5, 6 | Questions<br>4, 7 |

## Remember and understand

1. What is empathy? What do you think it means to listen with empathy? What does empathy look like, feel like and sound like?
2. Brainstorm as many ideas as you can that:
   a. would help you to listen to what others are saying
   b. hinder or get in the way of listening to others.

## Apply and analyse

3. Suggest four reasons why a team of four enables more effective communication than a team of three members. Discuss your suggestions in a group of four.
4. Consider any team project you have done and how you think team members should be assessed on their effectiveness. Design a rubric similar to the one shown to evaluate how well each member of the team did their job and how well the team worked together. Compare your rubric to others.

**TABLE** Example of an assessment rubric

| | Score | | | |
|---|---|---|---|---|
| **Role/task** | **0** | **1** | **2** | **3** |
| A | | | | Job always done really well |
| B | Not done | | | |
| C | | | Usually OK | |
| D | | Sometimes job done well | | |

## Evaluate and create

5. Suggest how you can create a good relationship with other members of the team. Make a list of 'getting to know you' questions that you all can answer.
6. Think about how you would form a team and explain how you would decide on a name, logo or a group cheer or handshake.
7. Brainstorm phrases and actions that would help you perform effectively in each of the cooperative roles shown in figure 2.14.

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.6 Unlocking learning

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain the difference between active and passive learning and ways to make your learning more effective.

## 2.6.1 Learning can be scary!

Learning can be scary! It can be full of lots of words and experiences that are new to you. It can also be messy, frustrating, difficult and time consuming. So … why learn? Why bother?

**FIGURE 2.15** If you are told something, does that mean that you have learned it?




## 2.6.2 Listening isn't learning

Teaching is more than telling, and learning is more than listening. Although you may learn many things by listening, just 'being told' is not the most effective way to learn. You may be able to remember some of what you heard, but you may not understand it. Think about the last lesson that you were in. What do you remember from it? What did you learn? What did you understand? What does it mean 'to understand'?

### Are you an active or a passive learner?

Do you lift the lid on your brain and wait for information to be poured in? Are you a passive learner? If so, you may not be learning very much. You need to be actively involved in your learning to get the most out of it.

If you are an active learner then you have more chance of developing an understanding of what you are learning. You are more likely to be able to remember it and explain it to others. Very importantly, you will be better equipped to be able to transfer this learning into new situations. This is a very valuable life skill to develop. It is an especially important skill for a scientist.

### If it gets too hard, do you just give up?

What do you do when you are introduced to something new? What do you think? Do you try to connect this new information to what you already know? If so, how do you go about it? Do you ever give up because it looks or sounds 'too hard'? If you do get stuck in your learning, what can you do to move on? What sorts of questions and strategies could you use to help get through the difficult and frustrating times in your learning?

## 2.6.3 Linking your learning

When possible, it is a good idea to try to link your new learning to your previous knowledge. At times, you may even find that your new learning may change how you think about things! As well as learning new things, it is worthwhile thinking about strategies that you used to 'move' from what you used to know to what you now know. This type of thinking about your thinking (metacognition) will help you to become a more active and effective learner.

### Recognising what is new is a great way to start learning

What do you do when you come across a word that you haven't seen before? Does it contain parts that you have seen before in other words? Do these parts of the word give you a hint about its meaning? Sometimes this may

be helpful — at other times, you need to find other ways to help you learn the new terms and link them to what you already know.

The first step is to recognise the new term. The next step is to remember what it means and what other terms or ideas it could be linked to. It may be helpful to talk to others and to tell them how you remember the term and hear how they go about it. This type of shared learning can be quite powerful in helping you to develop your scientific literacy. It can help you to learn new ways to be able to communicate what you know. Talking and sharing your learning can help you get closer to understanding what you are learning.

int-6596

**FIGURE 2.16** What do you think when you are introduced to something new?




## ACTIVITY: Recognition cards

**a.** Make up your own set of term recognition cards. On one side write the following statements and on the other side add a coloured circle, as indicated in the table.

**TABLE** Setting out your recognition cards

| On front of card | On back of card |
|---|---|
| Never seen the term before | Red circle |
| Recognise the term | Orange circle |
| Recognise the term and can give definition or description | Yellow circle |
| Recognise the term and could help others to understand it | Green circle |

**b.** These cards can be used at the beginning and end of each topic you study. You can create your own list of the key terms in the chapter or use a list supplied by your teacher. Score each term between 0 (never seen the term before) and 3 (recognise and could help others to understand the term). Use this to inform yourself and your teacher about where you are in your learning of these terms.

**c.** Score each of the terms in a table like the one provided. Either as a class or in a team, hold up the card for each term. Share what you know about the terms with others in your team or class.

**TABLE** How well do you recognise these terms?

| Term | Term comfort zone (circle the appropriate score) | | | |
|---|---|---|---|---|
| Mollusc | 0 | 1 | 2 | 3 |
| Cnidarian | 0 | 1 | 2 | 3 |
| Arthropod | 0 | 1 | 2 | 3 |
| Amphibian | 0 | 1 | 2 | 3 |
| Annelid | 0 | 1 | 2 | 3 |
| Reptile | 0 | 1 | 2 | 3 |
| Vertebrate | 0 | 1 | 2 | 3 |
| Echinoderm | 0 | 1 | 2 | 3 |

*(continued)*

*(continued)*

| | | | | |
|---|---|---|---|---|
| Marsupial | 0 | 1 | 2 | 3 |
| Nematode | 0 | 1 | 2 | 3 |
| Invertebrate | 0 | 1 | 2 | 3 |
| Monotreme | 0 | 1 | 2 | 3 |

**d.** Use a variety of sources to collect information on each of the terms and then construct a mind map or concept map to link them (you may add other terms that are not on the list).

## on Resources

assessON Additional automatically marked question sets

## 2.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3 | Questions<br>2, 4 | Questions<br>5 |

### Remember and understand

**1.** Why is active learning more effective than passive learning?

### Apply and analyse

**2.** Explain how the 'habits of mind' (see section 2.3.1) may help you to be a more effective and active learner.

**3.** Identify each of the following as active or passive.
- **a.** Listening to a lecture
- **b.** Creating your own podcast on a topic
- **c.** Reading a textbook
- **d.** Teaching others a concept you learned

### Evaluate and create

**4.** **a.** Construct a table with two columns. Label the first column 'Learning question' and the second column 'My response'.
- **b.** In the first column, write the questions from the *If it gets too hard, do you just give up?* section.
- **c.** Add your responses to the questions in the second column (you may wish to discuss ideas with those around you!).

**5.** Create a cartoon or image to show what two of the following might look like in your classroom.
- **a.** Passive learning versus active learning
- **b.** Metacognition or 'being aware of your thinking'
- **c.** Persevering when 'stuck' in your learning
- **d.** Making links between 'old' knowledge and 'new' knowledge

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.7 Question keys

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the different levels of questioning and learning.

## 2.7.1 Levels of thinking

- How do you find out what a question is asking?
- How can you unlock it?
- Are there any clues?
- What are the words in questions that tell you what to do?

Some question words, such as 'identify', do not require much thinking and may just require you to recognise and recall a name or list of names. Others may require you to think quite deeply and make comparisons or predictions. Other question words may expect you to explain your reasoning and understanding. Yet others, such as 'construct' or 'design', may require you to build, create or investigate a particular object or problem.

## 2.7.2 Science Quest question patterns

When you browse through the exercise question sets for each subtopic in this text, you may see a pattern in the question terms that are used. In the 'Remember and understand' sections, the information that you need to answer the question will be located somewhere in that section. You won't need other resources to find the answer. The question words that you will find in this section include: *define, identify, outline, which, list, what is, recall and describe* and *explain why*.

In the 'Apply and analyse' sections, you need to consider the information in the pages of the subtopic, but you may also need to think or discuss to be able to respond to the question. You may need to do something more with the information other than simply recall it. Examples of question words in these sections include: *identify, describe, explain, state how, what would, calculate, classify, differentiate, justify, outline, summarise, construct, compare and contrast, propose* and *interpret*.

The 'Evaluate and create' sections often require you to think even more deeply about the question and your response. You may need to *design* an investigation, *conduct* it and *explain* the results that you get. Such questions may require a different type of thinking. You may need to use your imagination and creativity to apply what you have learned to *evaluate* or *create* something. You may need to conduct thorough research on a topic and present your findings in a variety of ways.

**FIGURE 2.17** Some question words require you to think quite deeply.

int-6597

**FIGURE 2.18** Question keys can unlock what the question is asking.

**FIGURE 2.19** When you are trying to make sense of words associated with understanding, it is helpful to divide them into categories. There are many different ways of doing this. You just need to find the way that suits you.




## Resources

**eWorkbook** Language of learning (ewbk-3889)

**assessON** Additional automatically marked question sets

## 2.7 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5, 6 | Questions<br>3, 8, 9, 12 | Questions<br>4, 7, 10, 11 |

### Remember and understand

1. State two question words that could require you to respond with the name of something.
2. Identify the term used to ask you what the meaning of something is.
3. Distinguish between the terms ‘contrast’ and ‘compare’.
4. Compare the terms ‘predict’ and ‘evaluate’.
5. State one new question word that you learned in this subtopic. Describe how you are going to remember it.

### Apply and analyse

6. **a.** Predict what you are going to have for dinner tonight.
   **b.** Justify your suggestion in part (a).
7. Demonstrate that you understand the meaning of the term 'deduce'.
8. Explain how you travel to school.
9. Explain why you go to school.
10. **a.** Formulate five questions of your own about scientific topics.
    **b.** Suggest how you could find out the answers to them.

### Evaluate and create

11. Etymology is the study of the origin of words. Find out about the etymology of one of the question words from figure 2.19 and report on it.
12. Create a rhyme, story, poem or song to help you remember the meaning or use of four question words from figure 2.19, and clearly explain its meaning.

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.8 Feeding your brain

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe which foods the brain and body need to maximise your alertness and energy levels.

## 2.8.1 Brain 'food'

When your brain gets 'hungry', it needs oxygen and glucose as 'food'. Breathing helps you to feed your brain oxygen. You breathe more during exercise to ensure that your brain gets the oxygen it needs. You also feed your brain glucose from the foods that you eat.

**FIGURE 2.20** A healthy diet for your brain



### Thinking about how and when you eat

It is better for your brain if you nibble during the day, rather than having one or two big meals. Too much time between meals can cause loss of concentration and decreased alertness. Do you eat to get rid of hunger or boredom, rather than for optimal learning? Before you put that next piece of food into your body, think what else it can do for you!

## 2.8.2 Feeling thirsty?

Dehydration is a very common problem that is linked to poor learning. As the brain is made up of 80 per cent water, this is another very important 'food' for the brain. Dehydration can result in a loss of attentiveness, and then tiredness, laziness and sluggishness can set in.

When you feel thirsty it means that the amount of water in your body has dropped, and that the salt concentration in your blood is increasing. An increase in salt levels in your blood can lead to the release of fluids from your cells into your bloodstream. This can result in an increase in your blood pressure and increase in stress. Drinking water can decrease these effects within five minutes.

**FIGURE 2.21** Water is crucial for brain function

## 2.8.3 'Brekkie' for the brain

Some of the foods that you eat contain proteins. Protein foods that are best for boosting your alertness and mental performance include eggs, fish, turkey, tofu, pork, chicken and yoghurt. This is because proteins are made up of amino acids, which can have different effects on the brain. For example, the amino acid tyrosine enhances thinking, while tryptophan has a calming effect.

Your brain also uses tyrosine to make chemical messengers such as dopamine and norepinephrine, which are very important for alertness, quick thinking and fast reactions. Norepinephrine enables your body to 'get up and go' when action is required. This might be when you are riding a roller-coaster, are involved in an accident, or when there is a conflict of which you need to 'fight' your way out. At school, norepinephrine may be useful in doing maths calculations, maintaining your attention span and increasing your conscious awareness.

In these types of situations, norepinephrine is released all over your body and it increases the blood flow to your brain, which increases your alertness. Too much norepinephrine can make you feel 'hyper' and stressed; too little can cause drowsiness and make you feel 'out of it'. Foods in which tyrosine is found include meats, fish, eggs, tofu and milk products. If you want to get your day going, a 'thinking breakfast' including any of these would be a great start!

## 2.8.4 Minerals and your A, B, Cs

Vitamins that are very important to learning include vitamins A, C, E and most of the Bs. These vitamins assist our alertness, memory, visual–spatial ability, attention span and planning or organisational skills.

Minerals that are important to learning include magnesium, sodium, potassium, zinc, iron, boron and selenium.

### Other hungry-brain foods

Leafy green vegetables, salmon, nuts, lean meats and fresh fruits are some other brain foods.

A chemical called calpain is found in milk, yoghurt and leafy green vegetables (such as spinach and kale). It is thought to act as a 'cleaner' for spaces between your neurons, making transmission of neuron messages more efficient and hence helping the effectiveness of your learning.

## on Resources

**eWorkbook** You are what you eat (ewbk-3891)

**assess on** Additional automatically marked question sets

# 2.8 Exercise

learn on

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5 | Questions<br>3, 4, 6, 8 | Questions<br>7, 9, 10 |

### Remember and understand

1. State the two 'foods' that your brain is most hungry for.
2. What is the name of the chemical that is the sole source of fuel for your brain cells?
3. Why is dehydration linked to poor learning?
4. List five examples of protein-rich foods that are best for boosting your alertness and mental performance.
5. Name the chemical in milk and yoghurt that acts as a 'cleaner' for the spaces between your neurons.

### Apply and analyse

6. **a.** Megadoses of vitamins can be toxic. Find out the recommended amounts of vitamins A, B, C and E for your age group.
   **b.** Many vitamin supplements are absorbed better if taken with some foods. Find out which foods increase absorption and which decrease absorption.
7. **a.** List four foods that are sources of tyrosine.
   **b.** What is the link between tyrosine and norepinephrine?
   **c.** Suggest how norepinephrine is useful for your learning.
8. Brainstorm a list of examples of thinking foods. Survey your school canteen or cafeteria to find out how many of these thinking foods they have.

### Evaluate and create

9. Design an experiment to find out what type of breakfast food keeps you alert for the longest time during the day.
10. **a.** Keep a diary for a week to determine which times of day you find learning and thinking the easiest and the hardest. Include what and when you have eaten in your diary.
    **b.** Do you have learning highs and lows?
    **c.** Does the type of food eaten or time it was eaten have any effect?

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.9 Discovering your brain

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the structure of the brain and explain the mechanism by which the brain connects thoughts and ideas.

## 2.9.1 How often have you thought about your brain?

Throughout the day your brain is constantly registering your environment and monitoring vital signals such as your heart, hormone levels, breathing and digestion. It is also continually matching new learning with that from your past, and attaching emotions to each event and thought, to make patterns of meaning that make up the 'total picture'.

## 2.9.2 Celebrating your cerebrum

The largest part of the brain is called the **cerebrum**. It makes up about 80 per cent of your brain and is responsible for higher order thinking and decision making. Your cerebrum is made up of billions of nerve cells (called **neurons**), with four primary areas called **lobes**. The functions of the four lobes are described in the diagram in figure 2.22.

**cerebrum** the largest part of the brain responsible for higher order thinking and decision making

**neuron** cell designed to carry electrical impulses by which the nervous system functions nerve cells

**lobe** one of the four primary areas of the cerebrum

int-8164

ewbk-3893

**FIGURE 2.22** The four primary areas of your cerebrum are called lobes.




## 2.9.3 Left and right — two brains in one?

Your cerebrum is also divided into left and right sides or hemispheres (refer to figure 2.23). Although each hemisphere processes information differently, they are both involved in putting together the total picture of what you sense around you. For example, when you listen to someone speak, your left side processes words, definition and language. Research suggests that the right side processes the inflection, tones, tempo and volume of the speaker, which assists in getting meaning of the conversation rather than just the words.

Researchers also found there can be patterns relating to which side of your brain you favour throughout the day. It is not uncommon to switch from right-brain to left-brain dominance 16 times a day!

When learning, you may be activating more of one hemisphere than another. However, for optimal learning, it's important to involve learning activities that include the strengths of both hemispheres (even if it can feel a little uncomfortable sometimes). This will allow you to focus on 'whole-brained' learning.

int-8165

ewbk-3895

**FIGURE 2.23** For optimal learning, it's important to activate both hemispheres of the brain.



### ACTIVITY: Nostril breathing

**In this activity you will research the links between breathing and brain function.**

Did you know that, on average, you breathe through one nostril for about three hours until the tissue becomes slightly engorged, then you switch to the other? The nostril that you breathe through affects which brain hemisphere may be dominant. When your breathing is left-side dominant, your learning may be right-brain dominant, and vice versa.

Research has suggested that the information received by the brain from the 'dominant' nostril can change our interpretation of different smells. If our left nostril is the more active we will remember the smell more emotionally, whereas if our right nostril is more active we can describe the smell more objectively.

1. Outline what the research suggests (or claims) about use of different nostril sides and interpretation of smell.
2. Think about this suggested connection.
3. Construct a PMI chart (refer to subtopic 2.10) to organise your data. Use 'P' = supports/agrees with the claim, 'M' = does not support/disagrees with the claim and 'I' = interesting information that is neither for nor against the claim.
4. Consult a variety of resources to gather relevant information that will help you to decide whether you agree with it or not.
5. Share your PMI chart with others in the class, adding any relevant points that you may have missed.
6. On the basis of your PMI summary, decide whether you agree or disagree with the research claim on the following scale: 0 = strongly disagree; 1 = disagree; 2 = agree; 3 = strongly agree.
7. As a class, be part of a human 'opinion' scale with the left wall of the classroom being '0' and the right wall being '3'. Chat with others near you about reasons for their views and then hear from your class members at other points along the scale.
8. Construct a suitable hypothesis for this research claim and design an experiment to test it. If possible, perform the investigation and share your findings with others. Reflect on your design and discuss ways in which you may improve it if you were to do it again. Suggest other relevant research questions that could be investigated.

## 2.9.4 Windows of your brain

Next time you enter your classroom, notice what you see around you. Are there any posters, plants, colours, objects or shapes? Because 80 to 90 per cent of all information absorbed by your brain is usually visual, changes in colour, size, contrast, shape and movement around your environment are very important. Your eyes can register 36 000 visual messages in an hour, and about 40 per cent of all the nerve fibres in your brain are connected to the retinas in your eyes.

## 2.9.5 Your brain is unique

Like your thumbprint, your brain is unique. Not only may it be a different size and weight from your friends, but the learning connections between cells in your brain are different. These connections are made as a result of your experiences and this forms your own personal 'cognitive map', which can change over time as you build up more experiences. This difference in our brain's 'internal wiring' can explain why people at the scene of the same accident can have such different eyewitness reports.

### ACTIVITY: Juggling jigsaws

In Juggling jigsaws, each member (or pair) of the team specialises in one specific part of the learning task. Once their part in the learning task is mastered, they become experts on it. The team then reunites and each expert (or expert pair) teaches the others in the team what they have learned.

### Expert Team 1 challenge

Each member is to research a part of the brain that is mentioned in subtopic 2.9. Find out the facts and any interesting research on this part of the brain and how it may be involved in learning. Share your findings with the rest of your Expert Team.

### Expert Team 2 challenge

Each member is to find as many songs or poems about the brain as they can. Share your findings with the rest of your Expert Team.

### Expert Team 3 challenge

Collectively this team needs to summarise information from subtopic 2.8 and create a song with actions that they can teach to each other and then to the rest of the class.

### Expert Team 4 challenge

This team needs to design a classroom that they consider will be an effective learning environment. They then need to build a model of this wonderful learning classroom.

## ACTIVITY: Setting goals, being persistent and failing wisely

Have you thought about your thinking and learning throughout this topic? Have you reflected on the 'mountains and valleys' of your learning?

1. Construct a learning and thinking journal that includes answers to the following questions.
   - **a.** How, what, where and when have you learned most effectively?
   - **b.** Which of your social and collaborative skills were the most developed? Which of these skills would you like to focus on developing in your next unit of study?
   - **c.** How well did you set goals and how well did you meet them?
   - **d.** Were you persistent or did you give up when things got a bit too tough, hard or uncomfortable for you?
   - **e.** Everybody fails at some time. It is okay to fail. The important thing is what happens after you fail. Have you failed wisely? What did you learn from failing? How could you use what you have learned to your advantage?
2. Select a classmate(s) you respect and have learned to trust during your recent learning. Listen to each other talk about some key points of this learning journey. Share and discuss each other's learning and thinking journals. Make constructive suggestions that may help each other's learning.
3. In a pair or team of four, suggest at least six slogans, pictures, visuals, cartoons, stories/fables, quotes or sayings that could be used as prompts to help you to become effective learners.
4. What do you think the Cheshire Cat in *Alice in Wonderland* meant when he said, 'If you don't know where you are going, any road will take you there'? Construct a bubble map to record your suggestions.

**FIGURE 2.24** If you don't know where you are going, any road will take you there.



on Resources

assessON Additional automatically marked question sets

# 2.9 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 5, 11 | Questions<br>3, 6, 7, 12 | Questions<br>8, 9, 10, 13 |

## Remember and understand

1. State the name of the most complex organ in your body.
2. List five functions of your brain.
3. How is your brain different from that of others in your class?
4. Name the part of your brain that is responsible for higher order thinking and decision making.
5. What is another name for nerve cells?
6. Approximately what percentage of information received by your brain is visual?

## Apply and analyse

7. Work out whether you are left- or right-brain dominant:
   a. Give yourself a mark out of 5 for each of the statements shown in figure 2.23 for each hemisphere of the brain.
   b. Add up the total score for each side. In which hemisphere of the brain did you score higher?
   c. What does this mean in terms of your learning?
8. Select one of the environmental influences on learning listed and find out what effects it may have on your body, and consequently your learning.
   - Colours
   - Type of lighting
   - Plants
   - Room arrangements
   - Seating options
   - Objects
9. Emotions can change the parts of your brain that are most active. Research and report on your findings.
10. Albert Einstein had an average-sized brain. Find out what other sorts of information has been found out about his brain. Which thinking hat are you using?

## Evaluate and create

11. Draw an outline of your brain and label the four lobes of your cerebrum. Add to each label why the lobe is important.
12. Draw a picture that summarises the types of thinking in the two hemispheres of the brain.
13. Swara yoga is a branch of yoga that develops an awareness of breathing through your nostrils. This involves learning to control your breath moving through your nostrils, to 'control' the activity of your brain hemispheres in a way that suits the type of activity that you are involved in.
    a. Find out more about and report on the practice of alternate nostril breathing. In your report include what you consider to be the advantages and disadvantages of doing this.
    b. Design some activities that can test your nostrils, breathing and left- or right-hemisphere dominance.
    c. A peak expiratory flow rate meter can be used by people with asthma to measure the volume of a whole breath. Draw or outline plans for your very own clever and creative invention that measures which nostril is being used more frequently. Make up a colourful brochure that could be used to market it to fellow students.

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.10 Thinking tools — Making thinking visible

## 2.10.1 Tell me

There are so many different ways to see and share what is happening inside your brain. Here are some tools that can be used to make your thinking visible so that you can share and discuss it with others.

Like a builder, it is important for you to use the right tool to get the job done:

- **storyboards**, **flowcharts**, **timelines** and **cycles** are useful tools to sequence your thoughts (figure 2.25)
- **matrixes** and **SWOT analysis charts** are useful when you want to classify or organise your thoughts (figure 2.26)
- **Venn diagrams** and **fishbone diagrams** are useful tools to focus your thoughts, such as when you need to analyse and compare things in order to make a decision (figure 2.26)
- **concept maps**, **PMI charts** and **Y charts** help you to visualise or reflect on an idea (figure 2.27)
- **priority grids**, **target maps**, **continuums** or **pie charts** can be used to quantify or rank ideas (figure 2.28).

There are also times when combinations of these tools can help you to use your brain and time more effectively. You will find these thinking tools explored further throughout subtopics before the review in Science Quest 7–10.

**FIGURE 2.25** Thinking tools that help you order or sequence your thoughts




**storyboard** a visual thinking tool that shows order and sequence

**flowchart** a visual thinking tool that shows order and sequence

**timeline** a visual thinking tool that helps sequence thoughts

**cycle** a visual thinking tool that shows order and sequence

**matrixes** thinking tools that can be used to compare properties of multiple topics

**SWOT analysis chart** a visual thinking tool that helps classify or organise thoughts

**Venn diagram** a visual thinking tool that analyses and compares

**fishbone diagram** a visual thinking tool that identifies causes of an event

**concept map** a visual thinking tool that shows the connection between ideas

**PMI chart** a thinking tool that helps you visualise and reflect on an idea, consisting of three columns headed 'plus', 'minus' and 'interesting'

**Y chart** a visual thinking tool that helps you visualise and reflect

**priority grid** a thinking tool that helps quantify or rank ideas

**target map** a visual thinking tool that analyses and compares

**continuum** a visual thinking tool that shows extremes of an idea or where people 'stand' on a particular idea or issue

**pie chart** a diagram using sectors of a circle to compare the size of parts making up the whole; also called a sector graph

**FIGURE 2.26** Thinking tools that help you analyse or compare your thoughts



**FIGURE 2.27** Thinking tools that help you visualise or reflect on your thoughts



**FIGURE 2.28** Thinking tools that help you quantify or rank your thoughts




## 2.10 Activities

1. MC Which visual thinking tools are useful tools to sequence your thoughts?
   - A. Storyboards and SWOT analysis
   - B. Storyboards and flowcharts
   - C. Flowcharts and Venn diagrams
   - D. Timelines and Venn diagrams
2. MC Which visual thinking tool would be most appropriate to compare the similarities and differences between plant and animal cells?
   - A. SWOT analysis
   - B. Timeline
   - C. Flowchart
   - D. Venn diagram
3. State the visual thinking tools that are best for helping you to:
   - a. sequence your thoughts
   - b. classify information
   - c. quantify or rank ideas
   - d. analyse and compare.
4. Select and construct a different visual thinking tool to respond to each of the following.
   - a. To instruct someone how to tie a shoelace or a necktie
   - b. The similarities and differences between the stories of *Goldilocks and the three bears* and *Jack and the beanstalk*
   - c. The amount of chocolate eaten in a week for each member of your class

**Fully worked solutions and sample responses are available in your digital formats.**

# 2.11 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-4934 | ewbk-4936 | ewbk-4938 |

on Resources

## 2.11.1 Summary

### Understanding learning and thinking

- There are many different types of learning.
- Auditory learning involves musical, rhythmic, verbal or linguistic activities. Auditory learners may learn by singing a melody and changing lyrics to content they are trying to remember.
- Visual learning involves seeing or visualising concepts. Visual learners may best remember things when they see them, rather than when they hear about them.
- Kinaesthetic learning involves movement, touch and feel. Kinaesthetic learners may remember things better if they actively do something such as a build a model, act out a scenario or do a hands-on experiment.
- Interactive learning involves collaboration with other people. Interactive learners may learn best when they discuss a topic in a group or team.

### Types of intelligence

- Howard Gardner introduced the theory of the eight different types of intelligence. They are:
  - bodily/kinaesthetic intelligence
  - verbal/linguistic intelligence
  - logical/mathematical intelligence
  - visual/spatial intelligence
  - musical/rhythmic intelligence
  - interpersonal intelligence
  - intrapersonal intelligence
  - naturalist intelligence.
- Bena Kallick and Arthur Costa developed the theory of 16 thinking behaviours called the ‘habits of mind’.
- Y charts can be used to document what the mindful habits may look, feel and sound like.

### Thinking keys

- Tony Ryan developed the idea of 12 ‘thinking keys’ that can be used to focus your brain in certain ways.
- The thinking keys can be used to switch you on, open different doors of your thinking, unlock your thinking or unlock your feelings.

### Unlocking learning

- Simply listening is not the most effective way of learning new information.
- In order to learn most effectively you must become an active listener, asking questions and probing for more information to consolidate your knowledge.
- If you are able to link new information to things you already know you will have a much greater chance of understanding it.

### Question keys

- Questions will often use very specific language that informs what you need to do to answer them satisfactorily.

- For example, a question that asks you to *justify* will require a more detailed response than a question that asks you to *identify*.

### Feeding your brain

- Your brain requires food to act as fuel and keep it powering on throughout the day.
- The source of energy for the brain is glucose, which is a sugar found in many foods.
- Dehydration can lead to tiredness, laziness, sluggishness and a loss of attentiveness.
- Protein is important to your brain as it boosts alertness and mental performance.
- Vitamins and minerals assist alertness, memory, attention span and planning or organisational skills.

### Discovering your brain

- Information is retrieved from the brain by nerve cells (neurons) firing along different paths within the brain.
- The largest part of your brain is called the cerebrum. It makes up about 80% of your brain and contains four primary areas; the frontal lobe, the parietal lobe, the temporal lobe and the occipital lobe.
- The cerebrum is also split into the left and right hemispheres. The left hemisphere is more analytical and methodical whereas the right hemisphere is more creative and artistic.
- Approximately 40% of the nerve fibres in your brain are connected to the retinas in your eyes.

## 2.11.2 Key terms

**cerebrum** the largest part of the brain responsible for higher order thinking and decision making
**concept map** a visual thinking tool that shows the connection between ideas
**continuum** a visual thinking tool that shows extremes of an idea or where people 'stand' on a particular idea or issue
**cycle** a visual thinking tool that shows order and sequence
**fishbone diagram** a visual thinking tool that identifies causes of an event
**flowchart** a visual thinking tool that shows order and sequence
**habits of mind** types of thinking behaviours promoted by Bena Kallick and Arthur Costa
**lobe** one of the four primary areas of the cerebrum
**matrixes** thinking tools that can be used to compare properties of multiple topics
**multiple intelligences** eight types of intelligences suggested by Howard Gardner
**neuron** cell designed to carry electrical impulses by which the nervous system functions nerve cells
**pie chart** a diagram using sectors of a circle to compare the size of parts making up the whole; also called a sector graph
**PMI chart** a thinking tool that helps you visualise and reflect on an idea, consisting of three columns headed 'plus', 'minus' and 'interesting'
**priority grid** a thinking tool that helps quantify or rank ideas
**storyboard** a visual thinking tool that shows order and sequence
**SWOT analysis chart** a visual thinking tool that helps classify or organise thoughts
**target map** a visual thinking tool that analyses and compares
**thinking hats** a thinking tool developed by Edward de Bono using different coloured hats for different types of thinking
**thinking keys** a tool developed by Tony Ryan to help unlock thinking
**timeline** a visual thinking tool that helps sequence thoughts
**Venn diagram** a visual thinking tool that analyses and compares
**Y chart** a visual thinking tool that helps you visualise and reflect

### on Resources

**Digital document** Key terms glossary (doc-34945)

**eWorkbooks**
Study checklist (ewbk-4927)
Literacy builder (ewbk-4928)
Crossword (ewbk-4930)
Word search (ewbk-4932)

# 2.11 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5 | Questions<br>3, 4, 6, 8 | Questions<br>7, 9, 10 |

## Remember and understand

1. Create a mind map to show what you have learned in this topic.
2. State examples of at least five:
   - **a.** thinking keys
   - **b.** mindful habits.
3. Select the appropriate language of learning category (interpret, apply, explain, perspective or self-knowledge) of the following:
   - **a.** Produce
   - **b.** Reflect
   - **c.** Contrast
   - **d.** Criticise
   - **e.** Translate
   - **f.** Relate
   - **g.** Self-assess
   - **h.** Decide

## Apply and analyse

4. What type of learner would you describe yourself as?
5. **a.** Use the learning wheel given to score how effective you think you have been as a team member during your learning about the brain. Give yourself a mark or dot out of 4 for each of the traits in the learning wheel. You should use the following scale: 0 = needs a lot of improvement; 1= needs improvement; 2 = okay; 3 = very good; 4 = excellent.
   - **b.** Join the dots together to show your team profile.
   - **c.** Comment on your strengths as a team member and suggest ways that you could improve in areas in which you did not score highly.




6. **a.** Reflect on your learning style and find out your profile in the learning wheel given. You should use the following scale: 0 = needs a lot of improvement; 1= needs improvement; 2 = okay; 3 = very good; 4 = excellent.

**b.** What other sorts of learning factors are there? Make a list of them and construct another 'wheel of learning'. First find out your own learning profile and then get other team members to try it out.
**c.** Compare your learning wheel with those of your teammates. Use a Venn diagram to show how they are similar and different.
**d.** Survey the class to find out the overall pattern of the learning wheel. Is this the pattern that you would have expected? Discuss your view with others in the class. Suggest ways in which you could use this information.

7. Use the 'alphabet' key to summarise points that you have learned in this topic.

## Evaluate and create

8. Construct a cluster map or concept map to outline the following.
   **a.** Ways to work as a team
   **b.** Learning how to learn
9. Create a cartoon or picture book to explain why protein foods are best for boosting your alertness and mental performance. Include examples of foods that are good sources of protein.
10. Did you know that *crypto* means secret or hidden? Create your own cryptonym (secret name) list that contains all the prefix and suffix meanings provided in this topic. Add others of your own.

**Fully worked solutions and sample responses are available in your digital formats.**

## on Resources

**eWorkbook** Reflection (ewbk-3038)

## teachON

**Test maker**

Create customised assessments from our extensive range of questions, including teacher quarantined questions.
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 2.1 Overview

**eWorkbooks**
- Topic 2 eWorkbook (ewbk-4920)
- Student learning matrix (ewbk-4925)
- Starter activity (ewbk-4922)
- Your quest (ewbk-4924)

**Video eLesson**
- Unlocking learning: flowcharts, cluster maps and concept maps (eles-0856)

## 2.3 Types of intelligence

**eWorkbook**
- Intelligence toolbox (ewbk-4926)

## 2.4 Thinking keys

**eWorkbook**
- Thinking keys (ebwk-3887)

## 2.5 Learning together

**eWorkbook**
- Mapping your future (ewbk-4940)

## 2.6 Unlocking learning

**Interactivity**
- What do you think when you are introduced to something new? (int-6596)

## 2.7 Question keys

**eWorkbook**
- Language of learning (ewbk-3889)

**Interactivity**
- Question keys can unlock what the question is asking (int-6597)

## 2.8 Feeding your brain

**eWorkbook**
- You are what you eat (ewbk-3891)

## 2.9 Discovering your brain

**eWorkbooks**
- Labelling the lobes in the brain (ewbk-3893)
- Left or right brained? (ewbk-3895)

**Interactivities**
- Labelling the lobes in the brain (int-8164)
- Left or right brained? (int-8165)

## 2.11 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-4934)
- Topic review Level 2 (ewbk-4936)
- Topic review Level 3 (ewbk-4938)
- Study checklist (ewbk-4927)
- Literacy builder (ewbk-4928)
- Crossword (ewbk-4930)
- Word search (ewbk-4932)
- Reflection (ewbk-3038)

**Digital document**
- Key terms glossary (doc-34945)

To access these online resources, log on to **www.jacplus.com.au**

# 3 Classification

## LEARNING SEQUENCE


3.1 Overview ..... 64
3.2 Classification systems ..... 66
3.3 Patterns in scientific language ..... 74
3.4 Understanding scientific names ..... 81
3.5 Keys to unlock identity ..... 87
3.6 Classifying animals ..... 96
3.7 Vertebrates ..... 104
3.8 Mammals ..... 112
3.9 Invertebrates ..... 119
3.10 Classifying plants ..... 127
3.11 The unique flora of Australia ..... 134
3.12 Algae, fungi and lichens ..... 140
3.13 Thinking tools — Tree maps ..... 143
3.14 Project — Snakes alive ..... 145
3.15 Review ..... 146

# 3.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au. They will help you to learn the concepts covered in this topic.

## 3.1.1 Introduction

Our planet contains an amazing variety of living things. Scientists classify these living things into groups on the basis of their similarities and differences.

Using names to label things can help us to sort out what we know (what is familiar) from what we do not (what is unfamiliar). We can also look for clues in names to help us to make the unfamiliar, more familiar. Although this linking can often be useful, sometimes it may result in confusion.

A sea dragon, for example, is a type of seahorse. If you were to use the clues in the name of the sea dragon to describe it to someone who was unfamiliar with sea dragons, would they imagine it to look like a combination of a horse and a dragon that lived in the sea?

**FIGURE 3.1** Sea dragon

**FIGURE 3.2 a.** A dragonfly, **b.** a Komodo dragon and **c.** a snapdragon flower

a.

b.

c.

The inclusion of the term 'dragon' in the common name of some other organisms may also result in confusion and misunderstanding. Look at the image of the sea dragon in figure 3.1 and compare it to images of other examples of 'dragons' in figure 3.2. Although the sea dragon, Komodo dragon, dragonfly and snapdragon all share the term 'dragon' in their names, they do not share many other features. This is another example of how the use of common names can lead to confusion. To reduce confusion and misunderstanding, scientists use a shared classification and naming system. This system provides the opportunity for both shared understanding and for more effective communication.

### on Resources

**Video eLesson** Komodo dragons (eles-3274)

Do Komodo dragons share any features with mythical dragons? Is the name dragon appropriate? Watch this video to observe a Komodo dragon in its natural enviornment and see the features it possesses.

## 3.1.2 Think about classification

1. How can you use a key to unlock the door to classification?
2. Why bother classifying living things?
3. Which animals have their skeletons on the outside?
4. I have scales and lungs and live on land. What am I?
5. In terms of biological classification, which class do you belong to?
6. Who were Snugglepot and Cuddlepie, and what is their link to Australian native plants?
7. Do you think red pandas are more closely related to giant pandas or to raccoons? How do you know?

## 3.1.3 Science inquiry

### Dragon mapping

Why does the term 'dragon' appear in the names of so many different plants and animals?

#### Task

1. Form a group of four and allocate the roles of scribe (someone to write everything down), captain/organiser, timekeeper and encourager.
2. Brainstorm all that your group knows about dragons. Your group scribe should construct a tree map of different dragons and their features that result from your brainstorm.
3. Compare your tree map with those of other groups in your class. On a new piece of paper, assist your group scribe in summarising the key dragon features identified by the class into a tree map.
4. Your group should now have two maps — your own group brainstorm tree map and your class summary tree map.
5. On your class summary tree map, use one colour to highlight the features that you consider would be common to all dragons. In a second colour highlight features that you would consider to be different between dragons.
6. Review the images of the Komodo dragon, dragonfly, and the snapdragon in figure 3.2.
   a. Do they share any features? If so, what are they?
   b. Do they possess any of the features that you have identified as being common to all dragons? If so, which are they?
7. Research other plants and animals that contain the term 'dragon' in their common names. Do these other plants and animals share any of the dragon features that you have identified? Summarise your findings.
8. Stories about dragons have featured in many cultures around the world. But do dragons really exist? Did dragons ever exist? If dragons did exist, are there organisms still alive to which they may have been related? Provide reasons for your response.
9. Use evidence from your investigation to suggest why the term 'dragon' is used in the common names of some plants and animals. Create a poster outlining your findings.

### on Resources

| | |
|---|---|
| **eWorkbooks** | Topic 3 eWorkbook (ewbk-3995)<br>Student learning matrix (ewbk-3999)<br>Starter activity (ewbk-3997) |
| **Practical investigation eLogbook** | Topic 3 Practical investigation eLogbook (elog-0381) |
| **Video eLesson** | The weedy seadragon (eles-2067) |
| **Weblink** | The ruby seadragon |
| **learnon** | Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions |

# 3.2 Classification systems

**LEARNING INTENTION**

At the end of this subtopic you will be able to identify the features common to all living things, distinguish between unicellular and multicellular organisms, describe the five-kingdom system of classification and, be aware that classification systems can change.

## 3.2.1 The importance of classification

Is it alive? What is it? Is it friendly or dangerous? Can I eat it?

Our brain is very good at recognising patterns and grouping similar patterns together. By organising information into patterns, it is easier to remember. Sometimes your survival can depend on recognising important patterns in the world around you.

We classify things into groups to make them easier to identify, remember and describe. Classifying is a way of organising and bringing order. Classification of living things (also known as **organisms**) enables scientists to put some order on the natural world. In this way, scientists can communicate with each other and know whether they are talking about the same or different kinds of organisms.

Classification is also useful when dealing with diseases, disease-carrying organisms and disease control. There are thousands of different types of mosquitoes, for example, but only a small number of these transmit the parasite that causes malaria. Instead of spraying all mosquito populations, scientists can identify those that may result in malaria and then take steps to control them.

**DISCUSSION**

Discuss why the ability to classify organisms might be important in the following situations:

- you have been bitten by a spider
- you are hungry and find wild berries in the bush.

Can you think of everyday situations in which understanding the classifications of organisms might be important?

## 3.2.2 Living, dead or non-living

Prior to classifying living things, we need a shared understanding of the features of living things (organisms). All living things **respond** to changes in their environment, need energy to survive, **assimilate** substances, produce and **excrete** wastes, **grow** and **reproduce**. Features that are common to all living things are outlined in figure 3.3.

One method we can sort all things is shown in figure 3.4, in which things can be distinguished as non-living or living. If a living thing stops living, then it is **dead**. If something is **non-living**, then it has never had all of the characteristics of living things. For example, a squashed snail and roast chicken are dead, whereas a rock, a car and a computer are non-living.

**organisms** living things made up of one or more cells
**respond** react to a stimulus
**assimilate** take in and process
**excrete** get rid of waste
**grow** undergo development
**reproduce** to create offspring
**dead** once alive but now not alive
**non-living** not ever alive, as distinct from dead

**FIGURE 3.3** Features common to all living things




**FIGURE 3.4** Living, non-living or dead?




## Resources

**eWorkbook** Is it alive? (ewbk-4000)

**Interactivity** Alive, not alive or dead? (int-3422)

## 3.2.3 Classification — grouping to order and organise

**Taxonomy** is the study of the classification of organisms. A taxonomist is a scientist who specialises in classification. Swedish naturalist Carolus Linnaeus (1707–1778) is considered by many to be the 'father of taxonomy' because his classification system formed the basis of our current system.

Linnaeus sorted organisms into groups based on their physical similarities. He called the largest grouping **kingdoms** and the smallest grouping **species**. Organisms classified into the same kingdom are more similar to each other than organisms classified into different kingdoms. As you move down the hierarchy of groupings (see figure 3.6), the more alike its members are.

**taxonomy** the study of the classification of organisms

**kingdom** a scientific classification referring to a group of related phyla with similar features and distinctive characteristics

**species** a group of organisms with many features in common that can mate with each other to produce fertile young under natural conditions

**FIGURE 3.5** A portrait of Swedish naturalist Carolus Linnaeus as a young man

**FIGURE 3.6** The hierarchy of groupings




### Classification systems can change

New technologies have provided us with more information about organisms. This new knowledge can change the classification of a particular organism and may even result in the proposal of new classification systems or categories.

In the 1700s, Linnaeus proposed that living things could be grouped into three kingdoms. However, the development of the microscope led to the discovery that all living things were made up of cells, and it also revealed that some organisms did not fit into the three proposed kingdoms.

## 3.2.4 Made up of cells

Cells are the building blocks that make up all living things. Organisms may be made up of one cell (**unicellular**) or many cells (**multicellular**). These cells contain small structures, called organelles, that have particular jobs within the cell and function together to keep the organism alive. Eukaryotic cells contain membrane-bound organelles which are not found in prokaryotic cells.

Scientists have discovered **viruses**, **viroids** and **prions** show some features of living things but other features of non-living things. As they are not made up of cells, they are not considered in the classification systems.

Cells can be divided on the basis of the presence and absence of particular organelles and other structural differences. Organisms can be classified by the different types of cells they are made up of (refer to figure 3.9).

## 3.2.5 Five-kingdom system

In the 1960s, a five-kingdom system of classification was proposed by ecologist, Robert Whittaker, as shown in figure 3.7. This divided all living things up into the kingdoms of Animalia, Plantae, Fungi, Protista (or Protoctista) and Monera (or Prokaryotae). A key characteristic used to classify organisms into the five different kingdoms was the structure of their cells, as shown in figure 3.9 and table 3.1. Recently, more kingdoms have been suggested, which will be outlined in section 3.2.6.

**unicellular** an organism made up of a single cell

**multicellular** an organism that is made up of many cells

**virus** a non-cellular pathogen that uses the host cells in order to reproduce

**viroids** the smallest infectious known pathogen, comprised solely of a short single-stranded piece of RNA

**prions** infectious proteins that can cause disease

**FIGURE 3.7** The five kingdoms classification scheme proposed by Whitaker. Protista is often used as an alternate term to Protoctista.




**TABLE 3.1** Features used to divide organisms into five kingdoms proposed by Whittaker.

| Kingdom | Animalia | Plantae | Fungi | Protista | Monera |
|---|---|---|---|---|---|
| **Unicellular or multicellular?** | Multicellular | Multicellular | Most multicellular; some unicellular | Unicellular | Unicellular |
| **Cell wall** | No cell wall | Cellulose cell wall | Predominantly chitin (a long, fibrous sugar molecule) | Many have no cell wall; some have a cell wall | Cell wall present; composition varies |
| **True nucleus** | Present | Present | Present | Present | Absent |
| **Mode of nutrition** | Eat or absorb other organisms | Photosynthesise to produce sugars | Produce chemicals that break down the material on which they grow and absorb the nutrients released | Some photosynthesise; some ingest food | Some absorb nutrients from surroundings; some photosynthesise; some use other chemical processes |
| **Chloroplasts** | Absent | Present | Absent | Present in those that photosynthesise | Absent |
| **Examples** | Pigeon, ant, camel, human, | Eucalyptus tree, grass, wheat, rose bush | Baker's yeast, mushrooms, bread mould | Amoeba, Euglena, Paramecium | *Escherichia coli, Staphylococcus aureus* |

## 3.2.6 Are classification systems still changing?

This five-kingdom system is still often used. However, with new technologies and discoveries, other classification systems have been (and are being) proposed that are based on genetic rather than physical characteristics to group organisms. One of these is based on research findings by Carl Woese. Instead of five kingdoms, he suggested that there should be three domains: Archaea, Bacteria (true bacteria) and Eukarya (living things made up of one or more cells with a nucleus). Eukarya is then divided up into kingdoms, as shown in figure 3.8.

**FIGURE 3.8** The three domains suggested by Woese: Eukarya, Bacteria and Archaea




Even more recently (in 2015), classification schemes have been refined, with seven kingdoms instead being suggested. Five of these fall within the eukaryote 'empire' (protozoa, chromista, plants, fungi and animals) and two within the prokaryote 'empire' (bacteria and archaea). This system is shown in figure 3.8.

int-8232
ewbk-4002

**FIGURE 3.9** Current classification systems have seven kingdoms of organisms. *Note*: while there are some differences, the terms protist, protoctista and protozoa can be used to describe simple eukaryotes that don't fit in the other categories.




Although classification systems are not fixed and can change when new information is discovered, they are very useful in the organisation of organisms into groups. Classification systems help us to see patterns and order in the natural world.

## CASE STUDY: Instant life?

Just add water and, 'hey presto', you've brought sea monkeys to instant life! Are they really alive? Are they really monkeys? Can you create them just by mixing up sachets of powdered ingredients and adding water?

Sea monkeys are not really monkeys but they are alive! They are made up of cells that require nutrients and produce wastes. They belong to the animal kingdom and are classified as members of the Arthropoda phylum and Crustacea class. They are actually a type of brine shrimp belonging to the species *Artemia salina.* As they can tolerate very salty water they are naturally found in salt lakes. Their gills help them to cope with high levels of salt by absorbing and excreting ions and producing very concentrated urine from their maxillary glands.

The 'magic' behind the sea monkeys appearing to become instantly alive is the process of cryptobiosis. This is a type of 'suspended animation' of the egg. During this, the sea monkeys stay in a suspended state, until conditions are favourable again for them to survive. One of the powders in the sachets sold in the sea monkey package contains *Artemia salina* eggs in their cryptobiotic stage. When these eggs come into contact with water, this phase ends and they begin their next stage of development and grow into 'sea monkeys', which swim around in their watery environment.

In 1972, a US patent was granted for 'hatching brine shrimp or similar crustaceans in tap water to give the appearance of instantaneous hatching'.

1. Investigate what it means to 'patent' something.
2. What do you think about the idea of patenting these living organisms?
3. Should there be restrictions or bans on any or all patents related to living organisms?

**FIGURE 3.10** The life cycle of the sea monkey (*Arternia salina*)




**FIGURE 3.11** Sea monkeys require nutrients and produce waste.

## on Resources

| | |
|---|---|
| **Interactivity** | Kingdoms (int-0204) |
| **eWorkbooks** | Five-kingdom classification (ewbk-4006)<br>Creatures from a parallel universe (ewbk-4008) |
| **Weblinks** | What Are Sea Monkeys?<br>What a Scientist Learned From Studying the 'Synchronized Swimming' of Sea Monkeys |
| **Video eLesson** | Sunflower seedlings (eles-2205) |
| **assessON** | Additional automatically marked question sets |

# 3.2 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3, 5 | Questions<br>2, 4, 6, 8 | Questions<br>7, 9, 10 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false statements to make them true.
   - **a.** Living things are also referred to as organisms.
   - **b.** All living things need energy to survive.
   - **c.** If a living thing stops living, it is referred to as non-living.
   - **d.** Organisms made up of many cells are called unicellular.
   - **e.** Organelles are small structures inside cells that have particular jobs.
   - **f.** Cells can be classified on the basis of the presence or absence of particular organelles or structures.
   - **g.** Viruses are made up of cells.
   - **h.** Taxonomy is the formal classification of living things.
   - **i.** Members of the same species have less in common than members of the same kingdom.
   - **j.** Bacterial cells are larger than animal cells.
   - **k.** Plant cells possess a cellulose cell wall.
   - **l.** Bacterial cells possess a true nucleus.
   - **m.** *Staphylococcus aureus* is an example of a bacterium.
   - **n.** Earthworms are made up of prokaryotic cells.
2. Complete these sentences by matching the term of the left with its definition.

| Term | Definition |
|---|---|
| **a.** Cells … | **A.** describes something that has never been alive (e.g. a clock). |
| **b.** Kingdom … | **B.** is the smallest grouping of living things used by Linnaeus. |
| **c.** Non-living … | **C.** are the building blocks that make up all living things. |
| **d.** Plant … | **D.** describes an organism made up of only one cell. |
| **e.** Species … | **E.** is the largest grouping of living things used by Linnaeus. |
| **f.** Taxonomy … | **F.** is the use of a formal system for classifying living things. |
| **g.** Unicellular … | **G.** is a multicellular organism containing chloroplasts and a cellulose cell wall. |

3. Identify two examples of each of the following:
   - **a.** non-living thing
   - **b.** living organism
   - **c.** dead thing.

## Apply and analyse

4. SIS State why scientific definitions of classifications systems sometimes change over time.
5. a. In the table, list two examples for each of the kingdoms shown.

**TABLE** Examples in the five kingdom classification system

| Kingdom | Example |
|---|---|
| a. Animals | |
| b. Plantae | |
| c. Fungi | |
| d. Protista | |
| e. Monera | |

   b. Who proposed this classification system of five kingdoms?
   c. How does it differ from classification systems used today?
6. Distinguish between the following:
   a. a living thing and a non-living thing
   b. protoctistan cells and bacterial cells
   c. kingdom and species
   d. plant cells and animal cells.
7. Outline the relationship between:
   a. living things, non-living things and dead things
   b. fungal cells, plant cells and animal cells
   c. Linnaeus, Whittaker and Woese.
8. Use a flow chart to order the following in terms of their complexity, from simplest to most complex.
   kingdom, species, family, phylum, class, genus, order

## Evaluate and create

9. SIS Justify the practice of scientists classifying living things into groups.
10. a. In the table provided, identify the correct features for each kingdom.

**TABLE** Features of different kingdoms

| Kingdom | Unicellular or multicellular | Absent or present cell wall |
|---|---|---|
| i. Animalia | | |
| ii. Plantae | | |
| iii. Fungi | | |
| iv. Protista | | |
| v. Monera | | |

   b. Research and summarise at least three other features within each kingdom.
   c. Research the kingdom Chromista. Identify if these organisms are unicellular or multicellular and if they have a cell wall.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.3 Patterns in scientific language

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain how language patterns can provide hints about the meaning of scientific terminology.

## 3.3.1 Historic keys

**Etymology** is the term used to describe the study of words, their origin and grammar. Words are often made up of a prefix at the beginning of the word and a suffix at the end. Being aware of this pattern will help you to unlock the meaning of many new scientific words that you come across.

## 3.3.2 Unlocking patterns

Many scientific terms, like others in our language, begin with a particular prefix (letters added to the start of a word) and end with a specific suffix (letters added to the end of a word). These can give you hints about what the words mean. Let's look at some examples.

### Name me a dino …

*Tyrannosaurus, Megalosaurus, Stegosaurus* … Did you ever wonder why the dinosaurs had such big names? Do you know what they mean? The term 'dinosaur' was actually decided on by the British anatomist and palaeontologist, Sir Richard Owen, in 1842. *Dino* means 'terrifying' and *saur* means 'lizard'. Some dinosaurs were named for their unusual head or body features, others for their teeth or feet, or after a person or place.

**FIGURE 3.12** Based on their structural features, suggest criteria to separate these dinosaurs into groups.

### Plants and pigments

The terms 'chlorophyll' and 'chloroplast', for example, both begin with *chloro*, which comes from the Greek word *chloros*, meaning 'green'. Chlorophyll is the green pigment found in the chloroplasts of plant cells. This green pigment captures light energy so that plants can make their own food using the process of photosynthesis (*photo* = light and *synthes*is = to make). The presence of chlorophyll in the chloroplasts is the reason that they (and plants) appear to be green.

Leucoplasts (*leuco* = 'white') and chromoplasts (*chromo* = 'colour'), like chloroplasts, are plastids found in plant cells. Leucoplasts are not coloured as they do not contain coloured pigments. Chromoplasts are coloured and contain pigments other than chlorophyll. They are responsible for pigment synthesis and storage, and are found in the coloured parts of plants, such as fruit and petals, giving them their characteristic colours. These pigments can be extracted and used as plant dyes.

**FIGURE 3.13** Chlorophyll, the green pigment located in plant chloroplasts, captures light energy so plants can make their own food.

**etymology** the study of words, their origin and their grammar

## Naming chemicals and substances

Chemicals such as those in foods that you eat also have clues in their names that help you to work out what they are made of. You may have heard of glucose, sucrose and starch. Gluc*ose* and sucr*ose* are both sugars. Glucose is a *mono*saccharide (*mono* = 'one' and *saccharide* = 'sweet'). Sucrose is a *di*saccharide and made up of two monosaccharides. Starch is a *poly*saccharide and is made up of many monosaccharides.

**FIGURE 3.14** Monosaccharides contain only one saccharide; disaccharides are made up of two monosaccharides and polysaccharides are made up of many monosaccharides.




## Cell speak

When you study different types of blood cells, you will come across terms containing the suffix or prefix *cyte*. This is a variation of *cyto*, which means 'cell'. Examples of terms that you may come across include:

- monocyte
- phagocyte
- leucocyte
- lymphocyte
- erythrocyte
- cytokinesis
- cytosol
- cytoplasm
- cytology
- cytoskeleton
- cytotoxic
- phagocytosis
- endocytosis
- exocytosis

## Inside or within

In science, you will learn about endoskeletons, endocytosis, endoplasmic reticulum, the endocrine system and endoparasites. The prefix *endo* in these words tells you that they all have something to do with 'inside' or 'within'. The prefix *exo* (as well as the prefix *ecto*) refers to outside (exoskeleton, ectotherm, exocytosis). Even without knowing their full definitions, you can begin to see patterns and get an idea about what they may refer to.

**FIGURE 3.15** Terminology using the prefixes 'exo' and 'endo'



Armed with your new awareness of how to use the patterns of specific prefixes and suffixes, you should now be able to predict or unlock the meaning of many previously unfamiliar scientific terms.

**FIGURE 3.16** The prefixes and suffixes of scientific terms often give you hints about what they mean.




## ACTIVITIES: Terminology cards

1. Create your own set of scientific terminology cards, using a particular colour for each prefix and adding a diagram or image for each that provides a hint about its meaning.
2. Design a game that uses the cards to teach students about scientific terminology. Include an instruction brochure or rule book with your game.

## SCIENCE AS A HUMAN ENDEAVOUR: Tiny footprints — big discovery!

Dr Anthony Romilo of the University of Queensland knows from experience that dinosaur footprints can be big — and they can be very, very small. He was part of a team in 2017 that recorded enormous 1.7 m fossilised dinosaur footprints in Western Australia.

More recently, in South Korea with another team, he recorded the smallest ever fossilised dinosaur footprints. These 1 cm-long tracks suggested that the dinosaur that made them could fit into your hand! Although tiny, this dinosaur, who is related to the *Velociraptor* predatory dinosaurs in the 1993 movie *Jurassic Park*, was given a very big name: *Dromaeosaurfiormipes rarus.*

**FIGURE 3.17** *Dromaeosaurfiormipes rarus* compared to the foot and track of the *Dromaeosauripus jinjuensis*



## on Resources

**Weblink** Tiny raptor tracks big discovery

### ACTIVITIES: Dinosaur structures

Scientific names can provide clues about structural differences.

1. Carefully observe the information in the boxes, and then construct Venn diagrams to compare the different types of dinosaurs (refer to the subtopic 9.7 on Thinking tools if you need assistance on creating Venn diagrams).
   a. *Microceratops* and *Triceratops*
   b. *Triceratops* and *Pentaceratops*
   c. *Microdontosaurus* and *Heterodontosaurus*
   d. *Microdontosaurus* and *Microceratops*
2. Suggest the meanings of the prefixes *micro, tri, penta* and *hetero.*
3. What do you think the prefix *donto* might refer to? Justify your response.
4. Based on the information provided, draw a sketch of each dinosaur. Research what it actually was thought to look like and comment on any differences and similarities.
5. Create a specific question that could be researched for each type of dinosaur.
6. Write a paragraph to discuss what you have learnt about the prefixes used in scientific terms.

*Microceratops*
- Name means 'small-horned face'
- Only 76 cm long
- Lived about 83–65 million years ago

*Heterodontosaurus*
- Name means 'different-toothed lizard'
- Had three types of teeth
- 2.2 m long
- Lived about 208–200 million years ago

*Pentaceratops*
- Name means 'five-horned face'
- Had three horns on its head
- 8 m long
- Lived about 75–65 million years ago

*Triceratops*
- Name means 'three-horned face'
- 'Frilled' dinosaur
- Had three horns on its head
- 8 m long
- Lived about 75–65 million years ago

*Microdontosaurus*
- Name means 'tiny-toothed lizard'
- 8 m long
- Lived about 75–65 million years ago

elog-0382

## INVESTIGATION 3.1

### Cryptonym game

#### Aim

**To increase familiarity with scientific prefixes and suffixes**

#### Materials

- Blank cards
- Pen or marker

#### Method

1. In teams, begin by writing each of the scientific terms in provided table on a card.
2. One player should shuffle the cards and then observe which term is on the top card without letting others in the team see.
3. Place the card face down and 'act out' its meaning.

**TABLE** The origin of some scientific terms

| Latin/Greek prefix or suffix | Meaning | Scientific term |
|---|---|---|
| *bio* + *ology* | life + study | Biology |
| *etymon* + *ology* | true + study | Etymology |
| *heteros* + *trophe* | different, other + to feed or eat | Heterotroph |
| *echinus* + *dermis* | spiny + skin | Echinodermata (e.g. sea urchin) |
| *anthros* + *zoion* | flower + animal | Anthrozoa (e.g. sea anemone) |
| *epi* + *dermis* | outside + skin | Epidermis |
| *arthron* + *pous* | joint + foot | Arthropod (e.g. insect) |
| *gastro* + *pous* | stomach + foot | Gastropod (e.g. snail) |
| *poly* + *dactylus* | many + finger or toe | *Polydactylus* |
| *kroko* + *deilos* | pebble + worm | *Crocodylus* |
| *photo* + *synthesis* | light + make, build | Photosynthesis |
| *exo* + *skeleton* | outer, external + skeleton | Exoskeleton |

### Results

The first team member to identify the term gets to shuffle the cards and act out the next term. Record the terms you guessed correctly, the terms you provided clues for and the terms you missed.

### Discussion

1. A *crypto*graph refers to secret writing and a *crypto*nym is a secret name. Suggest the meaning of *crypto*.
2. Identify the types of questions that were most helpful in predicting the correct name on the card.
3. What were some of the biggest challenges that you faced in this task?
4. Suggest how you could transfer what you have learned in this activity to predicting the meanings of scientific terms.

### Conclusion

Write a conclusion to summarise your findings about prefixes and suffixes from the cryptonym game.

## Resources

**eWorkbook** Unlocking scientific language (ewbk-4010)

**Interactivity** The language of science (int-0935)

**assessON** Additional automatically marked question sets

## 3.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 8, 10, 13 | Questions<br>4, 6, 7, 11, 15, 17, 19 | Questions<br>5, 9, 12, 14, 16, 18, 20 |

### Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   - **a.** Words are often made up of a suffix at the beginning and prefix at the end.
   - **b.** Leucoplasts, chromoplasts and chloroplasts are types of plastids found in plant cells.
   - **c.** Monosaccharides are made up of polysaccharides.
   - **d.** Chlorophyll and chloroplasts are both blue.
   - **e.** Phagocytes, erythrocytes and leucocytes are all types of cells.
   - **f.** The term 'micro' suggests that something is small whereas the term 'macro' suggests that it is large.
   - **g.** You would expect an endoskeleton to be on the outside of an animal and an exoskeleton to be on the inside of an animal.
   - **h.** Photosynthesis is a process in which light energy is used by plants to make their own food.
2. State the difference between the terms 'prefix' and 'suffix'.
3. MC Which of the following is a suffix that sugars may share in their names?
   **A.** Saccharide **B.** Cyte **C.** Plast **D.** Synthesis
4. Identify the shared feature between each group of terms:
   - **a.** chlorophyll and chloroplast
   - **b.** monocytes, leucocytes and erythrocytes.
5. Describe:
   - **a.** two similarities shared by leucoplasts, chromoplasts and chloroplasts
   - **b.** one way in which leucoplasts, chromoplasts and chloroplasts differ.
6. Distinguish between monosaccharides, disaccharides and polysaccharides.

### Apply and analyse

7. SIS Chlorine is an element. Based on its name, predict the colour of chlorine.
8. Find out the definition and two key points for the terms endocytosis, endoskeleton, exocytosis and exoskeleton.
9. Find at least five examples of scientific terms that begin with the following prefixes: *endo, bio, anti, chloro, thermo, bi, hetero*.
10. Determine the role of palaeontologists.
11. **a.** Predict the prefixes for *one, two, three, four, ten* and *hundred* that have originated from Latin or Greek words.
    - **b.** Find out whether your predictions for part (a) were correct.
    - **c.** State an example of a scientific term that uses each prefix.
12. Answer the following questions.
    - **a.** Predict the meaning of each of the terms.
      - **i.** microscope, telescope, periscope
      - **ii.** millimetre, centimetre, nanometre, kilometre
      - **iii.** binary fission, dichotomous key, binocular
      - **iv.** *Tyrannosaurus, Pterosaurus, Stegosaurus*
      - **v.** anatomist, scientist, palaeontologist
      - **vi.** cardiac, renal, pulmonary
      - **vii.** dehydrated, deoxygenated, denatured

b. Find out whether your predictions were correct.
c. SIS Based on the structure of each of the words, explain what is similar and what is different about each of the terms in the groups list in part a.

## Evaluate and create

13. Throughout history, coloured pigments from plants and animals have been used by humans. Find out about two plant and two animal examples. Identify the scientific names of the pigments and what they mean.
14. SIS Research the life and scientific contributions of Sir Richard Owen in 1842. Construct a timeline to summarise your findings.
15. Provide an example of a contribution an Australian palaeontologist has made to our understanding of ancient life in Australia.
16. SIS Investigate and discuss the distinct ways in which palaeontologists work and represent their specialised knowledge.
17. Use the information in the diagram provided to construct the following Venn diagrams.
    a. Dinosaurs with horns and spikes and dinosaurs without horns and spikes
    b. Dinosaurs that weighed less than 8000 kilograms and dinosaurs that weighed more than 8000 kilograms




Example:
*Iguanodon*
weight: 5000 kg
length: over 9 m, up to 5 m tall

Example:
*Ankylosaurus*
weight: up to 4000 kg
length: over 10 m

Example:
*Triceratops*
weight: up to 11 000 kg
length: over 9 m

Example:
*Brachiosaurus*
length: up to 24 m, up to 12 m tall

Example:
*Tyrannosaurus rex*
Weight: up to 8000 kg
Height: over 6 m

18. SIS Research examples of Australian megafauna. Formulate clues within their names that help describe what they may have looked like.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.4 Understanding scientific names

**LEARNING INTENTION**

At the end of this subtopic you will be able to apply your awareness of patterns in scientific language to the classification of living things.

## 3.4.1 Levels of classification

Now that you are more aware of the patterns in scientific language, you can apply what you know to the classification of living things.

You may recall that living things can be grouped into five kingdoms and that these kingdoms contain a number of sub-groups. As you move from kingdoms to species, the members of the group have increasingly more in common. Organisms of the same species resemble each other and can interbreed to produce fertile offspring.

**FIGURE 3.18** In the classification hierarchy, organisms that are grouped as being the same species would have more in common than those grouped in the same kingdom.




## 3.4.2 Binomial nomenclature

Carl Linnaeus (1707–1778), a Swedish botanist, zoologist and physician, developed a naming system called **binomial nomenclature** in which each species has a name made up of two words. The scientific names given to organisms were often Latinised.

In this system, the species name is made up of:

- the genus name (first word)
- the descriptive or specific name (second word).

The genus name begins with a capital letter and lower case is used for the descriptive name. If handwritten, the species name should be underlined; if typed, it should be in *italics*.

### Build your understanding of scientific names

The word *binomial* comes from the Latin terms *bi-*, meaning 'two', and *nomen*, meaning 'name'.

The word 'taxonomy' comes from two Greek words, *taxis* 'meaning order or arrangement' and *nomos* 'meaning law or science'.

**FIGURE 3.19** The species name is made up of the genus name (first word, with a capital letter) and the descriptive name (second word, with a lower case first letter).




**binomial nomenclature** a system developed by Linnaeus for naming species using two words — the genus name and a descriptive name

## 3.4.3 Classifying and comparing

Where do you, as a *Homo sapien*, fit into the various classification levels?

**FIGURE 3.20** This flow chart shows the various groups that humans belong to.




### DISCUSSION

The scientific name for the Eastern grey kangaroo is *Macropus giganteus. Macropus* is the genus name and *giganteus* is the descriptive name.

**FIGURE 3.21** This target map shows the classification groupings of *Macropus giganteus* (the Eastern grey kangaroo). *Macropus* is the genus name and *giganteus* is the descriptive name.




Can you see any hints in these names that might describe these kangaroos? Which levels of classifications do these kangaroos share with you?

## 3.4.4 Unlocking names

Many of the words used in our classification system tell a story about history and language.

**TABLE 3.2** Some Australian animals and their species names

**Common name:** Major Mitchell's cockatoo
**Species name:** *Cacatua leadbeateri*

**What's the story?**

- *Cacatua* — derived from the Greek terms meaning 'dawn' and 'crest', referring to a crest like the rising dawn
- *leadbeateri* — named after British naturalist Benjamin Leadbeater
- cockatoo — this word originates from the Malay name for the bird, *kakaktua*, from *kakak* meaning 'sister' and *tua* meaning 'old'.

**Common name:** Freshwater crocodile
**Species name:** *Crocodylus johnstoni*

**What's the story?**

- *Crocodylus* — derived from the Greek terms *kroko*, meaning 'pebble', and *deilos*, meaning 'worm'
- *johnstoni* — named after Johnson, the first European to discover and report it. Note that his name was actually Johnstone and has been misspelt!

**Common name:** Crown-of-thorns starfish
**Species name:** *Acanthaster planci*

**What's the story?**

- *Acanthaster* — derived from the Greek terms *acantha*, meaning 'spiny' or 'thorny', and *aster*, meaning 'star'
- *planci* — possibly named after Max Planck, a German physicist

**Common name:** Box jellyfish
**Species name:** *Chironex fleckeri*



**What's the story?**

- *Chironex* — derived from the Greek and Latin terms *cheiro*, meaning 'hand', and *nex*, meaning 'murder' or 'violent death'
- *fleckeri* — named after Dr Hugo Fleck, a radiologist in Cairns, Qld, for his contribution to science

**TABLE 3.3** Some drought tolerant Australian plants and their species names

**Common name:** Native wisteria, 'Happy Wanderer'
**Species name:** *Hardenbergia violacea*

**What's the story?**

- Genus was named after Countess von Hardenberg.
- Wisterias are named after the American anatomist Caspar Wistar by the English botanist Thomas Nuttall.

**Common name:** Snow gum
**Species name:** *Eucalyptus pauciflora*

**What's the story?**

- Genus name comes from the Greek terms *eu*, meaning 'good' or 'well', and *calyptos* or *kalyptos*, meaning 'veiled' or 'covered'.
- Species name comes from the Latin terms *pauci*, meaning 'few', and *florus*, meaning 'flowered'.

**Common name:** Kangaroo paw
**Species name:** *Anigozanthos flavidus*

**What's the story?**

- Species name comes from the Greek terms *anis*, meaning 'unequal', *anthos*, meaning 'flower', and *flavidus*, meaning 'yellow'.
- Common name is due to its similar appearance to a kangaroo's paw.

**Common name:** Golden wattle
**Species name:** *Acacia pycnantha*

**What's the story?**

- Genus name comes from the Greek term *akakia*, meaning 'thorny Egyptian tree' (after the first thorny species discovered).
- Species name comes from the Greek terms *pyknos*, meaning 'dense', and *anthos*, meaning 'flower'.
- In 1988 the golden wattle was proclaimed Australia's national floral emblem.

## ACTIVITY: Remembering classification

Write a song or ad jingle to help you remember the following.

a. The order of the groupings kingdom, phylum, class, order, family, genus and species
b. Rules for writing scientific names
c. Which groups you belong to

To help you write something catchy, think of a song or jingle that you know well and rewrite the lyrics.

## Resources

**eWorkbook** A catalogue of cats (ewbk-4012)

**Interactivity** How species are named (int-3421)

**assessON** Additional automatically marked question sets

# 3.4 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 8, 10 | Questions<br>3, 6, 9, 11, 13 | Questions<br>5, 7, 12, 14 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   - **a.** As you move from kingdoms to species, the members of the group have increasingly less in common with each other.
   - **b.** Organisms of the same species resemble each other and can interbreed to produce fertile offspring.
   - **c.** In binomial nomenclature, the name of each species is made up of four words.
   - **d.** A species scientific name is made up of its genus name with a lower case letter and its descriptive name with a capital letter.
   - **e.** Major Mitchell is the person recognised as having developed the naming system for all living things.
2. Use a flow chart to show the names of the groupings in the hierarchical classification system, from largest to smallest.

3. Based on what you have learned in this topic, identify the common names of each of the following:
   - **a.** *Crocodylus johnstoni*
   - **b.** *Cacatua leadbeateri*
   - **c.** *Chironex fleckeri*
   - **d.** *Acacia pycnantha*
4. Describe the binomial system of nomenclature and give an example.
5. In each of the following pairs, which group contains members that have more in common?
   - **a.** Kingdom or species
   - **b.** Genus or family
   - **c.** Order or phylum
   - **d.** Class or order

## Apply and analyse

6. SIS Research and report on how the box jellyfish *Chironex fleckeri* got its scientific name. Research the various types of jellyfish that can be found in Australian waters.
   Suggest why it is important to know the name of the type of jellyfish. Which features are used to classify them?
7. Outline features that crayfish, yabbies and lobsters have in common. How does the classification system deal with them?
8. Use the information in the provided table 'The species and common names for some organisms' to answer the following questions.
   - **a.** Identify the species name of a lion.
   - **b.** State the common name of the organism that belongs to the species *Felis domestica*.
   - **c.** State the name of the genus to which a crayfish belongs.

**d.** Suggest why it might be useful to know whether a crocodile was of the species *Crocodylus porosus* or *Crocodylus johnstoni*.

**TABLE** The species and common names for some organisms

| Species name | Common name |
|---|---|
| *Cherax destructor* | Crayfish |
| *Rhyothemis phyllis* | Dragonfly |
| *Crocodylus johnstoni* | Freshwater crocodile |
| *Felis domestica* | House cat |
| *Panthera leo* | Lion |
| *Crocodylus porosus* | Saltwater crocodile |
| *Antirrhinum australe* | Snapdragon |

**9. a.** Using the information in the provided table, state which group contains more living things, the Animalia kingdom or the Primate order? Justify your response.
**b.** Dogs belong to the Animalia kingdom, Chordata phylum and Mammalia class. Use the table to list some characteristics that dogs and humans have in common.
**c.** Chimpanzees and humans are closely related. Which of the groups listed in the table do chimps belong to?

**TABLE** Shared features for different grouping within the Animalia kingdom

| Category | Group | What all the living things in the group have in common |
|---|---|---|
| Kingdom | Animalia | Made up of more than one cell; eats food |
| Phylum | Chordata | Backbone |
| Class | Mammalia | Hair or fur; feeds its young milk |
| Order | Primate | Opposable thumb; nails instead of claws; binocular vision |
| Family | Hominidae | Arms shorter than legs; nails flattened; upright stance |
| Genus | *Homo* | Walks upright on feet only; cares for young for a long time |
| Species | *Homo sapiens* | Large brain; can talk and think abstractly; complex social structures |

## Evaluate and create

**10.** Construct a Venn diagram to show the similarities and differences between the classifications of saltwater and freshwater crocodiles.

**11.** SIS Research and report on the one of the following.
- British naturalist Benjamin Leadbeater and the various species named after him
- The naming of *Crocodylus johnstoni* and other crocodiles
- The scientist Max Planck, the Max Planck Institute and *Acanthaster planci*
- The significance of the naming of *Cherax destructor*
- Radiologists in Australia — what do they do?
- Careers associated with identifying, classifying and naming organisms

**12.** SIS
**a.** Research features, classification and the life cycle of a crown-of-thorns starfish. How is it different from other types of starfish found in Australian waters? Outline research on its impact on the Great Barrier Reef.
**b.** Imagine that you are investigating the impact of the starfish on the Great Barrier Reef. Formulate questions that you would need to consider in your research.

**13.** SIS Research Carl Linnaeus and the binomial system of nomenclature. Document his contributions to the taxonomy of plants and animals.

**14.** Construct a target map to show the classification groups that you belong to in a scientific context and then do the same for another animal that does not belong to the same kingdom as you.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.5 Keys to unlock identity

## LEARNING INTENTION

At the end of this subtopic you will be able to construct classification keys and field guides, and apply your understanding of these to make identifications.

## 3.5.1 Why classify?

Scientific curiosity has led to the discovery of an increasing number of different types of living things. This has resulted in the increased need to classify living things into groups. Classifying things makes them easier to remember, describe and identify. It also enables us to identify newly discovered organisms.

When scientists (such as those outlined in the Science as a Human Endeavour feature) find an unknown organism, they make observations about its features and behaviour. Various technologies can also be used to obtain information about its chemistry and genetic make-up. This information is used to sort the organisms into groups on the basis of similarities and differences. Classification of organisms into groups enables more effective communication and understanding.

### SCIENCE AS A HUMAN ENDEAVOUR: Giants of the world

#### Discoveries in a lost world

In 2009, scientists discovered creatures trapped within a 'lost world' in an extinct volcano (Mount Bosavi) in Papua New Guinea. One of the creatures they discovered was a gigantic silvery-grey rat with thick woolly fur. It was about 82 centimetres long and weighed around 1.5 kilograms — the size of a domestic cat. Along with the discovery of this new species of rat (*Mallomys* spp.) were 16 species of frogs, 1 species of gecko, 3 species of fish and at least 20 species of insects and spiders.

#### Giant 'animal-eating' plants

In 2007, scientists on an expedition to catalogue the different species of pitcher plant found in an area in the Philippines discovered giant 'rat-eating' carnivorous pitcher plants. The pitchers of these plants were open and completely filled with fluid containing digestive enzymes that broke down the bodies of the large insects (and possibly rats by misadventure) that were trapped in them.

**FIGURE 3.22** That's one big rat! A gigantic silver rat found in Papua New Guinea in an extinct volcano.

**FIGURE 3.23** Giant 'rat-eating' plant *Nepenthes attenboroughii*, named after Sir David Attenborough

## 3.5.2 Keys for identification

Keys and field guides can be used to identify organisms. A variety of criteria are used to classify the unknown organism into smaller groups on the basis of whether it has a particular feature.

### Dichotomous keys

**Dichotomous keys** provide choices at each branch (*dichotomous* = 'cutting in two'). Features such as size, colour, behaviour and habitat are not good for classification because they can change throughout the life of the organism. It is better to use the presence or absence of structural features or differences in these features.

**dichotomous key** diagrams used to classify things, by grouping them into smaller and smaller groups based on choosing one of two features

int-3423

**FIGURE 3.24** In a dichotomous key, you always select from two choices. In this key, you decide whether an organism has a particular feature.



int-3424

**FIGURE 3.25** Dinosaurs can be classified using different dichotomous keys, such as a branching or tabular keys. Can you determine which is which?

**Branching key**




**Tabular key**

1. Wings _____ *Pterosaurus*
   No wings _____ Go to 2
2. Bony plates on back _____ *Stegosaurus*
   No bony plates on back _____ Go to 3
3. Horns _____ *Triceratops*
   No horns _____ Go to 4
4. Walks on two legs _____ *Tyrannosaurus*
   Walks on four legs _____ *Apatosaurus*

## DISCUSSION

Propose a hypothesis for the 'lizard-hipped' dinosaurs having two legs and the 'bird-hipped' dinosaurs having four legs.

**FIGURE 3.26** Dinosaurs can be classified on the basis of the position of their hipbones. The 'lizard-hipped' dinosaurs belong to the meat-eating saurischian group and the 'bird-hipped' dinosaurs belong to the plant-eating ornithischian group.



## Circular keys

Circular keys can also be used to unlock identity. To read this type of key you start in the middle and work outwards, choosing one of the options in each layer. The final layer provides you with the organism's identity.

Carefully observe the dinosaurs A–E shown in figure 3.25 and consider features that could be used to separate them into groups. Consider how you could use these features in the design of a circular key that would enable each individual to be identified.

int-3425

**FIGURE 3.27** A circular key to unlock farm animal identity

elog-0384

## INVESTIGATION 3.2

### Making a class key

#### Aim

**To use appropriate classification criteria in the construction of a class key**

#### Materials

- tape measures or string and rulers

#### Method

1. Measure, observe and record at least 10 different characteristics for each member of the class. You may like to include some of the following.
   a. wrist size (cm)
   b. distance from elbow to shoulder (cm)
   c. foot length (cm)
   d. height (cm)
   e. eye colour
   f. hair colour
   g. wears watch
   h. pierced ears
2. Have each member of the class select an appropriate secret code name.
3. Use some of these recorded class characteristics to construct a key (tree map or dichotomous key) that will separate as many individuals (using their code names) as possible. (*Hint:* You may find it best to describe measurements as 'greater than' or 'less than' a specific measurement.)
4. Have someone from outside the class use the key to find the identity of one of the class members.

#### Results

Draw and label the key you created.

#### Discussion

1. How successful was your key? Make a list of what worked well.
2. If you were to do the activity again, what would you do differently to improves its success?
3. Were some characteristics of more use than others? Explain.

#### Conclusion

Summarise your findings for this investigation and how a key was used to classify students in your class.

## ACTIVITIES: Classification in your everyday life

1. Explain how supermarkets provide an excellent example of the effectiveness of a classification system. Include the types of criteria that are used. Construct a dichotomous key that would enable ten different supermarket items to be identified.
2. Collect a leaf from each of eight different plants in the school grounds. On an A3 sheet of paper, create a branching dichotomous key to classify the leaves. Then construct the key as a tabular key.

## 3.5.3 Field guides

Field guides are a commonly used type of reference book to help people identify organisms. These guides are specially designed to assist you in 'on-the-spot' identification. They often contain brief written descriptions and pictures, and are small enough to take outside when you are observing wildlife. There are also a number of electronic 'field guide' databases available.

## ACTIVITIES: Identifying poisonous plants

Table 3.4 provides information about some poisonous plants.

**a.** Research what other plants look similar to those shown.

**b.** Create a warning poster on two of these plants.

**TABLE 3.4** Poisonous plants

| Common name and image | Botanical name | Poisonous parts | Symptoms | Degree of toxicity | Type of plant |
|---|---|---|---|---|---|
| Bird of paradise | *Caesalpinia gilliesii* | Pods, seeds | Gastroenteritis | Mild * | Shrub |
| White cedar | *Melia azedarach* | Fruit (6–8 can kill small child) | Nausea, spasms | High *** | Tree |
| Daphne | *Daphne odora* | All parts, especially berries | Burning sensation in mouth/stomach, vomiting, collapse | High *** | Shrub |
| Oleander | *Nerium oleander* | All parts, and smoke from burning wood | Vomiting, dizziness, irregular pulse, collapse | High *** | Shrub |
| Poinsettia | *Euphorbia pulcherrima* | Leaves, sap, seeds | Delirium, gastroenteritis; sap injurious to eyes and mouth | Moderate ** | Shrub |
| Wisteria | *Wisteria sinensis* | Seeds, pods | Gastric pain, vomiting | Mild * | Climber |

* Mild symptoms may occur if a large quantity of the poisonous parts are eaten.
** Causes discomfort and irritation but is not lethal.
*** Can cause serious illness or death.

elog-0386

## INVESTIGATION 3.3

### Making a class field guide

#### Aim

**To use appropriate classification criteria in the construction of a class field guide**

#### Materials

- paper, pencils
- photocopies of photographs of each student (or students can sketch each class member themselves)

#### Method

1. Work in pairs. If there is an odd number of students in your class, your teacher might agree to participate.
2. Observe your partner and record data such as height, hair colour, eye colour etc.
3. Interview your partner to find out some other details such as favourite music, movie, sport, colour and food.
4. Allowing about half an A4 page for each class member, present the information and the photograph/sketch.
5. Make the pages into a book or poster.

#### Results

Use the class field guide to see how easy it is to identify each student.

#### Discussion

1. What are the benefits of a field guide?
2. Which features do you think would be most useful to include in a field guide to assist in identifying a class member? Why?
3. Describe any problems that you encountered when you were constructing the field guide.
4. Which features would be most useful to include in a field guide for:
   a. plants
   b. birds
   c. insects?

#### Conclusion

Summarise your findings and relate them back to the aim.

### on Resources

**eWorkbooks** My own zoo (ewbk-4014)
Branching keys (ewbk-4016)
Tabular and circular keys (ewbk-4018)

**assess on** Additional automatically marked question sets

# 3.5 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5, 8, 9, 19 | Questions<br>3, 4, 7, 10, 11, 14, 17 | Questions<br>6, 12, 13, 15, 16, 18 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   - **a.** Organisms are classified into groups on the basis of their similarities and differences.
   - **b.** Dichotomous keys provide three choices at each branch.
   - **c.** Dichotomous keys can be presented as branching keys or tabular keys.
   - **d.** The size and colour of an organism is a more appropriate means of classification than the presence or absence of structural features.
2. State the genus of the giant rat discovered in the extinct volcano in Papua New Guinea in 2009.
3. The giant 'rat-eating' carnivorous pitcher plant was discovered in the Philippines in 2007. State:
   - **a.** its species name
   - **b.** who it was named after.
4. State the name of the Swedish biologist that our current classification system is based on.
5. Suggest why scientists classify living things.
6. Some types of features are not very useful as classification criteria. Explain why this is the case, including examples.
7. Identify three features that would be useful as classification criteria.
8. What is a dichotomous key? Give an example of such a key.

## Apply and analyse

9. Imagine that you have landed on another planet and have seen the two creatures shown.

a. Use the circular key to identify them.
b. Redraw this circular key as both a tabular and a branching key.
c. Explain which key (circular, tabular or branching was the easier to use to identify the creatures).

10. Suggest reasons why the current classification system may change.
11. Suggest why tabular keys are sometimes used instead of branching keys.
12. SIS Research and report on the various types of pitcher plants and how they are classified.
13. Find and use two different online classification databases for either plants or animals. Comment on features that you find most useful in the database.
14. Refer back to Table 3.4, which provides information about some poisonous plants.
    a. Construct a dichotomous key that allows identification of each plant.
    b. Considering two plants at a time, use the information in the table to construct four different Venn diagrams.
15. SIS Carefully observe the features of vegetables in the figure shown.
    a. State the species names for the following vegetables.
       i. Cauliflower ii. Cabbage iii. Broccoli iv. Brussel sprouts
    b. State the genus to which all of these vegetables belong.
    c. Outline your observations on the features of the vegetables in a short paragraph.




## Evaluate and create

16. SIS Examine the plants in question 15.
    a. Construct a mind map to record as many features for each vegetable as you can.
    b. Compare your mind map with those of others in the class.
    c. Based on the features recorded in your mind map, construct a tree map or a dichotomous key that would enable the identification of each vegetable species.
    d. These vegetables were produced by artificial selection and share a common ancestor. Find out what artificial selection is and then research and report on the history of these vegetables.

17. Cave people were often interested in only two groups of living things — those that were useful to them and those that were dangerous. Research and report on examples of bush and native foods and their parts that can be eaten and those that are poisonous. Display your findings in a format that includes dividing them into groups using relevant criteria.
18. SIS Research and report on one of the discoveries listed and report your findings as a newspaper article, poster, PowerPoint presentation or journal entry. Include the types of information that were used to classify and identify it in your presentation.
    - *Homo floresiensis* (possible human ancestor)
    - *Fruitadens haagarorum* (tiny dinosaur)
    - *Mycena luxaeterna* (glowing fungus)
19. SIS Observe the types of grass or insects in your local environment and construct a simple key to classify them.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.6 Classifying animals

## LEARNING INTENTION

At the end of this subtopic you will be able to explain how animals can be classified into groups using structural features such as their type of skeleton and the arrangements of their body parts.

## 3.6.1 Classifying by structural features

Animals can be classified into nine phyla (plural for phylum) on the basis of their structural features. Consider figure 3.28 which shows an example from each phylum. Which features would you use to classify them? Two features commonly used are the type of skeleton they possess and the symmetry of their bodies.

**FIGURE 3.28** Animals can be classified into nine phyla.



## 3.6.2 Vertebrates and invertebrates

Animals that have internal skeletons or backbones are called **vertebrates**, whereas animals with external or no skeletons are referred to as **invertebrates**. More than 95% of the animals on our planet are invertebrates.

Vertebrates, such as humans, dogs, fish, birds, frogs and snakes possess an internal skeleton called an **endoskeleton**. Invertebrates, such as such as spiders, flies, snails and grasshoppers have an external skeleton called an **exoskeleton**. Different vertebrates and invertebrates are shown in figure 3.29.

**vertebrates** animals with backbones
**invertebrates** animals without backbones
**endoskeleton** skeleton or shell inside the body
**exoskeleton** skeleton or shell that lies outside the body

ewbk-6648
int-8169

**FIGURE 3.29** Examples of animals with endoskeletons and exoskeletons.



## 3.3.3 Symmetry and asymmetry

The type of **symmetry** that describes an animal's body design can also be used as a structural feature to help classify it. These include **radial symmetry**, **bilateral symmetry** and **asymmetry**. The type of symmetry an animal possesses will suit it to its particular lifestyle.

The bodies of jellyfish and adult sea anemones, like others in the Cnidaria phyla, possess radial symmetry and their body parts are arranged around a central axis or point. Such symmetry enables animals that possess it to be aware of their environment from all directions — which is very useful if you are attached to something rather than moving or slow-moving.

**FIGURE 3.5** Humans are vertebrates whereas lobsters and jellyfish are invertebrates. Humans and lobsters, however, both share bilateral symmetry whereas jellyfish possess radial symmetry.

| Jellyfish (side view of jellyfish) | Lobster | Human (front view) |
|---|---|---|
| | | |

**TABLE 3.6** The types of symmetry observed in members of different phyla

| Symmetry | Porifera | Platyhelminthes | Mollusca | Annelida | Arthropoda | Chordata | Cnidaria |
|---|---|---|---|---|---|---|---|
| Radial symmetry | | | | | | | ✓ |
| Bilateral symmetry | | ✓ | ✓ | ✓ | ✓ | ✓ | |
| No symmetry | ✓ | | | | | | |

**symmetry** the division of a body into two identical mirror images across an axis

**radial symmetry** symmetrical about the centre axis

**bilateral symmetry** symmetrical on looking at the same plane

**asymmetry** lack of symmetry

Most animals possess bilateral symmetry. This is a bit like having two left mirror images. Animals in Annelida, Platyhelminthes, Mollusca, Arthropoda and Chordata phyla (including humans) all possess bilateral symmetry. These animals have a head and tail, front and back, and left and right sides. This form of symmetry is thought to promote streamlined and directional motion.

## DISCUSSION

Members of the Porifera phyla, such as sea sponges, are made up of bodies that are asymmetrical. They also lack true tissues and organs. Considered by some to be the oldest living animals, sponges have a very interesting origin. Can you suggest an advantage of being asymmetrical that might have helped them survive so long?

**FIGURE 3.32** Sea sponges are made up bodies that are not symmetrical.

## SCIENCE AS A HUMAN ENDEAVOUR: Safeguarding diversity

The Great Barrier Reef is home to a diversity of living things. There are links between many of them, without which not only they but also other organisms may not survive. Find out more about the animals living on the Great Barrier Reef. Research and report on:

a. one invertebrate and one vertebrate
b. links between four different organisms
c. the issue of the crown-of-thorns starfish
d. the issue of tourism and the sustainability of the Great Barrier Reef
e. current research questions being investigated
f. ways to protect the diversity of the reef.

elog-0388

## INVESTIGATION 3.4

### Classifying animals into phyla

#### Aim

**To investigate characteristics used to classify animals**

#### Materials

- preserved specimens or photos of animals from a range of phyla
- hand lens

#### Method

1. Observe each specimen carefully. Use a hand lens if necessary.

### CAUTION

Some specimens are preserved in a liquid called formaldehyde, which is toxic and possibly carcinogenic. If you are provided with specimens in jars that contain liquid, do not open the jars. Look at the specimen through the sealed jar.

2. Use the key to decide which phylum each animal belongs to.




### Results

Draw up a results table using the dichotomous key.

**TABLE** Classification of animal specimens based on their characteristics

| Specimen | Name of animal | | Characteristics | | Phylum |
|---|---|---|---|---|---|
| | Common name | Scientific name | Type of skeleton | Type of symmetry | |
| 1 | | | | | |
| 2 | | | | | |

### Discussion

1. Were there any characteristics in the key that were difficult to identify in the specimens?
2. Which phyla were most difficult to distinguish? Why?
3. Design a tabular key to classify the invertebrate phyla in this investigation.

### Conclusion

Write a paragraph to summarise your findings about the specimens you examined.

## on Resources

**eWorkbook** Animal features (ewbk-4020)

**Interactivity** Features of animals (int-3428)

**assessON** Additional automatically marked question sets

## 3.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>2, 3, 5, 8, 13 | Questions<br>1, 6, 7, 9, 12 | Questions<br>4, 10, 11, 14 |

### Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   a. The type of skeleton and their body symmetry are two structural features that can be used to classify animals.
   b. Animals that have internal skeletons are called invertebrates.
   c. Skeletons on the outside of the body are called exoskeletons.
   d. More than 95% of all animals on our planet are vertebrates.
   e. Humans possess an exoskeleton.
   f. In an animal with an endoskeleton, muscles are connected to the outside of the skeleton.
2. Do humans possess an endoskeleton or an exoskeleton? Explain your response.
3. Complete the following sentence: The two most commonly used structural features to classify animals into phyla are their type of _____ and their _____
4. Outline the blood supply of an animal with an endoskeleton.
5. MC Identify which phyla possess bodies that show radial symmetry.
   A. Annelida
   B. Arthropoda
   C. Chordata
   D. Cnidaria
6. MC Identify which groups of animals have radial symmetry.
   A. Jellyfish and sea anemones
   B. Humans and earthworms
   C. Earthworms and jellyfish
   D. Lobsters and humans
7. MC Identify which groups of animals have bilateral symmetry.
   A. Humans and sea anemone
   B. Humans and earthworms
   C. Earthworms and jellyfish
   D. Jellyfish and lobsters
8. Identify which group, vertebrates or invertebrates, is more abundant on Earth.

### Apply and analyse

9. Complete the table by adding the type of skeleton and type of body symmetry for each phylum.

**TABLE** The type of skeleton and body symmetry for different phyla

| Phylum | Type of skeleton | Type of body symmetry |
|---|---|---|
| a. Porifera | | |
| b. Platyhelminthes | | |
| c. Mollusca | | |
| d. Annelida | | |
| e. Arthropoda | | |
| f. Chordata | | |
| g. Cnidaria | | |

10. Worms have no skeleton and no legs. Describe how they are able to move.
11. Describe the difference between the way in which muscles are attached in animals with endoskeletons and those with exoskeletons.

## Evaluate and create

12. Observe the organisms in the following images.

i.

ii.

iii.

iv.

v.

   a. Consider the features for each animal shown and then identify the type of skeleton and type of body symmetry for each animal.
   b. Label features that you consider useful as criteria to classify and identify the organisms.
   c. Design a dichotomous key that would enable each of these organisms to be identified.
   d. Convert your dichotomous key to either a tabular or circular key.
   e. Use your key to try to classify two other animals not shown in the provided images. Suggest modifications that would enable you to identify them using your key.

13. Construct Venn diagrams to show the similarities and differences between:
   a. vertebrates and invertebrates
   b. endoskeleton and exoskeletons.
14. Carefully observe the features of the animals in the animal kingdom tree back in figure 3.28.
   a. Construct a mind map to record as many features for each animal as you can.
   b. Research additional features online (or share ideas with classmates) and add these to your mind map.
   c. Based on the features recorded in your mind map, construct a tree map or a dichotomous key that would enable the identification of each animal group.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.7 Vertebrates

## LEARNING INTENTION

At the end of this subtopic you will be able to define what makes an animal a vertebrate, distinguish the features used to classify vertebrates into five main groups and provide examples from each group.

## 3.7.1 Common features of vertebrates

What do you have in common with a jawless fish like a lamprey, you may ask? The answer is that you both have a backbone. Lampreys represent one of the earliest vertebrates.

Although there are many different groups of vertebrates, they all share some common features. This similarity is because they have shared common ancestors at some point in their evolution. Some scientists study structural similarities to determine how recently groups of vertebrates may have shared common ancestors. One such study focuses on the similarity of vertebrate forelimbs (known as the pentadactyl limb).

**FIGURE 3.33** Lampreys are eel-like vertebrates.

### ACTIVITY: Comparing vertebrate forelimbs

Carefully observe the diagrams of the structure of the forelimbs of the bat, horse, whale, human and cat in figure 3.34. These vertebrates possess forelimbs that share the same basic arrangement (pentadactyl limb) because they are derived from a common ancestor.

**FIGURE 3.34** The forelimbs of vertebrates share the same basic arrangement.




In groups, write a summary poster outlining:

- How the vertebrate forelimbs are similar.
- How the vertebrate forelimbs are different.
- Explain how the differences in each vertebrate forelimb well suit it to its function.

## 3.7.2 Five main groups of vertebrates

Vertebrates are animals that have a backbone made of bones called vertebrae. The five main groups of vertebrates are fish, amphibians, reptiles, birds and mammals. One distinguishing features is often around the ability to regulate body temperature. Bird and mammals have a relatively constant body temperatures and are referred to as **endotherms**. Reptiles, amphibians and fish have a changing body temperature which depends on the external environment and are referred to as **ectotherms**.

**endotherm** animals that can maintain their internal body temperature in a constant range

**ectotherm** animals whose body temperature changes depending on the external environment

int-0937

ewbk-4022

**FIGURE 3.35** A dichotomous key can be used to help classify different types of vertebrates.




### EXTENSION: Vertebrae and vertebrates

You are classified as a vertebrate because your backbone is made up of many small bones which are stacked on top of one another to form your vertebral column.

Did you know that the 'vertebrate' is derived from the Latin word vertebra, which means 'joint'?

Humans have 33 vertebrae. We divide our vertebral column into five sections.

- Cervical: the top seven vertebrae (C1–C7)
- Thoracic: 12 vertebrae (T1–T12)
- Lumbar: five vertebrae (L1–L5)
- Sacrum: five fused vertebrae
- Coccyx (tailbone): four fused vertebrae

Only the cervical, thoracic and lumbar vertebrae are movable.

**FIGURE 3.36** Your backbone is made up of many bones called vertebrae (singular vertebra).



int-3429

ewbk-4024

**FIGURE 3.37** The five main groups of vertebrates are fish, amphibians, reptiles, birds and mammals.




## ACTIVITY: *Flash 'n' mind*

Make a set of *Flash 'n' mind* cards for yourself or for your team to help you learn the characterstics of the different vertebrate groups. Each card is about one-eighth of an A4 page in size, and made of coloured cardboard. You will need about 50 flash cards.

How to make the cards:

1. Type or write the following terms on five separate cards: vertebrates, mammals, birds, reptiles, amphibians, fish.
2. On 21 separate cards, write each dot point from the characteristics sections of the five main groups of vertebrates diagram in figure 3.37.
3. Using the internet, magazines or other sources, find as many photographs or pictures as you can of the animals listed in the diagram. Paste these images onto separate flash cards.
4. Shuffle your cards and, without looking at the diagram, try to arrange them into a similar mind map. As you are laying each card down, say aloud why you are putting it in that place. If you are doing this as a team, discuss any differences of opinion. Once completed, check the diagram to see how you did.
5. As a team, use your *Flash 'n' mind* cards to design and play as many games as you can to help you learn the characteristics and examples of each vertebrate group.

## SCIENCE AS A HUMAN ENDEAVOUR: FrogID

Do you want to discover a new vertebrate species? If so, an interactive app called FrogID may help your quest. Although about 246 species and subspecies of frogs have been confirmed in Australia, Dr Jody Rowley, (The Australian Museum's curator of amphibian and reptile conservation biology), believes that there about 20% of our frog species yet to be discovered. She is one of the driving forces behind FrogID, one of Australia's most successful citizen science projects.

**FIGURE 3.38** FrogID is a national citizen science project to discover new species of frogs, that you can take part in.




FrogID uses the unique calls of each frog species to distinguish them. It records the frog's call and its location. When the information is sent to the museum, an identification is sent back to the sender. Will the frog call that you record, belong to a previously undiscovered species of frog? Will your name be incorporated into its scientific name?

## CASE STUDY: The dimetrodon

*Dimetrodon* was a meat-eating pelycosaur. The pelycosaurs were the most successful reptiles of the Permian period. They looked like big lizards with huge sail-like fins on their backs. The pelycosaurs used this 'sail' to regulate their body temperature. They could stand in the early morning sun with the sail arranged towards the Sun to warm them up. They could turn it into the wind to cool off. It is thought that this fin arrangement was an early stage in the development of temperature regulation of mammals.

**FIGURE 3.39** *Dimetrodon* — a mammal-like reptile




## on Resources

**eWorkbook** Classifying vertebrates (ewbk-4024)

**eLesson** Spinal cord (eles-2209)

**Weblink** FrogID

**assessON** Additional automatically marked question sets

# 3.7 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 4, 5, 9, 18 | Questions<br>6, 7, 8, 10, 11, 14, 15, 19 | Questions<br>12, 13, 16, 17, 20, 21 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   a. Vertebrates are animals that have a backbone made up of bones called vertebrae.
   b. The word 'vertebrate' is derived from the Latin word vertebra, which means 'muscle'.
   c. Vertebrates share some common features because they shared common ancestors at some point in their evolution.
   d. The forelimbs of vertebrates have similar functions, but do not share any similar structural features.
   e. Lampreys do not possess a backbone.
   f. Pelycosaurs possessed a huge sail-like fin on their backs to body surf large ocean waves.
   g. The five main groups of vertebrates are fish, amphibians, reptiles, birds and mammals.
2. MC Identify which pair of animal groups do not possess a skeleton.
   A. Humans and seastars
   B. Humans and earthworms
   C. Earthworms and jellyfish
   D. Seastars and lobsters,
3. MC Identify which group of animals represents one of the earliest types of vertebrates.
   A. Bats
   B. Lampreys
   C. Horses
   D. Whales
4. MC Identify which two groups of animals are endotherms.
   A. Lampreys and snakes
   B. Humans and horses
   C. Bats and sharks
   D. Dinosaurs and birds
5. Match the vertebrate group with its skin features.

| Vertebrate group | Skin feature |
|---|---|
| a. Amphibians | A. Feathers |
| b. Birds | B. Skin with hair or fur |
| c. Fish | C. Slimy scales |
| d. Mammals | D. Dry scales |
| e. Reptiles | E. Soft, moist skin |

6. Match the vertebrate group with its reproductive features.

| Vertebrate group | Reproductive feature |
|---|---|
| a. Amphibians | A. Eggs with hard shell |
| b. Birds | B. Eggs with membranous or leathery shells laid on land |
| c. Fish | C. Eggs without shell usually laid in water |
| d. Mammals | D. Females with mammary glands that secrete milk |
| e. Reptiles | E. Most have eggs without a shell |

7. Match the animal group with its example.

| Vertebrate group | Example |
|---|---|
| **a.** Amphibians | **A.** Frog |
| **b.** Birds | **B.** Dolphin |
| **c.** Fish | **C.** Penguin |
| **d.** Mammals | **D.** Shark |
| **e.** Reptiles | **E.** Snake |

8. Consider what you have learned about vertebrates.
   **a.** List the five main groups of vertebrates.
   **b.** Identify which groups have changing body temperature and which have constant body temperature.
   **c.** State an example for each vertebrate group.
9. Identify the vertebrate group to which each of the following vertebrates belongs.
   **a.** snake **b.** cane toad **c.** goldfish **d.** whale
   **e.** emu **f.** shark **g.** lamprey **h.** crocodile

## Apply and analyse

10. Suggest why vertebrates all share some common features.
11. Describe the relationship between vertebrae and your backbone.
12. Suggest the function of the huge sail-like fins on the backs of pelycosaurs.
13. Suggest why it is thought that the pelycosaurs were a link between reptiles and mammals.
14. Identify the vertebrate group to which each if the following animals belongs.
    **a.** I have lungs but no legs. My offspring are found in membranous-shelled eggs and use lungs to breathe.
    **b.** I have moist skin but no scales, and two pairs of legs. Although I have lungs and live on land, my young usually live in water and use gills to breathe.
    **c.** I have a constant body temperature, have feathers, and lay eggs with a hard shell.
    **d.** I have a changing body temperature, gills and fins.
15. Use the following table to identify which scientific classification each of the vertebrates shown in images a–f belong to.

**TABLE** The origin of some vertebrate scientific classification names

| Latin or Greek word | English translation | Scientific classification |
|---|---|---|
| *Amphis + bios* | Double, both sides + life | Amphibia |
| *Marsypos* | Pouch | Marsupialia |
| *Osteon + icthyes* | Bone + fish | Osteichthyes |
| *Chondr + icthyes* | Cartilage + fish | Chondrichthyes |
| *Rodere* | To gnaw | Rodentia |
| *Siren* | A kind of mermaid | Sirenia |

**a.** Hamster

**b.** Stingray

**c.** Quokka

**d.** Dugong

**e.** Eel

**f.** Newt

**16.** Use this key to classify the native Australian vertebrates a–h (you may wish to find photos of each animal to help you out!).

| | | |
|---|---|---|
| **1A.** | Feathers present | birds |
| **B.** | Feathers absent | go to 2 |
| **2A.** | Scales present | go to 3 |
| **B.** | No scales present | go to 4 |
| **3A.** | Breathe will gills | fish |
| **B.** | Breathe with lungs | reptiles |
| **4A.** | Hair or fur present | mammals |
| **B.** | Hair or fur absent | amphibians |

**a.** goanna **b.** koala **c.** wombat **d.** emu
**e.** dingo **f.** Murray cod **g.** kookaburra **h.** little penguin

## Evaluate and create

**17. a.** Copy and complete the table.
**b.** Are the answers to the questions in the table the same throughout the life cycle of the organism?

**TABLE** Features of the five main vertebrate groups

| Feature | Mammals | Birds | Reptiles | Amphibians | Fish |
|---|---|---|---|---|---|
| **a.** Is body temperature constant or does it change? | | | | | |
| **b.** What type of body covering does it have? | | | | | |
| **c.** Does it lay eggs? If so, what type of shell do they have? | | | | | |
| **d.** Does it have lungs or gills? | | | | | |
| **e.** Does it feed its young milk? | | | | | |
| **f.** Give two examples. | | | | | |

18. Goldfish and sharks are fish. Research each of these and construct a Venn diagram to summarise your findings of the structural and behavioural similarities and differences.
19. Use the figure to answer the following questions.




a. MC Which of the following pairs shared the most recent common ancestor?
   A. Birds and dinosaurs
   B. Hagfishes and monotremes
   C. Marsupials and hagfish
   D. Turtles and lampreys

b. MC Which of the following pairs shared the most recent common ancestor?
   A. Marsupials and monotremes
   B. Placental mammals and marsupials
   C. Birds and monotremes
   D. Lampreys and birds

c. MC Which group are most likely to share the most features with placental mammals?
   A. Amphibians
   B. Birds
   C. Marsupials
   D. Monotremes

20. Carefully observe the diagrams of the skeleton of *Archaeopteryx* (diagram **a.**) and a modern flying bird (diagram **b.**)
   a. Describe at least three similarities between the skeleton and backbone of a modern-day bird and that of the extinct *Archaeopteryx*.
   b. Would you agree with the suggestion by some scientists that *Archaeopteryx* provides a link between dinosaurs and birds? Justify your response.




21. Research and report on the issues and implications of tourism and overhunting on populations of the Australian freshwater crocodile, *Crocodylus johnstoni*.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.8 Mammals

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe both the features shared by all mammals and the features used to distinguish them as being placental mammals, marsupials or monotremes.

## 3.8.1 Classifying mammals

Do you possess skin with hair or fur and have a constant body temperature? If you do, you could be one of the three types of mammals! The key criterion used to divide mammals is the way in which they give birth to their young.

int-3430

**FIGURE 3.40** Classifying mammals



You are classified as a **placental mammal** because you grew inside your mother, receiving your needs via a placenta, and were born at a well-developed stage. **Marsupials**, however, are born at a very early stage of development and then grow inside their mother's pouch. **Monotremes** are laid in leathery-shelled eggs.

**placental mammal** the order of mammals in which the young grow inside the mother, receiving nutrition via a cord attached to the placenta, and are born at a well-developed stage

**marsupial** the order of non-placental mammals that are born at a very early stage of development and then grow inside their mother's pouch

**monotreme** the order of non-placental mammals that lay leathery-shelled eggs and secrete milk through pores in the skin

## 3.8.2 Australian mammals

Australia is unique in terms of the diversity of mammals that live here. Two-thirds of the world's marsupials live in Australia, and monotremes are only found naturally in Australia and nearby islands. Australia's isolation from the other continents after they separated millions of years ago, is considered the reason for the existence of Australia's unique animals, such as the kangaroo and platypus. In isolation, Australia's native mammals evolved over time to be particularly well adapted to their harsh Australian environments.

int-3431

**FIGURE 3.41** An adaptation is a feature that helps an organism to survive and reproduce in its environment. This figure identifies adaptations that help a kangaroo survive in the hot, dry Australian environment.




### What kind of creature is this?

When European explorers returned from Australia with stories of 'strange' animals such as kangaroos, wallabies, koalas and wombats, people were surprised. Australian animals seemed so different from those common in Europe and other countries.

Imagine their disbelief when the platypus was first described to them. This strange animal had webbed feet and a bill like a duck, but it had no feathers. It laid leathery eggs like lizards and crocodiles, but it did not have scales on its skin. It also had fur and a large tail like that of an otter but, like a reptile, it had only one opening for ejecting faeces and urine.

**FIGURE 3.42** In London in 1799, an Australian sailor presented a platypus specimen to Dr George Shaw. Shaw considered it a hoax and tried to cut off the duck-bill. The scissor-marks are still visible on the preserved platypus skin in the British Museum (Natural History) in London.

## 3.8.3 Ancient megafauna of Australia

If you could travel back in time, you would be amazed by the types of megafauna (giant animals) that roamed our Australian continent. Imagine 'wombats' the size of cars (*Diprotodon optatum*), giant flightless birds (*Genyornis*) and lizards seven metres long (*Megalania*). You might face fearsome lion-like marsupials (*Thylacoleo*) and wolf-like *Thylacinus*, not to mention having giant kangaroos (*Procoptodon*) bounding past.

**FIGURE 3.43** This illustration shows some of the animals that inhabited Australia in the Tertiary period. Others included marsupial lions, koalas, possums, wallabies, kangaroos, goannas and long-beaked echidnas (*Zaglossus*).



### Giant kangaroo

The extinct giant kangaroo, *Procoptodon*, was heavily built and stood about 2.5 metres high. Procoptodons may have weighed about four times as much as the largest kangaroos of today. They had a short face and deep skull with huge molar teeth. Their molars may have helped them to eat tough plant foods. Procoptodons may have used their very long forelimbs to pull down the branches of trees and shrubs.

### Diprotodons

The members of this group are all extinct. They were the largest of all the marsupials. *Diprotodon optatum*, often referred to as the diprotodon, was the largest known marsupial to have ever lived. The skeleton of the diprotodon suggests that the animal was about the size of a rhinoceros, being about three metres long and possibly weighing about two tonnes.

Marsupial mammals have existed in Australia for about 35 million years and due to our 'isolation' many different types have evolved. The story of the history of our mammals is told in our fossil records.

**FIGURE 3.44** A timeline of some marsupial fossil finds and major mammal events




## ACTIVITY: Questions of the past in the future

Archaeologists and other scientists in a variety of fields are working together to answer questions such as 'Why did the megafauna become extinct?' and 'How is gender determined in a platypus?'

Theories that have been suggested as to why the megafauna became extinct include the following.

- Aboriginal people may have hunted them as a food source.
- Aboriginal people may have brought diseases with them that infected and killed the animals.
- Fires lit by Aborigines may have led to a change in the types of vegetation.
- The climate became drier and vegetation changed so that food sources became scarce.

In May 2013, an international team of experts published research findings stating that, of 90 megafauna, only 8–14 still existed when humans arrived. The lighting of fires and subsequent vegetation change is currently the most supported theory for megafauna extinction. The debate, however, continues.

Discuss the theories suggested for the extinction of megafauna.

Put forward your own theory (which may include some of the suggestions provided) for the extinction of Australia's megafauna, and justify your thoughts.

## EXTENSION: The uniqueness of the platypus

### New evidence-changing ideas

The platypus was the first Australian animal to be included in the Human Genome Project. The platypus (*Ornithorhynchus anatinus*) genome (genetic information) was published in 2008 and has brought new insights into mammalian evolution.

Sex is determined in most mammals by the X and the Y **chromosomes** — XX (two X chromosomes) will result in a female and XY (one X and one Y chromosome) will result in a male. In platypuses, however, it gets really interesting! Instead of having a single pair of sex chromosomes, platypuses have a set of ten chromosomes to determine sex. So a female has XXXXXXXXXX and a male has XYXYXYXYXY!

**chromosome** tiny, thread-like structure that contains the DNA that carries genetic information

### Monotreme milk

Teams of Australian scientists at the University of Melbourne, Deakin University and the Australian National University have been studying the milk produced by various mammals. Their research suggests that the milk from monotremes is very different from the milk of other mammals. This supports the theory that placental and marsupial mammals are more closely related to each other than they are to monotremes.

**FIGURE 3.45** A platypus mid-air, eating a worm.

### Venom

Platypus venom contains a cocktail of more than 50 different substances. Studies have suggested that some of these substances may be useful in the future as new painkillers. It will be exciting to see what new medicines may result from these findings.

## on Resources

**eWorkbook** Looks can be deceiving (ewbk-4026)

**Video eLessons** Australian animals (eles-2211)
The platypus (eles-2212)
Why did Australia's marsupials go extinct? (eles-2850)

**assess on** Additional automatically marked question sets

# 3.8 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5, 9, 10, 12, 14 | Questions<br>3, 4, 8, 11, 13, 15, 19, 21 | Questions<br>6, 7, 16, 17, 18, 20, 22 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   a. Kangaroos and koalas are examples of placental mammals.
   b. Monotremes are only found in Australia and some nearby islands.
   c. Two-thirds of the world's marsupial species live in Australia.
   d. The platypus and the echidna are the only two types of marsupials in Australia.
   e. Mammals have skin with hair and a changing body temperature.
   f. Male mammals possess mammary glands that can secrete milk.
   g. Mammals can be divided into groups on the basis of how they give birth to their young.
2. Match the type of mammal with the features of their young.

| Type of mammal | Features of their young |
|---|---|
| a. Marsupials | A. Young are well developed when they are born. |
| b. Monotremes | B. Young are born at a very early stage of development. |
| c. Placental mammals | C. Young are laid in leathery-shelled egg. |

3. Determine the group (placental mammal, marsupial or monotreme) of each of the following animals.
   a. Platypus  b. Echidna  c. Possum
   d. Cat  e. Koala  f. Pig
4. Construct a three-column table and use it to summarise the main characteristics of each of the three groups of mammals.
5. Outline how marsupials are different from all other animals.
6. Explain how we know that marsupials have existed in Australia for millions of years.

## Apply and analyse

7. Outline the importance of the findings related to the genome of the platypus.
8. Suggest why Australian mammals are so different from those found in other countries.
9. What do taxonomists in museums do? Why is their work important?
10. Suggest how placental mammals got their name.
11. Use the timeline in figure 3.44 to answer the following questions.
    a. About how many years ago did dinosaurs become extinct?
    b. In which epoch did fossils of swimming and flying mammals appear?
    c. In which epoch did fossils of the first marsupials appear?
    d. About how many years ago did Aborigines arrive in Australia?
12. Find out more about one placental mammal, marsupial or monotreme and report on your research.
13. a. How are present-day wombats different from their ancient ancestors?
    b. List features of each of the following and suggest which living animal it is most similar to today.
       i. *Procoptodon*
       ii. *Diprotodon optatum*
14. Look at figure 3.43 of prehistoric animals.
    Which animals alive today are they most similar to? Give reasons for your answers.

## Evaluate and create

15. Construct a triple Venn diagram to show the similarities, differences and examples of the three mammal groups.




16. SIS Did you know that adult hedgehogs have 5000 spines? So that the birth canal is not damaged when the mother is giving birth, the initial spines of a newborn are covered with a layer of skin. The spines pop through hours after birth. Although hedgehogs are mammals and they look a little like echidnas because of their spines, they are not classified as monotremes.
    a. Find out whether hedgehogs are placental mammals or marsupials.
    b. How do hedgehogs differ from echidnas?
    c. A porcupine also has spines. What type of mammal is a porcupine?
    d. How are porcupines different from hedgehogs and echidnas?
17. SIS
    a. List theories proposed as to why Australia's megafauna became extinct.
    b. Find out which theory is most recently supported.
    c. Which theory do you support? Justify your response.
18. Refer back to the timeline in figure 3.44.
    a. List the seven epochs in order of most recent to least recent.
    b. In which epoch did marsupials appear in Australia? How do we know this?
    c. Earth's greatest ice age was in the Pliocene epoch. When was this? What other events occurred then?
    d. Look up other sources to find out what other important events occurred, and add these to your timeline.
19. Find out more about Australia's prehistoric marsupials, and summarise your findings (or present as a poster, poem or story).
20. Besides the Cenozoic, what are the other nine eras used to describe the history of the Earth? Draw a timeline showing all ten eras, including their periods, times in millions of years and any other information you can locate.
21. Research and report on one of the following topics of research in Australia.
    - Platypus genome
    - Platypus milk and lactation
    - Platypus venom
    - Platypus sex chromosomes and mating
    - Koala diet
    - Koala diseases
    - Koala reproduction
    - Tamar wallabies
    - Bilbies
22. a. How many chromosomes decide the sex of a platypus?
    b. Compare this number of sex-determining chromosomes in other mammals.
    c. Propose a reason for this difference.
    d. Investigate recent related research to evaluate your proposal.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.9 Invertebrates

## LEARNING INTENTION

At the end of this subtopic you will be able to recall the features used to distinguish invertebrates into eight major phyla, recall examples from each phylum and understand how various features have developed to be well suited to their specific function.

## 3.9.1 Common features of invertebrates

Feel a little itchy? Did you feed something in your sleep — or were you awake? Was it a flea, an insect, a worm or a louse? Did it burrow its way inside you to feed or did it get its food while crawling on your skin? Chances are it might have been an invertebrate — a creature with no backbone. About 95 per cent of animals are invertebrates. Look at figure 3.46 — how many groups and examples can you recognise?

int-0938
ewbk-4028

**FIGURE 3.46** The eight major phyla of invertebrates — Arthropoda, Mollusca, Echinodermata, Porifera, Cnidaria, Annelida, Nematoda and Platyhelminthes, shown in a dichotomous key




## EXTENSION: Extend your understanding of scientific language

The term *platys* comes from the Greek term meaning 'flat'; *helminth* comes from the Greek word for 'worm'; *nema* comes from the Greek term for 'thread'; and *mollusc* comes from the Latin term *mollis*, meaning 'soft'.

## Parasites

A number of the invertebrate groups contain organisms that may find you quite tasty. There are some well-known human parasites in the following groups of invertebrates:

- arthropods (for example, head lice, mosquitoes, fleas, ticks and mites)
- nematodes (for example, threadworms, hookworms and pinworms)
- platyhelminthes (for example, liver flukes and tapeworms)
- annelids (for example, leeches).

Some organisms obtain their nutrients by feeding on other living organisms. These are called **parasites**. **Endoparasites**, such as tapeworms, live inside their hosts, whereas **ectoparasites**, such as head lice, live on the outside. Some of these organisms also act as carriers or **vectors**, transporting disease-causing organisms from one animal to another.

**parasite** an organism that lives on or within another organism, to get all or some of its nourishment

**endoparasite** parasite that lives inside its host

**ectoparasite** parasite that lives on the outside of its host

**vector** an organism that does not cause disease, but transports another disease-causing organism

**arthropod** animal that has an exoskeleton, a segmented body and jointed legs (e.g. insects, crabs)

## 3.9.2 Arthropods

About 80 per cent of invertebrates are **arthropods**. Arthropods can be classified on the basis of the organisation and number of their legs.

int-0939
ewbk-4030

**FIGURE 3.47** The classification of arthropods




### ACTIVITY: Create a local arthropod field guide

a. Record observations and take photographs of at least ten arthropods in your local area.
b. Use keys to identify the arthropods in your photo collection.
c. Using your photographs and observations, create a field guide that can be used by others.

## 3.9.3 Insects

Insects' bodies are divided into three parts — the head, thorax (chest) and abdomen (stomach) — and have three pairs of legs attached. Most have either one or two pairs of wings, a characteristic that separates them from any other invertebrate animal.

The head, thorax and abdomen of a mosquito can be seen in figure 3.48. As there are three pairs of legs attached to the thorax, it is classified as an insect. The proboscis of a female mosquito has sharp needles that poke out when a blood vessel in its victim is pierced.

**FIGURE 3.48** The proboscis of a female mosquito has sharp needles that poke out when a blood vessel in its victim is pierced.




### DISCUSSION

Using the knowledge that *pteron* is Greek for 'wing' and the prefix translations in figure 3.49, can you suggest a feature that these insects all share, and one that can be used to separate them? Compare the chosen feature with those around you. Were there features suggested by others that were better choices?

**FIGURE 3.49** Example of different insects




## 3.9.4 Functional features of insects

All insects have the same basic mouthparts, but over millions of years, depending on their particular diet, they have developed in different ways. Most insects either bite off pieces of food and chew them or suck up liquids such as nectar or blood.

### Sap and nectar sucking insects

Some insects may obtain their food by sucking sap from plants. The shape of an insect's head can often suggest the sort of food it eats. A sap-sucking insect usually has a tiny head with a long, pointed tube (such as a proboscis) extending from its mouth. The shape of this tube well suits it to sucking up sap.

Moths and butterflies have a long tubular proboscis that unrolls to reach the nectar within a flower. They use muscles that act like an elastic rod to coil it up under their head when they are not feeding. A hawk moth has an unusually long proboscis — it is often longer than its body.

**FIGURE 3.50 a.** Bee fly proboscis **b.** Dragonfly mouth **c.** Hawk moth proboscis **d.** Butterfly proboscis

**a.**

**b.**

**c.**

**d.**

## EXTENSION: The danger of mosquitoes

Although adult mosquitoes feed on the sugar in plants, the females in some species must have one or more blood meals to produce eggs. In most species of mosquito, the female has a sharp, tubular proboscis well suited to piercing and sucking. Male mosquitoes never suck blood. Female mosquitoes may pass on malaria, yellow fever, elephantiasis and filariasis while obtaining blood, because they inject infected saliva into their hosts.

**FIGURE 3.51** A mosquito's head as it is seen through a microscope lens

## Biting and chewing insects

Some insects have feeding structures that are designed for biting and chewing. They usually eat plants and have a large head to support the strong muscles and jaws that are needed to get through the tough plant tissue.

int-8170
ewbk-6650

**FIGURE 3.52** Categorising insects that suck and insects that chew




### on Resources

**Digital document** Human endeavours in classification (doc-26461)

**eWorkbook** Classifying invertebrates (ewbk-4032)

**Video eLessons** Praying mantis (eles-2208)
The movement of invertebrates (eles-4235)
Insects under the microscope (eles-4236)

**assessON** Additional automatically marked question sets

# 3.9 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 8, 11, 14, 15, 20 | Questions<br>3, 4, 5, 9, 13, 16, 19, 22 | Questions<br>6, 7, 10, 12, 17, 18, 21 |

## Remember and understand

1. Identify whether the following statements are TRUE or FALSE. Rewrite any false responses to make them true.
   - **a.** Animals without backbones are called invertebrates.
   - **b.** About 80% of invertebrates are molluscs.
   - **c.** Annelids can be classified on the basis of the organisation and number of their legs.
   - **d.** Invertebrates without legs include molluscs, echinoderms, porifera, cnidarians, annelids, nematodes and Platyhelminthes.
2. Match the invertebrate phylum to its example from the options in the right-hand column.

| Phylum | Example |
|---|---|
| **a.** Annelids | **A.** Threadworms |
| **b.** Arthropods | **B.** Slugs |
| **c.** Cnidarians | **C.** Tube sponges |
| **d.** Echinoderms | **D.** Sea urchins |
| **e.** Molluscs | **E.** Grasshoppers |
| **f.** Nematodes | **F.** Tapeworms |
| **g.** Platyhelminthes | **G.** Earthworms |
| **h.** Porifera | **H.** Jellyfish |

3. List two features shared by the members of each invertebrate phylum.
   - **a.** Arthropods **b.** Molluscs **c.** Echinoderms **d.** Porifera
   - **e.** Cnidarians **f.** Annelids **g.** Nematodes **h.** Platyhelminthes
4. Consider what you have learnt about the structural features of insects to answer the questions that follow.
   - **a.** State the three parts in which an insect's body can be divided.
   - **b.** State the number of legs you would expect an insect to possess.
   - **c.** Describe what a proboscis is used for.
5. Identify each Arthropod group with its number of legs and give an example.

**TABLE** A comparison of different arthropod groups

| Arthropod group | Number of legs | Example |
|---|---|---|
| **a.** Arachnids | | |
| **b.** Chilopods | | |
| **c.** Crustaceans | | |
| **d.** Diplopods | | |
| **e.** Insects | | |

6. Outline how the types of heads and mouthparts of insects can tell you about the way that they live and feed.

## Apply and analyse

7. Read the following information about bedbugs carefully, and answer the question that follows.

### Understanding bedbugs

Bedbugs (*Cimex lectularius*) come out at night and feed on the blood of mammals and birds. Their mouthparts are well suited to piercing their host's skin. They have barbed structures for piercing and sawing. The bugs have a pair of tubes, one of which inject saliva containing a substance that stops the blood from clotting, while the other sucks up the blood and saliva mixture. They usually feed just before dawn if the temperature is above 13 °C and may take five minutes or more to extract their meal before scurrying off to digest it and rest.

Explain how bedbugs are able to effectively feed on humans, using the relevant bedbug information from the passage in your own words.

8. Distinguish between endoparasites and ectoparasites and provide an example of each.
9. Use the invertebrate key in figure 3.46 to identify the invertebrate group to which the invertebrate belongs.
   - **a.** I have paired and jointed legs and my body is in sections.
   - **b.** I have a spongy body with many holes, but no shell or legs.
   - **c.** I have no legs, shell or tentacles, but I have a soft round segmented body.
   - **d.** I have rough spiny skin, but no legs.
10. Use the invertebrate key in figure 3.46 to identify the shared features between each of the following pairs.
    - **a.** Nematodes and platyhelminthes
    - **b.** Molluscs and annelids
    - **c.** Arthropods and cnidarians
    - **d.** Arthropods and annelids
11. MC Use the invertebrate key in figure 3.46 to identify which of the following pairs have the most in common.
    - **A.** Arthropods and annelids
    - **B.** Echinoderms and molluscs
    - **C.** Poriferans and platyhelminthes
    - **D.** Cnidarians and echinoderms
12. SIS
    - **a.** In a table, list the features of slugs, earthworms and snails.
    - **b.** Highlight or circle features that they all have in common.
    - **c.** Which two appear to have most in common?
    - **d.** Use the invertebrate key to see if your data are supported by their classification group.
    - **e.** Discuss your findings.
13. Construct a table to show examples of arthropods, nematodes, platyhelminthes and annelids that can be human parasites.
14. Use the arthropod key (figure 3.47) to identify the group that contains arthropods with:
    - **a.** legs on thorax only and three pairs of legs
    - **b.** legs on every segment except head and last segment, two pairs of legs on each segment and a tubular body
    - **c.** legs on thorax only and five or more pairs of legs.
15. Use the insect key (refer back to figure 3.52) to identify the group that possesses:
    - **a.** chewing parts and membranous wings
    - **b.** sucking mouthparts and 4 wings
    - **c.** chewing parts and leathery wings.

16. Use the insects key (figure 3.52) to identify features that differentiate:
    a. mosquitoes from butterflies
    b. mosquitoes from bees
    c. beetles from grasshoppers.

## Evaluate and create

17. a. Use the insects key (figure 3.52) to classify a variety of insects into their groups.
    b. Did you have any difficulties using the key? Suggest any changes that you could make to improve it.
18. SIS Use a magnifying glass or stereo microscope to observe and sketch the heads of a range of insects. Pay special attention to the parts that may be involved in feeding. Suggest what types of food each of the insects might eat and how they might obtain these.
19. SIS Find out why cnidarians are no longer classified as coelenterates.
20. Use the Alien circular key to answer the following questions.

    a. Identify the 'insect' creatures from another planet.
        i. Green with antennae and one wing
        ii. Three wings and a square head
        iii. Sharp proboscis, one wing and no antennae
        iv. Round head, a stinger and three wings
    b. Describe the characteristics of a trisee, a peeler and a bitpart.
    c. Make a sketch of a gazer and a bozo.
    d. Which of the following are most similar; a bisharp, a noner and a peeler? Justify your response.
21. SIS Describe how you would design a mask to model the feeding parts of several different insects.
22. SIS
    a. Find out the similarities and differences between locusts and grasshoppers and present your results in a Venn diagram.
    b. Research the functions of the Australian Plague Locust Commission (APLC).
    c. Identify, research and report on a question or problem related to locust plagues.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.10 Classifying plants

## LEARNING INTENTION

At the end of this subtopic you will be able to explain the presence, absence or patterns in structural or reproductive structures can be used to classify plants and how their specific adaptation can enhance their chances of survival.

## 3.10.1 Using patterns to classify plants

More than 23 centuries ago, a Greek philosopher named Aristotle developed one of the first widely used classification schemes (shown in figure 3.53). He divided plants into groups on the basis of their type of stem. Although this is still a useful system, like most classification systems it has limitations.

int-8168
ewbk-4034

**FIGURE 3.53** Classification of plants



Biologists often use the presence, absence or patterns in structural features or reproductive structures to group, classify and identify different types of plants. Plants that contain vascular tissue belong to a group called **tracheophyta** (= 'windpipe' + 'plant'), also referred to as plants with stems. Ferns (**pteridophytes**), conifers (**gymnosperms**) and flowering plants (**angiosperms**) all contain **vascular tissue**. Mosses and liverworts do not.

Vascular tissue consists of cells that make up tube-like structures that conduct (or transport) materials along the stem of a plant. **Xylem** and **phloem** are two types of conducting tissues. Xylem transports water and minerals from the roots up to the leaves, whereas phloem carries mainly sugars throughout the plant.

**FIGURE 3.54** The scientific name for this bottlebrush tree is *Callistemon citrinus*.

## 3.10.2 The language of plants

Plants can be described using different words, depending on a person's purpose. For example, in describing a bottlebrush tree:

- a scientist would refer to its correct botanical name as *Callistemon citrinus* and say it belonged to the angiosperm or flowering plant group
- a gardener might say 'I planted a new tree called a bottlebrush'
- a horticulturalist would tend to use both scientific and common names.

Gardeners use words like 'tree', 'shrub', 'herb' and 'grass' to describe groups of plants. To a scientist, a tree could belong to the angiosperm or gymnosperm group. A scientist would carefully examine the characteristics of the plant to find out whether it had flowers, seeds and fruit, or cones containing seeds. The scientific names for individual plants and groups of plants are more specific than the common names.

### Build your knowledge of scientific language

The prefix *gymno* comes from the Greek word *gymnos*, meaning 'naked'; *angio* comes from the word *angios*, meaning 'vessel'; *phyton* comes from the word *phyton*, meaning 'plant'; and *pterido* comes from the word *pteron*, meaning 'feather'.

## 3.10.3 Evergreen quest

Have you ever grown a herb garden — your own 'evergreen quest'? Many believe that the use of herbal remedies to treat simple ailments is as old as the human race itself. From early hunting and gathering times, humans have had a close relationship with plants as sources of both food and medicine. Ancient civilisations of Egyptians, Chinese, Persian, Greeks and Romans all practised herbalism.

The herbs (and spices) in your kitchen could have medicinal properties — do you know what effects they might have on you?

**tracheophyta** plants with a vascular system

**pteridophytes** vascular plants that produce spores usually located on the underside of their leaves

**gymnosperms** vascular plants that produce seeds in woody cones, but do not produce flowers

**angiosperms** vascular plants that produce seeds and flowers

**vascular tissue** plant tissue involved in the transport of substances within the plant (and in plant support)

**xylem** vascular tissue that carries water and minerals from the roots up to the leaves

**phloem** vascular tissue that transports organic substances (such as sugars) within plants

## CASE STUDY: Grow your own herbs

Try growing these common herbs in your own garden or planter box.

**FIGURE 3.55** Common garden herbs you might try growing at home.

- Thyme is used to make tea for treating stomach cramps, indigestion, colic and gas retention.
- Lemon thyme smells and tastes like lemon. A few sprigs of lemon thyme in boiling water can make refreshing herbal tea. It is also useful for treating asthma and coughing, and is considered great for boosting your immune system.
- Sweet basil (such as Greek basil) has tiny leaves with a spicy fragrance. Basil is best eaten fresh, rather than dried, and goes well with tomato-based dishes. It also helps digestion and relieves constipation.
- Dill is valued for its leaves in spring and its seed in autumn. Its flowers are pale yellow and stems grey-green. Dill is added to soups and fish dishes to enhance their flavour. It has also been used as a hair restorer, and as a tea for digestive ailments and to help relieve flatulence.
- Lemon balm is fabulous in salads and refreshing in iced tea. Its healing properties include promoting the relief of tension and restlessness. It also soothes toothache and headaches and relieves stomach-aches, indigestion and heartburn. Freshly crushed leaves have been used to soothe and cleanse wounds.
- Rosemary can be added to roast potatoes and garlic for a tasty feast. Oil extracted from the leaves and flowers is also used for stomach complaints, gas retention and cramping muscles and limbs — and for aromatic baths.
- Parsley is rich in vitamins A and C. A brew made from the roots is recommended in all ailments of the digestive and urinary tracts. Freshly crushed leaves are also used as a compress for insect bites. Although parsley is often used as a garnish, tabouli is an example of a food made mainly from parsley.

## ACTIVITY: Your school's gardens: a field guide

**a.** In pairs, walk around your school grounds and select ten plants.
**b.** Draw a sketch of each and add as many details as you can next to your diagram.
**c.** Construct a key to organise these plants into groups.
**d.** Use field guides and the internet to find out the identity of these plants.
**e.** Combine your data with that of other groups in your class and use it to construct a plant field guide and key for your school grounds.

## DISCUSSION

Even though they might be delicious or provide essential nutrients, many of the plants we grow to eat in Australia are not native to our environment. This can have significant impacts on native plants and animals. Blackberries are one such introduced species that has become a significant problem in some parts of Australia.

Discuss whether all blackberry plants should be destroyed in Australia — including those used for growing commercial berries on farms. To help you evaluate the issue, create a PMI chart.

## 3.10.4 Plants beware

History is full of myths and stories about the 'magical' — and sometimes supernatural — properties and uses of plants, and about plants that carry out unusual 'unplant-like' activities. Some of these stories contain elements of truth.

### Witchcraft, superstition and customs

For hundreds of years, some plants have been associated with witchcraft and superstition. For example, the four-leaf form of clover (*Trifolium repens*) that is occasionally found has been considered to be a token bringing good luck. Another type of clover, *Trifolium pratense*, was thought to guard against witchcraft. In some cultures, people once used garlic (*Allium sativum*) to protect them against witchcraft and sorcery; some even added it to animal foods to protect them against evil.

**FIGURE 3.56** A four-leaf clover

### Poisons and stinging hairs

Inhabitants of tropical forests used some plants to make arrow poison. In Asia and South America, some species of the genus *Strychnos* were used to obtain arrow poison from their roots and bark. The poison used on the arrows was curare. Although a person hit with a poisoned arrow could still think and sense things for quite some time, organs involved in movement would gradually fail to function. In the end, the person's ability to speak would disappear, followed by the lack of movement in other areas (such as the face) and, finally, death.

Another type of plant with a sting is the giant stinging tree (*Dendrocnide excelsa*), which has large heart-shaped leaves covered with fine stinging hairs. It is commonly found in the rainforests of Queensland and New South Wales. Merely brushing against its leaves can result in a severe burning sensation that may persist for several months. Some people suggest that the juice of cunjevoi lilies (*Alocasia macrorrhizos*), squeezed over the stings, will relieve the stinging.

**FIGURE 3.57** Stinging hairs covering the leaves of a giant stinging tree

### Plants of prey

Some plants found in nitrogen-deficient soil 'eat' insects to supplement their nitrogen. Attracted by the smell of food and a safe landing place, insects can be lured into plants that are not what they seem. The Venus flytrap (*Dionaea muscipula*), for example, has a special trap with a hinged lid. As soon as an insect touches the trigger bristles on the trap's upper surface, the trap springs shut. The insect is then trapped in a cage-like prison. Acids and special substances called enzymes are secreted from the plant. These slowly break down the soft parts of the insect's body. It may take the Venus flytrap two weeks to fully digest a damselfly. When the trap reopens, the insect's hard exoskeleton, including its wings, is blown away by the wind.

Sundews (*Drosera* spp.) are another group of insect-eating plants, of which there are more than 50 different species in Australia. The upper part of the leaf is covered with thin red tentacles that are covered in a sticky substance. If an insect touches the tentacles, they bend inwards and trap it. The body of the trapped insect is then digested.

**FIGURE 3.58** A Venus flytrap

**FIGURE 3.59** Sundews covered in a sticky substance

## DISCUSSION

### Dangerous plants

Don't get edible parsley mixed up with fool's parsley, which may look similar but can be poisonous. It can be distinguished from parsley by crushing its leaves, which give an offensive, nauseating odour resembling the stench of mouse droppings!

What are some other examples of plants that you need to be wary of?

Do some people have bad reactions to plants that others don't?

Have you every had a negative reaction to a plant — either by coming into contact with it, or eating it?

**FIGURE 3.60** Fool's parsley

## Resources

**eWorkbook** Getting to know plants (ewbk-4036)

**Video eLesson** Growing plants in Australia (eles-0055)

**assessON** Additional automatically marked question sets

## 3.10 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 9, 12, 16, 18 | Questions<br>3, 5, 7, 10, 13, 17, 20 | Questions<br>6, 8, 11, 14, 15, 19, 21 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   a. Aristotle was a Greek philosopher who developed one of the first widely used classification schemes.
   b. Biologists often use the presence, absence or patterns in structural or reproductive structures to group, classify and identity different types of plants.
   c. Plants that contain vascular tissue (e.g., xylem and phloem) belong to the group Bryophyta.
   d. In vascular plants, the phloem transports water and minerals from the roots up to the leaves, whereas the xylem carries sugars throughout the plant.
   e. Flowering plants, conifers, and ferns possess vascular tissue whereas mosses and liverworts do not.
2. Match the scientific term with its common name and provide an example.
   Common names: Conifers, Ferns, Flowering plants, Mosses and liverworts
   Examples: Cypress trees, Fruit trees, Maidenhair ferns, Mosses

**TABLE** The scientific and common names of different plants

| Scientific term | Common name | Example |
|---|---|---|
| a. Angiosperms | | |
| b. Bryophytes | | |
| c. Gymnosperms | | |
| d. Pteridophytes | | |

3. Consider what you have learnt about plants in this topic.
   a. List two features shared by Angiosperms and Gymnosperms.
   b. Identify a feature that distinguishes Angiosperms from Gymnosperms.
4. Complete the table by identifying whether the features (vascular tissue, flowers or seeds) are present or not present. Use 'Yes' for present and 'No' for not present.

**TABLE** Features of different plant groups

| Plant group | Vascular tissue | Flowers | Seeds |
|---|---|---|---|
| a. Angiosperms | | | |
| b. Bryophytes | | | |
| c. Gymnosperms | | | |
| d. Pteridophytes | | | |

5. Match the scientific name of each listed plant to its common name.

| Scientific name | Common name |
|---|---|
| a. *Allium sativum* | A. Four-leaf clover |
| b. *Dendrocnide excelsa* | B. Garlic |
| c. *Dionaea muscipula* | C. Giant stinging tree |
| d. *Trifolium repens* | D. Venus flytrap |

6. Describe the advantages to plants of being able to catch and digest animals as well as to photosynthesise.
7. Recall which of the following herbs (i) Rosemary (ii) Sweet basil, (iii) Parsley, or (iv) Lemon balm, can be used:
   a. as a compress for insect bites
   b. to soothe headaches and help relieve tension and restlessness
   c. for stomach complaints, gas retention, and cramping muscles and limbs
   d. to help digestion and relive constipation.

## Apply and analyse

8. Suggest why the inner surface of the leaves of a Venus flytrap has both nectar-producing glands and digestive glands.

9. Use the Classification of plants key (figure 3.53) to identify the group of plants that:
   a. do not contain vascular tissue
   b. contain vascular tissue and produce flowers with seeds
   c. contain vascular tissue, do not produce flowers, but have seeds in woody cones
   d. contain vascular tissue, but do not produce seeds.
10. Make a list of ten plants you already know. To which plant group does each belong?
11. Use the features shown in the 'Classification of plants' key (figure 3.53) to construct Venn diagrams that compare the following groups:
   a. Angiosperms and Gymnosperms
   b. Angiosperms and Pteridophytes
   c. Angiosperms and Bryophytes.
12. What does a taxonomist in a herbarium do? Why is this job important?
13. Find out the meaning of 'toxicology' and then find examples of Australian plant toxicology research.
14. a. Find three examples each of a tree, shrub, herb and grass. Observe and record five characteristics for each of these plants.
   b. Using your observations, decide which scientific plant group each example belongs to.
   c. Use field guides or keys to identify the plants you observed.
15. Growing up you may have picked dandelions, carefully blowing off the florets and watching them scatter and be taken off by the wind.
   Dandelions are actually considered weeds. Research and explain why they are classed as weeds.

## Evaluate and create

16. Summarise the information on the herbs described in this section into a mind map.
17. Design a key that uses the following features, in the order given, to separate ferns, mosses and liverworts, conifers and flowering plants.
   - Seeds or no seeds
   - Seeds in cones or seeds in flowers
   - Stem or no stem
18. SIS Design a key to help a gardener tell the difference between trees, shrubs, herbs and grasses.
19. SIS Australia has about a thousand species of plants that are considered to be toxic to humans and our livestock. Of these, 60 per cent are natives. Investigate and report on an example of a toxic plant within each of these Australian plant families:
   a. legumes (Fabaceae, Mimosaceae)
   b. nightshades and tobaccos (Solanaceae)
   c. buttercups (Ranunuclaceae)
   d. cycads (Cycadaceae, Zamiaceae).
20. SIS
   a. Construct a table with the following headings.
      - Genus or species
      - Description of useful plant part
      - Beneficial effects
      - Other details
   b. Complete the table with details on the following herbs, using the information in this section and your own research. In the 'Description' column, you could insert a photo or drawing of the herb.
      i. Peppermint (*Mentha piperita*)
      ii. Sweet basil (*Ocimum basilicum*)
      iii. Borage (*Borago officinalis*)
      iv. Thyme (*Thymus serpyllum*)
      v. Rosemary (*Rosmarinus officinalis*)
      vi. Parsley (*Petroselinum sativum*)
   c. Reformat your table into a visual map.
   d. Select one of your herbs and find a recipe that uses it.
21. SIS
   a. Use the flow chart provided to organise and record your research on a herb of your choice.
   b. In the 'action' phase, use your information to set up an experiment to grow your herb.
   c. Take photographs throughout your experiment and keep a journal to record all of your observations.




**d.** Summarise your observations.
**e.** Explain how you might improve the design of your investigation.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.11 The unique flora of Australia

### LEARNING INTENTION

At the end of this subtopic you will be able to describe the variety of unique and diverse Australian plants and identify the floral emblem for each Australian state and territory.

## 3.11.1 Snugglepot and Cuddlepie

When you were young, did you read about the adventures of the Gumnut Babies, Snugglepot and Cuddlepie? They lived in the Australian bush and were constantly bothered by the Big Bad Banksia Man. Did you know they are based on real Australian plants?

### DISCUSSION

Cecelia May Gibbs was born in England in 1877, and moved to Australia in 1881. She grew up in Perth, fascinated by native Australian plants and animals from a young age. Gibbs' family were creative — her father was an artist and cartoonist — and she began drawing the flora and fauna she saw around her from a very young age. She published her first Snugglepot and Cuddlepie story in 1918.

What other artists and writers were inspired by Australia's natural environment?

Can you think of any other characters in books, film or television that are based on Australian animals or plants?

Discuss in groups what Australian animals or plants you would include if you wrote a story and explain why you would include them.

**FIGURE 3.61** May Gibbs was inspired by our Australian bush.

## 3.11.2 Genus: Eucalyptus

The genus *Eucalyptus* includes gums, stringybarks, peppermints, boxes, mallees, ironbarks and ashes. Of the 800 species, all but 13 are endemic to Australia. Snugglepot and Cuddlepie, the Gumnut Babies, were inspired by the flowers of this group of plants., as shown in figure 3.62.

**FIGURE 3.62** The Gumnut Babies Snugglepot and Cuddlepie were based on the flowers of a eucalypt.



**FIGURE 3.63** The flowers of a eucalypt

**on** Resources

**Interactivity** Adaptations in Eucalyptus trees (int-3432)

## 3.11.3 Family: Proteaceae

Not all flowers have soft bright ribbon-like petals. You may not even recognise the flowers of many of our native Australian plants.

The early landmass Gondwana was the centre of the origin of the family Proteaceae, and it is in Australia that this family has the greatest diversity. This group includes banksias, grevilleas, hakeas, macadamias and waratahs. Many of these have roots that are very efficient at absorbing water and nutrients and they are often able to grow in soil that may be deficient in nitrogen and phosphorus.

**FIGURE 3.64** A *Grevillea*. There are more than 360 species of *Grevillea*.

**FIGURE 3.65** A *Hakea*

**FIGURE 3.66** Macadamia flowers and nuts

**FIGURE 3.67** *Telopea*, commonly known as waratah

## Genus: Banksia

Of the 76 species of *Banksia*, all but one is native to Australia. All members of this genus have distinctive flower clusters or spikes. Each of these spikes is made up of hundreds (sometimes thousands) of tiny individual flowers with long, stiff projecting styles. Once fertilised, the outer parts of the flower die off and the fruit body develops into a hard, woody cone-like structure called a follicle. The seeds within these fruits are protected from foraging animals and fire. In many species, the seeds are not released until they are completely dried out or burnt.

**FIGURE 3.68** The Banksia Man is based on the *Banksia* follicle, which is a woody, cone-like structure that develops after a *Banksia* flowers.

**FIGURE 3.69** A *Banksia* flower

## SCIENCE AS A HUMAN ENDEAVOUR: Joseph Banks (1743–1820)

Around 1782, the genus *Banksia* was named after English naturalist Sir Joseph Banks (1743–1820). As a young man, Banks travelled to Australia on Captain Cook's first Pacific voyage (1768–1771). Many of the specimens that he recorded and collected (including both *Banksia* and *Eucalyptus*) had never been seen before in his homeland.

Swedish naturalist Carl Linnaeus, was so impressed with Bank's collections that he proposed that our country should have been named Banksia rather than Australia.

Joseph Banks' passion for botany and flora, and the collection of these specimens from far and wide, meant that Kew Gardens in London became one of the most diverse botanical gardens worldwide.

The work of Sir Joseph Banks greatly influenced worldwide appreciation for the beautiful flora we have in Australia.

**FIGURE 3.70** Sir Joseph Banks

## ACTIVITY: Floral emblems of Australia

Did you know that each state and territory of Australia has its own floral emblem? Table 3.7 shows the floral emblems of each Australian state or territory. Which of these flowers have you seen before? Discuss possible reasons for the selections of each of these flower emblems.

**TABLE 3.7** Floral emblems of Australia

| | |
|---|---|
| | |
| **State** Australian Capital Territory<br>**Common name** Royal bluebell<br>**Scientific name** *Wahlenbergia gloriosa* | **State** New South Wales<br>**Common name** Waratah<br>**Scientific name** *Telopea speciosissima* |

**State** Victoria
**Common name** Common heath
**Scientific name** *Epacris impressa*

**State** Queensland
**Common name** Cooktown orchid
**Scientific name** *Dendrobium phalaenopsis*

**State** Northern Territory
**Common name** Sturt's desert rose
**Scientific name** *Gossypium sturtianum*

**State** Tasmania
**Common name** Tasmanian blue gum
**Scientific name** *Eucalyptus globulus*

**State** South Australia
**Common name** Sturt's desert pea
**Scientific name** *Swainsona formosa*

**State** Western Australia
**Common name** Red and green kangaroo paw
**Scientific name** *Anigozanthos manglesii*

# 3.11 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 6 | Questions<br>3, 5, 7, 9 | Questions<br>8, 10, 11 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   a. Stringybarks, gums, mallees and ironbarks are all members of the *Banksia* genus.
   b. Of the 800 species in the *Eucalyptus* genus, all except 13 are endemic to Australia.
   c. The Proteaceae family includes banksias, grevilleas, hakeas, macadamias and galahs.
   d. Of the 76 species of Banksia, all but one is native to Australia.
2. Consider what you have learned about Australian plants.
   a. List four Australian members of the Proteaceae family.
   b. List four Australian examples of the *Eucalyptus* genus.
3. a. Recall who the *Banksia* genus is named after.
   b. Describe the fruit and flowers of the *Banksia*.
4. State which type of plant Snugglepot and Cuddlepie, from May Gibbs's stories, were inspired by.
5. Match the floral emblem of the states and territories of Australia to their common names listed.

| Australian state or territory | Common name of floral emblem |
|---|---|
| a. Australian Capital Territory | A. Common heath |
| b. New South Wales | B. Cooktown orchid |
| c. Northern Territory | C. Red and green kangaroo paw |
| d. Queensland | D. Royal bluebell |
| e. South Australia | E. Sturt's desert rose |
| f. Tasmania | F. Tasmanian bluegum |
| g. Victoria | G. Waratah |
| h. Western Australia | H. Sturt's desert pea |

## Apply and analyse

6. Who was May Gibbs? Why did she include Australian plants in her stories?
7. Find out who each of these Australian plants were named after and why they received these names.
   a. Waratah  b. Proteus  c. Grevillea  d. Hakea  e. Banksia
8. SIS Investigate and report on Australian research into Australian plants.
9. SIS Select two examples of Australian plants. Research and report on the history and importance of these plants.
10. Write a report on the importance of native flora in your life.
11. Each Australian state and territory has its own floral emblem. Research:
    a. the key features of each plant
    b. why these plants were selected
    c. any scientific research or interesting information.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.12 Algae, fungi and lichens

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain the reasons why algae, fungi and lichens are no longer classified as members of the plant kingdom.

## 3.12.1 Changing classification

**Algae**, **fungi** and **lichen** were once considered the most primitive plants on Earth. These organisms do not produce flowers or seeds, nor do they have roots, stems or leaves. On the basis of current information, many biologists no longer consider them plants. The classication of these is shown in figure 3.74.

While most of these organisms are harmless to humans and other animals, some are not. For example, some fungi can cause disease and blue-green algae can poison water supplies.

**algae** aquatic photosynthetic organisms that are often unicellular

**fungi** eukaryotic organisms that generally use spores to reproduce and contain cell walls made of chitin

**lichen** mutualistic symbiotic relationship of a fungus with an alga and/or a cyanobacterium

### Algae

Characteristics:

- All live in water
- Often unicellular
- No true roots, stems, leaves or flowers
- No special tissue for transporting food or water
- Divided into groups depending on their colour
- Make their own food using photosynthesis

Examples: diatom, Neptune's necklace, seaweed (figure 3.71)

**FIGURE 3.71** Giant kelp (seaweed) is an alga.

### Fungi

Characteristics:

- No true roots, stems, leaves or flowers
- Usually multicellular; some unicellular
- No chlorophyll and unable to make their own food
- Usually obtain their food from other living or dead organisms
- Produce enzymes that break down food outside their cells
- Broken-down food is absorbed through their cell walls

Examples: yeast, mould, mushrooms (figure 3.72), toadstool

**FIGURE 3.72** Not all mushrooms are safe to eat! Some can be poisonous.

### Lichens

Characteristics:

- Found on bare rocks (figure 3.73), bark of trees, in cold polar regions and on mountain tops
- No true roots, stems, leaves or flowers
- Made up of two different organisms: an alga and a fungus
- Algal cells live among tiny fungal threads
- Algal cells photosynthesise and supply the fungus with food
- Fungus provides protection and anchorage for the algal cells
- Grow very slowly and are extremely long-lived
- Often responsible for breaking down rocks, allowing other organisms to grow

**FIGURE 3.73** Several types of lichen may grow together.

**FIGURE 3.74** This key can be used to separate algae, fungi and lichens from plants.

| | | |
|---|---|---|
| 1 | No roots, stems, leaves or flowers ..... | Algae, fungi and lichens |
| | Distinct leaves: with or without roots or flowers ..... | Go to 2 |
| 2 | No true roots or flowers ..... | Bryophytes |
| | True roots: with or without flowers ..... | Go to 3 |
| 3 | No flowers or seeds, reproduce by spores ..... | Pteridophytes |
| | Seed-bearing plants ..... | Go to 4 |
| 4 | Seeds in cones ..... | Gymnosperms |
| | Seeds produced in an ovary/flower ..... | Angiosperms |

**FIGURE 3.75** Better dry between your toes or you may get the fungal infection athlete's foot (*Tinea pedis*).

**FIGURE 3.76** Mushrooms are fungi we eat, and yeasts are very important in making bread and wine.

## ACTIVITY: Lichen, fungi and algae in biology books

Look up lichens, algae and fungi in at least three different biology books and record whether they are classified as belonging to the plant kingdom or to a different group. Try to find at least one biology book published before 1980. Why have ideas about the classification of lichens, algae and fungi changed? Use your data to complete the table.

**TABLE 3.8** Lichen, fungi and algae in textbooks

| Reference title | Date published | Lichen grouping | Fungi grouping | Algae grouping |
|---|---|---|---|---|
| e.g. Text A | 1983 | Plant kingdom | Plant kingdom | Plant kingdom |
| e.g. Text B | 1990 | Fungi kingdom | Fungi kingdom | Protoctista kingdom |
| | | | | |
| | | | | |

## on Resources

**eWorkbook** Lichen, fungi and algae (ewbk-4038)

**assessON** Additional automatically marked question sets

# 3.12 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 6, 10 | Questions<br>3, 4, 8, 9 | Questions<br>5, 7, 11, 12 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   - **a.** Algae, fungi and lichen do not produce flowers and seeds.
   - **b.** All algae live in water.
   - **c.** Algae are made up of a fungus and a lichen.
   - **d.** Although some fungi are multicellular, most are unicellular.
   - **e.** Fungi contain chlorophyll.
   - **f.** Fungi produce enzymes that break down food outside their cells.
   - **g.** Lichen grow very slowly and are extremely long-lived.
   - **h.** Lichen may be found on bare rocks, bark of trees and mountain tops.
2. Recall the group (Algae, Fungi, Lichens or Plants) to which the following belong:
   - **a.** diatoms
   - **b.** giant kelp (seaweed)
   - **c.** toadstools
   - **d.** the cause of athlete's foot (tinea)
   - **e.** the source of penicillin.
3. Construct a table that summarises the characteristics of lichens, algae and fungi.

## Apply and analyse

4. Lichens are mutualistic symbiotic relationships between a fungus and an alga. Outline how each of these organisms benefit in this relationship.
5. SIS Find out about and report on the features used to classify fungi into groups. Include labelled diagrams or sketches in your report.
6. What are the symptoms of tinea? How do you get it and how can it be prevented and treated?
7. Based on what you have learnt about why some organisms are reclassified, answer the following questions.
   - **a.** Suggest reasons why lichens, algae and fungi were once classified as plants.
   - **b.** Which, if any of these groups, do you think are most like plants? Why?
   - **c.** If you were a biologist, would you classify any of these groups as plants? Explain.
8. What are slime moulds? Describe their characteristics. Into which kingdom would you classify them?

## Evaluate and create

9. Construct a dichotomous branching key that could be used to classify lichens, algae and fungi.
10. Use a Venn diagram to compare angiosperms and fungi.
11. SIS Design an investigation, using slices of bread, to find out which conditions are best suited to growing moulds.
12. SIS Find out more about the discovery of penicllin and the influence it has had on medicine and disease.
    - Include reference to the mould penicillium, and the research contributions of Howard Florey, Ernst Chain and Alexander Fleming.
    - Present your findings in a format of your choosing.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.13 Thinking tools — Tree maps

## 3.13.1 Tell me

### What is a tree map?

A tree map or tree diagram is used when you need to show the hierarchy or order of ideas within a topic. They are also used to show the way that things can be divided into strata or levels. The dichotomous keys you have been creating and examining in this topic are a kind of tree map.

Think of this kind of diagram as a map that shows how one bigger concept or original thing can be broken down into smaller categories or parts. They are also known as branching diagrams.

**FIGURE 3.77** A tree map




### What is a tree map for?

A tree map shows a hierarchy, so you use a tree diagram when you need to show an order or grading of things — from the biggest or earliest, to the smallest or latest. A great way to remember what you use a tree diagram for is to remember that your family tree is a tree diagram. A family tree organises family members from oldest to youngest by showing each generation of parents and children in order.

## 3.13.2 Show me

To create a tree diagram:

1. On small pieces of paper, write down all the important ideas related to your topic. This might include specific examples, ideas and bigger concepts. For example, if you were creating a tree diagram to show the jobs people have in your school, you might come up with some of the following:

**FIGURE 3.78** Write down all your terms.




2. Arrange your pieces of paper in groups related to the main ideas within the topic. The main idea in this example is ‘jobs held by people in your school’. Because tree diagrams are used to show a hierarchy or order, we can put the jobs in order of seniority or rank.

**FIGURE 3.79** Group your ideas in categories.

| Highest levels (in charge of school) | Next level (in charge of groups) | Homeroom/Pastoral care | Classroom teachers |
|---|---|---|---|
| Principal | Heads of Houses | Homeroom teachers | Science teachers |
| Deputy principal | Heads of subjects | Guidance counsellors | Art teachers |

3. Within each group, arrange the ideas into their order. In this case, we have used leadership and teachers to define our groups.

**FIGURE 3.80** Arrange ideas in your groups.

| Leadership | | Teachers | |
|---|---|---|---|
| Principal | Heads of Houses | Homeroom teachers | Science teachers |
| Deputy principal | Heads of subjects | Guidance counsellors | Art teachers |

4. Now draw your tree diagram with the main ideas at the top and others below it. The example here is for a hierarchy of people, but the same process applies to ordering ideas.

**FIGURE 3.81** A tree map showing staff in a school




## 3.13.3 Let me do it

### 3.13 Activities

1. Create a tree map showing your family or the people you live with. You may wish to include any pets as well.
2. Pick any eight items in your pencil case or around your desk. Create a tree map to sort these into groups.
3. Write down your eight favourite animals and create a tree map to classify them into groups.
4. Select one of the following groups: spiders, mushrooms, flowers or fish. Research at least eight different organisms and place them in a tree map.

**Fully worked solutions and sample responses are available in your digital formats.**

# 3.14 Project — Snakes alive

## Scenario

Every year in Australia, an average of around 4000 people are bitten by snakes. Some of these snakes are non-venomous and their bite results in little more than a nasty wound, but many are venomous with a bite that is deadly unless medical intervention can be reached in time — in fact, Australia has more venomous snake species than any other country in the world! You can encounter a snake just about anywhere — on bushwalking trails, in your back garden, in a shed, even swimming in the ocean — so it is really important that you know what kind of snake you are looking at.

**FIGURE 3.82** Some snakes found in Australia are non-venomous, but some are venomous.

## Your task

Your group has been approached by State Parks and Wildlife to create a Snake Safety brochure, copies of which will be sent out to all bushwalking clubs and National Park centres in your state for distribution to bushwalkers, campers and nature lovers. The main part of the brochure will be an easy-to-follow identification key that allows the reader to quickly and easily determine the species of snake they have encountered and so learn whether it is venomous or non-venomous. The brochure will also contain a diagram indicating on a state map where different venomous species are usually found, as well as advice on what to do if you encounter a snake and what first aid you should render if someone is bitten by a venomous or non-venomous snake. You may also like to include some interesting snake statistics, or a Snake Fact or Fiction section.

**FIGURE 3.83** If you encounter a snake, it is important to be able to identify what kind of snake you are looking at.

### on Resources

**ProjectsPLUS** Snakes alive! (proj-0088)

# 3.15 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-4047 | ewbk-4049 | ewbk-4051 |

on Resources

## 3.15.1 Summary

### Classification systems

- All living things (organisms) respond to changes in their environment, need energy to survive, assimilate (take in and process) substances, produce and excrete wastes, grow and reproduce.
- Cells are the building blocks that make up all living things.
- Organisms are made up of one (unicellular) or many cells (multicellular).
- Classifying things into groups can make them easier to remember, describe and identify.

### Patterns in scientific language

- The prefixes and suffixes of many scientific terms can provide hints about their meaning.

### Understanding scientific names

- In the five-kingdom system of classification, all living things are divided up into the Animalia, Plantae, Fungi, Protista (or Protoctista) and Monera (or Prokaryotae) kingdoms.
- A key characteristic used to classify organisms into the five different kingdoms was the structure of their cells.
- There are different levels in the classification hierarchy: Kingdom, Phylum, Class, Order, Family, Genus, Species.
- As you move from kingdoms to species, the members of the group have increasingly more in common.
- Organisms of the same species resemble each other and can interbreed to produce fertile offspring.
- Binomial nomenclature is a naming system in which each species has a name made up of two words. The genus name is the first word with a capital letter, and lower case is used for the second word (which is the descriptive name). Together they make up the scientific name for the species, which should be typed in italics or underlined if handwritten (e.g., *Homo sapiens*).

### Keys to unlock identity

- Keys and field guides can be used to identify organisms. A variety of criteria are used to classify the unknown organism into small groups based on whether it has a particular feature.
- Dichotomous keys provide choices at each branch and can be presented as branching keys or tabular keys.
- Circular keys and field guides are also useful classification tools.
- The presence or absence of structural features (or differences are) better to use when classifying than size, colour and habitat, because these features can change throughout the lie of an organism.

### Classifying animals

- The presence or absence of a backbone (vertebrates or invertebrates), the type of skeleton (endoskeleton, exoskeleton or no skeleton) and type of body pattern (radial symmetry, bilateral symmetry or asymmetry) are useful features to use when classifying animals.
- Animals can be classified into nine main phyla: Porifera, Platyhelminthes, Nematoda, Mollusca, Annelida, Arthropoda, Chordata, Echinodermata, Cnidaria.

### Vertebrates

- Vertebrates can be classified into five main groups: Mammals, Fish, Birds, Amphibians and Reptiles.
- Similarities in structure (such as the pentadactyl forelimb in vertebrates) can suggest that they shared a common ancestor at some point in their evolution.

### Mammals

- Mammals can be classified on how they give birth to their young: Placental mammals, marsupials and monotremes.

### Invertebrates

- Invertebrates can be classified into eight main groups: Arthropods, Molluscs, Echinoderms, Porifera, Cnidarians, Annelids, Nematodes, Platyhelminthes.
- Arthropods can be classified based on the organisation and number of their legs into Chilopods, Diplopods, Insects, Arachnids, and Crustaceans.
- Insects can be classified on their mouthparts and wings.

### Classifying plants

- The presence or absence of vascular tissue, flowers and seeds can be used to classify plants into Angiosperms, Gymnosperms, Pteridophytes and Bryophytes.
- New technologies and discoveries have led to the proposal of alternative classification systems.

### Algae, fungus and lichen

- Although once considered plants, algae, lichen and fungi are no longer classified as plants.

## 3.15.2 Key terms

**algae** aquatic photosynthetic organisms that are often unicellular
**angiosperms** vascular plants that produce seeds and flowers
**arthropod** animal that has an exoskeleton, a segmented body and jointed legs (e.g. insects, crabs)
**assimilate** take in and process
**asymmetry** lack of symmetry
**binomial nomenclature** a system developed by Linnaeus for naming species using two words — the genus name and a descriptive name
**bilateral symmetry** symmetrical or looking the same along one plane
**chromosome** tiny, thread-like structure that contains the DNA that carries genetic information
**dead** once alive but now not alive
**dichotomous key** diagrams used to classify things, by grouping them into smaller and smaller groups based on choosing one of two features
**ectoparasite** parasite that lives on the outside of its host
**ectotherm** animals whose body temperature changes depending on the external environment
**endoparasite** parasite that lives inside its host
**endoskeleton** skeleton or shell inside the body
**endotherm** animals that can maintain their internal body temperature in a constant range
**etymology** the study of words, their origin and their grammar
**exoskeleton** skeleton or shell that lies outside the body
**excrete** get rid of waste
**fungi** eukaryotic organisms that generally use spores to reproduce and contain cell walls made of chitin
**grow** undergo development
**gymnosperms** vascular plants that produce seeds in woody cones, but do not produce flowers
**invertebrates** animals without backbones
**kingdom** a scientific classification referring to a group of related phyla with similar features and distinctive characteristics
**lichen** mutualistic symbiotic relationship of a fungus with an alga and/or a cyanobacterium
**marsupial** the order of non-placental mammals that are born at a very early stage of development and then grow inside their mother's pouch

**monotreme** the order of non-placental mammals that lay leathery-shelled eggs and secrete milk through pores in the skin
**multicellular** an organism that is made up of many cells
**non-living** not ever alive, as distinct from dead
**organisms** living things made up of one or more cells
**parasite** an organism that lives on or within another organism, to get all or some of its nourishment
**phloem** vascular tissue that transports organic substances (such as sugars) within plants
**placental mammal** the order of mammals in which the young grow inside the mother, receiving nutrition via a cord attached to the placenta, and are born at a well-developed stage
**prions** infectious proteins that can cause disease
**proboscis** a long feeding tube attached to the head of some insects. It sometimes rolls up when not in use
**pteridophytes** vascular plants that produce spores usually located on the underside of their leaves
**radial symmetry** symmetrical about the centre axis
**respond** react to a stimulus
**reproduce** to create offspring
**setae** bristle like structures often found on invertebrates
**species** a group of organisms with many features in common that can mate with each other to produce fertile young under natural conditions
**symmetry** the quality of being a mirror image across an axis
**taxonomy** the study of the classification of organisms
**tracheophyta** plants with a vascular system
**unicellular** an organism made up of a single cell
**vascular tissue** plant tissue involved in the transport of substances within the plant (and in plant support)
**vertebrates** animals with backbones
**vector** an organism that does not cause disease, but transports another disease-causing organism
**virus** a non-cellular pathogen that uses the host cells in order to reproduce
**viroids** the smallest infectious known pathogen, comprised solely of a short single-stranded piece of RNA
**xylem** vascular tissue that carries water and minerals from the roots up to the leaves

## Resources

| | |
|---|---|
| **Digital document** | Key terms glossary (doc-26463) |
| **eWorkbooks** | Study checklist ewbk-4040)<br>Literacy builder (ewbk-4041)<br>Crossword (ewbk-4043)<br>Word search (ewbk-4045) |
| **Practical investigation eLogbook** | Topic 3 Practical investigation eLogbook (elog-0381) |

# 3.15 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3, 4, 7, 10, 13, 15 | Questions<br>2, 5, 6, 8, 9, 11, 12, 16 | Questions<br>14, 17, 18, 19, 20 |

## Remember and understand

1. Identify whether the statements are TRUE or FALSE. Rewrite any false responses to make them true.
   - **a.** Plants don't need energy because they make their own.
   - **b.** All living things are made up of cells.
   - **c.** Classifying things into groups can make them easier to remember, describe and identify.
   - **d.** Cell structure can be used to classify organisms into the five different kingdoms.
   - **e.** The order of the classification hierarchy is: Kingdom, Phylum, Order, Family, Class, Genus, Species.
   - **f.** Binomial nomenclature is a naming system in which each species has a name made up of two words; the first is its genus name and the second is the descriptive name.
2. Complete the following, based on your understanding of this topic.
   - **a.** Describe the system of binomial nomenclature.
   - **b.** State the species name for humans.
   - **c.** List the seven levels of classification hierarchy in order from kingdom to species.
   - **d.** Identify which group contains more living things, the kingdom 'Animalia' or the order 'Primate'.
   - **e.** As you move from kingdom to species, do its members have more, or less, in common?
3. Suggest the identity of the kingdoms (A–E) in the Five kingdoms key shown.



4. Suggest the identity of the type of mammal (A–C) in the diagram shown.




5. Suggest the identity of the missing features (A–E) in the Invertebrates key shown.




6. Identify an example for each plant phylum:
   a. bryophytes
   b. pteridophytes
   c. angiosperms
   d. gymnosperms.

7. Using the information in the Vertebrates dichotomous key, identify the following:
   a. I have no hair, scales or feathers.
   b. I have scales and gills, but not feathers.




8. Using the information in the Arthropods key, identify the following:
   a. I have four pairs of legs on my thorax.
   b. My tubular body has two pairs of legs on each segment.




## Apply and analyse

9. Describe how clues in the prefixes and suffixes of scientific words can help you predict their meanings. Give an example.
10. Explain why scientists classify living things.
11. Distinguish between:
    a. radial symmetry, bilateral symmetry and asymmetry
    b. endoskeletons and exoskeletons
    c. invertebrates and vertebrates.

12. **a.** List the kingdom, phylum, class, order, family, genus and species of humans.
    **b.** Describe what organisms in the same class have in common.
13. Use the Arthropod key to identify the group to which each of the following arthropods belongs.

**a.**

**b.**

**c.**

**d.**

**e.**

14. Use the information in the Insect specimens dichotomous key to complete the following questions.




**a.** Identify an example of an animal that fits the following description.
    **i.** I have two pairs of wings.
    **ii.** My legs are good for gripping, and I don't have wings or a pincer.
**b.** List the features of an insect belonging to the Siphonaptera order.
**c.** Identify the order to which specimens (a–d) belong.

**a.**

**b.**

**c.**

**d.**

## Evaluate and create

15. Use the information in the Vertebrates dichotomous key (in question 7) to construct Venn diagrams to show the similarities and differences between each of the following pairs.
    a. Fish and reptiles
    b. Amphibians and mammals
16. Use the information in the Arthropods dichotomous key (in question 8) to construct Venn diagrams to show the similarities and differences between each of the following pairs.
    a. Chilopods and diplopods
    b. Insects, arachnids and crustaceans
17. Use the information in the Insect specimens dichotomous key (in question 14) to construct Venn diagrams to show the similarities and differences between each of the following pairs.
    a. Lepidoptera and Diptera
    b. Siphonaptera and Phthiraptera
18. Investigate branching, circular and tabular dichotomous keys.
    a. Describe these and potential usefulness of each key.
    b. Rank these keys from most useful to least useful. Justify your ranking.
    c. Identify one way in which each key could be improved.
19. Construct a dichotomous key that would distinguish between these insects and enable their identification.

**earwig**
(Dermaptera)

**dragonfly**
(Odonata)

**thrips**
(Thysanoptera)

**thysanuran**
(Zygentoma)

20. Use Venn diagrams to summarise the Five Kingdom classification.

## on Resources

**eWorkbook** Reflection (ewbk-3038)

## teachon

**Test maker**
Create customised assessment from our extensive range of questions, including teacher quarantined questions.
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 3.1 Overview

**eWorkbooks**
- Topic 3 eWorkbook (ewbk-3995)
- Student learning matrix (ewbk-3999)
- Starter activity (ewbk-3997)

**Practical investigation eLogbook**
- Topic 3 Practical investigation eLogbook (elog-0381)

**Video eLessons**
- Komodo dragons (eles-3274)
- The weedy seadragon (eles-2067)

**Weblink**
- The ruby seadragon

## 3.2 Classification systems

**eWorkbooks**
- Is it alive? (ewbk-4000)
- Labelling the kingdoms (ewbk-4002)
- Five-kingdom classification (ewbk-4006)
- Creatures from a parallel universe (ewbk-4008)

**Video eLesson**
- Sunflower seedlings (eles-2205)

**Interactivities**
- Alive, not alive or dead? (int-3422)
- Labelling the kingdoms (int-8232)
- Kingdoms (int-0204)

**Weblinks**
- What Are Sea Monkeys?
- What a Scientist Learned From Studying the 'Synchronized Swimming' of Sea Monkeys

## 3.3 Patterns in scientific language

**eWorkbook**
- Unlocking scientific language (ewbk-4010)

**Practical investigation eLogbook**
- Investigation 3.1 Cryptonym game (elog-0382)

**Interactivity**
- The language of science (int-0935)

**Weblink**
- Tiny raptor tracks big discovery

## 3.4 Understanding scientific names

**eWorkbook**
- A catalogue of cats (ewbk-4012)

**Interactivity**
- How species are named (int-3421)

## 3.5 Keys to unlock identity

**eWorkbooks**
- My own zoo (ewbk-4014)
- Branching keys (ewbk-4016)
- Tabular and circular keys (ewbk-4018)

**Practical investigation eLogbooks**
- Investigation 3.2 Making a class key (elog-0384)
- Investigation 3.3 Making a class field guide (elog-0386)

**Interactivities**
- Dichotomous key (int-3423)
- Branching key (int-3424)
- Circular key (int-3425)

## 3.6 Classifying animals

**eWorkbooks**
- Labelling examples of animals with endoskeletons and exoskeletons (ewbk-6648)
- Animal features (ewbk-4020)

**Practical investigation eLogbook**
- Classifying animals into phyla (elog-0388)

**Interactivities**
- Labelling examples of animals with endoskeletons and exoskeletons (int-8169)
- Features of animals (int-3428)

## 3.7 Vertebrates

**eWorkbooks**
- Labelling the vertebrates dichotomous key (ewbk-4022)
- Classifying vertebrates (ewbk-4024)

**eLesson**
- Spinal cord (eles-2209)

**Interactivities**
- Labelling the vertebrates dichotomous key (int-0937)
- Labelling vertebrate classification (int-3429)

**Weblink**
- Frog ID

## 3.8 Mammals

**eWorkbook**
- Looks can be deceiving (ewbk-4026)

**Video eLessons**
- Australian animals (eles-2211)
- The platypus (eles-2212)
- Why did Australia's marsupials go extinct? (eles-2850)

**Interactivities**
- Classification of mammals (int-3420)
- Adaptations of kangaroos (int-3431)

## 3.9 Invertebrates

**eWorkbooks**
- Labelling the invertebrates dichotomous key (ewbk-4028)
- Labelling the arthropod dichotomous key (ewbk-4030)
- Labelling the insects dichotomous key (ewbk-6650)
- Classifying invertebrates (ewbk-4032)

**Digital document**
- Human endeavours in classification (doc-26461)

**Video eLessons**
- Praying mantis (eles-2208)
- The movement of invertebrates (eles-4235)
- Insects under the microscope (eles-4236)

**Interactivities**
- Labelling the invertebrate dichotomous key (int-0938)
- Labelling the arthropod dichotomous key (int-0939)
- Labelling the insects dichotomous key (int-8170)

## 3.10 Classifying plants

**eWorkbooks**
- Labelling the plants dichotomous key (ewbk-4034)
- Getting to know plants (ewbk-4036)

**Video eLesson**
- Growing plants in Australia (eles-0055)

**Interactivities**
- Labelling the plants dichotomous key (int-8168)
- Classification of plants (int-8171)

## 3.11 The unique flora of Australia

**Interactivity**
- Adaptations in Eucalyptus trees (int-3432)

## 3.12 Algae, fungi and lichens

**eWorkbook**
- Lichen, fungi and algae (ewbk-4038)

## 3.14 Project — Snakes alive

**ProjectPLUS**
- Snakes alive! (pro-0088)

## 3.15 Review

**Digital document**
- Key terms glossary (doc-26463)

**eWorkbooks**
- Topic review Level 1 (ewbk-4047)
- Topic review Level 2 (ewbk-4049)
- Topic review Level 3 (ewbk-4051)
- Study checklist (ewbk-4040)
- Literacy builder (ewbk-4041)
- Crossword (ewbk-4043)
- Word search (ewbk-4045)
- Reflection (ewbk-3038)

**Practical investigation eLogbook**
- Topic 3 Practical investigation eLogbook (elog-0381)

To access these online resources, log on to www.jacplus.com.au

# 4 Ecosystems

## LEARNING SEQUENCE


4.1 Overview ..... 158
4.2 What are ecosystems? ..... 160
4.3 Relationships in ecosystems ..... 170
4.4 Food chains and food webs ..... 179
4.5 The importance of flowering plants ..... 188
4.6 Decomposition and nature's recycling ..... 195
4.7 The connection of Indigenous Australians to their ecosystems ..... 205
4.8 Human impact on ecosystems ..... 209
4.9 Extinction ..... 220
4.10 Ecological footprints and sustainability ..... 225
4.11 Thinking tools — Relational diagrams ..... 232
4.12 Project — Small acts, big changes ..... 235
4.13 Review ..... 236

# 4.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at jacplus.com.au. They will help you to learn the content and concepts covered in this topic.

## 4.1.1 Introduction

Ecosystems are made up of living things that interact with each other as well as with their non-living surroundings.

Look at the picture of the coral reef in figure 4.1. It is just one example of an ecosystem. Look closely for evidence of some of the many interactions that are occurring between the different types of **organisms**. For example, you can see different types of fish swimming close by each other among the many forms of coral.

**FIGURE 4.1** A coral reef is one example of an ecosystem.

Humans can affect these interactions between different organisms. The scuba diver might knock the coral with her flipper or catch some of the fish to eat for dinner.

The picture also shows living things interacting with non-living things. There is some light shining from the sun above that is warming the water. The sunlight also enables the plant life to grow.

Some interactions between organisms in this ecosystem involve feeding relationships. Larger marine animals might eat small fish; small fish might eat plants or **microorganisms** in the water.

In this topic, you will explore how organisms interact with each other; sometimes in a harmful way, sometimes in a beneficial way.

**organisms** living things

**microorganisms** microscopic (very small) life forms

### on Resources

**Video eLesson** The beauty of the coral reef (eles-4161)

Coral reefs are one of the most diverse and beautiful ecosystems. Watch this video to see the diversity of a coral reef and the interactions between living and non-living things.

## 4.1.2 Think about ecosystems

1. How many different species of living organism do you interact with or encounter in a normal day?
2. How might the types of food people eat have changed Australia's environment in the last 300 years?
3. Which species would you eradicate (remove) from Australia if you could? Why?
4. Would you consider your house or your classroom an ecosystem?
5. What are some ways that you affect different ecosystems?
6. How do living and non-living things interact in an ecosystem?

# 4.1.3 Science inquiry

## Connected threads

Biologist Professor James Lovelock developed the Gaia theory in 1965. He named his theory after Gaia, the mythical Greek goddess of Mother Earth. His theory states that Earth is a 'superorganism' made up of both the physical environment and living organisms. In this theory, the forests are like skin, sweating to keep us cool. Rivers and oceans are like blood transporting supplies to where they are needed and washing away wastes. Just like the linked threads within a spider's web, in the Gaia theory interactions in one part may have implications in another part. Damaging one part may damage all; likewise, helping one part may help all.

Our planet contains a variety of different **ecosystems**. These ecosystems are made up of living and non-living things that interact with each other. The non-living things (such as temperature, water, soil and light) can determine which types of living things can survive in a particular area. These living things can affect both non-living and other living things within their ecosystem. In a similar way, interactions in one part of an ecosystem may have implications not only for one ecosystem, but also for others on our planet.

**ecosystem** community of living things that interact with each other and with the environment in which they live

elog-0498

## INVESTIGATION 4.1

### Modelling interactions

#### Aim

**To use a model to demonstrate interactions between living and non-living things within an ecosystem**

#### Materials

- one large label per student
- ball of string

#### Method

1. Select a part of the environment and write it on a large label. Examples you could use are the Sun, temperature, wind, soil, water, light, a bee, a worm, a bird, a plant or a human. Make sure that you don't have the same part as someone else!
2. Organise yourselves into a circle.
3. Decide who is to go first. This person holds on to one end of the string and passes the ball of string to another student in the circle, while explaining their relationship to what that student represents. For example, a 'plant' may pass the string to 'light' and say, 'I need light in order to photosynthesise'.
4. Repeat the last step until you can't think of any more relationships.
5. Have someone record your string pattern on paper or the board.
6. What do you think might happen if one part of your 'circle environment' is removed? Try this and discuss what happens.
7. While standing in the circle, discuss which parts of the environment you would not let go of. Include reasons for suggestions given.
8. In your circle, get all of those parts that are non-living (abiotic) to sit down. Discuss your observations.

### Results

1. Draw your string pattern. Remember to give your diagram an appropriate title.
2. Note down any observations you made during this investigation.

### Discussion

1. Comment on the string pattern.
2. Comment on what happened when one part of the circle was removed.
3. Which parts were considered living? What reasons were given for these? Do you agree? What is your opinion?
4. What happened when all of the non-living parts sat down? What do you think would happen in a real ecosystem?

### Conclusion

Provide a conclusion for your investigation, outlining what you observed and how this relates to a real ecosystem.

## on Resources

**eWorkbooks**
Topic 4 eWorkbook (ewbk-4659)
Student learning matrix (ewbk-4663)
Starter activity (ewbk-4661)

**Practical investigation eLogbook**
Topic 4 Practical investigation eLogbook (elog-0497)

learnon
Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions.

# 4.2 What are ecosystems?

### LEARNING INTENTION

At the end of this subtopic you will be able to describe ecosystems, including the way that living and non-living things interact, and the conditions that are best suited to specific living and non-living things.

## 4.2.1 Ecology

The world around you is filled with amazing diversity. Next time you go to the zoo, the beach, an aquarium, or just walk outside, have a look at how many different living things there are around you. Differences between these organisms provide clues about how they survive in the environments in which they live. Whatever the differences between the organisms, they depend on each other and their environment for their survival.

The study of the interactions between these components is known as **ecology**.

**ecology** the study of the way in which living things interact with each other organisms and with their environment

int-8189

**FIGURE 4.2** Organisms in an ecosystem depend on each other.




## 4.2.2 Ecosystems

Ecosystems are made up of living things (**biotic factors**) and non-living things (**abiotic factors**) that interact with each other.

Within an ecosystem, there are interactions between the biotic factors and between the biotic and abiotic factors. These relationships are shown in figure 4.3.

Examples of biotic factors include:

- Bacteria
- Worms
- Plants
- Snakes

Examples of abiotic factors include:

- Water
- Temperature
- Salt levels (salinity)
- Light intensity
- Oxygen levels
- pH (acidity)

**biotic factors** the living things in an ecosystem

**abiotic factors** the non-living things in an ecosystem

**FIGURE 4.3** Biotic and abiotic factors in an ecosystem interact with each other.




## 4.2.3 Habitat

An ecosystem contains many habitats. A **habitat** is the place or location within the ecosystem where an organism lives. For example, the habitat of a frog may be a pond, for a scorpion it may be the desert and for a fish it may be the ocean. An organism's habitat provides it with appropriate environmental conditions (such as light intensity and temperature) and essential resources, such as food, water, oxygen and shelter.

**FIGURE 4.4** The different habitats of three organisms: **a.** a frog **b.** a scorpion **c.** coral

## 4.2.4 Abiotic factors

Abiotic factors can determine the conditions in a particular environment. These environmental conditions can affect which types of organisms can survive in that environment. Examples of abiotic factors include salinity (amount of salt), temperature, pH, humidity, sunlight and oxygen levels.

Each **species** has a **tolerance range** for a particular abiotic factor.Within this tolerance range, the **optimum range** is the range in which the organism functions best. This can be thought of like a target, as shown in figure 4.5

**FIGURE 4.5** Organisms want to live in the centre of the target: the optimum conditions.




**habitat** the place in which a particular organism lives

**species** a group of organisms with many features in common, that can mate with each other to produce fertile young under natural conditions

**tolerance range** the range of environmental conditions in which a species can survive

**optimum range** the range of environmental conditions in which a species can thrive

Figure 4.6 is a graph showing the optimum temperature for a camel and a dog. As organisms are most comfortable at the optimal temperature, a majority of organisms in the species will be found living within these temperatures.

**FIGURE 4.6** Abiotic factors can affect the survival of an organism within an ecosystem.




## DISCUSSION

What is a human's tolerance range and optimum range for different abiotic factors?

Abiotic factors (e.g. temperature, pH and humidity) within habitats can influence:

- the types of organisms living there
- where each type of organism is found within the habitat
- how many of each different kind of organism are in the habitat.

## 4.2.5 Biotic factors

The biotic factors within an ecosystem can be grouped in a number of different ways. One way is in terms of their complexity, which can be seen in figure 4.7. All biotic factors are living organisms and thus are made up of cells. Organisms of the same species (those that can interbreed) can group together in different ways to form populations and communities.

int-8095
ewbk-4664

**FIGURE 4.7** Levels of biological organisation




### ACTIVITY: More than one school community?

How many different habitats and ecosystems are there in your school grounds? Does your school have a pond or wetlands?

List, draw and briefly describe the different habitats and ecosystems.

Ensure you include information about abiotic and biotic factors.

## How many organisms?

When exploring ecosytems, it is important to consider the number of organisms that live in a certain area. There are two scientific terms we use when discussing how many of each different kind of organism live in a habitat:

- distribution: the location of a population and its spread across an area
- density: the number of a particular organism in that area.

The distribution and density of particular types of organisms within habitats can be very useful. Information about the distribution and density of endangered species or unwanted introduced species within habitats may be used to plan appropriate protective or reduction strategies.

# 4.2.6 Interacting atoms

The particles that make up everything around us are called **atoms**. Groups of atoms are called molecules. Water ($H_2O$) and carbon dioxide ($CO_2$) are two examples of molecules. Many atoms cycle through living and non-living parts of ecosystems, as is shown in figure 4.8.

In the carbon cycle, for example, carbon atoms may be taken in by plants in the form of carbon dioxide to use in the process of photosynthesis where they produce glucose. When animals eat the plants, they digest the food into tiny molecules that are able to be used by their cells. These organisms can use a process called cellular respiration, to convert glucose into a form of energy which their cells can use. Carbon dioxide is a waste product of this process and is released back into the surroundings.

**atoms** very small particles that make up all things

**FIGURE 4.8** Cycles of nature in an ecosystem allow the matter to be recycled. The water, nitrogen and carbon cycles work together to sustain a healthy ecosystem.




elog-0500

## INVESTIGATION 4.2

### Ecosystem in a bottle

#### Aim

**To create your own ecosystem**

#### Materials

- 1 L clear plastic bottle
- scissors or knife
- masking tape
- soil or potting mix
- small plants or seedlings
- grass clippings or ground mulch (including small organisms)

#### Method

1. Cut the top off the bottle.
2. Pour the soil or potting mix into the bottom of the bottle.
3. Plant the seedlings into the potting mix.
4. Place the ground mulch or grass clippings over the potting mix and around the seedlings.
5. Add sufficient water to moisten the soil.

6. Put the top back on the bottle and seal it with masking tape. The bottle should be completely sealed so that no air, nutrients, animals or plants can be added or removed from the mini ecosystem for the duration of the experiment.

### Results

1. Record your observations for your mini ecosystem each lesson for the duration of the topic.
2. Summarise your results in a table. Remember to give your table a name; for example, 'Observations of ecosystem over 2 weeks'.

### Discussion

1. Comment on something that you found interesting or learned throughout your observations.
2. The living things in your mini ecosystem need oxygen to survive. Suggest why.
3. If the bottle was sealed, where did the organisms in your ecosystem get the oxygen from?
4. If you didn't add food to your bottle ecosystem throughout the investigation, where did the organisms get energy from?
5. If the ecosystem inside your bottle is balanced, the organisms within it could continue to survive for a long time without the need for you to add extra water and food.
   a. Suggest possible reasons for this.
   b. What is meant by the term 'balanced ecosystem'?
   c. Suggest events that could unbalance your ecosystem.
6. List three strengths in the design of this investigation.
7. Suggest how this investigation could be improved.

### Conclusion

Summarise your findings from your bottle ecosystem investigation.

elog-0502

## INVESTIGATION 4.3

### Measuring abiotic factors that can affect biotic factors

#### Aim

**To measure abiotic factors that may influence the survival of organisms within habitats**

#### Materials

- water samples A, B and C (provided by your teacher)
- thermometer
- dropper bottle of silver nitrate solution (0.1 mol/L)
- dropper bottle of universal indicator solution and universal indicator colour chart, or universal pH indicator paper

#### Method

1. Collect your three samples of water- ensure they are labelled as A, B and C.
2. Use the thermometer to measure the temperature of each sample.
3. Test the pH using either of the following methods:
   *Method 1*
   - Pour 5 mL of water sample A into a test tube.
   - Add three drops of universal indicator.
   - Compare the colour of the water with the colour chart and record the pH of the water sample. Repeat for the other samples.

*Method 2*

- Dip a small piece of universal pH indicator paper into water sample A.
- Use the colour chart to match the pH of the water sample.
- Record the pH in your table. Repeat for the other samples.

4. Test the salinity using the following method:
   - Pour 5 mL of water sample A into a test tube.
   - Add three drops of silver nitrate solution.
   - Observe the changes and use these to determine the salinity by using the table 'Salinity observations for the silver nitrate test'. Repeat for the other samples.
5. Record all your results for each sample.

**TABLE** Salinity observations for silver nitrate test

| Description | Salinity |
|---|---|
| Clear | Nil |
| Slightly cloudy | Low |
| Completely white/grey | High |

## Results

1. Complete the following table.

**TABLE** Abiotic measurements of three different water samples

| Abiotic factor | Sample A | Sample B | Sample C |
|---|---|---|---|
| Temperature (°C) | | | |
| pH | | | |
| Salinity | | | |

2. Of the abiotic factors measured, which factor varied between the samples: (a) the most and (b) the least?

## Discussion

1. Within aquatic (water) ecosystems, temperature is very important because it can influence dissolved oxygen levels and the rate at which plants capture light energy to convert it into chemical energy that they and others can use.
   a. If you had measured the temperatures of your water samples in their original environments, do you think that they would be the same? Explain.
   b. Which of your water samples had the highest temperature and which had the lowest temperature?
   c. Suggest the impact of increasing water temperature on organisms living in aquatic habitats.
2. A pH less than 7 is considered acidic. The lower the pH, the more acidic the sample is.
   a. Which of your samples was the most acidic?
   b. What types of organisms could survive this habitat?
   c. Suggest reasons for the differences in pH between your samples.
3. While salt is a natural component of our Australian landscape, a number of our freshwater ecosystems are becoming increasingly threatened by increasing salinity.
   a. Which of your water samples had the highest salinity and which had the lowest salinity?
   b. Suggest reasons for the differences in salinity between your samples.
4. Answer the following questions about your investigation.
   a. Identify which of the tests were qualitative and which were quantitative. Quantitative data is measured, so it has a number. Qualitative data describes the information, so it is in words.
   b. Which variables were controlled in the salinity test?
   c. List two experimental design strengths.
   d. Suggest two ways in which the experiment investigation could be improved.

## Conclusion

Write a conclusion for your investigation, summarising your findings about the differences in abiotic factors between your three samples.

## SCIENCE AS A HUMAN ENDEAVOUR: The white plague

Did you know that a number of Australia's rivers and landscapes are under threat due to increased salinity? Look at figure 4.9. The salt makes the ground look white. Not only does this salinity put almost 450 species of plants, insects and birds under threat, but it is also affecting some of our most productive agricultural land. Australian scientists are exploring a variety of engineering- and plant-based possible solutions. What can we do to help?

**FIGURE 4.9** Salinity causes devastation to land.

### Resources

**eWorkbook** Biotic and abiotic factors (ewbk-4666)
Ocean explorations (ewbk-4670)

**Video eLesson** The parts of an ecosystem (eles-4256)

**assessON** Additional automatically marked question sets

## 4.2 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 7 | Questions<br>3, 6, 9, 12 | Questions<br>5, 8, 10, 11 |

### Remember and understand

**1.** Match each term with its meaning.

| Term | Meaning |
|---|---|
| **a.** Ecology | **A.** The location of a population and its spread across an area |
| **b.** Ecosystem | **B.** Non-living things |
| **c.** Biotic factors | **C.** Populations of organisms living together in the same habitat |
| **d.** Abiotic factors | **D.** Groups of organisms of the same species in the same area |
| **e.** Population | **E.** The study of how living things interact with their environment |
| **f.** Habitat | **F.** Organisation made up of living things and non-living things interacting |
| **g.** Community | **G.** The range in which the organism functions best |
| **h.** Tolerance range | **H.** Living things |
| **i.** Optimum range | **I.** Place where an organism lives |
| **j.** Distribution | **J.** The number of particular organisms in an area |
| **k.** Density | **K.** The range in which the organism can survive |

2. For each of the following terms, identify if it is an abiotic factor, a biotic factor or a habitat.
   a. mangrove  b. humans  c. wind  d. pond
   e. rain  f. temperature  g. desert  h. headlice
3. Fill in the blanks in the following sentences that explain the difference between key terms.
   a. Abiotic factors are _____ ; biotic factors are _____
   b. Distribution refers to the _____ of organisms; density refers to the _____ of organisms.
   c. Optimum range is the range in which an organism functions _____ ; tolerance range is the range in which an organism can _____ ; the range of intolerance is the range in which an organism _____ survive.
4. Order the following in terms of their complexity, from simplest to most complex.
   organism, ecosystem, population, species, cell, atom, community
5. Outline the relationship between ecosystems, abiotic factors and biotic factors.

## Apply and analyse

6. a. List three biotic and three abiotic factors that are part of the ecosystem in which you live.
   b. Select one of these biotic or abiotic factors and explain the possible consequences if it changed.
   c. Suggest how any negative consequences might be minimised.
7. Find a photograph or draw an image of an animal and use two different-coloured arrows, one for abiotic and one for biotic factors (as shown in the example with the ibis) to add examples of factors that can affect its survival.
8. Select an abiotic factor from the list below and find out more about how it affects the survival of a particular organism.
   - pH (acidity)
   - Salinity
   - Temperature




## Evaluate and create

9. SIS Find out more about the effects of rising salinity on our ecosystems and then suggest why rising salinity has been described as a 'white plague'.
10. SIS Human activity can result in changes in abiotic factors that may have an impact on the survival of organisms within ecosystems.
    a. Find out why rising salinity is an issue in Australia.
    b. Investigate examples of research that Australian scientists are undertaking in their search for possible solutions to the threat of rising salinity within many of our ecosystems. Outline two examples of these.
    c. Compare and contrast these two research responses to the salinity problem and explain which you think is more likely to help with rising salinity.
11. SIS
    a. Suggest a question related to your local habitats or ecosystems that you could research using what you have learned in this investigation.
    b. List the materials and outline the method for your investigation. Submit your proposal to your teacher for approval.
    c. Perform your investigation (or research expected results), collecting your data in appropriate formats.
    d. Discuss and explain your results, relating them back to your research question.
12. SIS Human activity can result in changes to the abiotic factors in habitats, which can affect the survival of other organisms. For example, burning wood and fossil fuels (such as coal) releases oxides of sulfur and nitrogen that can react with water in the atmosphere, forming sulfuric and nitric acid, which can then fall back to Earth's surface as acid precipitation, such as acid rain. Acid rain can decrease the pH of aquatic ecosystems and affect organisms living within it.
    a. Investigate and report on acid rain and its impact on aquatic ecosystems.
    b. Report on research or strategies to reduce the production or impact of acid rain.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.3 Relationships in ecosystems

**LEARNING INTENTION**

At the end of this subtopic you will understand that ecosystems are made of living things interacting with each other through feeding relationships and be able to identify and classify producers, consumers and relationships.

## 4.3.1 Interacting through feeding relationships

If you want to get into the 'zone' to effectively think and learn about ecosystems, you need to focus on relationships and interactions. To get started, carefully observe figure 4.10. How many different types of interactions can you see occurring?

Ecosystems are made up of living (biotic) and non-living (abiotic) things that interact with each other. For example, plants use energy from the sun, some animals eat the plants, and some animals eat other animals. It is through feeding relationships that energy flows through ecosystems and matter can be recycled.

**FIGURE 4.10** Within an ecosystem, organisms interact with each other and with their non-living environment.



## 4.3.2 Living levels of organisation within ecosystems

In order to explore these feeding relationships, you need to be able to distinguish between the terms 'organism', 'species', 'population' and 'community', as shown in figure 4.11. An organism is the simplest form of life. It may be made up of a single cell (unicellular) or many cells (multicellular). Organisms that can interbreed and produce fertile offspring are members of the same species. Organisms of the same species living in the same place at the same time are called **populations**. A group of populations that live and interact with each other in the same area is called a **community**. Basically, an ecosystem is made up of a community and its physical environment (biotic and abiotic factors), as shown in figure 4.12.

**FIGURE 4.11** An ecosystem is a complex level of organisation.

**FIGURE 4.12** Within an ecosystem, communities of organisms interact with the physical environment and abiotic factors. These communities are made up of populations of organisms. Each of these organisms is made up of at least one cell.




Do you make it or take it? Within ecosystems, the members of a community can be identified as being either **producers** (autotrophs) or **consumers** (heterotrophs). The feeding relationships between these groups can be shown in flowcharts called **food chains** and diagrams showing interacting food chains, which are called **food webs**, which will be explored in section 4.4.

**population** organisms of one particular species in a given area at one time

**community** populations of various species living in a given area at the same time

**producers** organisms that use photosynthesis to make their own food from the Sun's energy

**consumers** organisms that rely on other organisms for food

**food chain** a diagram showing feeding relationships in an ecosystem

**food web** a number of food chains joined together

## 4.3.3 Producers

Producers are organisms that can make their own food from their non-living environment. Many producers achieve this by using a process called **photosynthesis**. This process is summarised in figure 4.13.

**FIGURE 4.13** The inputs and outputs of photosynthesis




Did you know that life on Earth is solar powered? The source of energy in all ecosystems on Earth is sunlight. Producers, such as plants and algae, are green because of chlorophyll. Plants are responsible for capturing light energy using the green pigment **chlorophyll** (or other light-capturing pigments). Plants then use this light energy to convert carbon dioxide and water into glucose. Carbon dioxide and water are examples of inorganic matter. Glucose is described as being organic because it contains carbon bound to hydrogen.

Plants can convert glucose produced by photosynthesis into other essential organic substances. This means that they do not need to feed on other organisms. It is for this reason that they are often referred to as **autotrophs** ('self-feeders'). Glucose is vital for organisms. It is broken down in our cells to release energy through a process known as **cellular respiration**.

**photosynthesis** a process which carbon dioxide, water and energy from the Sun to produce food in the form of sugar
**chlorophyll** the green-coloured chemical in plants that absorbs the light energy used in photosynthesis to make food from carbon dioxide and water
**autotrophs** organisms that can produce their own nutrients
**cellular respiration** the chemical reaction involving oxygen that moves the energy in glucose into the compound ATP

elog-0504

### INVESTIGATION 4.4

#### Do all leaves contain the same pigments?

**Aim**

**To extract and compare pigments, such as chlorophyll, from different types of plant leaves**

**Materials**

- large beaker
- hotplate
- at least three different types of leaves (Geranium, hydrangea, lettuce, spinach and silverbeet cuttings are excellent).
- metal tongs
- large test tube or small beaker
- methylated spirits
- test-tube holder
- stirring rod
- clear plastic wrap
- medium-sized beaker
- filter or chromatography paper
- coloured pencils
- digital camera, iPad or smartphone
- ruler

**CAUTION**

Methylated spirits is toxic and extremely flammable.

### Method




1. Half-fill the large beaker with water and bring to a gentle boil on the hotplate. This large beaker will serve as a water bath.
2. Soften two or three leaves by dipping them with tongs into the hot water for 10 seconds.
3. Place the leaves into a test tube or small beaker and cover them with 30–40 mL of methylated spirits. Use a test-tube holder to hold the test tube or small beaker upright in the water bath, so that its contents do not spill into the water.
4. When the leaves turn pale and the methylated spirits deepens in colour, remove the test tube or small beaker from the water bath.
5. Decant the coloured methylated spirits into the medium-sized beaker. Allow the liquid to cool for 10 minutes.
6. Suspend a long narrow strip of chromatography paper or filter paper in the beaker so that just 2–5 mm sits in the liquid, as shown in the diagram. Fold the paper over the side of the beaker to hold it in place.
7. Remove the strip of paper from the methylated spirits before the colours reach the top of the paper.

### Results

1. Construct a table with the following headings and use it to summarise your detailed observations.

**TABLE** Chromatography observations of different leaves

| Chromatography strip observations | Leaf A | Leaf B | Leaf C |
|---|---|---|---|
| Colours observed and distance each colour moved up strip | | | |
| Number of colours observed | | | |

2. For each leaf, observe the colours produced and measure their distances along the strip. Record these detailed observations and summarise them in your table. Refer to the photos in the results.
3. Identify which observations can be graphed and construct a graph to display a summary of your results. Remember to give the graph a title.

### Discussion

1. Use specific examples from your observations to answer the following questions.
   a. How many different colours did you identify? Which were they?
   b. Which colour was the most dominant? Did all leaves contain it?
   c. Was there any pattern between the distance that a colour moved on the strip and its colour? If so, what was it?
   d. Did all of the leaves contain the same coloured pigments?
2. Answer the following questions about your leaf pigment investigation.
   a. Identify the independent variable of the investigation.
   b. Identify which variables were controlled (kept constant or the same) for all leaf samples.
   c. List two strengths of the experimental design.
   d. Suggest two ways in which the experiment investigation could be improved.
3. a. Suggest a hypothesis or research question that you could use this equipment (with possible modifications) to investigate.
   b. Outline the procedure you would use to investigate your hypothesis.
4. Find out possible names for the pigments that you have separated.
5. Discuss what safety procedures you're following in this investigation.

### Conclusion

Write a conclusion for this investigation, summarising the different pigments in plants.

## 4.3.4 Consumers

Consumers are organisms that eat other organisms or their products. They cannot make their own food (they cannot photosynthesise), so they need to eat other organisms to provide their energy and chemical building blocks. This is why they are referred to as being **heterotrophs** ('other-feeders').

Within ecosystems, consumers can be grouped on the basis of the type of food they eat. Animals that eat only plants are called **herbivores** (such as cows and koalas), those that eat only other animals are called **carnivores** (such as snakes, dogs and lions), and those that eat both plants and animals are called **omnivores** (such as humans and crows).

**FIGURE 4.14** Lions are carnivores and only eat meat, whereas koalas are herbivores because they eat only plants.

**Detritivores** (such as dung beetles, crabs and earthworms) and **decomposers** (such as bacteria and fungi) are two other groups of consumers.

These two consumers differ from one another in that:

- detritivores ingest (take in) their food, then digest it (break it down) and absorb the products;
- decomposers first release enzymes to digest food externally and then absorb the products.

Detritivores feed on decomposing organic matter, such as decaying animal remains, rotting leaves and dung. The name given to this type of 'food' is detritus. Decomposers and detritivores will be further explored in section 4.6.1.

**heterotrophs** organisms that depend on another organism to supply their complex molecules and energy

**herbivores** animals that only eat plants

**carnivores** animals that eat other animals

**omnivores** animals that eat plants and other animals

**detritivores** organisms that consume detritus; that is decomposing plant and/or animal parts or faeces

**decomposers** small organisms that break down dead and decaying matter

**FIGURE 4.15** Detrivores, such as dung beetles, and decomposers, such as fungi and bacteria, play an important role in ecosystems.

## 4.3.5 Interactions between species

A species exists in an ecosystem within a specific ecological niche (way of life). The **niche** of a species includes its habitat (where it lives within the ecosystem), its nutrition (how it obtains its food) and its **relationships** (interactions with other species within the ecosystem).

**niche** how an organism obtains its food, its habitat and its relationships to other species

**relationships** interactions with other species within an ecosystem

Competition, predator–prey and symbiotic relationships are all examples of different types of interactions between organisms.

### Competition

Organisms in a similar niche within an ecosystem compete when their needs overlap. Competition can be between members of different species (interspecific) for the same resource (such as food, mates or shelter) or between members of the same species (intraspecific).

**FIGURE 4.16 a.** Male peacocks compete for mates with other peacocks using their colourful tails. **b.** Seals compete for mating territory. **c.** Plants in a rainforest compete for space and sunlight.



## Predator–prey relationships

In a predator–prey relationship, one species kills and eats another species. The predator does the killing and eating, and the prey is the food source. Examples of predator–prey relationships include those between eagles and rabbits, between fish and coral polyps, between spiders and flies, and between snakes and mice.

**FIGURE 4.17** Domestic cats, owls and crocodiles all act as predators by preying on other animals.

## Symbiotic relationships

Some organisms of different species can have a very close relationship, with at least one of them benefiting; sometimes, their survival depends on it. This type of relationship is called **symbiosis**. A symbiotic relationship is an ongoing relationship between members of different species. The different types of symbiotic relationships, shown in table 4.1 and figure 4.18, are grouped on the basis of whether one of the species is harmed (**parasitism**), both species benefit by the association (**mutualism**), or one species benefits and the other is neither harmed nor benefits (**commensalism**).

**symbiosis** an ongoing relationship between members of different species

**parasitism** a relationship between two organisms in which one benefits by using the host's nourishment

**mutualism** a relationship between two organisms in which both benefit

**commensalism** a relationship where one organism benefits without affecting the other

**TABLE 4.1** Types of symbiotic relationships

| Interaction | Species 1 | Species 2 |
|---|---|---|
| Parasitism | ✓ (Parasite) | × (Host) |
| Mutualism | ✓ | ✓ |
| Commensalism | ✓ | 0 |

✓ = benefits by the association; × = harmed by the association; 0 = no harm or benefit

**FIGURE 4.18** Different types of symbiotic relationships: **a.** Parasitism — parasites such as tapeworms harm their host **b.** Mutualism — lichen and fungi grow together on a rock and **c.** Commensalism — a clown fish lives among a sea anemone for protection.

### Parasitism

In a parasitic relationship, one species is the **host** and the other is the **parasite**. Humans can be hosts for parasites such as tapeworms (refer to figure 4.18a), leeches and fleas. The parasite lives on or in the host and usually obtains its food from it. Sometimes the host is unaffected, but at other times it may cause harm or even death.

### Mutualism

A relationship in which both species benefit is called mutualism. In a lichen, algae and fungi grow together, as seen in figure 4.18b. While the fungi provide water and protection for the algae, the algae provide food for the fungi.

### Commensalism

Commensalism is a relationship in which one organism benefits and the other is unaffected. Clownfish, for example, get food and protection from the sea anemone, as seen in figure 4.18c.

**host** the organism on which a parasite feeds

**parasite** an organism that lives on or within another organism to get all or some of its nourishment

## Resources

- **eWorkbook** Relationships in ecosystems (ewbk-4668)
- **Interactivity** Some animal species found in Antarctica (int-8190)
- **Video eLesson** Relationships between species (eles-4239)
- **assessON** Additional automatically marked question sets

## 4.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3, 5, 7, 10 | Questions<br>2, 4, 8, 11, 14 | Questions<br>6, 9, 12, 13, 15 |

### Remember and understand

**1.** Match each term with its meaning.

| Term | Meaning |
|---|---|
| **a.** Producers | **A.** organisms that break down dead organisms. |
| **b.** Omnivores | **B.** animals that eat only plants. |
| **c.** Herbivores | **C.** consumers that eat both plants and animals. |
| **d.** Carnivores | **D.** organisms that can produce their own food. |
| **e.** Decomposers | **E.** animals that eat other animals. |

**2.** Identify:
- **a.** the source of all energy in ecosystems
- **b.** the name of the green pigment that captures light energy
- **c.** which organisms trap the energy from sunlight.

3. Provide two examples of each of the following.
   a. Herbivores
   b. Carnivores
   c. Decomposers
4. Distinguish between the following.
   a. Autotroph and heterotroph
   b. Predator and prey
   c. Producer and decomposer
   d. Parasitism, mutualism and commensalism
5. Construct a sentence that uses each of the following lists of terms (you may use the plural or singluar term).
   a. Producer, light energy, chlorophyll, carbon dioxide, water, glucose, oxygen, plant
   b. Organism, species, population, community, ecosystem, physical environment
6. Describe the relationship between each of the following pairs.
   a. Consumers and heterotrophs
   b. Producers and consumers
   c. Herbivores, carnivores and omnivores
   d. Predator and prey

## Apply and analyse

7. Explain the difference between producers and consumers. Provide at least five examples of each.
8. Identify each of the following relationships as either competition, predator–prey, mutualism, parasitism or commensalism.
   a. Cats hunt and eat mice.
   b. Aphids suck the sap from a rose bush.
   c. Male kangaroos fight each other for the attention of females.
   d. Termites contain a fungus in their stomach that digests the wood they eat. The fungus cannot live anywhere else. Without the fungus, the termites would not survive.
   e. Lampreys are fish that attach themselves to sharks. They feed on scraps of the shark's food and the shark is unaffected.
9. a. List three examples of predators and then match them to their prey.
   b. Suggest structural, physiological and behaviour features that may assist:
      i. predators in obtaining food (e.g. webs, teeth, senses, behaviour)
      ii. prey in avoiding being eaten (e.g. camouflage, mimicry, behaviour, chemicals).
10. In the interaction between a clownfish and a sea anemone, which is the commensal?

## Evaluate and create

11. Construct a Venn diagram or summary table to show some of the similarities and differences between carnivores and herbivores.
12. Construct a mind map to show the links between and key points about the following: producers, consumers, carnivores, herbivores, omnivores, decomposers, predators, prey.
13. Some clovers (*Trifolium*) produce cyanide. Find out how this may protect them against being eaten.
14. SIS Find examples of ways that Australian plants try and protect themselves from being eaten by herbivores.
15. SIS Research and describe three problems that can be investigated about interactions between organisms.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.4 Food chains and food webs

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain that feeding relationships can be described in food chains and food webs.

Feeding relationships between organisms within an ecosystem can be described in food chains and food webs.

## 4.4.1 Food chains

To describe a food chain, the names of these organisms are linked by arrows. The arrow in a food chain indicates 'is eaten by' and describes the direction of the flow of energy. The arrow points to the mouth of the animal that will be eating. In figure 4.19 the arrow between the grasshopper and magpie points to the magpie, because it is the magpie that eats the grasshopper and gains its energy.

int-8174

**FIGURE 4.19** Two examples of food chains




## 4.4.2 Order in chains

Each member of a food chain can be described as a consumer or producer. The type of consumer an organism is depends on the organism it eats.

In the food chain in figure 4.19:

- grass is the primary producer
- the consumer that eats the producer is called a **primary consumer** (for example, the grasshopper)
- the consumer that eats a primary consumer is called a **secondary consumer** (for example, the frog)
- the consumer that eats the secondary consumer is a **tertiary consumer** (for example, the snake).

**primary consumer** organism that eats plants

**secondary consumer** organism that eats primary consumers

**tertiary consumer** organism that eats secondary consumers

The relationship between producers, primary, secondary and tertiary consumers can be seen in figure 4.20. We can also use the term first-order, second-order and third-order to describe primary, secondary and tertiary consumers.

**FIGURE 4.20** The food chain runs from primary producer through to tertiary consumer.




## 4.4.3 Energy flows

The Sun is the initial source of energy for our ecosystems. Producers, such as plants, capture some of this light energy and convert it into chemical energy using the process of photosynthesis. When consumers eat producers, some of this energy is passed along the food chain.

**FIGURE 4.21** Energy flow in an ecosystem. The values of units of energy flowing through the food chain are examples only, but shows how the amount of energy decreases through a food chain.




**REMEMBER:**

The Sun is *not* part of the food chain. It is the original source of energy for life on Earth. Producers use light energy from the Sun to undergo photosynthesis.

## EXTENSION: Trophic levels

Within a food chain, each feeding level is called a **trophic level**. Food chains can be defined as a pathway along which food is transferred from producers to one trophic level and then to the next.

For example, primary producers make up the first trophic level and the consumers (herbivores) that eat them make up the second trophic level. Consumers eating these herbivores make up the third trophic level and consumers eating these consumers make up the fourth trophic level.

**FIGURE 4.22** Trophic levels in an ecosystems




Energy is not recycled, nor can it be created or destroyed. Energy is transformed from one form to another. At each level in the food chain, some energy is also released to the environment in other forms (such as heat, kinetic and sound energy). As only about *10 per cent* of the chemical energy is passed from one trophic level to the next, most food chains do not usually contain more than four trophic levels. There is also a limit to the number of organisms that can exist at each level.

int-8188

**FIGURE 4.23** Pyramid showing numbers of organisms in a food web




**trophic level** a feeding level within a food chain

## 4.4.4 Food webs

Interconnecting or linked food chains make up food webs. In the food web in figure 4.24:

- the caterpillar, grasshopper and wombat are all *primary (first-order)* consumers
- the frog and magpie are *secondary (second-order)* consumers
- the snake is a *tertiary (third-order)* consumer
- the kookaburra is a *quaternary (fourth-order)* consumer.

**FIGURE 4.24** Each of the steps in a food chain is described as a trophic level. Multiple food chains result in a food web.




Depending on the feeding relationships within a food web, organisms can hold more than one position. For example, if the kookaburra ate the caterpillar, it could also be considered as a secondary consumer.

Food webs are interconnected food chains. If one of the organisms in a food web is removed, or a new organism is introduced, other organisms in the food web may be affected.

For example:

1. What do you think the effect might be if the grasshoppers were removed from this ecosystem?
2. What if all of the kookaburras died?
3. What do you think may happen to the numbers of snakes?
4. What implications might this have on the other organisms in this food web?

## DISCUSSION

Consider the feeding relationships between the organisms in the food web in figure 4.24. How many different food chains can you see between the organisms in this ecosystem?

## 4.4.5 Visiting a rock pool

Carefully study the rock pool picture in figure 4.25. There are many different feeding relationships within this ecosystem. Two examples of food chains are shown in figure 4.26.

int-3454

**FIGURE 4.25** Different relationships in a rockpool




int-3462

**FIGURE 4.26** Two examples of food chains in a rock pool.



elog-0506

## INVESTIGATION 4.5

### Make a food web

#### Aim

**To model your own food web**

#### Materials

- string
- paper

#### Method

1. Construct a food web using students connected by pieces of string. You can use one of the food webs described here, or make up one of your own by discussing it in a group and planning it out on a large piece of paper.
2. Pull on one string and see how it affects other organisms. If you feel a tug on a string you are holding, then pull on all the other strings you are holding.

#### Results

1. Draw your food web. Give it a number and title, such as Figure 1: Food web.
2. Label the first string tugged. List the 'organisms' in the food web that felt the tug on the string.
3. List the 'organisms' did not feel anything.

#### Discussion

1. Explain why some of the organisms felt the tug.
2. Explain why the other organisms did not feel the tug.
3. List two strengths in the design of this investigation.
4. Suggest a way in which this investigation could be improved to better model or simulate food web interactions.
5. Try out your suggestion to see how it works, making more modifications if required.

#### Conclusion

Write a conclusion summarising your findings.

### on Resources

**Interactivities** Food web in an Antarctic ecosystem (int-3465)
A food web showing the flow of chemical energy through different organisms in an ecosystem (int-3463)

**eWorkbooks** Food webs (ewbk-4672)
Nature pyramids (ewbk-4674)
Food chains and food webs (ewbk-4676)

**Weblink** Food chain challenge — Savannah

assessON Additional automatically marked question sets

# 4.4 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 8, 11, 18 | Questions<br>4, 5, 7, 13, 15, 16, 17 | Questions<br>6, 9, 10, 12, 14, 19 |

## Remember and understand

1. Match each term with its meaning.

| Term | Meaning |
|---|---|
| **a.** Food chain | **A.** a herbivore (eats plants or algae) in an ecosystem. |
| **b.** Food web | **B.** an animal that eats primary consumers. |
| **c.** Primary producer | **C.** shows the interconnected feeding relationships within an ecosystem. |
| **d.** Primary consumer | **D.** an autotroph (such as plants or algae), which collectively make up the first trophic level in an ecosystem. |
| **e.** Secondary consumer | **E.** a pathway along which food is transferred from producers to the next trophic level, and so on. |

2. State the alternative term used for:
   - **a.** primary consumer
   - **b.** secondary consumer
   - **c.** tertiary consumer.
3. Provide an example of each of the following.
   - **a.** Food chain
   - **b.** Food web
   - **c.** Primary producer
4. Distinguish between each of the following pairs.
   - **a.** Primary producer and primary consumer
   - **b.** Food chain and food web
   - **c.** First trophic level and third trophic level

## Apply and analyse

5. Copy and complete the following sentences:
   - **a.** The feeding relationship of an _____ is shown in a food _____ and the feeding relationships in the community of an _____ is displayed in a food _____
   - **b.** A plant is a _____ producer and passes, 10% of its energy to the caterpillar, a primary _____
6. Write a short response to each of these 'what if' statements.
   - **a.** The Sun stopped shining.
   - **b.** All plants died.
   - **c.** There were no decomposers.
   - **d.** There were no carnivores.
   - **e.** There were no herbivores.

7. Write down a food chain in which you are:
   a. a primary consumer
   b. a secondary consumer
   c. a tertiary consumer.
8. Give an example of each of the following.
   a. Competition between two carnivores of different species
   b. Competition between two herbivores of different species
   c. A predator and its prey
9. Why do food chains rarely contain more than three levels of consumer?
10. Describe a situation in which an organism can be both a second-order (secondary) consumer and a third-order (tertiary) consumer in a food web.

## Evaluate and create

11. Use information in the picture of the rock pool ecosystem on in figure 4.25:
    a. identify a primary producer
    b. identify two secondary consumers
    c. identify two tertiary consumers
    d. identify a detritivore or scavenger
    e. construct two food chains
    f. construct a food web.
12. SIS Genevieve and Callum made some observations over a period of a week about the feeding habits of a number of organisms in a small pond. Their results are listed here.
    - Snails eat water plants and algae.
    - Tadpoles eat algae.
    - Small fish eat snails, algae and water plants.
    - Larger fish eat snails, small fish and tadpoles.

    a. Construct a food web using the information provided. Start with the producers at the bottom and work upwards. Make sure your arrows face the right way.
    b. Which organisms are the producers?
    c. Which organisms are primary consumers?
    d. Which organisms are both secondary and tertiary consumers?
    e. Which organism is an omnivore?
    f. Which organisms are predators of the snail?
    g. Which organisms are competitors of the tadpoles?
    h. What would happen to the water plants and the larger fish if the snails increased in number?
    i. What would happen to the snails and the larger fish if the small fish disappeared?
13. Draw a food chain that contains a fifth-order consumer.
14. Draw a pyramid showing the numbers in a food chain in a parasite–host feeding relationship. How is it different from the predator–prey pyramid in figure 4.23?
15. Draw a diagram to show the role of decomposers in a food web.

16. Use a mind map, flowchart or another visual tool to describe how energy flows through an ecosystem. Add lots of colour and diagrams to your map.

17. For each of food webs shown
    a. construct three different food chains
    b. identify a producer
    c. identify a primary consumer
    d. identify a secondary consumer
    e. identify a tertiary consumer
    f. identify a decomposer.







18. Create a food web using the following organisms: lion, zebra, hyena, grass, snake, bug, grass, meerkat. You may wish to research what each organism consumes.
19. Draw a food web for a community of organisms in one of the following: your own garden, a forest, a desert, a river, a marina.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.5 The importance of flowering plants

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain that flowers contain the reproductive structures of angiosperms and that pollination and seed dispersal must occur for germination to happen.

## 4.5.1 Flowers by design

Plants that produce flowers are called angiosperms. These flowering plants have their male and female reproductive structures located in their flowers. **Pollen** is produced in the **anthers**. **Ovules** are produced in the **ovaries**. When pollen grains attach to the **stigma**, **pollination** has occurred. A pollen tube then forms and grows down the **style**, carrying the male sex cells to the ovary. If a male sex cell fertilises an ovule (female sex cell) in the ovaries, a **seed** is produced.

ewbk-4678

int-8096

**FIGURE 4.27** The parts of a flowering plant




## 4.5.2 Pollination — biotic and abiotic interactions

Both biotic and abiotic factors can contribute to successful pollination. While some plants may be able to pollinate themselves, many plants rely on either animals (such as bees, butterflies and birds) or the wind to transport their pollen from one plant to the stigma of another. The structure of these flowers is often well suited to the biotic or abiotic factor assisting them. These structures are summarised in figure 4.28.

### Flowers — feeding relationships

Organisms that assist plants in pollination are called **pollinators**. They are very useful in plant reproduction because it supplies them with food! Birds and insects such as honey bees and butterflies feed on the nectar of flowers and, in the process, they become covered with pollen. This pollen can then be transferred to other plants when they go to feed on them. Examples of this feeding relationship can be seen in figure 4.29.

Flowering plants (angiosperms) are one type of primary producers. All producers are positioned at the first trophic level in their food chains. As well as supplying a food source to many different animals through the production of glucose during photsynthesis, they angiosperms also provide the raw materials for bees to make honey, which other animals can eat.

**pollen** fine powder containing the pollen grains (the male sex cells of a plant)

**anthers** the site in which pollen is produced

**ovules** receptacle within an ovary that contains egg cells

**ovaries** organs that contain the female sex cells or ova

**stigma** the female part of a flower, at the top of the carpel, that catches the pollen during pollination

**pollination** transfer of pollen from the stamen (the male part) of a flower to the stigma (the female part) of a flower

**style** the supporting part of a flower which holds the stigma

**seed** product of a fertilised ovule

**pollinators** organisms such as bees, flies, and other organisms which carry pollen between flowering plants

ewbk-6661

int-8175

**FIGURE 4.28** Some plants can pollinate themselves, while others rely on animals or the wind for successful pollination.




**FIGURE 4.29** Three examples of feeding relationships between animals and plants

## 4.5.4 Dispersal — biotic and abiotic interactions

The fruits of plants contain its seeds. These are actually the swollen ovaries of the plant. One of the main jobs of fruits is to help with dispersal or spreading of the seeds. A variety of biotic or abiotic factors may also be involved in dispersal of the seeds.

Some Australian plants, such as *Banksia* and mountain ash (*Eucalyptus regnans*), require high temperatures to burst their fruit so that the seeds may be released. This adaptation gives these plants an excellent chance of survival in regions prone to bushfires.

**FIGURE 4.30 a.** Dispersal of fruit from a dandelion **b.** Seeds dispersing from a legume




Dispersal (spreading seeds) may happen in a variety of ways. Biotic factors may be involved, such as:

- animals eating the plants' fruit (such as tomatoes, grapes and apples) and dispersing the seeds.

Abiotic factors may also help with dispersal, including:

- water (such as coconuts)
- wind (such as grasses and dandelions).

Some plants, including some legumes, split open when ripe, throwing their seeds out long distances, dispersing their seeds themselves.

### Fruits and seeds — feeding relationships

Fruits that attract animals are often brightly coloured. When a fruit is eaten by an animal, usually only the soft parts of the fruit are digested. The seeds that are not broken down inside the animal are passed out in its faeces. So, by eating the fruit, animals assist in the dispersal of the seeds.

**FIGURE 4.31** Animals consume brightly coloured fruits and help disperse the seeds.

**DISCUSSION**

What is your favourite fruit? Describe its appearance and which animals would it attract to disperse its seeds. Did you know that you are eating the swollen ovary of a plant when you eat fruit?

## 4.5.5 Germination — biotic and abiotic interactions

Inside the seed of a flowering plant is an embryo plant, which has one or two seed leaves called cotyledons. Plants with one cotyledon are called monocotyledons (monocots) and those with two cotyledons are called dicotyledons (dicots). Examples of these are shown in figure 4.22.

**Germination** is a process in which the seed bursts open and the embryo plant becomes a young plant called a seedling (as shown in figure 4.32).

**germination** first sign of growth from the seed of a plant

Germination depends on three key abiotic factors:

1. Water:
   - necessary for the seed to swell and burst open
   - transports food to the growing embryo.
2. Oxygen:
   - required for cellular respiration (breaking down glucose which converts energy into a form that the plant
   - cells can use to grow and develop).
3. An optimum temperature (remember the key terms: tolerance range and optimum range).

**FIGURE 4.32** Germination of a broad bean




Although light is not necessary for germination of most seeds, it is needed once the young shoot breaks through the soil surface. Plants use light energy and carbon dioxide and water from their environment to make their own food using a process called photosynthesis. The planning of an investigation involving plant germination is covered in subtopic 1.16.

**FIGURE 4.33** Examples of different flowering plants.



## ACTIVITY: Using flowers to tell the time

You may have noticed that most flowers open in the morning and remain so throughout the day. Some plants, however, have flowers that open at particular times. Carl Linnaeus (1707–1778), a well known Swedish naturalist, was one of the first to study the opening and closing of flowers. He even arranged a flower clock that showed some typical opening times of flowers. Some opening times are shown in the table 4.2.

Which abiotic factors do you suggest may be responsible for the different opening times? How might these flower opening times affect animals that feed off their nectar? Create a poster outlining this

**TABLE 4.2** Different times flowers open

| Time of flower opening | Common name |
|---|---|
| 4 am | Tall morning glory |
| 5 am | Corn poppy |
| | Pumpkin |
| 6 am | Fireweed |
| | Chicory |
| 7 am | Coltsfoot |
| 8 am | Marsh marigold |
| 6 pm | Evening primrose |
| 7 pm | Catchfly |

elog-0508

## INVESTIGATION 4.6

### Practising botanists

#### Aim

**To observe, record, investigate and classify five different types of flowering plants**

#### Materials

- 5 different types of flowering plants in their natural habitats
- A4 paper
- pencil
- ruler
- magnifying glass
- digital camera, iPad or smartphone to record extra information (optional)

**CAUTION**

- Be responsible in your fieldwork and handle the plant parts very gently and carefully.
- Do not pick, break, tread, trample or climb the plants.
- Remember that you are dealing with living things

#### Method

Find five plants, each with different types of flower. Carefully examine these plants and fill in your observations as outlined in the results section.

#### Results

1. Use a separate page for each plant. At the top of each page
   - record the date
   - record the plant as specimen A, B, C etc
   - record the plant's name if known
   - give a general description of the location in which the plant is found.
2. Divide the rest of your A4 sheet into three sections:
   - **a.** half-page sketch of a flower
     - Try to show the parts in the diagram on page 140 and label them.
     - Count or estimate how many stamens, stigma, petals and sepals are present.
   - **b.** quarter-page sketch of a leaf — include any veins that you see
   - **c.** quarter-page sketch of the plant's overall appearance.
3. Record the colour, scent (also give a mark out of 10 for its strength), and the texture and shape of the flowers, leaves and stems next to your diagrams.

### Discussion

1. Suggest which of the plants are likely to be pollinated by insects or the wind, or by other means. List this information in a table. Give reasons for your suggestions.
2. For those plants that you suggested were insect-pollinated, suggest a type of insect that may pollinate them. Give reasons for your suggestions.
3. Suggest which plants are monocots and which are dicots and give reasons for your suggestions.
4. Use published field guides or keys to identify the scientific names of the flowering plants observed.
5. Research your identified plants and take note of how they are pollinated and any other interactions that they have with other organisms.
6. Construct five possible food chains, each including one of your flowering plants.
7. Comment on how effectively your previous suggestions (in questions 4–6) matched your research.
8. What difficulties did you encounter when doing this activity? Suggest how they might be overcome (or any improvements) if you were to do it again.

### Conclusion

Write a conclusion for this investigation, linking back to your aim.

## on Resources

**eWorkbook** Pollination, dispersal and germination (ewbk-6663)

**assess on** Additional automatically marked question sets

## 4.5 Exercise

learn on

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3, 7, 8, 10 | Questions<br>2, 5, 6, 9, 11, 14 | Questions<br>4, 12, 13, 15, 16 |

### Remember and understand

1. Match each term with its meaning.

| Term | Meaning |
|---|---|
| a. Angiosperms | A. the fusion (joining together) of a male and female sex cells |
| b. Pollen | B. produced in ovaries of a flowering plant |
| c. Ovules | C. when pollen grains attach to the stigma |
| d. Pollination | D. swollen ovaries of the plant containing seeds |
| e. Seed dispersal | E. produced in the anthers of a flowering plant |
| f. Fertilisation | F. the process in which the seed bursts open and the embryo plant becomes a seedling |
| g. Germination | G. plants that produce flowers |
| h. Fruit | H. the spreading of seeds |

2. Identify whether a plant with the following features is more likely to be insect or wind pollinated.
   a. Flowers with large, scented, brightly coloured petals and nectaries
   b. Flowers with very small, green and unscented petals
   c. Flowers with anthers hanging loosely on long, thin filaments and shaken easy in the wind
   d. Flowers that produce small amounts of large, sticky pollen
3. Provide two examples of members of each of the following angiosperm families.
   a. Myrtle family  b. Pea family  c. Grass family  d. Citrus family
4. Distinguish between each of the following pairs.
   a. Pollination and germination
   b. Fertilisation and dispersal
   c. Monocotyledons and dicotyledons
   d. Fruits and seeds
5. Copy and complete the sentences using words from the listed terms.
   a. *Terms:* germination, seed, embryo, seedling, abiotic factors, water, oxygen, temperature
      Abiotic factors such as _____, _____ and available _____ impact on the _____ of a seed into an _____ plant and _____
   b. *Terms:* pollination, nectar, honey, bee, flower, food, plant, pollen, stigma, anther
      A plant uses _____ to attract a bee for _____. The _____ transfers pollen from the _____ of a flower to the _____ of another and uses nectar for _____
6. Label the figure of the flower below.




7. Identify the appropriate term to complete the following sentence.
   _____ is a process in which the seed bursts open and the embryo plant becomes a young plant called a seeding.
8. MC Which of the following features would you expect in a plant that was pollinated by insects?
   A. A long, branching and feathery stigma
   B. Anthers that hang loosely on long, thin flaments
   C. Pollen with a rough or sticky surface
   D. Small petals with no scent or nectaries

## Apply and analyse

9. Describe the relationships between:
   a. flowers of flowering plants and bees
   b. fruits of flowering plants and animals.
10. If an animal, such as a bird, eats the seeds of fruit, describe how the seeds can be dispersed and why this is important.
11. Identify which conditions are necessary for germination. Explain why they are needed.
12. Explain why light is usually necessary only after a plant has germinated.

### Evaluate and create

13. SIS Design an experiment to see whether water affects the germination of a variety of different types of seeds.
14. SIS Find out more about the seed dispersal of five different types of plants and report your findings visually.
15. Find out other differences between monocotyledons and dicotyledons and communicate your findings.
16. SIS Not all plants are welcome in Australia. Some plants have been identified as Australian 'weeds of national significance'. Features shared by these plants relate to their invasiveness, their potential to spread and their effect on primary production and the environment.
    a. Find out the names of five plants on the Australian government's list of 'weeds of national significance'.
    b. Select any plant on this list and either write a report or create a brochure.
        i. State the common and scientific names of the plant.
        ii. Describe the plant (include size, shape, structures and colour).
        iii. Describe the distribution of this plant in Australia.
        iv. Outline some interesting points about this plant.
        v. Suggest why this plant is considered to be a weed.
        vi. Suggest ways to control or eliminate this weed in Australia.
        vii. Suggest possible consequences of removing this weed from Australian ecosystems.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.6 Decomposition and nature's recycling

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain decomposition and how ecosystems have their own system of recycling.

## 4.6.1 Recycling atoms in ecosystems

*Tyrannosaurus rex* stalked the Earth over 65 million years ago. We have found the bones, but what happened to the atoms that made up its flesh? What will happen to the atoms in your body when you die?

### Borrowing atoms

All living things contain atoms. They make up our body cells, are in the food that we eat, and are involved in essential chemical reactions that keep us alive. The set of all of these chemical reactions is called **metabolism**. Throughout these reactions, atoms are rearranged; some used or retained for a time, and some returned to the environment as wastes.

These atoms and molecules are not just rearranged within one organism, but recycled through various organisms in a food web, as shown in figure 4.34. There is a cycle between the production of food through producers, the consumption of organisms by consumers, and the release of wastes. These wastes can in turn be used by producers or decomposers. Life on our planet relies on the recycling of atoms between the biotic and abiotic parts of ecosystems.

**metabolism** the chemical reactions occurring within an organism that enable the organism to use energy and grow and repair cells

ewbk-4680

int-8097

**FIGURE 4.34** Various components are recycled through ecosystems.




## Decomposers — nature's recyclers

Decomposers (as introduced in 4.3.4) are heterotrophs, so they cannot make their own food through photosynthesis. They instead consume the remains of dead organisms and their wastes.

The two main groups of decomposer organisms are bacteria (microorganisms) and fungi. These decomposers are also called **saprophytes**. Decomposers (including saprophytes) obtain their energy and nutrients from dead organic material. This includes dead organisms and their wastes (such as faeces and skin flakes). As they feed, they break down the matter chemically, using enzymes, into simple forms or mineral nutrients. Their wastes are then returned to the environment to be recycled by producer organisms. This recycling of matter from one form to another within ecosystems is key to their sustainability.

Other larger organisms, such as earthworms and maggots, are called detritivores because they feed on detritus (dead and decaying material). By breaking it down into smaller pieces, they increase its surface area, which increases the efficiency of further breakdown by bacteria and fungi.

The products of decomposition are inorganic molecules which can then be used by other organisms. For example, plants can use these inorganic molecules in reactions such as photosynthesis to produce organic molecules. These organic molecules are then eaten by other organisms (such as consumers) and passed along food chains. If it were not for decomposers, carbon, nitrogen, phosphorus and other elements essential to life would be locked in the organic molecules of dead organisms and their wastes. Decomposers play a key role in recycling of atoms within ecosystems.

**saprophytes** organisms such as fungi which obtain nutrients from dead organic matter

**FIGURE 4.35** The role of decomposers in breaking down organic matter



## SCIENCE AS A HUMAN ENDEAVOUR: Stinky forensics

Dr Rachel Parkinson is investigating the bacterial species that decompose bodies and researching whether the types of different bacteria can provide information about when a person died. Instead of using human bodies in her research, she uses the decomposing bodies of pigs. She is getting used to the smell and the maggots, but still holds her breath a lot. Her research has shown that the same combination of bacteria breaks down the bodies of both humans and pigs. She has also found that the types of bacteria involved in the decomposition change over time, providing some information about possible times of death. Dr Parkinson suggested that this was because, once one type of bacteria has used its specific food source, it dies off and is replaced by another.

**FIGURE 4.36** Bacteria grow and reproduce very quickly. Some bacteria feed on decaying material, breaking it down into nutrients that can be recycled within ecosystems.

elog-0510

## INVESTIGATION 4.7

### Looking at decomposers

#### Aim

**To observe decomposers**

#### Materials

- safety glasses
- 6 nutrient agar plates
- fresh grass
- grass that has recently died
- decomposing grass
- 3 paper bags
- forceps
- oven
- Bunsen burner
- heatproof mat and matches
- stapler and marking pen
- tape
- incubator
- stereo microscope or hand lens

#### Method

1. Sterilise the forceps by holding them in a Bunsen burner flame for one minute.
2. Using the forceps, place a sample of the fresh grass in a paper bag. Fold the edge over several times and staple the fold securely closed. Label the bag ‘fresh’.
3. Resterilise the forceps and repeat the procedure for the other two samples of grass. Label them ‘dead’ and ‘decomposing’ respectively.
4. Place all three bags in a hot oven for 15 minutes.
5. While the bagged samples are sterilising in the oven, use sterile forceps to gently wipe a sample of fresh grass over the surface of an agar plate, taking care to use the correct technique. Label this plate ‘fresh U’. (U means unsterilised.)



6. Resterilise the forceps and repeat the procedure for the other two samples of grass, labelling them ‘dead U’ and ‘decomposing U’ respectively.
7. Using the correct technique (see previous instructions) gently wipe a sample of each of the three types of sterilised grass over an agar plate. Use a new plate for each sample. Label the three samples ‘fresh S’, ‘dead S’ and ‘decomposing S’. (S means sterilised.)

CAUTION

Tape the lid of the agar plate.

Do NOT open the lid of the agar plate.

8. Incubate all six plates for 24 hours at about 37 °C.
9. Use a stereo microscope or hand lens to observe any growth of microorganisms.

### Results

1. Record your observations in a table.
2. Photograph the results. Number and label each photograph.

### Discussion

1. Which plate had the greatest amount of microbe growth?
2. Why were samples of each of the grasses sterilised?
3. Which type of microbe was more prevalent on the plates, bacteria or fungi? (Bacteria make smooth, shiny and usually round colonies, whereas fungi make fuzzy, irregularly shaped growths.)

### Conclusion

Write a conclusion for this investigation and summarise what your findings suggest.

## 4.6.2 Are people biodegradable?

If something can be broken down by decomposers then it is said to be **biodegradable**. This is very useful as it means that some decomposers can also break down not just dead and decaying organisms, but also some of the rubbish that humans produce. If the material cannot be broken down, it is described as **nonbiodegradable**. Paper and food scraps are examples of biodegradable materials, whereas plastic and foam are examples of nonbiodegradable materials.

### SCIENCE AS A HUMAN ENDEAVOUR: Entomology

An entomologist is a scientist who studies insects. Sometimes entomologists are asked to provide information to help solve crimes. After a person or animal dies, insects are attracted to the corpse and feed on it. They lay their eggs in the corpse, and larvae eventually emerge from the eggs and develop into adult insects.

Over time, different types of insects colonise the body. By looking at the types of insects and what stage of their life cycle they are at, it is often possible to work out the time of death. It is sometimes also possible to find out other information about the crime from the types of insects that have colonised the body. If a body spent some time in a dry cool area before being buried in dry sandy soil, the insects living on it would be different from those that would be present if it had been buried in dry sandy soil straight after death.

If you are interested in learning more about how insects can help us to solve crimes, investigate the different insects used to solve crimes, or find out more about the role of an entomologist in forensics.

**FIGURE 4.37** Professor Jerry Butler, an entomologist, examining hairy maggot blowfly larvae retrieved from a murder victim.

## 4.6.3 Cycles in nature

If an organism is burned after it dies, gases are released into the atmosphere, leaving only ash. If a dead organism is simply left on the surface of its normal habitat, then its remains are consumed by other organisms. Scavengers, such as birds, fish, crustaceans and large insects, may break off parts of the organism for food. The dead organism may also be used as a food source by decomposers. While some of the products of digestion may be used for their life processes and growth, most is returned to the soil as nutrients that can be used by other organisms. This cycling of nutrients (such as carbon, nitrogen and phosphorus) is essential for the ecosystem to be sustainable.

### CASE STUDY: The nitrogen cycle

Different kinds of bacteria play a vital role in the nitrogen cycle. Nitrogen-fixing bacteria are found in nodules on the roots of some plants (such as peas, beans and clover). **Nitrogen-fixing bacteria** can convert nitrogen in the air into ammonia.

**Nitrifying bacteria** can convert ammonia into nitrites and nitrates, which may be released into the soil and water.

**nitrogen-fixing bacteria** bacteria which take nitrogen containing compounds from the atmosphere and convert them into other compounds, which are able to be contained within soil

**nitrifying bacteria** bacteria that change dissolved ammonia into nitrite compounds, or nitrites into nitrate compounds

int-3467

**FIGURE 4.38** Bacteria involved in nitrogen cycling



The nitrates made by nitrifying bacteria can be absorbed from the soil water by plant roots and be used again to make proteins. Other consumers (such as animals) can then eat the plants, passing the nitrogen along food chains and supplying it to other organisms to make proteins.

Decomposer bacteria break down proteins of dead animals into ammonia.
The ammonia can be converted by nitrifying bacteria into nitrites and nitrates.

**Denitrifying bacteria** can convert nitrites and nitrates into nitrogen to be released back into the air. From then the cycle continues.

**denitrifying bacteria** bacteria that can convert nitrites and nitrates back into nitrogen

## CASE STUDY: The carbon cycle

Carbon atoms exist in the atmosphere as carbon dioxide gas. Carbon dioxide is captured by plants and used in the process of photosynthesis to make glucose molecules (refer back to section 4.3.3). After more chemical reactions, the carbon is stored in complex molecules in the plant body.

When an organism consumes a plant it uses the plant's carbon atoms, which then become part of the organism's body. The carbon is found in the compounds that make up carbohydrates, fats and proteins. All organisms undergo cellular respiration (break down glucose to release energy for cells to use). The break down of glucose in the presence of oxygen produces a waste in the form of carbon dioxide which is then released to the atmosphere. When plants or the **fossil fuels** that form from plants are burned, carbon atoms again combine with oxygen atoms to form carbon dioxide, which is released into the atmosphere.

**fossil fuels** substances that are formed from the remains of ancient organisms and are often burnt as fuels to produce heat

int-3466

**FIGURE 4.39** The processes involved in the carbon cycle



Carbon dioxide also dissolves in the sea. Here it is absorbed by sea plants and other sea organisms that photosynthesise. These producers are consumed by fish and other sea creatures, which are, in their turn, consumed by other organisms. Some of the carbon becomes part of coral reefs and shells, which, over millions of years, form limestone. Limestone is mined and, when heated in factories, releases carbon dioxide to the air, where it can again be absorbed by plants.

elog-0512

## INVESTIGATION 4.8

### Investigating decomposition

#### Aim

**To investigate how different materials decompose**

#### Materials

- samples of different types of plant matter, such as grass clippings, leaves, vegetable peels, cuttings from a shrub or hedge, straw
- 250 mL beakers
- cling wrap
- temperature probes and a data logger

#### Method

1. Half-fill each beaker with a different type of plant matter.
2. Cover each beaker with cling wrap.
3. Connect the temperature probes to the data logger (one probe for each beaker) and set up the data logger to collect a temperature reading every 10 minutes for 24 hours.
4. Push each temperature probe into a different type of plant matter (you will need to pierce a hole in the cling wrap) and start the data logger.

#### Results

After 24 hours (or during your next Science lesson), collect the results from the data logger and observe the plant matter in each beaker.

#### Discussion

1. Study the graph produced by the data logger. Which type of plant matter released the most heat as it decomposed?
2. Describe some improvements that could be made to this experiment to make it a fairer test.
3. What are the advantages of using temperature probes connected to a data logger rather than thermometers for this experiment?
4. Apart from the rise in temperature, what other evidence is there that the plant matter has started to decompose?
5. Microbes decompose the plant matter. Explain why keeping the plant matter moist accelerates its decomposition.

#### Conclusion

Write a conclusion for this investigation, summarising your findings on decomposition.

elog-0514

## INVESTIGATION 4.9

### Preserving apples

#### Aim

**To test substances for their effectiveness as food preservatives**

#### Materials

- small apple cubes (peeled)
- test tubes
- range of solutions to test for their effectiveness
- as food preservatives (e.g. water, ethanol, sugar
- solutions of different concentrations, vinegar, salt
- solutions of different concentrations)




#### Method

1. Place one apple cube in each test tube.
2. Do not add anything to test tube 1.
3. In each of the other test tubes, pour one of the solutions you are testing. For example, you could put water in test tube 2 and ethanol in test tube 3.
4. Write an aim for this experiment.
5. Design a table to record your results. You will be recording your observations for each apple cube each lesson for the next two weeks.

#### Results

1. In each lesson, record whether each piece of apple has changed. Take note of the colour, the presence of mould and any other signs of decay.
2. Record the results in your table designed. Give your table a title.

#### Discussion

1. Why do you think certain substances were able to preserve the food (stop the food from decaying)?
2. List some examples of foods that are preserved using:
   a. salt
   b. sugar
   c. alcohol
   d. vinegar.

#### Conclusion

Write a conclusion for this investigation, summarising your findings on preserving foods.

### Resources

**Video eLesson** Fungi (eles-4240)

**eWorkbook** Cycles in nature (ewbk-4682)

assessON Additional automatically marked question sets

# 4.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 6, 14 | Questions<br>3, 8, 10, 11, 13 | Questions<br>5, 7, 9, 12, 15 |

## Remember and understand

1. Match each term with its meaning.

| Term | Meaning |
|---|---|
| **a.** Metabolism | **A.** release enzymes to break down complex organic matter into simple inorganic material to be absorbed. |
| **b.** Nitrifying bacteria | **B.** animals that feed off dead and decaying matter (detritus). |
| **c.** Denitrifying bacteria | **C.** heterotrophs that consume the remains of dead organisms and their wastes. |
| **d.** Nitrogen-fixing bacteria | **D.** the set of all of the chemical reactions that keep organisms alive. |
| **e.** Detritivores | **E.** convert nitrates in soil and water into nitrogen to be released into the air. |
| **f.** Saprophytes | **F.** convert ammonium salts into nitrites and nitrates. |
| **g.** Decomposers | **G.** convert nitrogen in the air into ammonia. |

2. Identify the term used for:
   - **a.** decomposers which obtain nutrients from dead organic matter
   - **b.** the process that plants use to convert light energy into chemical energy
   - **c.** a material that can be broken down by decomposers and used to feed some animals.
3. Identify the role of each of the following organisms in an ecosystem as either a decomposer, detritivore, scavenger or bacteria involved in the nitrogen cycle.
   - **a.** bacteria
   - **b.** nitrifying bacteria
   - **c.** denitrifying bacteria
   - **d.** vulture
   - **e.** pigeon
   - **f.** earthworm
   - **g.** maggot
   - **h.** fungi
4. MC Identify the process that releases carbon dioxide into the atmosphere.
   - **A.** Respiration
   - **B.** Decomposition
   - **C.** Burning fossil fuels
   - **D.** All of the above
5. Distinguish between:
   - **a.** biodegradable and nonbiodegradable
   - **b.** decomposer and producer
   - **c.** nitrifying and denitrifying bacteria
   - **d.** carbon cycle and nitrogen cycle.

6. Copy and complete the sentences using words from the following lists of terms.
   ***Terms:*** heterotroph, organisms, ecosystems, recycle, producers, herbivores, carnivores, decomposers, nutrients, matter
   a. A decomposer is a _____ (consumer) that breaks down dead and decaying _____ in _____ to _____ nutrients.
   b. _____ cycle through producers, _____, carnivores and finally _____

## Apply and analyse

7. Outline or describe the relationship between:
   a. photosynthesis and respiration
   b. death and decomposition
8. An entomologist may be called upon when a body is found. Explain how an entomologist may be able to help the investigation.
9. Copy and complete the following paragraph that explains the difference between nitrogen-fixing bacteria, nitrifying bacteria and denitrifying bacteria.
   _____ absorb nitrogen molecules from the _____ and, when they die, the nitrogen is released in a form that can be absorbed by _____.
   Nitrifying bacteria absorb _____ that results from the breakdown of decaying animals and animal waste, and turn it into _____
10. Explain the role played by photosynthesis in the carbon cycle.

## Evaluate and create

11. Write a short story that describes what may have happened to the carbon atoms in Leonardo da Vinci's body when he died.
12. Imagine that suddenly all the nitrifying bacteria on the planet were killed by a mystery virus. Write a paragraph describing the effects of this global disaster.
13. Create a poster or draw a clear diagram of the carbon or nitrogen cycle. Follow the passage of one particular atom, explaining the changes that it experiences.
14. SIS Find out why some of the bones of the dinosaurs were not decomposed by microorganisms.
15. SIS Things that can be broken down by decomposers, such as paper and food scraps, are described as biodegradable. Plastic bags and foam packaging are described as nonbiodegradable.
    a. Find out why nonbiodegradable items are not broken down by decomposers.
    b. Create an advertisement that may influence people to use fewer nonbiodegradable items.
    c. Suggest advantages and disadvantages of using paper bags instead of plastic bags.
    d. Design your own biodegradable carry bag. Summarise your design, explaining any important features.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.7 The connection of Indigenous Australians to their ecosystems

## LEARNING INTENTION

At the end of this subtopic you will be able to explain some of the ways in which Indigenous Australians use and used their unique connection to the land to eat a balanced diet from their ecosystem.

## SCIENCE AS A HUMAN ENDEAVOUR: Bush tucker

### Ancient knowledge

A rich understanding of each part of a food web is vital to keeping an ecosystem in balance. By understanding food webs, we can manage the environment and our food needs sustainably. This close connection between managing food sources and managing ecosystems is an important part of Aboriginal and Torres Strait Islander cultures.

Aboriginal and Torres Strait Islander peoples have lived on this continent for tens of thousands of years — by some estimates, 60,000 years. When Europeans colonised Australia, there were hundreds of diverse groups of people with their own languages and cultures living sustainably and eating a balanced diet from the plants and animals of their Country.

**FIGURE 4.40** Bush tucker includes a range of plant energy storage organs such as nuts, fruits and roots.

Whether they lived by the sea, on the banks of a river, high in the mountains or in the desert, they understood the seasonal changes and local foods, gaining a balanced diet from 'bush tucker'.

To live from the land, people knew the habits of local animals and kept a close watch on changes in the weather and how is affected plant growth. They also used controlled burning and other techniques to manage the land and the food it produced. Their knowledge and skill allowed them to hunt and harvest food very successfully. Indigenous Australian peoples also collected shellfish, nuts, berries, fruits, waterlily stems and roots, ants and many other types of food from the environment. They knew which foods were poisonous and were able to prepare some of these so that they could be eaten safely. In many communities, they also cultivated (raised or nurtured) specific plant crops and created systems to manage food sources such as fish.

Some of the early European settlers and explorers learned some bush tucker skills, but most didn't. The explorers Burke and Wills died of starvation in central Australia on their return journey to Melbourne in 1861, even though seeds, roots and grubs eaten by the local people were available.

### Finding water in the bush

Water is scarce in many areas of Australia. The First Australians knew how to obtain water in even the most arid parts of their Country. They knew where to dig in dry creek beds and were able to obtain water from tree roots, tree stems, frogs and other animals. They also cut tree roots into small sections and sealed the ends with clay to store water.

#### Witjuti tucker *(Endoxyla leucomochla)*

Witjuti grubs *(Endoxyla leucomochla)* were regarded as a delicacy in drier areas (shown in figure 4.42). They could be obtained from the roots and stems of trees, especially the witjuti bush, after which they are named. Witjuti grubs are the white larvae of beetles and can be up to 13 cm long. They live off the sap of the trees that they live in. Witjuti grubs are very nutritious and are rich in protein, fat and sugars (shown in figure 4.41). They are also good sources of iron, calcium and water.

**FIGURE 4.41** The average body composition of a witjuti grub




**FIGURE 4.42** A witjuti grub — regarded as a delicacy in drier areas

## Impacts of European settlement: Dugongs

Dugongs are fully marine animals, with a flattened tail and cow-like appearance. They are thought to be the source of myths about mermaids, and they feature in the creation stories of many Indigenous peoples across northern Australia.

For some coastal Aboriginal and Torres Strait Islander peoples, dugongs have been a highly prized source of meat. In the past, everyone was allowed to hunt dugongs for food, hide and oil. However, it is now legal only for Indigenous peoples to hunt them, and only if they use traditional methods of hunting. Even with these restrictions, dugong populations in some regions are still at very low levels.

### Working to save the dugongs

Professor Helene Marsh studies dugongs. A dugong is a type of mammal that lives in the ocean and feeds on seagrass. Her research initially involved studying the carcasses of dugongs that had died in shark nets. She worked out a way of estimating the age of dugongs by studying their tusks.

Later, she focused on the reproductive cycle of dugongs. Helene has also been involved with estimating the abundance of dugongs in various areas using aerial photographs. By measuring the abundance of dugongs regularly, it has been possible to identify areas where dugong numbers are falling and suggest strategies to maintain dugong numbers.

**FIGURE 4.43** Helene Marsh bottle feeding a dugong

## Healthy tucker

Plants store materials for future use, often in special storage areas that are formed. The stems, roots or leaves may be involved in storage.

In 2009, the CSIRO produced a research report on the presence of 'health-enhancing compounds' in a variety of native Australian herbs, spices and fruit samples. They reported that the foods sampled were exceptionally rich sources of antioxidants, folate, iron and vitamins C and E.

**TABLE 4.3** Some of the findings of a 2009 CSIRO report on Australian native foods

| Bush food | High in antioxidants | High in vitamin C | High in folate | High in iron |
|---|---|---|---|---|
| Kakadu plum | ✓ | ✓ | ✓ | |
| Quandong | ✓ | | ✓ | ✓ |
| Tasmanian pepper leaf | ✓ | | ✓ | ✓ |
| Lemon myrtle | ✓ | | ✓ | |
| Australian desert lime | | ✓ | ✓✓ | |

### Grow your own?

Interest in Australian native foods is increasing. Some Australians are even taking on the challenge of trying to grow native foods themselves as a business. Matthew Koop is one such entrepreneur. Matthew believes that he is the sole commercial quandong harvester in Victoria. These tangy-fleshed stone fruits are native to Australia's central deserts and southern arid regions.

Kakadu plum trees may be another native plant that we could see growing in orchards in the future. Dave Boehme, a Darwin farmer, believes that this plant can be grown successfully in remote communities and may be a very successful horticultural project. He is shown in figure 4.44 with one of the 100 native plums from his property. Increased interest in bush foods may see many more of our Australian native plants cultivated to become viable economic enterprises.

**FIGURE 4.44** David Boehme

**FIGURE 4.45** Quandongs

**FIGURE 4.46** Matthew Koop



## on Resources

**eWorkbook** Bush tucker (ewbk-6665)

**Weblink** Indigenous ecological knowledge

**assess on** Additional automatically marked question sets

# 4.7 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5, 6, 10 | Questions<br>3, 7, 9, 11, 13 | Questions<br>4, 8, 12, 14 |

## Remember and understand

1. Briefly outline the knowledge and skills that Aboriginal and Torres Strait Islander peoples traditionally used to help them achieve a balanced diet.
2. State where witjuti grubs may be found and what they look like, and suggest why they are described as being very nutritious.
3. Describe how Aboriginal Australian communities living in arid areas find enough water to survive.
4. **a.** Describe the distinctive features of dugongs.
   **b.** Suggest reasons why dugongs are endangered.
   **c.** Which groups of people in Australia are allowed to hunt dugongs and why?
   **d.** Which part of the dugong was used to determine its age?
   **e.** Explain the purpose of using aerial photographs in dugong research.

## Apply and analyse

5. Bush tucker can provide a balanced diet. Give examples of bush foods that contain:
   **a.** protein **b.** carbohydrate **c.** fats and oils.
6. SIS Refer back to figure 4.41.
   **a.** Identify the percentage of each of the following in the average body composition of a witjuti grub:
   **i.** Sugars **ii.** Protein **iii.** Fats **iv.** Water
   **b.** Which substance makes up the highest proportion of witjuti grubs and why might this be important for people living in dry environments?
7. Use the information in table 4.3 to identify:
   **a.** which bush food is high in iron
   **b.** which bush food is not high in antioxidants
   **c.** which bush foods are high in vitamin C.
8. Find out and report on research into Australian native plants as a source of food or medicine. State the species name and summarise the plant's habitat.

## Evaluate and create

9. Research and construct a table to show the similarities and differences between potatoes, carrots, rhubarb, celery and onion.
10. Construct a Venn diagram to compare the following.
    **a.** Kakadu plums and quandongs **b.** Lemon myrtle and Tasmanian pepper leaf
11. Other examples of native foods include tanjong, lady apple, cluster fig, finger lime and the ruby saltbush. Research and summarise features of these.
12. What do you think about hunting dugongs? Who should be allowed to hunt them? How many should be taken, when and why? Research dugong hunting, then summarise your findings and opinions.
13. Dugongs feature in the creation stories of many Aboriginal and Torres Strait Islander cultures across northern Australia. Find out more about one of these stories and present it in a creative way.
14. SIS Aboriginal people used fire to manage their Country and feed their community. Well-managed fires promote new plant growth. This attracts animals, which makes hunting much easier. Investigate how the Aboriginal peoples recognised relationships in ecosystems in your area.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.8 Human impact on ecosystems

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain the effect of humans on the natural balance of ecosystems, including through farming and the introduction of foreign species.

## 4.8.1 In the past there was a balance

Humans have come a long way since they lived as hunter–gatherers in Old Stone Age times.

When people lived as hunter–gatherers, they collected food without severely disturbing the environment. They consumed the fruits and roots of plants, leaving the rest of the plant to die and be broken down by decomposers.

In this way, the nutrients in the dead plants were returned to the soil. The soil was not dug over or exposed to the air. In these natural ecosystems, other animals, birds and insects would also feed off the plants and each other in a complex set of feeding relationships.

In more recent history, since their arrival on the Australian continent around 60,000 years ago, Aboriginal and Torres Strait Islander peoples developed land management systems that created a balance between human needs and the ecosystem. For example, some communities use controlled burning, which promotes biodiversity and encourages native grasses to regenerate.

**FIGURE 4.47** Apple orchards like this must be fertilised to promote growth and also sprayed to protect the fruit from pests.

**FIGURE 4.48** Forest habitats like this are logged for wood.

**DISCUSSION**

While we have prospered as a species, our environment and numerous ecosystems have not. Our populations have dramatically increased in size, with many populations exceeding the available resources within their ecosystems. Yet we continue to strip ecosystems and give very little back in return. What will the consequences of this be in the future? What will the place where you live look like in 100 years?

## 4.8.2 Artificial ecosystems and agriculture

About 5000 years ago when **agriculture** (farming) began, humans learned how to control the growth of other organisms in order to maximise their own food supply. These humans began to create artificial ecosystems.

The purpose of agriculture is to turn as much of the sun's light energy as possible into chemical energy in particular crops or pasture plants for animals. To do this, it is necessary to interfere with the food web of which the selected organism is part. This often also requires the clearing of forests or removal of other organisms that may compete for resources and hence lower the yields. Such activities have led to the destruction of many natural ecosystems. The development of agriculture has led to drastic environmental changes in many ecosystems on our planet.

**agriculture** the use of land to grow crops or raise farm animals

**monocultures** crops grown on land used for one kind of crop only

**fertilisers** chemicals added to soil to provide the nutrients needed for plant growth

**eutrophication** a form of water pollution involving an excess of nutrients leaching from soils

### Monocultures

Farms usually grow very large areas of only one type of plant. For example, in some regions there are thousands of hectares planted only with wheat, while in other regions thousands of hectares are covered with grapes, sugarcane or some other single crop. Such crops are called **monocultures** and can lead to reduced biodiversity.

**FIGURE 4.49** Areas planted with only one crop are called monocultures.

At the end of each growing season, the crops are harvested, processed and delivered to shops and supermarket shelves for the consumer. There is little natural decomposition of dead material, and the soil may be exposed to the effects of wind and rain for a certain period of the year. These factors combine to remove valuable nutrients from the soil.

**FIGURE 4.50** Modern agriculture provides large amounts of food, but at a cost to the environment.



### The use of fertilisers

Nitrogen and phosphorus atoms are required by organisms so that they can make proteins (organic molecules contain carbon). These organic molecules can play many key roles in both the structure and functioning of organisms. A supply of these atoms is essential for an organism's survival.

Harvesting and removal of crops can reduce the amount of organic material available for decomposers to feed on. This results in reduced levels of nutrients (such as nitrogen and phosphorus) on agricultural land. As this would reduce the future production of crops, **fertilisers** are often added to replace these 'lost' nutrients.

**FIGURE 4.51** High levels of phosphorus from fertiliser in water can lead to eutrophication.

#### Eutrophication

Some of these fertilisers may, however, end up in waterways and result in unnaturally high levels of nitrogen and phosphorus in the water. This can lead to a rapid increase in populations of blue-green algae that block light from reaching producers in the water. Increased death of plants and algae provide increased organic matter for bacteria to decompose. This leads to an increase in the bacterial populations, which then use up more oxygen in the water. This process is called **eutrophication**. Reduced availability of oxygen can kill fish and other organisms.

Carefully observe figures 4.52 and 4.53. The diagram in figure 4.52 shows how phosphorus is normally cycled within ecosystems. The diagram in figure 4.53 shows the effect of excess phosphorus on populations of organisms. Eutrophication is like suffocation of a waterway. It can result in the death of organisms and so it unbalances food chains and webs.

**FIGURE 4.52** A simplified view of how phosphorus is cycled within an ecosystem




**FIGURE 4.53** Eutrophication with phosphorus can result in the death of organisms within the ecosystem.




## 4.8.3 Deforestation

Some of the biggest impacts humans have on the planet and its ecosystems are through deforestation. Deforestation involves the removal of large numbers of trees to clear land for other uses — not just for agricultural use, but also for urban and residential use.

Deforestation greatly harms ecosystems. It severely impacts, or even destroys, the food chains and food webs that are in delicate balance, and many organisms lose their food source with the loss of important producers. The habitat of numerous organisms is also changed or lost completely.

**FIGURE 4.54** The deforestation and clearing of an huge part of an ecosystem.

### Carbon dioxide and climate change

If producers are reduced in number or removed from ecosystems through deforestation, less carbon dioxide will be removed from the atmosphere, as shown in figure 4.55. The increase in carbon dioxide contributes to air pollution and a rise in the Earth's surface temperature. This explains why cutting down trees can contribute to the enhanced greenhouse effect and a changing climate. This climate change then further affects the various fragile ecosystems in various ways. There are many links between climate change and the impact on living things.

**FIGURE 4.55** Deforestation and removing trees can result in more carbon dioxide in the atmosphere as less is absorbed for use in photosynthesis.




Our way of life also adds greenhouse gases into the environment; hence the enhanced greenhouse effect. Human activities including deforestation have seen a rise in the release of carbon dioxide, which is a greenhouse gas, into the atmosphere. This contributes to global warming.

The trapping of greenhouse gases leads to an increase in Earth's temperature, due to trapped heat. Examples of the negative effects of this can be seen globally:

- Over time, the polar ice caps have been melting due to increased temperatures, wiping out much of the habitat of polar bears.
- The increased temperature and dryness of ecosystems has greatly increased the bushfire risk, particularly in Australia, where severe bushfires affected the country in early 2020.

**FIGURE 4.56** Polar bears surrounded by melting polar ice caps

## 4.8.4 Pest control

Organisms that compete for resources or potentially lower the yield of the plant crop being grown are considered to be pests that need to be controlled. Pest control may be carried out through the use of **chemical control** or **biological control**.

**chemical control** the control of plant or animal pests by the use of chemicals

**biological control** a method of controlling pests by introducing one of their natural enemies

**pesticides** a substance or preparation for destroying pests, usually by being poisonous to them

### Chemical control

Chemical methods of control include the use of **pesticides** such as insecticides, fungicides, herbicides and fumigants. Herbicides kill plants other than the planted crop so that they do not compete for nutrients and water in the soil, and light from the sun. Insecticides are used to kill organisms that compete with humans for food crops.

Other species within the ecosystem may also be affected. Often, chemicals can build up through a food chain (shown in figure 4.57), and greatly affect consumers further down the line.

int-3458

**FIGURE 4.57** Some chemical pollutants such as pesticides can become more concentrated along the food chain



## Biological control

Biological control of unwanted plants and animals uses other organisms, rather than chemicals (such as insecticides and herbicides), as a method of control. Biological control may use a predator or competitor to kill or reduce numbers of the pest, or somehow disrupt the pest's reproductive cycle. A disease might also be used to kill the unwanted plant or animal without harming other species. Sometimes, however, the method does not work as planned and the supposed cure becomes a problem.

# 4.8.5 Introduced species

An **introduced species** is one that has been released into an ecosystem in which it does not occur naturally. The food webs in ecosystems are very delicate and can be easily unbalanced, especially when new organisms are introduced. These introduced organisms compete with other animals for food, provide predators with a new source of prey, or may act as predators themselves.

**introduced species** species that are not native to an ecosystem

### CASE STUDY: Northern Pacific sea star

#### History

The northern Pacific sea star (*Asterias amurensis*) is a marine pest, accidentally brought to Ausralia on the hulls of boats and ships and in ballast water. This foreign sea star was first discovered in the Derwent estuary near Hobart in 1986. Since then it has spread to Port Phillip Bay, with its population now estimated at around 100 million. The population is likely to continue to increase because it has no natural predators or competitors in our ecosystem, and the female sea star can produce up to 10 million eggs a year.



#### Ecological impact

1. Potentially causing great harm to our marine ecosystem and to marine industries
2. Threatening biodiversity and shellfish aquaculture in south-eastern Tasmania and Port Phillip Bay
3. Acting as a voracious predator. Some of our native marine species, such as scallops and abalone, don't recognise it as a predator, so do not try to escape it.

### CASE STUDY: Cane toads

#### History

The cane toad (*Bufo marinus*) was introduced into Australia in 1935 to control the sugarcane beetle, which was destroying sugarcane in Queensland. Unfortunately, the cane toad preferred other insects and the cane beetle was not greatly affected. Cane toads are poisonous and kill animals that eat them. They need little water for breeding. In one season, the female toad can lay up to 40 000 eggs, which take only three days to hatch.

#### Ecological impact

1. Occupying water habitats so that native tadpoles cannot live there
2. Killing fish that eat the tadpoles and other animals that eat the adult toads
3. Eating our natural wildlife including frogs, small lizards, birds, fish and insects.



## CASE STUDY: Rabbits

### History

In 1859, 24 rabbits were introduced from Europe and released in Geelong, Victoria. With few predators, they multiplied rapidly and thrived. By 1890, there were 600 million rabbits in NSW alone, all of which had descended from the first 24 rabbits introduced into Victoria.

### Ecological impact

1. Competing for food with the native animals such as kangaroos, wallabies, wombats and bandicoots
2. Disrupting food webs and unbalancing ecosystems
3. Building extensive underground warrens
4. Stripping most of the vegetation in their area, causing another problem — erosion. Without plant roots to hold the soil, wind and rain carry the soil into creeks, rivers and lakes, causing further problems for the organisms that live there.




### LOCUSTS SET TO INVADE

by Adrian Tame

Swarms of locusts are set to swarm across the Murray River into Victoria.

The destructive swarms, some covering up to 200 sq km, have been massing in southern NSW over the past month.

Northerly winds early this week are expected to drive them into Victoria.

The Goulburn Valley, known as Victoria's fruit bowl, is among areas vulnerable to the voracious pests, capable of causing millions of dollars of damage to crops within hours.

Malcolm Campbell, a principal scientist with the State Department of Primary Industry, said the situation was grave.

One swarm, measuring up to 100 ha across, has already crossed the border and is being monitored in the Picola area, north of Shepparton, centre of the state's prime fruit-growing area.

The locusts cannot be sprayed in this area.

Potentially more serious are swarms north of a stretch of the NSW border extending from Swan Hill to Albury.

Areas facing the most significant threat include regions around Gunbower, Mitiamo, Rochester and Elmore and thousands of hectares south of Echuca.

Mr Campbell said even if the predicted northerlies fail to arrive, and Victoria has the same lucky escape it experienced in December, a further high-risk period is anticipated in late March, early April.

'This could be particularly damaging for cereal crops planted in late Autumn, when they are at their most vulnerable.

'We are expecting another generation of adult locusts in NSW around that time,' he said.

Locusts will eat almost any form of green leaf.

*Source: Herald Sun*

## 4.8.6 The impact of rubbish

Every Australian creates one tonne of rubbish each year, making the nation the second largest waste creator after the United States.

Most of the household rubbish we produce is packaging — the cartons, plastic wrapping and cans in which food and other products are sold. The packaging of clothing and some other goods is often excessive.The main issue is with nonbiodegradable rubbish, which unlike biodegradable rubbish, cannot be broken down in an ecosystem.

**FIGURE 4.58** Examples of biodegradable and nonbiodegradable materials




### Landfill

Your local city council collects rubbish and dumps it into big holes in the ground. Over many years, the rubbish settles and the hole is filled. A layer of soil is bulldozed over it and trees are planted. These areas are often used as parkland or reserves.

Biodegradable organic substances are broken down into simpler chemicals by bacteria and fungi, producing methane gas. It and other gases contribute to the smell around these landfills. The rubbish under the ground continues to decompose, although some materials such as plastic and glass will last for hundreds or thousands of years.

Landfill sites cause many problems. Pests such as rats, which can spread disease, breed in the rotting garbage. If industrial waste is dumped in this manner, toxic (poisonous) substances could leak into other areas and contaminate groundwater.

**FIGURE 4.59** Household rubbish often ends up in landfill.

### Rubbish in the ocean

Imagine how much space will be required if people keep dumping rubbish at this rate. Have you ever wondered what happens to the litter you see in the schoolyard? Quite a lot of it is blown and washed into street gutters. After heavy rain, litter flows into creeks, rivers, lakes and, eventually, into the sea.

The litter that ends up in the sea contains a large amount of plastics, metal and glass, which are nonbiodegradable; that is, they are not broken down into simpler chemicals by bacteria and fungi (decomposers). The litter may float on the surface or sink to the bottom, where it stays for many years.

**FIGURE 4.60** Rubbish can damage many organisms that live in the ocean.

Litter can also cause injuries to many organisms in the ocean. Many animals mistake rubbish, such as plastics, for food and eat it, leading to significant harm and possible death. Animals can become trapped in plastic waste. The effect of waste drastically affects ecosystems, as does our efforts to reduce this waste. In India, one man spent years cleaning up a rubbish-filled beach. Once the beach was clean, turtles returned to nest.

### ACTIVITY: Anti-litter video

**Make a two-minute video that discourages littering.**

Your video should include:
- a definition of litter
- the extent of the litter problem
- future consequences
- possible solutions.

Write and record an audio commentary and use appropriate titles and transitions. Try to incorporate a suitable music track into your video

## 4.8.7 Pollution

A **pollutant** is anything added to the environment that harms living things. Examples of pollutants include car exhaust fumes, household waste, pesticides and industrial waste such as smoke, poisonous fumes and liquids. What if some things you use were made by processes that harm the environment? Are you a polluter?

**FIGURE 4.61** Many human activities result in pollutants being released into the environment.

**pollutant** harmful substance released into the environment

### DISCUSSION

Did you know that, in 2004, Australians used about 5.6 billion single-use plastic bags? That is equivalent to one bag a day for every person in Australia throughout the year! After their first use, many became litter within our environment. Because most plastic bags are made up of non-renewable natural resources and can take up to 1000 years to break down naturally, these are likely to be still littering our environment today. While biodegradable plastic bags are being developed and are sometimes used, these also have a variety of problems associated with them. As well as their claimed ability to break down naturally being questioned, it is currently not known whether harmful products are left over once biodegradation has taken place. Many states in Australia have now banned single use plastic bags, including Victoria in 2019.

Do you think this ban is an effective way of reducing waste? What other steps might be taken to reduce the amount of plastic in the environment?

## 4.8.8 Preserving ecosystems

There have been some exciting developments in preserving ecosystems. There is increasing collaboration between governments, communities, scientists and farmers to work together to:

- meet the demand for food for the world's increasing populations
- reduce damage to and preserve natural ecosystems
- reduce the risks of disease to crop plants
- develop strategies to deal with the possible effects of climate change and natural disasters such as droughts, floods and fires. This includes monitoring climate change and temperatures in places such as Antarctica.

### on Resources

| | |
|---|---|
| **eWorkbooks** | Population overload (ewbk-4684)<br>Spot the pest (ewbk-4686) |
| **Video eLessons** | Climate change (eles-2241)<br>The effect of rubbish in oceans (eles-4255) |
| **Weblink** | Invasive species in Australia |
| **assessON** | Additional automatically marked question sets |

## 4.8 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5, 7, 8, 11, 13, 21 | Questions<br>3, 6, 10, 12, 15, 17, 19, 22, 26 | Questions<br>4, 9, 14, 16, 18, 20, 23, 24, 25 |

### Remember and understand

1. Match each term to its meaning.

| Term | Meaning |
|---|---|
| **a.** Monoculture | **A.** A chemical used to kill plants other than the planted crop so that they don't compete with crop plants for nutrients, water and light |
| **b.** Fertilisers | **B.** A chemical used to kill insects that compete with humans for food crops |
| **c.** Eutrophication | **C.** The control of plant or animal pests through the use of chemicals |
| **d.** Insecticide | **D.** Results from the addition of very high levels of phosphorus into waterways, which can reduce levels of oxygen available in the water |
| **e.** Herbicide | **E.** A crop that contains only one species |
| **f.** Chemical control | **F.** A species that has been released into an ecosystem in which it does not occur naturally |
| **g.** Introduced species | **G.** Chemicals that are added to the soil to replace nitrogen and phosphorus |

2. MC What is the best definition of a pollutant?
   A. Anything added to the environment that harms living things
   B. Anything added to the environment that helps living things
   C. Chemicals added to the environment that harms living things
   D. Anything added to the environment that harms people
3. Distinguish between chemical pest control and biological pest control.
4. Outline the link between agriculture and artificial ecosystems.
5. Copy and complete the following statements describing what is meant by the terms 'introduced species' and 'biological control'.
   An _____ species is one that has been released into an ecosystem in which it does not occur _____
   A _____ control is the use of other organisms to kill or reduce numbers of an unwanted _____
6. Give examples of:
   a. three species that have been introduced into Australia
   b. three ways in which biological control may be used
   c. three reasons why rabbits, northern Pacific sea stars and cane toads are not wanted in Australia.
   d. three things that commonly make up household rubbish
   e. three pollutants
7. List three problems associated with rubbish tips and landfills.
8. Describe the effect of nonbiodegradable rubbish on ecosystems.

## Apply and analyse

9. Explain why it is important to spend a lot of time and effort testing biological controls before they are used.
10. Is biological control of pests better than using chemicals? Give some reasons for your answer.
11. Explain whether all introduced species are pests.
12. Do you think loud noise is a pollutant? Explain your answer.
13. Do you think humans have been greedy in terms of their environment? Give reasons for your opinion.
14. Suggest how our lifestyles are different from those of our hunter–gatherer ancestors. Discuss possible consequences of the differences.
15. Look at the image of deforestation in figure 4.54. Should forests be protected? If so, how many of them? If not, why not? Give reasons for your answers.
16. SIS Population statistics of several animals were collected in two areas over five years. One area contained only native animals, while the other area contained native animals with an introduced species — the rabbit.
    The feeding habits of the animals were also studied:
    - Bandicoots eat roots, seeds, leaves and insects.
    - Dingos eat bandicoots, wallabies and rabbits.
    - Wallabies eat grasses and leaves.
    - Rabbits eat grasses and leaves.
    - Insects eat roots, seeds, leaves and grasses.

**TABLE** Area 1: populations of native animals over five years

| Year | 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|---|
| Bandicoot | 310 | 488 | 505 | 505 | 505 |
| Dingo | 5 | 11 | 11 | 12 | 10 |
| Wallaby | 90 | 197 | 281 | 293 | 290 |

**TABLE** Area 2: populations of native animals over five years

| Year | 1 | 2 | 3 | 4 | 5 |
|---|---|---|---|---|---|
| Bandicoot | 310 | 475 | 495 | 500 | 505 |
| Dingo | 5 | 11 | 11 | 12 | 10 |
| Wallaby | 90 | 199 | 72 | 72 | 73 |
| Rabbit | 6 | 412 | 5122 | 5114 | 5120 |

a. Draw two separate food webs: one of the native animals only, and the other one including the introduced species.
b. Plot two population graphs from the two tables, using a different colour for each animal. Join the points with straight lines.
c. i. Which native animal was most affected by the introduction of the rabbit into the second area?
ii. Which animals were least affected?
d. i. What happened to the number of rabbits in the first two years?
ii. What happened to the number of rabbits after the first two years?
iii. Can you explain why this happened?
e. i. What effect did the introduction of the rabbits have on the wallaby population?
ii. Why do you think the rabbits had this effect?
f. Did the rabbits have any effect on the dingo and bandicoot populations? Explain.
g. In your own words, describe any differences in the food webs of the two areas and how the populations of each of the native animals changed.

17. SIS The food web provided shows a northern Australian sheep station ecosystem. Imagine that a successful method of biological control was found to totally wipe out the rabbit population in Australia.
a. Copy the food web and add in the arrow heads to show the flow of energy.
b. Which animals would benefit immediately from the disappearance of the rabbit? Explain why.
c. How would the diets of the eagles, foxes, dingos and feral cats change?
d. What do you think might happen to the populations of the small native animals over a longer period of time?




18. SIS Suggest projects that governments, communities, scientists and farmers can work collaboratively on.

## Evaluate and create

19. Research the carbon cycle, nitrogen cycle or water cycle and find out how human activities have had an effect on it. Suggest possible consequences of this effect.
20. SIS Imagine that you are involved in each of the following situations. Prepare a report for both to promote your profession (or viewpoints), activities and any effects on the environment.
a. Woodchipping, deforestation or land clearing
b. An environmental protection group, such as Greenpeace
21. Find out more about the impact of one of the following introduced plants and animals: horse, camel, cat, fox, goat, hare, sparrow, rat, garden snail, starling, water buffalo, deer, ferret, housefly, European wasp, thistle, blackberry, serrated tussock, Paterson's curse, ragwort.
Explain why it was introduced and what effect this had.
22. Find more about one of the following and summarise your findings in no more than two paragraphs.
- the successes and failures of using myxomatosis and calicivirus to kill rabbits
- why cane toads were unsuccessful as a biological control for the sugarcane beetle.
23. One of the most successful examples of biological control in Australia is the control of prickly pear cactus. The moth *Cactoblastis cactorum* was imported from South America to eat the flesh and flowers of the cactus. Find out more about this and other successful examples of biological control.
24. Investigate how land management practices of Aboriginal and Torres Strait Islander peoples can contribute to future sustainable management of the environment.
25. SIS Research and report on one of the following:
- different scientific responses to rabbit plagues in Australian agricultural areas
- the use of fire by traditional Aboriginal peoples
- the effects of palm oil harvesting in Sumatra and Borneo.

26. SIS Scientists have drilled into ice on Antarctica and collected samples at very deep levels. Ice cores can provide information about the Earth and its atmosphere over hundreds of thousands of years. The Earth's temperature and the levels of carbon dioxide in the air can be tracked using these ice cores. Carefully study the graphs shown.
   a. Describe the pattern shown for temperature differences over 420 000 years.
   b. Describe the pattern shown for carbon dioxide levels over 420 000 years.
   c. Do these graphs support the theory that global warming is due to increased levels of carbon dioxidein the air? Explain.







**Fully worked solutions and sample responses are available in your digital formats.**

# 4.9 Extinction

## LEARNING INTENTION

At the end of this subtopic you will be able to explain why it is so important that humans help rare, vulnerable and endangered species to survive.

## 4.9.1 Saving endangered species

The intimate interactions that link us all together can also sometimes break us apart.

During the 200 years since the European settlement of Australia, over 125 different species of Australian native plants and animals have become extinct. This includes over 10% of all native mammals. Many more species are in danger of extinction.

Why should we be so concerned about endangered species? After all, there are many plants and animals on Earth and it may become overcrowded in future.

Some of the reasons to be concerned about endangered species are that:

- their disappearance affects all other species in the food web
- all species have a right to live and share the Earth
- they may be useful in the future for food, medicines etc.
- future generations should have the same chance to see a diverse world.

**FIGURE 4.62** Reasons for extinction



Some of the solutions put into practice to reduce the threat to endangered species include:

- declaring areas as national parks where plants and animals are protected
- setting up fauna and flora reserves, wetlands and other specialised habitats
- placing quotas (limits) on hunting and exports
- culling (reducing numbers) of overpopulated species, such as western grey kangaroos in some national parks, to allow native plants to survive.

Australia is not the only place where organisms are in danger. All around the world, humans are threatening the survival of other inhabitants of our planet. Threatened species can be rare, vulnerable or endangered (refer to figure 4.63).

**FIGURE 4.63** Extinct and threatened species




## 4.9.2 Arguments against keeping animals in captivity

For thousands of years, humans have kept animals in captivity; animals have been kept as pets and have been put on display in zoos, circuses and 'water worlds'.

- The animals in zoos and circuses are kept in cages with little room to move and are out of their natural habitats. They don't feed naturally; for example, lions do not hunt for their food, and seals do not catch their own fish. Polar bears usually have to put up with temperatures at the zoo that are much higher than they are used to in their Arctic environment.
- Most animals in captivity are isolated from others of their own kind and cannot live in their natural social groupings.

**FIGURE 4.64** An example of an older cage that some animals were kept captive in.

- The living conditions and isolation of animals in captivity causes stress. This has an effect on feeding and reproduction; most animals do not reproduce well in captivity.
- Family pets are sometimes unwanted after a short period of time and are abandoned to roam the streets or escape into the bush. Some pets, such as cats, dogs and even horses, escape into the bush and become feral or wild, causing damage to the environment and killing or competing with native species.
- Thousands of birds and small native animals are killed by cats every year, especially in national parks and reserves such as Sherbrooke Forest in the Dandenong Ranges, Victoria. Many of the cats are feral but many are also pets that are allowed to roam outside at night.

## ACTIVITY: Animals should not be kept in captivity

1. Use the information and images in this section and in other resources to construct a written response to the statement: 'Animals should not be kept in captivity'.

**TABLE 4.4** Average distance travelled per day when living in the wild

| Animal | Distance travelled (km) |
|---|---|
| Feral horse | 65–80 |
| Asian elephant | 25 |
| Red fox | 10–250 |

**FIGURE 4.65** An animal's lifespan is different in captivity.




**FIGURE 4.66** Many animals have been kept in captivity over time



## 4.9.4 Arguments in favour of keeping animals in captivity

- Zoos provide us with a very valuable educational resource, not only by enabling school children to study animals, but also by making the general public more aware of animals and their value in our world.
- There are many hundreds of species of endangered animals in the world today because of the destruction of their habitats by humans, pollution, overhunting and many other reasons. Zoos provide a breeding program for these animals so that the species can reproduce and have a better chance of survival in the future. For example, research has been carried out into freezing sperm and eggs from some animals, such as the clouded leopard, that are very aggressive towards each other and are unlikely ever to mate in captivity.
- Animal enclosures have improved greatly from the concrete-floored, barred, small 'box'. Today, most zoos have quite large, specially designed enclosures that imitate the natural habitats of the animals as closely as possible (such as that shown in figure 4.67). At Melbourne Zoo, a gorilla rainforest has been created where people can observe the gorillas in a very natural environment — a far cry from the small cages of the past.

**FIGURE 4.67** A giant panda in a habitat simulating its own natural environment

- Research is carried out at zoos into the needs and behaviour of animals, and this gives us a better understanding of the animals in their natural environments.
- Zoos are very good tourist attractions, and this benefits not only the zoo but also the city, the state and the country. They are great places to visit, especially if you live and work in the city and don't have much contact with nature.
- There are many benefits of household pets. They are great companions, especially for the elderly and sick. It has been shown that people recover more quickly from illness when they have a pet with them. Pets are also very good for children to play with and learn responsibility by looking after them.

### Resources

**eWorkbook** Extinction (ewbk-4688)

**assessON** Additional automatically marked question sets

## 4.9 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4, 6, 8, 12, 13 | Questions<br>2, 7, 10, 11, 14, 17 | Questions<br>3, 5, 9, 15, 16, 18 |

### Remember and understand

1. MC Identify the meaning of the term 'extinct'.
   - **A.** When there is only one breeding pair left
   - **B.** When the species only exists in captivity
   - **C.** No longer existing as a species
   - **D.** When the species is endangered
2. MC Why don't animals reproduce well in captivity?
   - **A.** There are not enough of the one species in an enclosure.
   - **B.** Living conditions and isolation in captivity cause stress, which affects reproductive ability.
   - **C.** They have been domesticated.
   - **D.** They cannot access their natural food sources.

3. MC Which of the following are benefits of the technique of freezing sperm and eggs to help breeding programs in zoos?
   A. Organisms that are unlikely to mate in captivity can still reproduce.
   B. It increases the chance of survival of a species.
   C. It ensures that the possibility of inbreeding is reduced. This increases the chance of survival of a species.
   D. All of the above
4. Describe the difference between an endangered species and a vulnerable species.
5. Explain how a rare species different from endangered and vulnerable species.
6. List five of the factors that have contributed to the extinction of some species of animals.
7. Give two good reasons why endangered species should be saved.

## Apply and analyse

8. Describe what is being done to save endangered species. Provide two examples of this.
9. Animals in zoos do not feed naturally. Give an example and explain this statement.
10. Describe one reason why family pets can be a problem.
11. a. What does the word 'feral' mean?
    b. Why are feral animals a problem?
12. Copy and complete the passage that explains how animal enclosures in zoos have changed over the years.
    Zoos have changed from small _____ enclosures with bars and little stimulation to large, specially designed _____ that imitate the _____ habitats of the animals as closely as possible.
13. How does logging of forests affect native plants and animals? Give an example to support your answer.
14. The extinction of one species affects several other species. Explain this statement and give some examples.

## Evaluate and create

15. a. SIS Copy and complete the table, then calculate and enter the totals.

**TABLE** Culling of different species of whales over different years

| Year | 1930 | 1940 | 1950 | 1960 | 1965 | 1970 |
|---|---|---|---|---|---|---|
| Blue whales killed | 25 000 | 15 000 | 7000 | 3000 | 2000 | 0 |
| Fin whales killed | 14 000 | 14 000 | 23 000 | 32 000 | 20 000 | 5000 |
| Sei whales killed | 1000 | 1000 | 3000 | 8000 | 25 000 | 15 000 |
| Sperm whales killed | 1000 | 5000 | 12 000 | 20 000 | 30 000 | 23 000 |
| **Totals** | | | | | | |

The data above have been adapted from P. R. & A. H. Ehrlich, *Population, Resources, Environment* (W. H. Freeman, San Francisco, 1972).

   b. Plot the data for all four whales, and the totals, on a graph, using the same set of axes for all of them. Put the years on the horizontal axis (scale of 1 cm = 5 years, starting at 1930) and the numbers of whales killed on the vertical axis (scale of 1 cm = 5000). Use different colours for the different whales and the total numbers, and make a legend to show which colour represents which whale.
   c. Which whale was killed less and less over the whole period?
   d. When was the total number of whales killed the greatest?
   e. What can you say about the rate of killing of the whales after 1965? Why do you think this happened?
   f. Why do you think there were fewer whales killed in total in 1940 than in 1930?

16. SIS Research Australia's most threatened vertebrate species. Write a short report, or design a poster, and include the following information:
   a. a description of the animal and its habitat
   b. a list of the animal's requirements (e.g. food, shelter)
   c. reasons why the animal is threatened with extinction
   d. what, if anything, is being done to save the species.

   Choose your vertebrate from the species listed.
   - Mountain pygmy possum
   - Leadbeater's possum
   - Spotted-tailed quoll
   - Dugong
   - Western black-striped snake
   - Western swamp turtle
   - Long-footed potoroo
   - Trout cod
   - Malleefowl
   - Helmeted honeyeater
   - Golden-shouldered parrot
   - Yellow-bellied parrot

17. SIS Investigate some other ways in which humans have had an impact on the survival of organisms and describe your findings.
18. SIS Contact your local zoo or wildlife reserve (or use their websites) and obtain information about which endangered animals are in their breeding programs. Describe how these programs work.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.10 Ecological footprints and sustainability

## LEARNING INTENTION

At the end of this subtopic you will be able to explain what an ecological footprint is and describe ways of living sustainably.

## SCIENCE AS A HUMAN ENDEAVOUR: What is an ecological footprint?

How much of our planet's resources do you take each year? Do you take more than your fair share? Who is doing without so that you can get all that you want, when you want it and how you want it?

Different lifestyles can have very different impacts on our environment. Scientists have developed a scale of the impact that our lifestyles may have on our planet's resources. This has been called an **ecological footprint**. It is a measurement of how much biologically productive land our activities require. It helps us see the impact that we have on our planet.

**ecological footprint** estimate of the amount the Earth's productive land and water required to supply the resources for an individual's or group's activities

**FIGURE 4.68** Comparison of ecological footprints of people in different countries




**FIGURE 4.69** How big is your ecological footprint?

### ACTIVITY: Your global footprint

Use an online tool, such as the Global Footprint Network, to explore the differences in the ecological footprint in different countries.

Use this to determine your own ecological footprint.

### Resources

**eWorkbook** What's my ecological footprint? (ewbk-4690)

**Weblink** What is your ecological footprint?

## 4.10.1 Sustainability

In order to live, we need to consume resources available on our planet. But what happens when we use more than is available to us? For example, what if humanity's ecological footprint is 20 per cent larger than what our planet has to offer (or can regenerate)? This would mean that it would take one year and two and a half months for the Earth to supply what we use in a single year. How could we pay back the debt each year?

**Sustainability** is based on the recognition that, if resources are consumed faster than they are produced or renewed, they can be depleted or used up. This may result in resources becoming costly or unavailable, resource conflicts and increasingly barren habitats. Many of our resources are finite and, once used, cannot be replaced.

By understanding the ideas behind ecological footprints, we can empower people to take their own personal and collective actions to support a sustainable lifestyle on our planet.

**sustainability** able to be sustained or to continue for an indefinite time

**FIGURE 4.70** Do you take more than your share?

### EXTENSION: Sustainable cyberhunt

One of the simplest and best definitions of sustainability is 'to meet our needs in the present without compromising the ability of future generations to meet their needs'.

Choose a science cartoon from the internet that will illustrate an issue related to sustainability.

Write a paragraph explaining what message the selected cartoon gets across and why it is funny.

## 4.10.2 Reducing our waste

There are many ways we can reduce the waste we produce and live more sustainably. The use of reusable and recyclable materials is one vital way we can reduce our waste and the negative impact this can have on ecosystems. Some ways we can do this is using our wastes in other ways such as through the composting of food scraps and the use of waste for worm farms.

### Composting

Food scraps can of course be recycled by setting up a **compost** heap. Compost is decaying plant matter. Composting encourages the breakdown of food scraps, leaves and other vegetable matter by bacteria, fungi, earthworms and insects. It produces a number of nutrients that help plants grow better. When compost is mixed with garden soil, it returns these nutrients to the soil and reduces the need for fertilisers.

Some people add manure or lime to compost heaps to speed up the composting process. Adding animal manure provides a balance of nutrients and helps provide the right conditions for decomposers to live. The addition of worms speeds up the process and produces a very rich compost from the products of digestion of vegetable matter by the worms. Decomposers need moisture and oxygen, so compost heaps, especially the bin type, must be turned to aerate them and occasionally even watered during hot, dry spells.

**FIGURE 4.71** Composting is a great way to benefit the soil and reduce household rubbish.

### Worm farms

About 60 per cent of our household rubbish can be used as worm food. Worms eat just about anything that was once living, including kitchen scraps, garden waste and manure. They love pizza and will even eat the box it comes in! Worms can eat about half their body weight in food each day. We can use a worm farm to feed our once-living rubbish to worms as shown in figure 4.72.

**compost** waste material deliberately left to be decomposed by organisms such as fungi, bacteria and worms

**FIGURE 4.72** The components of a worm farm



## 4.10.3 Precious water

Imagine feeling really thirsty, but then finding there is nothing to drink. Or, if you received only one cup of water a day — not just to drink, but to wash in as well? Australia is the driest habitable continent in the world. Fresh water is probably our most valuable renewable resource. Its quality is vital to human health, wildlife and agriculture.

It is important to ensure fresh water is being used in a sustainable way. Sustainable water management is about ensuring that fresh water is available not just for current generations, but for future generations.

This is not just through reducing water use and waste, but through monitoring water sources and recycling water for use in various ways.

### Waterwatch

Waterwatch is a program that brings together schools, community groups, landcare groups, land owners, councils and water authorities in an effort to maintain and improve water quality. Together, these groups monitor the quality of streams and other freshwater sources throughout most parts of Australia. The water monitoring groups:

- survey streams and water sources to assess their present condition
- identify areas where water quality is poor
- identify the causes of poor water quality
- provide data that water authorities can use to analyse trends in water quality.

### Waterwatch surveys

Most of the groups conduct **biological surveys** and monitor the physical and chemical properties of the water. Biological surveys involve observing, describing and counting organisms that live in fresh water. They are photographed and, in some cases, samples are taken.

Physical properties that are monitored include:

- temperature
- **turbidity** (how 'murky' or 'cloudy' the water is)
- rate of flow.

Chemical monitoring involves testing for:

- dissolved oxygen
- pH
- pesticides
- nutrients such as phosphorus and nitrogen.

### Finding drinking water

Conditions of drought can reduce the amount of fresh water available for our use. Although Australia is surrounded by sea water, fresh water is in short supply. What are our alternatives? Can we take the salt out of the sea water? Are there other ways in which we can 'make' water that we are able to drink?

### Desalination

A desalination plant has been built in Kurnell in Sydney, New South Wales. This plant uses a process called reverse osmosis, which results in a more salty solution on one side of a membrane and 'pure' water on the other side (see section 5.7.2). There are, however, some environmental concerns associated with this process. One is the huge amount of electricity (produced by the burning of coal or fossil fuels) needed to power the plant and another is the problem of what to do with the salt that is produced.

**biological surveys** a procedure that involves observing, describing and counting organisms

**turbidity** a measure of how 'murky' or 'cloudy' a liquid is

## Recycled water

Fancy drinking recycled sewage? In 2006, the three dams in Toowoomba in Queensland had collectively fallen to below 20 per cent capacity. In July 2006, the residents of Toowoomba voted on a proposal that 25 per cent recycled water from the sewage treatment plant be added to the city's rapidly diminishing water supply. The issue divided the city.

Despite an extensive educational campaign, the proposal was defeated (61.8 : 38.2 per cent). How would you have voted? Why?

### Resources

| | |
|---|---|
| **eWorkbook** | Exploring water quality (ewbk-4692) |
| **Interactivities** | Ways forward (int-3082) |
| | An example of a desalination plant (int-3461) |
| **Video eLessons** | A world of water (eles-1616) |
| | Your recycling bin (eles-2248) |
| **Weblinks** | Waterwatch Victoria |
| | Cleanup Australia |
| **assessON** | Additional automatically marked question sets |

# 4.10 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions | Questions | Questions |
| 1, 2, 4, 9 | 3, 6, 7, 10, 12 | 5, 8, 11, 13 |

### Remember and understand

1. Describe what is meant by the term 'ecological footprint'.
2. Order the following countries in terms of the size of their ecological footprints, from biggest to smallest: United Arab Emirates, Bangladesh, United Kingdom, Australia, United States.
3. Suggest how understanding ecological footprints can be useful.
4. Suggest three advantages to composting.
5. What conditions necessary for decomposition to take place in a compost bin?

### Apply and analyse

6. If everyone on Earth had the ecological footprint shown in the provided table, we would need 2.7 planets to meet our needs.
   a. For each of the four categories (food, mobility, shelter and goods/services), outline two questions that you may ask about the use of that resource. (For example, for food: How often do you only purchase the amount of food you need?)
   b. For each question you wrote down in a., suggest the answer that would be most sustainable to the environment. (For example, for the question above, the more sustainable answer is Always.)

**TABLE** Ecological footprint

| Category | Global hectares |
|---|---|
| Food | 1.5 |
| Mobility | 0.3 |
| Shelter | 1.1 |
| Goods/services | 1.9 |
| **Total footprint** | 4.8 |

7. Under each of the following categories is a lifestyle activity statement — a suggested way of minimising our impact on the environment. List at least two other lifestyle activity statements for each category.
   - **a.** Food consumption and packaging
     - I take my own bags when I go shopping.
   - **b.** Household energy and supplies
     - I turn off the lights when rooms are not being used.
   - **c.** Transport
     - I often walk or ride to school.
   - **d.** Recycling and reusing
     - I use a reusable lunch box rather than plastic bags.
   - **e.** Water
     - I turn the tap off while brushing my teeth.
   - **f.** The environment
     - I treat my environment with respect.
8. Charlotte completed an ecological footprint quiz. Her results are shown.







   - **a.** Explain the statement 'if everyone on the planet lived my lifestyle, we would need 6.18 Earths'.
   - **b.** Overall, is Charlotte's footprint bigger or smaller than that of the average Australian?
   - **c.** Suggest some ways in which Charlotte could reduce her food and goods and services footprints.
   - **d.** People living in wealthy countries such as Australia and the US have, on average, a much bigger ecological footprint than people living in poorer countries. Explain why.

## Evaluate and create

9. SIS Suggest ways in which you could measure your water footprint.
10. SIS Find out more about composting toilets and how they work. Search your neighbourhood, picnic areas and campgrounds to find out whether composting toilets have been installed in your local area and why.

11. SIS
    a. Some types of worms are better recyclers than others. Design an experiment to test how good different worms are at recycling food scraps.
    b. Investigate the structure and systems of worms and their requirements for life.
    c. Investigate worm farm designs.
    d. Decide on questions that you could research to build your own worm farm.
12. SIS Use the data in the table provided to answer the questions listed.

**TABLE** Chemical and physical monitoring, 19 February 1997, 2 to 3 pm

| Test | Site A (settling dam) | Site B (fenced wetland) | Site C (unfenced wetland) |
|---|---|---|---|
| Water temperature (°C) | 32.2 | 24.5 | 24.5 |
| Air temperature in sunlight (°C) | 38.0 | 38.5 | 38.5 |
| Dissolved oxygen (%) | Too murky to test | 55 | 70 |
| Nitrate level (mg/L) | 1.144 | 0.189 | 0.484 |
| Soluble phosphate level (mg/L) | 0.429 | 0.106 | 0.191 |
| pH | 9.7 | 7.8 | 8.1 |
| Conductivity (EC) | 1540 | 860 | 1610 |
| Turbidity (NTU) | 180 | 55 | 41 |

    a. Construct a bar graph comparing the turbidity of the water in the different sites.
    b. Which of the three sites appears to be most suitable as a habitat for fish like the Murray cod? Explain why.
13. SIS
    a. Suggest a link between energy, sustainable lifestyles and ecological footprints.
    b. Consider what may be meant by the term ‘sustainable lifestyle’.
    c. Brainstorm some examples of sustainable lifestyles.
    d. Write a one-sentence definition of ‘sustainable lifestyle’.
    e. Select three examples you listed in part c to focus on improving for yourself over the next week. After a week, write a short report your experiences.
    g. Suggest ways in which you could encourage others to have a more sustainable lifestyle.

**Fully worked solutions and sample responses are available in your digital formats.**

# 4.11 Thinking tools—Relational diagrams

## 4.15.1 Tell me

### What is a relational diagram?

A relational diagram is used when you need to work out the possible reasons that a difficult situation or problem happened. They are also called multi-flow maps or process maps.

A relational diagram shows a sequence of events and how each event is related. Think of this kind of diagram as a map that shows the events that led to a specific problem or event happening.

Relational diagrams are different to tree diagrams or mind maps, because instead of showing how one event or topic branches out into its parts, a relational diagram shows how a series of different events led to one end point or action.

**FIGURE 4.73** Show links between your secondary causes




### What is a relational diagram for?

A relational diagram is a way of analysing the causes of a problem or situation. It is like thinking backwards from a problem to see how it happened.

This is a great way of analysing which things were the *primary* causes of a problem, and which were *secondary* causes. The secondary causes are the things that didn't help to cause the *main* problem directly but did lead to some of the primary causes occurring, which then led on to the problem. This kind of analysing will also allow you to show which of the causes were connected.

## 4.11.2 Show me

To create a relational diagram:

1. Write the problem or situation that you are analysing in the middle of a piece of paper.
2. Ask yourself the possible reasons that might have led to that problem happening. Write each of these answers (causes) around the problem. Add an arrow pointing to the problem to show that these are its *primary* causes.

**FIGURE 4.74** Consider some causes of the problem.



3. Think about each primary cause individually. Ask yourself why each primary cause occurred. This is asking 'what causes the cause?' These are your *secondary* causes. List as many as you can for each primary cause. Add arrows to show the secondary causes led to the primary cause.

**FIGURE 4.75** Add secondary causes off your primary causes.




4. Look for other links between your secondary causes. Draw in arrows to show these relationships.

**FIGURE 4.76** Relational diagrams involve a problem and causes.




For example, if you analysed the primary and secondary causes of why you are hungry, you might come up with a relational diagram like this.

## 4.11.3 Let me do it

### 4.11 ACTIVITIES

1. Select one problem about an ecosystem that you observe in your everyday life. Research at least five reasons that may cause this and show your results in a relational diagram.
2. The hunting and fate of whates is of great concern to many Australians. Find out more about the issues associated with the hunting of whales.
   Construct a relational diagram to show the reasons for the hunting of whales.
3. Use relational diagram to capture your term's brainstorm of possible causes of, or reasons for:
   a. Australians having large 'ecological footprints'
   b. rubbish/litter on our beaches
   c. the ecological impact of introduced species
   d. species becoming endangered.
4. a. Brainstorm possible causes of litter in your school. Summarise your discussion into a relational diagram.
   b. Compare your relational diagram with that shown. Comment on any similarities or differences.




**Fully worked solutions and sample responses are available in your digital formats.**

# 4.12 Project — Small acts, big changes

## Scenario

Climate change is an issue that is very important to us all. Nearly every day we hear statistics about what the world will be like by 2050 if we don't make dramatic changes to our lifestyles. In recent years we have seen young people take action. Now you can take action by to making a positive change. Your task is to and create a persuasive video that will inform households and local communities of actions they can take personally to help stop the consequences of climate change.

## Your task

Your task is to create a three-minute internet video to be distributed online. You're aim is for this video to 'viral' — for it to be good enough that people want to pass it on to their friends. Your video should provide the viewer with practical advice on reducing their carbon footprint, but it should also be entertaining enough to appeal to a wide range of people who use the internet. Remember, the consequences of climate change have already begun, so you video should not only create a sense of urgency about the seriousness of the problem but also be persuasive enough to encourage its viewers to take immediate action. Your video needs to include science that the public can understand and engage with. Therefore, you need to provide convincing and accurate facts while appealing to the emotional and intellectual capacities of your audiences.

### on Resources

**ProjectsPLUS** Small acts, big changes (pro-0036)

# 4.13 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-4705 | ewbk-4707 | ewbk-4709 |

on Resources

## 4.13.1 Summary

### What are ecosystems?

- Ecosystems are made up of living things (biotic factors) and non-living things (abiotic factors).
- A habitat in an ecosystem is the location where an organism lives.
- Abiotic factors affect which types of organisms can survive in the environment — organisms have tolerance ranges for different abiotic factors.

### Relationships in ecosystems

- Organisms of the same species live together as a population.
- Groups of different populations form a community.
- Producers are organisms that can make their own food from their non-living environment.
- Consumers are organisms that eat other organisms or their products — consumers include decomposers, carnivores, herbivores and omnivores.
- Competition can exist between organisms where they compete for the same resources.
- Other relationships include predator–prey relationships and symbiotic relationships.

### Food chains and food webs

- Food chains describe the feeding relationships between organisms and the flow of energy.
- Primary consumers eat plants, secondary consumers eat primary consumers and tertiary consumers eat secondary consumers.
- A food web shows interconnecting food chains.

### The importance of flowering plants

- Plants that produce flowers are known as angiosperms.
- Pollination involves the transfer of pollen from the male part to the female part of the flower — some plants self-pollinate, others rely on other animals (such as bees) and other rely on abiotic factors such as the wind.
- Germination is the process where the seed bursts open and relies on many different abiotic factors such as oxygen and water availability.

### Decomposition and nature's recycling

- Atoms and molecules are recycled through ecosystems. This includes through the carbon and nitrogen cycles.
- Decomposers are an important part of this recycling, breaking down complex material into simple substances that can be used by other organisms.

### The connection of Indigenous Australians to their ecosystems

- Indigenous Australians and Torres Strait Islanders have a rich understanding of their ecosystems, allowing the ecosystems to remain balanced while providing for dietary requirements.

### Human impact on ecosystems

- Humans impact ecosystems in many ways, often causing it to be unbalanced.
- Some examples of this include through agriculture, deforestation, pollution and the introduction of foreign species.

### Extinction

- Extinction is when the last of a species has died.
- Many organisms that are endangered, vulnerable and rare are at risk of extinction.

### Ecological footprints and sustainability

- An ecological footprint is an estimate of the amount of the Earth's land and water that is required to supply resources.
- It is important to be sustainable with the resources in our ecosystem, including through the reduction of waste (such as via composting and worm farms) and the use of water.

## 4.13.2 Key terms

**abiotic factors** the non-living things in an ecosystem
**agriculture** the use of land to grow crops or raise farm animals
**anthers** the site in which pollen is produced
**atoms** very small particles that make up all things
**autotrophs** organisms that can produce their own nutrients
**biological control** a method of controlling pests by introducing one of their natural enemies
**biological surveys** a procedure that involves observing, describing and counting organisms
**biotic factors** the living things in an ecosystem
**carnivores** animals that eat other animals
**cellular respiration** the chemical reaction involving oxygen that moves the energy in glucose into the compound ATP
**chemical control** the control of plant or animal pests by the use of chemicals
**chlorophyll** the green-coloured chemical in plants that absorbs the light energy used in photosynthesis to make food from carbon dioxide and water
**commensalism** a relationship where one organism benefits without affecting the other
**community** populations of various species living in a given area at the same time
**compost** waste material deliberately left to be decomposed by organisms such as fungi, bacteria and worms
**consumers** organisms that rely on other organisms for food
**decomposers** small organisms that break down dead and decaying matter
**denitrifying bacteria** bacteria that can convert nitrites and nitrates back into nitrogen
**detritivores** organisms that consume detritus; that is decomposing plant and/or animal parts or faeces
**ecological footprint** estimate of the amount the Earth's productive land and water required to supply the resources for an individual's or group's activities
**ecology** the study of the way in which living things interact with each other organisms and with their environment
**ecosystem** community of living things that interact with each other and with the environment in which they live
**eutrophication** a form of water pollution involving an excess of nutrients leaching from soils
**fertilisers** chemicals added to soil to provide the nutrients needed for plant growth
**food chain** a diagram showing feeding relationships in an ecosystem
**food web** a number of food chains joined together
**fossil fuels** substances that are formed from the remains of ancient organisms and are often burnt as fuels to produce heat
**germination** first sign of growth from the seed of a plant
**habitat** the place in which a particular organism lives
**herbivores** animals that only eat plants
**heterotrophs** organisms that depend on another organism to supply their complex molecules and energy
**host** the organism on which a parasite feeds
**introduced species** species that are not native to an ecosystem
**metabolism** the chemical reactions occurring within an organism that enable the organism to use energy and grow and repair cells

**microorganisms** microscopic (very small) life forms
**monocultures** crops grown on land used for one kind of crop only
**mutualism** a relationship between two organisms in which both benefit
**niche** how an organism obtains its food, its habitat and its relationships to other species
**nitrifying bacteria** bacteria that change dissolved ammonia into nitrite compounds, or nitrites into nitrate compounds
**nitrogen-fixing bacteria** bacteria which take nitrogen containing compounds from the atmosphere and convert them into other compounds, which are able to be contained within soil
**omnivores** animals that eat plants and other animals
**optimum range** the range of environmental conditions in which a species can thrive
**organisms** living things
**ovaries** organs that contain the female sex cells or ova
**ovules** receptacle within an ovary that contains egg cells
**parasite** an organism that lives on or within another organism to get all or some of its nourishment
**parasitism** a relationship between two organisms in which one benefits by using the host's nourishment
**pesticides** a substance or preparation for destroying pests, usually by being poisonous to them
**photosynthesis** a process which carbon dioxide, water and energy from the Sun to produce food in the form of sugar
**pollen** fine powder containing the pollen grains (the male sex cells of a plant)
**pollination** transfer of pollen from the stamen (the male part) of a flower to the stigma (the female part) of a flower
**pollinators** organisms such as bees, flies, and other organisms which carry pollen between flowering plants
**pollutant** harmful substance released into the environment
**population** organisms of one particular species in a given area at one time
**primary consumer** organism that eats plants
**producers** organisms that use photosynthesis to make their own food from the Sun's energy
**relationships** interactions with other species within an ecosystem
**saprophytes** organisms such as fungi which obtain nutrients from dead organic matter
**secondary consumer** organism that eats primary consumers
**seed** product of a fertilised ovule
**species** a group of organisms with many features in common, that can mate with each other to produce fertile young under natural conditions
**stigma** the female part of a flower, at the top of the carpel, that catches the pollen during pollination
**style** the supporting part of a flower which holds the stigma
**sustainability** able to be sustained or to continue for an indefinite time
**symbiosis** an ongoing relationship between members of different species
**tertiary consumer** organism that eats secondary consumers
**tolerance range** the range of environmental conditions in which a species can survive
**trophic level** a feeding level within a food chain
**turbidity** a measure of how 'murky' or 'cloudy' a liquid is

## Resources

| | |
|---|---|
| **Digital document** | Key terms glossary (doc-34915) |
| **eWorkbooks** | Study checklist (ewbk-4698)<br>Literacy builder (ewbk-4699)<br>Crossword (ewbk-4701)<br>Word search (ewbk-4703) |
| **Practical investigation eLogbook** | Topic 4 Practical investigation eLogbook (elog-0497) |

# 4.13 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **fully worked solutions** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 10 | Questions<br>3, 6, 7, 9, 12 | Questions<br>5, 8, 11, 13, 14 |

## Rememember and understand

**1.** Match each term to its meaning.

| Term | Meaning |
|---|---|
| **a.** Herbivores | **A.** organisms that produce their own food. |
| **b.** Producers | **B.** animals that eat plants. |
| **c.** Consumers | **C.** organisms that live in or on other organisms and obtain their food fromthem. |
| **d.** Parasites | **D.** organisms that break down dead plants and animals. |
| **e.** Decomposers | **E.** animals that eat other organisms. |

**2.** Copy and complete the puzzle, using the clues provided.

| | | | |
|---|---|---|---|
| **a.** | _ _ _ _ | E | _ _ _ _ _ _ |
| **b.** | _ _ _ _ | N | _ _ _ _ _ |
| **c.** | _ _ _ _ _ | V | _ _ _ _ |
| **d.** | _ _ _ | I | _ _ _ |
| **e.** | _ _ | R | _ _ _ _ _ _ |
| **f.** | _ _ | O | _ _ _ _ _ _ |
| **g.** | _ _ _ _ | N | _ _ |
| **h.** | _ _ _ _ | M | _ _ _ _ _ _ |
| **i.** | _ _ _ _ _ | E | _ |
| **j.** | _ _ | N | _ _ _ _ |
| **k.** | _ _ | T | _ _ _ _ _ _ |

Clues
- **a.** Animals that eat the same sort of food, and live in the same area
- **b.** Animals that are close to extinction
- **c.** Meat-eating animals
- **d.** A place where an organism lives
- **e.** Plant-eating animal
- **f.** A stable system made up of living and non-living things
- **g.** Describes species that no longer exist
- **h.** Organisms such as bacteria and fungi that break down plant and animal remains
- **i.** A diagram that shows the feeding relationships of organisms in an ecosystem
- **j.** Information about number and closeness of organisms determined by sampling
- **k.** The interaction between members of two species that benefits both species

**3.** Describe similarities and differences between the following terms:
- **a.** Producer and consumer
- **b.** Food chain and food web
- **c.** Mutualism and parasitism
- **d.** Population and community

**4.** Outline the importance of decomposers in an ecosystem.

5. Complete the diagram of the carbon cycle by filling in:
   a. the types of organisms labelled with the letters A, B, C and D
   b. the processes labelled with the numbers 1–5. You may use words more than once.




## Apply and analyse

6. a. Explain how atoms and matter are recycled through an ecosystem.
   b. There is a connection between the food you put into your stomach and the air you breathe into your lungs. Explain the connection.
7. a. Identify the key source of energy in ecosystems.
   b. Describe how energy moves through ecosystems.
8. Describe three ways in which Indigenous Australians use the ecosystem around them.
9. Many Australian species are endangered, including mammals, fish and birds.
   a. Describe the term endangered.
   b. Explain how this differs from the term vulnerable.
   c. Outline three ways in which humans may cause a species that is endangered to become extinct.
10. Explain how humans can live more sustainably and better protect our ecosystems.

## Evaluate and create

11. Construct a pyramid that represents the transfer or transformation of materials and energy in food chains and webs.
12. Construct a food web that includes organisms in a local ecosystem.
13. a. Construct three food chains from the food web shown.
    b. In the food web, identify the:
       i. producer
       ii. primary consumer
       iii. secondary consumer
       iv. tertiary consumer.
    c. In the food web, identify which organism is both:
       i. a secondary and a tertiary consumer
       ii. a tertiary and a quaternary consumer.
    d. Suggest the effect of reduced numbers of Antarctic krill on the ecosystem.



14. SIS Select one of the introduced organisms shown in provided map of Australia. Find out and report on:
    a. where they came from and how they arrived in Australia
    b. the effects that they have had on Australian ecosystems.




**Fully worked solutions and sample responses are available in your digital formats.**

## on Resources

**eWorkbook** Reflection (ewbk-3038)

## teachON

**Test maker**
Create customised assessment from our extensive range of questions, including teacher-quarantined questions
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 4.1 Overview

**eWorkbooks**
- Topic 4 eWorkbook (ewbk-4659)
- Student learning matrix (ewbk-4663)
- Starter activity (ewbk-4661)

**Practical investigation eLogbooks**
- Investigation 4.1: Modelling interaction (elog-0498)
- Topic 4 Practical investigation eLogbook (elog-0497)

**Video eLesson**
- The beauty of the coral reef (eles-4161)

## 4.2 What are ecosystems?

**eWorkbooks**
- Labelling the levels of biological organisation (ewbk-4664)
- Biotic and abiotic factors (ewbk-4666)
- Ocean explorations (ewbk-4670)

**Practical investigation eLogbooks**
- Investigation 4.2: Ecosystem in a bottle (elog-0500)
- Investigation 4.3: Measuring abiotic factors that can affect biotic factors (elog-0502)

**Video eLesson**
- The parts of an ecosystem (eles-4256)

**Interactivities**
- How living things interact (int-8189)
- Labelling the levels of biological organisation (int-8095)

## 4.3 Relationships in ecosystems

**eWorkbook**
- Relationships in ecosystems (ewbk-4668)

**Practical investigation eLogbook**
- Investigation 4.4: Do all leaves contain the same pigments? (elog-0504)

**Video eLesson**
- Relationships between species (eles-4239)

**Interactivity**
- Some animal species found in Antarctica (int-8190)

## 4.4 Food chains and food webs

**eWorkbooks**
- Food webs (ewbk-4672)
- Nature pyramids (ewbk-4674)
- Food chains and food webs (ewbk-4676)

**Practical investigation eLogbook**
- Investigation 4.5: Make a food web (elog-0506)

**Interactivities**
- The organisms in a food chain (int-8174)
- Trophic levels (int-8188)
- What can you see in the rockpool? (int-3454)
- A food chain (int-3462)
- Food web in an Antarctic ecosystem (int-3465)
- A food web showing the flow of chemical energy through different organisms in an ecosystem (int-3463)

**Weblink**
- Food chain challenge — Savannah

## 4.5 The importance of flowering plants

**eWorkbooks**
- Labelling a flowering plant (ewbk-4678)
- Labelling methods of pollination (ewbk-6661)
- Pollination, dispersal and germination (ewbk-6663)

**Practical investigation eLogbook**
- Investigation 4.6: Practising botanists (elog-0508)

**Interactivities**
- Labelling a flowering plant (int-8096)
- Labelling methods of pollination (int-8175)

## 4.6 Decomposition and nature's recycling

**eWorkbooks**
- Labelling recycling through ecosystems (ewbk-4680)
- Cycles in nature (ewbk-4682)

**Practical investigation eLogbooks**
- Investigation 4.7: Looking at decomposers (elog-0510)
- Investigation 4.8: Investigating decomposition (elog-0512)
- Investigation 4.9: Preserving apples (elog-0514)

**Video eLesson**
- Fungi (eles-4240)

**Interactivities**
- Labelling recycling through ecosystems (int-8097)
- The nitrogen cycle (int-3467)
- The carbon cycle (int-3466)

## 4.7 The connection of Indigenous Australians to their ecosystems

**eWorkbook**
- Bush tucker (ewbk-6665)

**Weblink**
- Indigenous ecological knowledge

## 4.8 Human impact on ecosystems

**eWorkbooks**
- Population overload (ewbk-4684)
- Spot the pest (ewbk-4686)

**Video eLessons**
- Climate change (eles-2241)
- The effect of rubbish in oceans (eles-4225)

**Interactivity**
- Pesticides (int-3458)

**Weblink**
- Invasive species in Australia

## 4.9 Extinction

**eWorkbook**
- Extinction (ewbk-4688)

## 4.10 Ecological footprints and sustainability

**eWorkbooks**
- What's my ecological footprint? (ewbk-4690)
- Exploring water quality (ewbk-4692)

**Video eLessons**
- A world of water (eles-1616)
- Your recycling bin (eles-2248)

**Interactivities**
- Ways forward (int-3082)
- An example of a desalination plant (int-3461)

**Weblinks**
- What is your ecological footprint?
- Waterwatch Victoria
- Cleanup Australia

## 4.12 Project — Small acts, big changes

**ProjectsPLUS**
- Small acts, big changes (proj-0036)

## 4.13 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-4705)
- Topic review Level 2 (ewbk-4707)
- Topic review Level 3 (ewbk-4709)
- Study checklist (ewbk-4698)
- Literacy builder (ewbk-4699)
- Crossword (ewbk-4701)
- Word search (ewbk-4703)
- Reflection (ewbk-3038)

**Practical investigation eLogbook**
- Topic 4 Practical investigation eLogbook (elog-0497)

**Digital document**
- Key terms glossary (doc-34915)

To access these online resources, log on to **www.jacplus.com.au.**

# 5 Separating mixtures

## LEARNING SEQUENCE


5.1 Overview ..... 246
5.2 Mixtures and solutions ..... 249
5.3 Separating solids from mixtures ..... 256
5.4 Other separating techniques ..... 262
5.5 Separating solutions ..... 266
5.6 Separation in industry ..... 274
5.7 Removing contamination from water ..... 279
5.8 Separating our waste ..... 284
5.9 Thinking tools — Single bubble maps ..... 290
5.10 Project — The diamond flush ..... 292
5.11 Review ..... 293

# 5.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au.

## 5.1.1 Introduction

Think about your school bag on your first day of school. It possibly contained some lead pencils and some folders, but also a variety of other useful objects such as a ruler, coloured markers, highlighters, exercise books and your lunch. In this example, the graphite in the lead pencils could be referred to as a **pure substance**, whereas all of the other different objects combined could be described as a **mixture**.

What else might be in your school bag? You might have a drink bottle of water. While water is a pure substance, the water you get from a tap also contains small amounts of minerals, creating a mixture. A special type of purified water, called distilled water, is referred to as a pure substance because it only contains water. If you have a soft drink it is a mixture, because it contains more than one substance. As well as containing water, flavours and colours, carbon dioxide gas is partly dissolved in the water, which makes it fizzy.

In this topic you will be investigating pure substances and mixtures, and you will also learn about different ways of separating the components of mixtures. One example of separation, called chromatography, can be shown with coloured markers. Coloured markers, food dyes and watercolours are actually made of lots of different colours, as seen in the topic opener image, where the colours are separating in the presence of water. Mixtures are found in everyday life. How mixtures can be separated will be explored in this topic.

**FIGURE 5.1** Are the objects in your schoolbag pure substances or mixtures?

### Resources

**Video eLesson:** Separating coloured markers (eles-3526)

Some markers are made by combining different colours of ink together. Watch this video to see these colours from a few lines of black marker separate out through a process called chromatography.

**pure substance** a form of matter that cannot easily be separated into its components

**mixture** a substance that is made by a combination of two or more components which is easy to separate

## 5.1.2 Think about mixtures

1. What makes a fizzy drink fizz?
2. How does the Red Cross separate the red and white blood cells from the blood of donors?
3. How can you get fresh water from sea water?
4. What do a vacuum cleaner and tea strainer have in common?
5. What happens to your waste after you flush the toilet?
6. Where is the cream in homogenised milk?

# 5.1.3 Science inquiry

## A world of mixtures

The ground that you stand on, the air that you breathe and the oceans of the Earth are all mixtures. For example, air is a mixture of many gases, including nitrogen, oxygen and carbon dioxide. Ocean water is a mixture of pure water, salt and many other substances. Even the fresh water in lakes and rivers is not pure and always contains small amounts of other substances.

### DISCUSSION

Is drinking water really a pure substance? What substances are present in small amounts of drinking water?

## Separating mixtures

Unlike pure substances, mixtures are usually easy to separate into their different parts. For example, imagine that a few small iron nails have been dropped into a child's sandpit and have sunk into the sand so that they can't be seen. One way of separating the nails from the sand is to use a magnet. This works because the nails and sand have different **properties**, or features. The nails are made from a substance that is attracted to magnets, but the sand is not attracted to magnets.

What if plastic beads had been dropped into the sandpit instead of nails? They can't be separated from the sand with a magnet. The key to separating them is recognising the different properties of the plastic beads and the sand. An obvious difference is size. The plastic beads are much bigger than grains of sand. A child's sand sieve would do the trick. Sand grains pass through but the plastic beads don't.

**FIGURE 5.2** Nails can be separated from sand with a magnet.

### DISCUSSION

What other methods could be used to separate the nails from the sand? What difference in properties might other methods use to separate the substances?

**properties** the qualities and characteristics of materials and the substances that they are composed of

elog-0111

## INVESTIGATION 5.1

### Design and separate

#### Aim

**To plan and carry out a method of separating the four parts of a mixture**

#### Materials

- sand (about 250 mL)
- used/'dead' matches
- small pebbles (about 500 mL)
- steel paperclips
- water as required

### Method

Your task is to separate the four parts of a mixture of dead matches, pebbles, steel paperclips and sand.

1. Mix the matches, pebbles and paperclips evenly in a plastic container of sand.
2. Devise and write a step-by-step plan of a method to separate the four parts. You will need to think about the properties of each part of the mixture that will make separation possible.
3. Make a list of all of the extra equipment that you will need.
4. Check your plan with your teacher, and then gather the equipment and perform the separation.

### Results

1. The flow chart shows one way of separating the parts of a mixture of sand, nails and plastic beads.




2. On A3 paper, draw a flow chart similar to this to show how each part was separated from the mixture in this investigation.

### Discussion

1. Describe any difficulties that you had when performing this separation.
2. Explain whether the order of separation was important to the process.

### Conclusion

Summarise how you separated your mixtures and what properties of each material allowed you to achieve the separations.

## Resources

| | |
|---|---|
| **eWorkbooks** | Topic 5 eWorkbook (ewbk-3127)<br>Student learning matrix (ewbk-3886)<br>Starter activity (ewbk-3040) |
| **Practical investigation eLogbook** | Topic 5 Practical investigation eLogbook (elog-0148) |
| learnon | Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions. |

# 5.2 Mixtures and solutions

**LEARNING INTENTION**

At the end of this subtopic be able to explain that a solution is a mixture consisting of a solute dissolved in a solvent and describe the difference between concentrated and dilute when referring to solutions.

## 5.2.1 Pure substances and mixtures

Matter makes up everything in our universe. It is any substance that has mass and volume, whether this be miniscule, like that of an atom, or vast, like the entire volume of the Pacific Ocean.

Matter can be split into two main components:

- pure substances
- mixtures.

ewbk-3042
int-8050

**FIGURE 5.3** Comparing pure substances and mixtures



Pure substances include compounds and elements. An important feature of pure substances is that they are very difficult to break down into their individual parts. For example, if you were given a piece of pure salt (or sodium chloride), it would be very difficult to split it into sodium and chlorine.

Mixtures, on the other hand, are much easier to separate. The components that up a mixture can have much more variation than the components that make up a pure substance.

Mixtures can be classed as homogenous mixtures or heterogenous mixtures:

- **Homogenous mixtures** are those in which particles are spread out evenly throughout the mixture.
- **Heterogenous mixtures** are those in which the different components are scattered unevenly throughout the mixture.

In this topic, we will explore three main types of mixtures and different ways that these can be separated.

**homogenous mixture** a mixture in which particles spread evenly

**heterogenous mixture** a mixture in which particles are spread unevenly

The three main types of mixtures:

- Solutions — containing particles that completely dissolve
- Suspensions — contain larger particles
- Colloids — contain small particles

**FIGURE 5.4** The three main types of mixtures



## 5.2.2 What is a solution?

The ‘fizz’ in fizzy drinks is the carbon dioxide gas that is dissolved in the flavoured liquid. Carbon dioxide is pumped into bottles or cans at high **pressure**. The bottles and cans are then sealed to keep the carbon dioxide **dissolved** in the water. When you open the container, the pressure is reduced and the carbon dioxide bubbles out.

ewbk-3044
int-8051

**FIGURE 5.5** Adding a soluble substance to liquid




Like most substances, fizzy drinks are mixtures of other substances. If you look at the label on a bottle or can of soft drink, you will see that, as well as carbon dioxide, it also contains sugar, food colouring, flavouring and preservative. Preservatives stop the substances in soft drinks from going off. Flavourings are added to make the drink taste more pleasant and food colouring is added to make the drink look more attractive.

All of these substances are dissolved in water. A mixture of one substance dissolved in another is called a **solution**. The substance that dissolves is called the **solute**. The substance that the solute dissolves in is called the **solvent**. Solutions in which water is the solvent are called **aqueous solutions**. Water is a good solvent because many chemicals can dissolve in it. Fizzy soft drinks are aqueous solutions, in which water is the solvent and sugar, food colouring, flavouring, preservative and carbon dioxide are all solutes.

**pressure** the physical force squeezing or pushing on an object

**dissolved** a substance that has mixed completely with a liquid so that it is no longer visible

**solution** a mixture of a solute dissolved in a solvent

**solute** a substance that is dissolved in a solvent to form a solution

**solvent** a substance in which a solute dissolves to form a solution

**aqueous solutions** solutions in which water is the solvent

## 5.2.3 ‘Do-it-yourself’ fizz

Substances that dissolve in a liquid are said to be **soluble**. The particles of the solute are too small to be seen. Substances that do not dissolve are said to be **insoluble**.

At higher pressures, carbon dioxide is soluble in water. In soft drink, such as that shown in figure 5.6, the carbon dioxide cannot be seen in a bottle of soft drink until the bottle is opened and the pressure is reduced.

You can make carbon dioxide gas using two chemicals found in your kitchen: vinegar and bicarbonate of soda.

When these two chemicals are mixed, a **chemical reaction** takes place. The vinegar and bicarbonate of soda change into new substances. One of these new substances is the gas carbon dioxide, which is a pure substance, and is the same gas that is in fizzy drinks.

**soluble** a substance that will dissolve in a liquid

**insoluble** a substance that will not dissolve in a liquid

**chemical reaction** a chemical change in which one or more new chemical substances is produced

**FIGURE 5.6** When you open the bottle, dissolved carbon dioxide is visible.

**FIGURE 5.7** In a solution, the particles of one substance (the solute) are spread evenly throughout the other (the solvent).



elog-0113

## INVESTIGATION 5.2

### What is soluble in water?

#### Aim

**To test a range of substances for solubility**

#### Materials

- safety glasses and laboratory coat
- heatproof mat
- seven
- test tubes in a test-test rack
- spatula
- samples of salt, sugar, flour, coffee, sand, copper
- sulfate and copper carbonate




#### Method

1. Draw up a table with seven rows and three columns, like the example in the Results section.
2. Predict which six substances in the table you think will be soluble. Highlight these substances in the first column.
3. Half-fill each of the test tubes with cold water.
4. Label the test tubes: salt, sugar, flour, coffee, sand and copper.
5. Use a spatula to add a very small amount of each substance to its labelled test tube. (Do not add more than a quarter of a spatula to each test tube.)
6. Hold each test tube up to the light. Decide whether the mixture is clear or cloudy. Record your results in column 2 of your table.

#### Results

**TABLE** The solubility of different substances in water

| Substance mixed with water | Clear or cloudy? | Soluble or insoluble? |
|---|---|---|
| salt | | |
| sugar | | |
| flour | | |
| coffee | | |
| sand | | |
| copper | | |

### Discussion

1. Identify:
   a. the independent variable in this investigation
   b. the controlled variables in this investigation.
2. a. Explain how can you tell if a substance has dissolved?
   b. Explain how can you tell that a substance has not dissolved?
3. You might find that students in other groups have obtained different results from your own group. Explain why this might have happened.

### Conclusion

Summarise your findings from the investigation and state which substances dissolved in water and were soluble and which substances were insoluble.

## on Resources

**Interactivity** Soluble or insoluble (int-8060)

## INVESTIGATION 5.3

elog-0115

## Froth and bubble

### Aim

**To model the separation of carbon dioxide from fizzy drinks**

### Materials

- vinegar
- bicarbonate of soda
- spatula
- plastic tray
- stirring rod
- gas jar
- sultanas




### Method

1. Stand the gas jar on a plastic tray and pour the vinegar into the gas jar until it is 2 cm from the top.
2. Add a spatula of bicarbonate of soda and several sultanas.
3. Stir the vinegar and remove the stirring rod.
4. Watch the sultanas in the gas jar.

### Results

1. Make notes recording the movement of the sultanas in the solution.
2. Examine the sultanas and describe their appearance.

### Discussion

1. Explain how the sultanas rise to the surface.
2. When the sultanas get to the surface why do they drop back to the bottom?
3. Try other things in the gas jar to see whether they can be carried to the surface.

### Conclusion

Summarise how the carbon dioxide is separated from the fizzy drink and how this investigation modelled this process.

## 5.2.4 Concentration

When more solute is dissolved in a solvent, the solution is said to be more **concentrated**. For example, by adding more and more sugar to a cup of hot water, you are making the solution more and more concentrated. Eventually the solution gets so concentrated that no more sugar will dissolve in it. When no more solute can be dissolved in a solvent, the solution is **saturated**.

You could make a solution of sugar and water less concentrated by adding more water. This process, where more solvent is added, is called **dilution**. When you add water to bottled cordial you are diluting it.

**FIGURE 5.8** The cordial in these glasses is a coloured solution. Can you tell which has the greatest concentration of cordial syrup?

### DISCUSSION

Discuss different concentrated and dilute solutions that you use in your everyday life. Compare this to your classmates.

**concentrated** a solution containing a large amount of solute

**saturated** unable to dissolve any more solute

**dilution** the process of adding more solvent to a solution to make it less concentrated

### on Resources

**eWorkbooks** Solutions and solubility (ewbk-3048)
Mail room mayhem (ewbk-3046)

**assess on** Additional automatically marked question sets

## 5.2 Exercise

learn on

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 6, 10 | Questions<br>4, 8, 9, 12, 14 | Questions<br>5, 7, 11, 13, 15 |

### Remember and understand

1. MC A fizzy soft drink is a
   **A.** solution **B.** solvent **C.** solute **D.** pure substance.
2. MC Which of the following is NOT a solute likely to be found in a bottle or can of fizzy soft drink?
   **A.** Flavours (natural or artificial) **B.** Water
   **C.** Carbon dioxide **D.** Sugar
3. MC What leaves a fizzy drink to cause it to go flat?
   **A.** Water **B.** Sugars **C.** Carbon dioxide **D.** Solvents
4. MC Which substance is added to cordial to make it more dilute?
   **A.** Water **B.** Sugars **C.** Carbon dioxide **D.** Solutes
5. MC Identify which of the following statements is FALSE?
   **A.** Water is the solvent in an aqueous solution. **B.** Water is a common solvent.
   **C.** Many types of solutes dissolve in water. **D.** All clear solutions are aqueous solutions.

6. Complete this table by filling in the 'Solvent' and 'Solutes' columns.

**TABLE** Solvents and solutes in different solutions

| Solution | Solvent | Solutes |
|---|---|---|
| **a.** Soft drink | | |
| **b.** Sea water | | |
| **c.** Swimming pool water | | |
| **d.** Cup of coffee | | |

## Apply and analyse

7. Complete the passage to describe the difference between a concentrated solution and a saturated solution, using the words in the word bank. (*Hint*: you won't need to use all of the words in the word bank.)
   **Word bank:** large, small, concentrated, saturated, maximum, minimum, dissolved, undissolved
   A _____ solution has a _____ amount of solute dissolved. A _____ solution has the _____ amount of solute that can dissolve at that temperature. Excess solute will then remain _____.
8. What substance could you add to salt water to make it:
   **a.** more concentrated
   **b.** less concentrated?
9. A bottle of soft drink left lying in the Sun may burst open. Complete the following passage, using the terms in the word bank, to explain why. (Hint: you won't need to use all of the terms in the word bank. As another hint, carbon dioxide should be treated as one single term.)
   **Word bank:** higher, lower, temperature, carbon dioxide, oxygen, solute, solution, pressure, liquid, solid, bottle, lid, tighter, off
   The _____ _____causes the _____to leave the _____, increasing the _____in the space between the surface of the _____and the top of the _____. Sometimes this pressure is enough to force the lid _____.
10. Are you a pure substance or a mixture? Explain why.
11. SIS Research what happens when you place an unopened can of soft drink and an unopened can of diet soft drink of the same type in a sink of water:
    **a.** Which can floats?
    **b.** Which can sinks?
    **c.** What does this tell you about the sugar in soft drinks and diet soft drinks?

## Evaluate and create

12. SIS Conduct a survey of at least five food and drink products. Use the list of ingredients to determine what is in them. What are the most common chemicals added to food and drink products?
13. SIS It is claimed by manufacturers that some washing powders work just as well in cold water as in hot water.
    Design an experiment to show how you would investigate washing powders to find out whether they dissolve as well in cold water as they do in hot water. Include the aim, materials, method, and dependent and independent variables.

14. SIS Design an experiment to test whether a fizzy drink will go flat faster when it's cold or when it's warm. Remember to use a **fair test**. You must keep everything the same except the one thing that you want to test.
15. SIS Find out how much sugar can be dissolved in 200 mL of water at room temperature and what difference an increase in temperature of 10 °C makes. Describe your observations and write a conclusion.

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.3 Separating solids from mixtures

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe different methods of separating solids from mixtures using decanting, filtration and sieving, and explain differences between suspensions, colloids and emulsions.

## 5.3.1 Filtering insoluble materials

There are many ways of separating mixtures in a laboratory. Some methods are simple and quick and others need expensive equipment and take some time.

No matter how hard you try, you can't dissolve sand in water; sand is insoluble. If you shake up the sand and water in a sealed jar, the sand spreads through the water, forming a cloudy **suspension**. When you stop shaking the jar, the particles of sand are suspended in the water briefly, but they soon settle to the bottom, forming a **sediment**. Muddy water is also a suspension, but most of the particles in mud are smaller than sand particles so it takes much longer for them to settle to the bottom. Some insoluble substances don't form suspensions but float on top of the liquid.

**FIGURE 5.9** Adding an insoluble substance to a liquid




**suspension** a mixture of an insoluble substance in a liquid or gas

**sediment** the insoluble material that collects at the bottom of a container when suspensions are left to stand

**filtration** the process of separating suspended particles from fluid through a filter

**filter** a device that allows some materials to pass through. It blocks particles too large to fit through the holes or pores

**residue** the material remaining as a solid on a filter paper after a liquid passes through in the filtration procedure

**filtrate** liquid that has passed through a filter

What do a vacuum cleaner, tea strainer and protective face mask have in common? They are all devices for separating particles from suspensions by **filtration**. In the laboratory, filtration is carried out using filter paper, but there are many other useful methods of filtration that are used in the home and in industry.

In filtration, solutions, solvents or gases pass through the **filter** but particles that cannot fit through the filter are trapped by it. Insoluble particles can be separated from a mixture using filter paper in a funnel as shown in figure 5.10. The insoluble particles that remain in the filter paper are referred to as the **residue**. The liquid that is able to pass through the filter is referred to as the **filtrate**.

ewbk-3050

int-8052

**FIGURE 5.10** Equipment used to filter a mixture that contains insoluble particles




elog-0117

## INVESTIGATION 5.4

### Filtration in the laboratory

#### Aim

**To use filtration to separate substances in a mixture**

#### Materials

- 100 mL beaker
- funnel
- filter paper
- glass stirring rod
- conical flask
- insoluble substance, such as soil, chalk dust or charcoal

#### Method

1. Half-fill your 100 mL beaker with water.
2. Add your insoluble substance to the water and stir with the stirring rod.
3. Set up the equipment for filtering as shown in the diagram on the previous page.
4. Fold the filter paper as shown.
5. Place the filter paper in the funnel and moisten with clean water to hold the filter paper in place.
6. Pour your mixture into the filter paper.




#### Results

1. Describe the appearance of your mixture in the beaker before filtration. Did it form a suspension or sediment, or float on top?
2. The liquid passing through the filter into the conical flask is called the filtrate. Describe your filtrate.
3. Examine your filter paper. The material trapped by the filter paper is called the residue. Describe your residue.

### Discussion

1. Filter paper is like a sieve with small holes in it. Explain how the filter paper worked like a sieve in this experiment.
2. What results would you expect if there was a small hole at the bottom of the cone? Explain why.

### Conclusion

Describe the substances that were separated using correct scientific terms.

## 5.3.2 Decanting

There are a number of ways of separating mixtures that are not solutions. If sediment sinks to the bottom of a container and the water can be poured off, this is called **decanting**. This is the simplest method of separating a mixture of a liquid and an undissolved solid.

To decant a mixture, the solid is allowed to settle to the bottom of the container, forming a sediment. The liquid is then carefully poured off the top. Decanting can be used to separate most of the mud from muddy water. After the mud has settled to the bottom, the water can be poured off. If the water is still cloudy, it can be filtered to remove the remaining undissolved particles.

### ACTIVITY: Decanting muddy water

Collect some muddy water and try to see how well you can decant the water. Compare your results to others in your class. Do you think the water would be safe to drink?

## 5.3.3 Sieving

Aboriginal Australians combine **sieving** and decanting to prepare native yams, which contain a poison. The yams are boiled and placed into a dilly bag. The bag is squashed, and the softer parts of of the yam are strained through the bag into a can of water. The bag acts as a sieve, allowing some substances to pass through, but not others. The skins and harder parts of the yam that are left in the bag are thrown away. The water is decanted from the can, and repeated washing with water removes more poison. The yam is then placed into another dilly bag and hung up overnight before being ready to eat.

**decanting** pouring liquid off the top when sediment has settled to the bottom of the container
**sieving** separating particles of different sizes by allowing the smaller particles to fall through holes in a container

Sieving is frequently used in the home. This happens when water is separated from vegetables, rice, pasta or lentils using a colander, when flour is sifted and when a strainer keeps the tea leaves from going into a cup of tea. Sieving is also very efficient at separating larger particles from finer particles, as seen in figure 5.11.

**FIGURE 5.11** Sieving can be used to separate gravel from sand



## Resources

**Interactivity** Sieving and decanting (int-8053)

**Video eLesson** Decanting (eles-2214)

## 5.3.4 Colloids and emulsions

Some mixtures are neither solutions nor suspensions. A mixture that contains suspended particles too small to settle or be removed by filtering is called a **colloid**. Unlike solutions, which are clear, colloids are cloudy. Colloids can be formed by solids, liquids or gases. Examples of colloids include mist, cappuccino froth, whipped cream and paint.

An **emulsion** is a specific type of colloid involving two or more insoluble liquids. In emulsions, one liquid is able to spread evenly through another liquid, rather than settling into layers as it usually would. Unhomogenised milk (as seen in figure 5.12), is not an emulsion due to the layer of cream floating on the milk. Homogenised milk and mayonnaise are examples of emulsions, as is the liquid spread through water in figure 5.13.

**colloid** a mixture in which extremely small particles of one substance are spread evenly throughout another substance
**emulsion** a colloid where droplets of one liquid spread evenly through another

**FIGURE 5.12** Unhomogenised milk forms layers and is not an emulsion.

**FIGURE 5.13** Emulsions involve one liquid spreading evenly throughout another liquid, rather than forming into layers, which occurs in immiscible liquids.



### ACTIVITY: Making mnemonics

Thinking tools that are used to help us remember are called *mnemonics* (pronounced 'nemonics'). Rhymes, such as nursery rhymes, songs or advertising jingles, are often used as mnemonics. Individually or in small groups, create a short rhyme or song to help you remember some of the terms used in this topic so far. Share your rhymes with the class.

Consider the following groups of words as a starting point:
- suspension, sediment, emulsion, colloid
- filtration, sieving, decanting
- solute, solvent, solution.

### Resources

**Interactivity** Mixtures (int-0224)

**eWorkbooks** Sieving, filtering or decanting (ewbk-3054)
The pool shop (ewbk-3056)

**Video eLesson** Density (eles-2546)

**assessON** Additional automatically marked question sets

## 5.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 7 | Questions<br>3, 8, 9, 10 | Questions<br>5, 6, 11, 12 |

### Remember and understand

1. Match each of the following terms with their descriptions.

| Term | Description |
|---|---|
| a. sediment | A. Liquid in which a substance dissolves |
| b. solution | B. Insoluble particles dispersed in a liquid |
| c. residue | C. Liquid passing through filter paper |
| d. solute | D. Substance that dissolves in a liquid |
| e. filtrate | E. What is formed when a solute dissolves in a solvent |
| f. solvent | F. Material deposited on a filter |
| g. suspension | G. An insoluble substance that sinks to the bottom |

2. MC What happens to a suspension if it is left to stand?
   - A. The suspension separates and the soluble sediment sinks to the bottom of the vessel.
   - B. The suspension separates and the insoluble sediment sinks to the bottom of the vessel.
   - C. The suspension separates and the insoluble sediment rises to the top of the vessel.
   - D. The suspension stays the same no matter how long it stands.

3. Complete the following passage, using the terms in the word bank, to explain how to distinguish a colloid and a solution.
**Word bank**: colloids, cloudy, clear, suspended, solutions, separate
_____ are _____ and the _____ colloidal particles do not sediment out quickly. _____ are _____ and do not _____.

4. MC Identify which types of substances mix with each other to form emulsions.
**A.** Soluble powders
**B.** Insoluble liquids
**C.** Salt and fresh water
**D.** Solids and gases

## Apply and analyse

5. Think of two more filters or sieves used in the home. Construct a four-column table like the one shown to describe the filters.

**TABLE** The function of different filters

| Filter | Mixture | Residue | Filtrate |
|---|---|---|---|
| Vacuum cleaner | Air and dust | Dust | Air |
| Food strainer | Chips and hot oil | Chips | Oil |
| | | | |
| | | | |

6. The air filter and oil filter in a car engine have to be replaced occasionally. Why do you think this is done?
7. The following steps in a recipe are examples of separating mixtures in the kitchen. Label each step with the separating method being used: is it **filtration**, **sieving** or **decanting**?
**a.** Strain the boiled rice with a colander.
**b.** Pour the hot water from the boiled potato.
**c.** Remove the excess oil from the top of the simmering soup.
**d.** Pour sauce into a jug, ensuring that the spice sediment is left behind in the pot.
**e.** Place the filter into your coffee machine.
8. Explain why filtering is preferable to decanting when separating a suspension from a mixture.
9. SIS A solution was made by dissolving a white solid in water. The solution was boiled in an evaporating dish until all the water had evaporated. The following measurements were obtained:
   - Mass of evaporating dish = 27.3 g
   - Mass of evaporating dish + solution = 49.8 g
   - Mass of evaporating dish after boiling = 32.3 g

**a.** Calculate the mass of the solid.
**b.** Calculate the mass of the water.

## Evaluate and create

10. SIS What types of paper can be used to filter a suspension? Research or carry out an investigation that tests a variety of different papers (such as newsprint, tissue paper, brown paper, kitchen towel and so on) for their suitability as filter paper. Write a report on your findings.
11. SIS The kidneys act as filters to remove wastes from our blood. Find out more about how the kidneys filter wastes from the blood.
12. Filters are often included in face masks (such as those worn during pandemics). Explain why these are important and outline the advantages and disadvantages of these filters.

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.4 Other separating techniques

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain how a separating funnel and centrifuge separate mixtures, and the type of mixtures they are used to separate.

## 5.4.1 The separating funnel

When one liquid does not mix with another but floats on top of it, a **separating funnel** can be used to separate the two liquids. Oil floats on water. This mixture can be separated using a separating funnel as shown in figure 5.14.

**separating funnel** a pear-shaped glass container, with a tap at its base, used to separate two liquids that do not mix

ewbk-3058

int-8055

**FIGURE 5.14** Using a separating funnel to separate oil from water



## 5.4.2 Centrifuging

A mixture can be separated by spinning it very quickly. This method is called **centrifuging**. The spin-dry cycle of a washing machine acts as a centrifuge and a filter. As it spins at high speed, the clothes are forced to the sides of the tub and the water passes out through the holes in the tub. The clothes cannot fit through the holes, and so much of the water is removed from them.

In the laboratory, centrifuging is used to separate solid or liquid substances from liquids. The mixture is placed in special test tubes that are spun in a circle at high speeds. The heavier substances are forced to the bottom of the tube and the lighter substances are left near the top.

Decanting can be used to pour off liquid after substances have been centrifuged. You can also decant by pouring off a liquid, like an insoluble oil layer on top of water, if a separating funnel is not available.

**FIGURE 5.15** A centrifuge

**centrifuging** separating a mixture by rotating the container quickly so the heavier parts of the mixture move to the outside of the spinning container

### on Resources

**Video eLesson** Centrifuging (eles-0061)

**eWorkbook** Centrifuging and separating (ewbk-3060)

### SCIENCE AS A HUMAN ENDEAVOUR: Using centrifuging and filtering to separate blood

About one million donations of blood are made in Australia each year. Some of the donations are given to people who have lost blood during surgery, accidents or disasters. Blood is also given to people during the treatment of many diseases, including cancer. These people need to be given a regular supply of blood.

Blood is a life-giving mixture. It can be separated into four parts: plasma, a clear, yellowish liquid; red blood cells, which carry oxygen; white blood cells, which fight disease; and platelets, which clot blood, as shown in figures 5.16 and 5.17.

**FIGURE 5.16** Centrifuging blood




Blood cells are suspended in plasma. Like other suspensions, blood donations can be separated into parts by spinning (centrifuging). Red and white blood cells are heavier than plasma and platelets, so they are forced to the outside edges of the containers in the centrifuge. Further centrifuging separates the platelets and different types of blood cells.

Some donors give only the plasma from their blood, as outlined in Table 5.1. As the blood is taken out of the donor, it passes through a machine that separates the plasma from the rest of the blood. The blood cells are then pumped back into the donor.

Because each part of the blood has a special job to do in our bodies, different problems can be treated with different parts of the blood. In Australia, blood is collected and separated by the Australian Red Cross Blood Service. Separation allows doctors to treat a larger number of patients and save many lives.

**FIGURE 5.17** Blood is collected and separated by the Australian Red Cross Blood Service.




**TABLE 5.1** Blood types and main uses

| Blood type | Percentage of population | Most useful donations | Main uses |
|---|---|---|---|
| AB | 3% | Plasma | AB plasma can be given to any blood type. |
| A | 38% | Whole blood, plasma or platelets | Common blood type, so there is a high demand for these products |
| B | 10% | Plasma | Particularly useful for people with blood diseases, severe burns or trauma |
| O– | 9% | Whole blood or platelets | All products can be given to any blood type. |
| O+ | 40% | Whole blood, plasma or platelets | Most common blood type; high demand for these products |

Once blood is separated, each part has to be stored differently.

- Red blood cells can be stored for 42 days at 2–6 °C.
- Plasma can be frozen for 12 months at –40 °C.
- Platelets are stored for 5 days at 20–24 °C. During this time they have to be moved at least every 12 hours, to stop them clumping together. (Platelets seal wounds in our bodies by sticking together.)

## DISCUSSION

In an average week, the Australian Red Cross Blood Service needs about 21 000 blood donations to meet the demand for blood and blood products. Research and report on the following questions.

Why are you not allowed to donate blood if you have recently had a tattoo?

What ethical considerations does a person who recently had a tattoo have to think about before a blood donation?

## on Resources

**Interactivity** Blood donation in Australia (int-3439)

**Weblink** Follow the blood bag: How Australian Red Cross processes life-saving donations

**assess on** Additional automatically marked question sets

# 5.4 Exercise

learnON

To answer questions online and to receive **immediate feedback** and sample responses for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3, 7 | Questions<br>2, 5, 8, 10 | Questions<br>4, 6, 9 |

### Remember and understand

1. MC Complete the sentence: Using a separating funnel _____
   - A. sand can be separated from water
   - B. oil can be separated from salad dressing
   - C. red blood cells can be separated from blood
   - D. salt can be separated from sea water.
2. MC Identify which techniques are used to separate different parts of blood.
   - A. Centrifuging and decanting
   - B. Decanting and filtration
   - C. Filtration and centrifuging
   - D. Filtration and desalination
3. From the following terms, identify the four components (or parts) of blood that blood donations are separated into.
   - plasma
   - white blood cells
   - filters
   - dishlets
   - blood type
   - red blood cells
   - aqueous blood cells
   - platelets
4. Explain why blood is separated into different parts.
5. MC Identify the property of plasma and platelets that allows them to be separated with a centrifuge.
   - A. Platelets are lighter solids suspended in heavier liquid plasma.
   - B. Platelets are light liquids dissolved in plasma.
   - C. Platelets are heavier solids suspended in lighter liquid plasma.
   - D. Platelets attach to the white blood cells, making them larger than the plasma.
6. MC Why is blood separated in a centrifuge rather than being left to settle by itself?
   - A. It is faster.
   - B. Blood does not settle by itself.
   - C. It is slower and more precise.
   - D. It is safer for the donor.

### Apply and analyse

7. Explain how blood is separated into the different parts. Ensure you use the correct scientific terminology.
8. Refer to the bar graph and answer the questions that follow.
   a. The highest percentage of blood donors have what type of blood?
   b. What does the vertical axis show?
   c. Provide a title for this graph.
   d. State the total percentage of donors who have B group blood.
   e. Why is there a high demand for O+ group blood?




### Evaluate and create

9. In an average week, the Australian Red Cross Blood Service needs about 21 000 blood donations to meet the need for blood and blood products. Research and report on the following questions.
   a. How old do you need to be to donate blood?
   b. What is the minimum body weight required of blood donors?
   c. Why are you not allowed to donate blood if you have recently had a tattoo?
10. SIS Create an advertisement to encourage people to donate blood. Briefly describe how the blood is obtained, how the blood is separated into its components and how each part is used.

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.5 Separating solutions

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain the separation processes of evaporation, distillation, crystallisation, and chromatography, and outline examples of where they are used.

## 5.5.1 Reviewing solutions

Imagine being stranded on a small, sandy island with no fresh water to drink. You are surrounded by the sea. But you can't drink the sea water; it would dehydrate you even further. You have to find a way of separating the water from the salt dissolved in it. What can you do?

Sea water is a solution. Separating the solute from the solvent in a solution is usually much more difficult than separating undissolved substances from a liquid. Filtration won't work — the dissolved particles are too small. Neither will decanting or centrifuging. You can't even see the dissolved particles. The answer lies in the fact that the solvent and solute have different properties. In the case of salt water, when heated to 100 °C the water evaporates and boils away, leaving the salt behind as solid crystals.

## 5.5.2 Distillation

In the laboratory, pure water can be produced by a process called **distillation**. Tap water is poured into the boiling flask (see figure 5.18) and heated to the boiling temperature for water, 100 °C. The water boils, **evaporates** and becomes steam. The steam travels along the water condenser. The steam inside the condenser is cooled to below 100 °C and **condenses** to form liquid water. The condenser is kept cool by running cold water through its outer jacket.

**distillation** a separation technique that uses evaporation to separate substances
**evaporate** change state from liquid to gas
**condense** change state from liquid to gas

The pure water collected in the conical flask is called the **distillate** and can be rightly labelled **distilled water**. The impurities in the water are left behind in the boiling flask.

ewbk-3064
int-8056

**FIGURE 5.18** Equipment used for distillation in the laboratory




Distillation can be used to separate pure water from sea water. It can also be used to separate a mixture of two liquids as long as they boil at different temperatures.

## Resources

**Video eLesson** Distillation (eles-0060)

## 5.5.3 Slow evaporation

Pure water can be separated from salty water without boiling it. The salt and other impurities are left behind. The process takes longer, but the energy of the Sun can be used to evaporate the water. The solar still shown in figure 5.19 could be used to produce small amounts of pure water from salt water.

When evaporation is used to separate pure water from salty water, the salt is left behind as crystals. If it is more important to collect the solute than the solvent, this process of separation is called **crystallisation**. Table salt is produced by the process of crystallisation, using energy from the Sun to evaporate sea water or water from salt lakes.

**distillate** the liquid collected during distillation when the evaporated substance condenses

**distilled water** pure water collected by condensing steam

**crystallisation** a separation technique that uses evaporation to separate the parts of a solution, leaving the solute as crystals

ewbk-3066

int-8057

**FIGURE 5.19** In solar distillation, the Sun's energy can be used to distill sea water.

**Black tray**
The black tray warms up when the sun shines on it. The salty water in the tray heats up as well. The water begins to evaporate, leaving the salt behind.

**Reflector**
The reflector helps to direct sunlight onto the tray.

**Glass cover**
The glass cover stops the evaporated water from escaping. When the water vapour reaches the glass, it begins to cool down. The vapour turns back into liquid water.

**Clean water trough**
The liquid water trickles down along the glass cover and falls into a trough. This water is free of salt and other impurities. The salt remains in the black tray, where it can be collected and used for other purposes.

## The desert island solution

In places where fresh water is scarce, a simple water still could be used to evaporate and collect pure water. If the water is muddy or not clear, it should be filtered first to separate the undissolved particles. On a desert island, clothing, like a t-shirt, could be used as a filter.

elog-0119

## INVESTIGATION 5.5

### Making a simple water still

#### Aim

**To use a simple still to separate salt from salt water**

#### Materials

- trowel
- bowl
- scissors
- some small rocks
- cup
- saltwater solution
- plastic bag

#### Method

1. Dig a shallow hole in the ground outside. The hole should be a few centimetres deeper than the height of the cup and should be in a spot that gets a lot of sun.
2. Put the bowl in the bottom of the hole and put the cup in the middle of the bowl.
3. Pour the salt water into the bowl. Don't allow any salt water to get into the cup.
4. Cut the side seams of the plastic bag and open it up so that it forms a flat sheet of plastic. Place the plastic over the hole, using small rocks to anchor it in place. Make sure that the hole is completely covered.
5. Place a small rock in the middle of the plastic sheet, just above the mouth of the cup.
6. Leave undisturbed for a couple of hours.



### Results

Examine the contents of the bowl and the cup and record your observations.

### Discussion

1. How has the water level in the bowl changed?
2. Is there any residue on the walls of the bowl? What do you expect this is made of?
3. Describe how the water in the cup is different from the water in the bowl.

### Conclusion

Summarise the findings from your investigation and state how the salt was separated from the water.

## 5.5.4 Chromatography

Paints, inks, dyes and food colourings are often mixtures of substances that have different colours. You can separate a mixture of different colours using **paper chromatography**, as shown in figure 5.20. Chromatography relies of the differences in solubility of substances in a mixture.

An example of the process of paper chromatography:

1. a small amount of the solution is placed on a strip of filter paper 2 cm from its end
2. the filter paper is hung so that the sample is just above the level of the solvent
3. the colours dissolve as the solvent soaks up the paper strip
4. the more soluble colours move more quickly and travel further up the strip than the less soluble colours.

int-3442

**FIGURE 5.20** Filter paper being used in the process of chromatography



**paper chromatography** method of separating a mixture of different colours positioned on filter paper using a solvent

Chromatography can separate parts of mixtures according to their different solubilities in a particular solvent.

### on Resources

**Video eLesson** Paper chromatography (eles-2548)

**eWorkbook** Chromatography (ewbk-3070)

elog-0121

## INVESTIGATION 5.6

### Separating colours

#### Aim

**To use paper chromatography to separate substances in food colouring**

#### Materials

- food colouring
- toothpick
- filter paper
- scissors
- 250 mL beaker
- pencil
- ruler

#### Method

1. Cut a piece of filter paper approximately 10 cm by 3 cm.
2. Rule a pencil line 2 cm from the end of the paper.
3. Use the flat end of a toothpick to place a small dot of food colouring in the centre of the pencil line on the filter paper.
4. Pour tap water into the beaker to a depth of 1 cm.
5. Stand the filter paper so that the end just dips into the water. Make sure that you keep the dot of food colouring out of the water.
6. Fix the filter paper to a pencil to hold it in the beaker.
7. Leave the filter paper to stand until the water has risen almost to the top.
8. Repeat the experiment with different food colourings.




#### Results

Record your observations of the colours for the different food colours in a table (you could also draw diagrams or take photos).

#### Discussion

1. How are the colours actually separated using this method?
2. Explain if you think that the colours would separate in the same way if a different solvent was used.
3. a. State if any of the separated colours are the same distance from the pencil line. For example, was the yellow part in the different food colours the same distance from the pencil line.
   b. What does this suggest about the particular food colour?

#### Conclusion

State the colours that were present in each food dye and summarise how these were separated through chromatography.

## SCIENCE AS A HUMAN ENDEAVOUR: Chromatography in industry

#### Where is chromatography used?

The principles of chromatography are used in complex instruments to separate and identify a huge range of substances. Chromatography is used in the food industry to detect more than just food colours. Food scientists can tell us what other ingredients have been added to food.

Chromatography can also identify pesticides and harmful chemicals that have entered our food from the water in creeks and dams, or from soil **pollution**.

**Forensic scientists** use gas chromatography to detect a range of substances, including traces of illegal drugs. They can also use chromatography to compare mixtures found at crime scenes with those found on suspects. Many mixtures contain a unique combination of substances. For example, ink from different pens varies, even if the colours look the same.

**pollution** the introduction of harmful substances or products into the environment

**forensic scientists** people who use methodical gathering and analysis of scientific evidence to establish facts that can be presented in a legal proceeding

The separating technique of chromatography is used to detect substances in blood and urine. In medical laboratories, samples of blood or urine are tested for drugs and alcohol. Abnormal levels of vitamins and hormones in a person's blood can also be detected using chromatography.

**FIGURE 5.21** A chromatograph automatically separates mixtures by chromatography.

## 5.5.6 Crystallisation

Crystallisation is the formation of crystals from a saturated solution. It can be used to purify an impure solid by making a warm saturated solution. Crystals will form as this solution cools. This is because more of the solid is able to dissolve in the warmer saturated solution, so when the solution cools down, the extra solid that can no longer dissolve forms crystals.

elog-0123

### INVESTIGATION 5.7

#### Crystallisation

##### Aim

**To observe separation by crystallisation**

This investigation must be done in class with your teacher.

##### Materials

- test tube
- solid copper sulfate (or alum)
- a balance
- 150 mL beaker
- glass stirring rod
- hot water
- string
- test-tube rack
- piece of filter paper
- filter funnel
- conical flask or beaker
- paperclip

**CAUTION**

Wear gloves and protective clothing for this investigation.

### Method

1. Weigh 28 g of copper sulfate and add to the beaker.
2. Prepare a hot concentrated solution of the copper sulfate by pouring 20 mL of hot water into the beaker. Stir the solution until no more solid will dissolve.
3. Pour the blue copper sulfate solution through the filter paper into the conical flask or beaker. The undissolved copper sulfate will remain on the paper.
4. Quickly pour the solution into a test tube.
5. Tie the string to the glass rod. Attach the paperclip to the end of the string and arrange it as shown at right.
6. Leave to cool overnight in the test-tube rack.




### Results

Describe the changes that have taken place in the test tube.

### Discussion

1. Identify the solid substance that has formed.
2. Explain why warm water was used.
3. What do you think was the purpose of the paperclip?
4. Identify the term used to describe a solution in which no more solid will dissolve.
5. List the variables in this experiment.
6. Write a hypothesis to suggest a factor that could be changed to increase the size of the crystal.

### Conclusion

Summarise how crystallisation was used to separate a solution in this investigation.

## on Resources

**eWorkbook** Crystallisation and distillation (ewbk-3072)

**Weblink** Separating mixtures

**assessON** Additional automatically marked question sets

## 5.5 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 7, 13 | Questions<br>4, 6, 10, 12, 14 | Questions<br>5, 8, 9, 11, 15 |

### Remember and understand

1. MC Which separating technique is used to produce crystals from a saturated solution?
   - A. Crystallisation
   - B. Centrifuging
   - C. Filtering
   - D. Decanting
2. MC Identify the property used to separate mixtures in distillation.
   - A. Particle size
   - B. Boiling point
   - C. Solubility
   - D. Colour

3. MC Identify the property used to separate mixtures in chromatography.
   A. Particle size
   B. Boiling point
   C. Solubility
   D. Colour
4. Add the correct names for each piece of equipment used in the distillation process.

**TABLE** The equipment used in distillation

| Description | Equipment |
|---|---|
| a. Heats the liquid in the boiling flask | |
| b. Measures the temperature of the evaporated liquid | |
| c. Cools the vapour after it leaves the boiling flask | |
| d. The container that collects the pure liquid | |

5. MC Identify the purpose of a glass cover on a solar still.
   A. stops the evaporated water escaping into the air
   B. prevents bystanders from interfering with the process
   C. keeps bugs out
   D. stops the black tray from fading in the Sun
6. Outline three uses of chromatography in industry.

## Apply and analyse

7. Explain how evaporation and crystallisation are different from each other.
8. Imagine you're camping at the beach with friends, when a strong wind disturbs your dinner preparation. You need to separate the following substances (in bold) from mixtures that the wind has created. Explain how you would separate each of the accidental mixtures and still be able to eat your dinner. Include which property of each substance would help you to remove it.
   a. The **salt** spills into the uncooked (dry) pasta.
   b. **Sand** blows into the jug of lemonade.
   c. **Water** spills into the container of raw sausages you are about to cook.
9. Explain why cool, running water is passed through distillation equipment.
10. A dot of a black marker pen was placed on a pencil line 2 cm from the bottom of a strip of filter paper, and then the strip was placed in a beaker with one centimeter of water. The water rose, and after five minutes the colours had separated into yellow, blue, and purple, followed by a brown section at the top of the paper.
    a. List the coloured dyes from fastest moving to the slowest moving.
    b. List the dyes from the most soluble to the least soluble.
    c. Explain why a pencil line was used and not a biro or marker pen at the point where the dot was placed.
    d. How could you tell if another black marker pen contained the same dyes?
11. SIS Dots from five different coloured pens were marked on a pencil line and placed in a solvent.




    a. State the colour of the dyes that were present in the black pen (marker X).
    b. Why do you think the red spot from the black pen is at a different distance from the start as the red spot from the red pen?
    c. Explain if you would expect the order of the spots to be the same if a different solvent was used.
    d. Summarise the variables that affect the position of the spots obtained in paper chromatography.
12. Explain why crystallisation is not suitable to purify water.

### Evaluate and create

13. SIS Zoe performs a paper chromatography experiment on waterproof markers, using water as a solvent. Will her experiment work? Explain your answer.
14. SIS Design a separating machine that will separate a mixture of three substances, such as nails, beans and sand. Outline:
    - the name of your separating machine
    - a diagram of the machine
    - information on what mixture your machine will separate
    - instructions for how to use it
    - an explanation of why it works
    - the advantages that your machine has for its particular use.
15. SIS Investigate how to distill perfume. Summarise this process.

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.6 Separation in industry

### LEARNING INTENTION

At the end of this subtopic you will be able to describe how important separation processes are in the mining, dairy, and wine industries and how they are used to clean up oil spills.

## 5.6.1 Separating mixtures in industry

Separating the useful material from a mixture is often a problem in industry. In mining, the mineral ores that are needed are mixed with useless rock called gangue. In the dairy industry, the cream has to be separated from the milk before it can be put into containers for sale. Separation is also important in cleaning up after oil spills in the ocean.

### SCIENCE AS A HUMAN ENDEAVOUR: Separating mixtures in mining

#### Copper

The metal copper is used in hot water pipes, electrical wiring and even in the coins we use. Copper is found in rocks in the Earth's crust in the form of mineral ores. Before the copper can be purified, the copper ore has to be separated from the gangue. The gangue is the waste rock that is mixed with the ore containing the copper.

The mixture of gangue and copper ore that is dug out of the ground is in solid lumps. These lumps have to be crushed to a fine powder before the copper ore and gangue can be separated. Crushing takes place in a ball mill. This is a long barrel containing lots of heavy steel balls. As the barrel is rotated, the steel balls crush the lumps into a fine powder.

Once the copper ore and gangue are crushed, the copper ore is separated from the gangue by a process called **froth flotation**. The crushed mixture is mixed with water and some special chemicals, and stirred. Bubbles of air are blown into the bottom of the container and the copper ore is carried to the surface by the bubbles. The gangue sinks to the bottom of the tank and the copper ore is skimmed off the top of the liquid. The copper ore is treated to extract the pure copper, which can then be used to manufacture the many copper products we use.

**froth flotation** process used to separate a mixture of mineral particles by adding a substance that floats to the top with one of the minerals attached

### Gold

Gold obtained from the ground is also mixed with unwanted rock. After grinding in a ball mill, the mixture of crushed rock and gold is mixed with water. The gold can be separated from the mixture using **gravity separation** because the gold is heavier than the rock. The mixture is spun and the gold sinks to the bottom.

In the same way, panning for gold by swirling the pan allows the heavier gold to settle in the pan (as shown in figure 5.22) while the lighter gravel and sand swirl out of the pan with the water.

**FIGURE 5.22** Gold separated from unwanted rock

**gravity separation** separation of heavier particles in a mixture, by shaking or spinning them

## on Resources

**Video eLesson** Gold panning (eles-2547)
Gravity separation and plants (eles-2215)

elog-0125

## INVESTIGATION 5.8

### Separation by flotation

#### Aim

**To model the separation of the gangue from mineral ore**

#### Materials

- jar and lid
- sand
- sawdust
- teaspoon

#### Method

1. Half-fill the jar with water.
2. Add a teaspoon of sand and a teaspoon of sawdust.
3. Place the lid on the jar firmly and shake vigorously.
4. Allow the jar to stand.
5. Use a spoon to remove the sawdust.

#### Results

Describe the appearance of the contents of the jar immediately after shaking and then after settling.

#### Discussion

1. In this experiment, which substance represented the gangue?
2. Which substance represented the mineral ore?
3. How is the method of separation in this experiment different from the froth flotation method used to separate copper ore from the gangue?
4. Suggest how the method for this investigation could be improved.

#### Conclusion

Summarise how flotation was used to model the separation of gangue from mineral ore in this investigation.

## 5.6.2 Cleaning up oil spills in the ocean

On 20 April 2010, an explosion on the BP Deepwater Horizon drilling rig caused a massive oil spill into the waters of the Gulf of Mexico. The slick covered thousands of square kilometres of ocean. Another smaller oil spill occured in the East China Sea in 2018, when an oil tanker collided with a cargo ship. Oil spills cause significant harm to many living organisms, including birds, fish and mammals. Such a slick can be cleaned up by considering some of the different properties of oil and sea water. These are outlined in figure 5.23.

**Biodegradation** of the oil occurs when micro-organisms in the ocean break the oil down to use as a source of nutrients. This removes the oil from the water naturally. However, this process may take many years.

**Oil spill dispersants** can be sprayed onto the oil by helicopters, planes or boats. Dispersants contain substances called **surfactants** that can break up the oil into much smaller droplets. The detergent that you use to break up the grease on your dishes is also a surfactant. The smaller oil droplets are then more easily broken down by bacteria, algae and decomposers in the ocean.

As oil is **flammable** but water is not, the oil can be removed from the water by burning it off the water surface. The oil is ignited by a **helitorch**, which is lowered to the spill surface from a helicopter. However, while fresh crude oil burns well, oil that has been on the surface of the water for a while becomes weathered and is harder to ignite. Also, if a spill has spread too far, the oil layer may have become too thin to ignite. The smoke produced from burning the oil can cause pollutants and toxins to enter the air.

**biodegradable** a substance that breaks down or decomposes easily in the environment

**oil spill dispersants** chemicals that when sprayed onto an oil spill, can break the oil into smaller particles

**surfactants** substances that can break up substances such as oil into smaller particles

**flammable** substances such as methylated spirits that burn easily

**helitorch** a device used to drop flaming fuel onto another substance in order to ignite it

int-3438

**FIGURE 5.23** How to clean up an oil spill



**Biostimulants** can be added to the ocean. These are chemicals, such as fertilisers, that increase the numbers of micro-organisms in the ocean and so speed up the rate of biodegradation of the oil.

**Booms** are used to control the spread of oil. These float on the ocean surface and extend down into the water below the level of the oil. Booms are made of **buoyant** materials such as neoprene.

**Skimmers** are dragged by boats across the top of the oil spill and scrape the oil from the water surface. The oil is then sucked into storage tanks on board the boats.

**biostimulants** substances that stimulate processes of living organisms to enhance their growth

**booms** devices that float on the surface of the ocean and assist in containing oil spills by extending below the oil spill

**buoyant** the property that enables an object to float on a liquid

**skimmers** devices dragged by boats that scrape the oil of the surface

on Resources

**Weblink** How do we clean up oil spills?

## SCIENCE AS A HUMAN ENDEAVOUR: Separating mixtures in the dairy industry

Cow's milk is a mixture of watery milk and fatty cream. If fresh milk straight from the cow is left to stand, the cream floats to the top of the milk. The milk that you buy as homogenised full-cream milk contains both the milk part and the cream mixed together. Very fine droplets of cream are dispersed evenly throughout the watery milk.

Skim milk is the watery milk part without the cream. Milk is separated from the cream at the dairy using a centrifuge. The cows' milk is fed continuously into the centrifuge at one end; as the milk is spun in the centrifuge, the lighter cream separates from the heavier skim milk and each part is continuously collected at the other end.

Skim milk powder is made by evaporating about half of the water from the skim milk. A fine mist of this skim milk is then sprayed into a current of hot air, so that more water evaporates. The powdery dry milk is collected from the bottom of the chamber.

## SCIENCE AS A HUMAN ENDEAVOUR: Separating mixtures in the wine industry

Winemakers use a variety of separation techniques in the production of wine. Presses are used to separate the juice from the grapes. A large plate is lowered onto grapes in a container, pressing until the juice is forced out of the grape skins. Some winemakers still use the ancient method of pressing using a large wooden basket. A plate is lowered onto the grapes and the juice flows out through the openings in the basket.

Filtration is used to remove solid impurities in wine, but the microscopic particles in wine that make it cloudy are separated by a process winemakers refer to as 'fining'. They add agents such as egg white, gelatin (an animal protein) and casein (a protein found in milk) that bond with the particles, making them larger so that they sink to the bottom of the tank or barrel. The remaining wine is clear.

**FIGURE 5.24** A variety of different separation techniques can be used to make wine.

Fortified wines such as apera (originally called sherry) and muscat are made by distilling wine to separate and remove water from alcohol and other dissolved substances that give the wine its flavour. The remaining mixture is called spirit, which is added to other wines to fortify, or strengthen, them and make them sweeter.

## Resources

**Interactivity** The homogenisation process (int-3437)

**eWorkbook** Separation in industry (ewbk-3076)

**assessON** Additional automatically marked question sets

# 5.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 7 | Questions<br>3, 4, 5, 9 | Questions<br>6, 8, 10 |

### Remember and understand

1. MC What type of separation is used when panning for gold?
   **A.** Crystallisation **B.** Gravity separation **C.** Centrifuging **D.** Distillation
2. MC Froth flotation is used when the impurities are _____ the ore particles.
   **A.** similar to **B.** lighter than **C.** heavier than **D.** mixed in
3. Complete the following passage to describe how copper ore is separated from unwanted rock.
   The copper _____ is crushed to a fine _____. The mixture undergoes _____ and the unwanted rock forms the _____. The copper _____ is recovered from the _____ and is converted to crude copper in a furnace. If pure copper is required then it is further purified.
4. MC Which of the following is true regarding homogenised milk?
   **A.** It does contain cream. The cream is dissolved into the aqueous part of the milk.
   **B.** It does contain cream. The cream is present as small colloidal particles spread out through the aqueous part of the milk.
   **C.** It does not contain cream. All cream particles are removed during the homogenisation process.
   **D.** It does not contain cream. Homogenised milk is only made from fat-free milk.

### Apply and analyse

5. Describe how copper ore is carried to the surface during froth flotation.
6. Describe how skim milk and skim milk powder are separated from whole milk.
7. Explain the difference between booms and skimmers.

### Evaluate and create

8. SIS Smoke stacks are used in many production plants and power stations to release waste gases and hot particles into the atmosphere. In some of these smoke stacks, an electrostatic precipitator is used to separate smoke, dust and other small particles and droplets from the waste gases before they are released into the atmosphere. Research and report on how electrostatic precipitators work.
9. SIS Investigate the processes used to separate olive oil from the other liquids and solids in olives. Prepare a fact sheet with suitable images and text.
10. SIS An oil spill at sea can ruin the local environment and kill wildlife. Research and report on each of the following.
    **a.** Find out how environmental and other authorities clean up oil spills at sea. List the properties of oil that allow each method to succeed.
    **b.** When and where did the worst oil spill disaster occur and how was the oil separated from the sea water?

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.7 Removing contamination from water

**LEARNING INTENTION**

At the end of this subtopic you will be able to outline the contaminants in water, describe how drinking water is obtained from sea water on a large scale and understand methods to maintain safe water supplies for everyone.

## 5.7.1 Contamination: harmful substances in water

Water used for drinking and washing needs to be clean and free of harmful substances. Water supplies can be **contaminated** by dissolved substances or substances suspended in the water. Besides clay, there are a number of other contaminants.

- Human and other animal body wastes contain disease-causing micro-organisms.
- Algal blooms can release poisonous substances into the water. They can also affect the taste and cause odour problems.
- Pesticides or detergents can be washed into rivers and contaminate water supplies.
- Poisonous chemicals may also be washed into rivers.
- Salt dissolved in water can make it unfit for drinking.
- Iron dissolved in water can contaminate it. This is common in bore water.
- High levels of calcium and magnesium salts can cause water to be 'hard', making it difficult to lather. This causes problems in laundries, bathrooms and kitchens.

## 5.7.2 Desalination: making the sea safe to drink

The processes of distillation and evaporation are not suitable for purifying sea water on a scale large enough to supply drinking water to large communities. Desalination plants have been built in New South Wales, Victoria, Western Australia and South Australia. In all of these plants, a process called **reverse osmosis** is used to separate salt from large quantities of sea water, as shown in figure 5.25.

In the process of **osmosis**, water moves through a very thin membrane from an area of low salt concentration to an area of high salt concentration. This continues until the concentration of salt is the same on both sides of the membrane. The membrane has tiny holes that allow water to pass through without the salt. In reverse osmosis, the water is forced under very high pressure to flow through the membrane in the opposite direction.

In desalination plants (such as that in figure 5.26), sea water is pumped under high pressure through thin membranes in coils. The pure water that has passed through is directed to drinking water supply tanks. The very salty water left behind is pumped back into the sea.

The use of desalination plants is controversial. There are two major concerns about their use.

- Desalination uses a lot of energy, which is usually supplied by coal-fired power plants. Apart from the pollution caused by these plants, there are many who feel that they are not **sustainable**. That is, they cannot continue to operate without putting the environment and our future at risk. In some cases, the large amounts of energy used is offset by constructing wind farms or by supporting other renewable sources of energy.
- The water flowing back to the sea contains much more salt than sea water. It is also warmer. This poses a threat to marine animals and plants that live near the desalination plant. The threat can be reduced by choosing suitable locations for the salty water outlet. This requires scientific studies by marine biologists and other scientists. In the case of the Wonthaggi plant in Victoria, the outlet is around one kilometre offshore.

**contaminated** when a useful substance that contains one or more other substances that affect its use

**reverse osmosis** a technique by which a fluid moves under pressure through a membrane from a high solute concentration to a lesser concentration; used to purify water

**osmosis** the process of separating using a membrane through which one constituent cannot pass

**sustainable** using the Earth's resources so that the needs of the world's present population can be met, without damaging the ability of future populations to meet their needs

**FIGURE 5.25** The processes of osmosis and reverse osmosis




**FIGURE 5.26** Example of a desalination plant




## Resources

**Weblink** Australia Water Association – Desalination Plants

### SCIENCE AS A HUMAN ENDEAVOUR: Keeping water safe

The water supplies of most of Australia's biggest cities comes from very large protected catchment areas. In the catchment areas surrounding dams and reservoirs, human habitation is not allowed and public access to these areas is strictly controlled. This reduces contamination of the water as it flows through and over the ground and into the dam or reservoir. The water is stored for up to five years in the major reservoirs. During this time it is purified by settling and other natural processes.

Some chemicals are commonly added to major city water supplies to make drinking water safe and healthy.

- Chlorine is added in very small amounts to kill harmful micro-organisms, which might cause diseases. It keeps the water safe to drink up to the moment it reaches your tap.
- Fluoride is added to protect your teeth from decay.
- Lime is also added to balance the acidity of the water caused by adding chlorine and fluoride.

### DISCUSSION

Would you like your water to come out of the tap looking like the water in the glass in figure 5.27? Would you bathe or shower in it? Imagine your clothes after washing them!

The cloudiness of the muddy water is caused by tiny clay particles. Muddy water is an example of a colloid. Recall that a colloid is a cloudy mixture that contains suspended particles too small to be removed by filtering.

**FIGURE 5.27** Would you drink this water?

## 5.7.3 Flocculation

If you live in a country town, your water probably comes from a nearby river or lake. It is quite likely you would not want to drink that water unless it had been purified. Many country towns have their own water treatment plants. Water is pumped from the river or lake into the treatment plant. The cloudy water contains mud and other substances in suspension, which can be settled out of the water by a process called **flocculation**.

The suspended particles would take a long time to settle if the water were just left standing, and so the chemical alum (aluminium potassium sulfate) is added to the cloudy water to make the small particles clump together. These clumps are called **floc**. The floc is heavy enough to settle to the bottom of the tank and form a sediment. The water above the sediment is clear and flows off to the filtering stage.

**flocculation** the process of adding a chemical to a suspension to create flocs, which settle to the bottom

**floc** a clump of particles heavy enough to sink to the bottom rather than remain floating in a liquid

After flocculation, the clear water is filtered through sand and gravel to remove any leftover suspended substances in the water. Chlorine is added to kill harmful bacteria. The purified water is pumped to the local water tower, which then supplies the town with drinking water.

elog-0127

## INVESTIGATION 5.9

### Treating your own dirty water

#### Aim

**To separate clean water from dirty water**

#### Materials

- muddy water (muddy water made with clay is best)
- alum (aluminium potassium sulfate)
- flowerpot and tripod
- limewater
- 2 × 250 mL beakers
- bleach
- stirring rod
- sand
- gravel




#### Method

1. Pour 150 mL muddy water into the beaker.
2. Add half a teaspoon of alum and 10 drops of limewater.
3. Stir the water to mix the chemicals and allow the floc to form.
4. Once you can see the floc forming, allow the water to stand and the floc to settle to the bottom.
5. Decant the water from the beaker into your water filter. Collect the filtrate in a clean beaker, as shown in the figure.
6. Add two drops of bleach (which contains chlorine) to your filtrate. *Do not drink the water.*

#### Results

1. Draw up a table like the one provided to record your observations.
2. Describe the water at each stage of the process. Include the appearance and odour of the water.

**TABLE** Water after different stages of treatment

| Treatment stage | Description of water |
|---|---|
| Untreated water | |
| Water after flocculation | |
| Water after filtration | |
| Water after chlorination | |

#### Discussion

1. Which separation techniques did you use to purify the water?
2. Which step do you feel was most effective?
3. Prepare a series of picture diagrams to explain the steps you have taken to purify the water.
4. Explain if you think the treated water would be suitable to drink.
5. Suggest modifications or additions that would improve the purity of the water.

#### Conclusion

Write a sentence describing the appearance of the water before and after the treatment.

### Resources

**eWorkbook** Clean and clear? (ewbk-3078)

**assessON** Additional automatically marked question sets

# 5.7 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5 | Questions<br>3, 4, 7 | Questions<br>6, 8, 9 |

## Remember and understand

1. MC What process is used to separate salt from sea water in Australian desalination plants?
   A. Osmosis B. Reverse osmosis C. Centrifuging D. Evaporation
2. MC Identify which of the following substances would contaminate drinking water. Select all that apply.
   A. Human body waste B. Animal body waste C. Algal blooms
   D. Pesticides E. Detergents F. Chlorine
3. Various substances are added to many city water supplies. Why are the following substances added to drinking water supplies?

**TABLE** The addition of substances to water

| Substance | Reason added to water supplies |
|---|---|
| a. lime (calcium) | |
| b. chlorine | |
| c. fluoride | |

4. Complete the passage using terms in the word bank to explain why alum is added to country water supplies.
   **Work bank:** sediment, gravity, cloud, colloids, flocculate, turbidity, larger
   Alum is added to some country water supplies to _____the clay _____ in the _____ water. This produces _____ particles that will _____ under _____ and thus reduce the _____ of the water.

## Apply and analyse

5. If you live in a country town that does not fluoridate the water, how could you obtain your fluoride?
6. Among the swimming pool products that are claimed to clarify pools or make them 'crystal clear' are super-floc, power floc and supa-floc.
   a. Use the names to deduce the name of the process used by these products to assist in the separation of unwanted particles from the pool water.
   b. Which process of separation takes place after the product has done its job?
7. The building of desalination plants is controversial. Explain two reasons for this.

## Evaluate and create

8. SIS Home swimming pools are vacuumed using a pool vacuum cleaner. Research and explain how this type of vacuum cleaner works.
9. SIS Seal pools at Melbourne Zoo and Taronga Zoo are kept free from contamination by a combination of filtration, chemical treatment with ozone, and a process called foam fractionation. Foam fractionation is used to remove solid seal waste, food waste, algae and other small particles from the pool without the use of a flocculant. Find out and describe how a foam fractionator works.

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.8 Separating our waste

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe how human waste water is treated and how materials in household waste are separated to be recycled.

## 5.8.1 Waste water treatment

Every time you flush the toilet, have a shower, wash the dishes or your clothes or even clean your teeth, the waste water travels into an underground **sewerage** system. This usually passes through an S-bend trap before passing into the sewerage system, as shown in figure 5.28.

**FIGURE 5.28** The S-bend trap in the toilet fills with clean water to prevent smelly gases from the sewerage travelling back into the house.




The waste water is a mixture of human body waste flushed down the toilet, detergent, dirt, toothpaste, food scraps and other materials washed down the drains. The mixture, which is mostly water, is called **sewage**.

If you live in a major city, the sewage in the drain under your house flows into a larger drain under your street and travels through the sewerage system to a treatment plant. The waste water needs to be treated before it can be returned to the environment.

The design of treatment plants normally involves consultation between your state or territory government, engineers, scientists including biologists and environmental scientists, and local community groups. In country centres, treatment plants are usually located on the edge of the town. If there is no local treatment plant, the waste water flows into a personal sewage treatment system — a **septic tank** buried in the backyard, as shown in figure 5.29.

**sewerage** the system of drains and pipes that takes sewage away from a property
**sewage** a mixture of water and substances that flow from laundries, bathrooms, kitchens and toilets
**septic tank** a sewage treatment system placed underground in backyards of houses not connected to town sewage treatment plants

A septic tank contains bacteria that break down the sewage. A thick, smelly sludge is formed. The sludge sinks to the bottom of the tank and clear water flows out into the surrounding area. The sludge needs to be removed from time to time.

**FIGURE 5.29** A typical septic tank system, where bacteria breaks down the sewage.



## Resources

**Video eLesson** Treating sewage (eles-0059)

**Weblink** Department of Health – 8 methods of sewerage treatment
Melbourne Water – What is sewerage?

## 5.8.2 The separation process

Waste water contains **suspended** solids such as bacteria, grit and dirt as well as some larger, items that do not break down easily and may have washed or been flushed down drains. It also contains many dissolved substances.

When the waste water arrives at the sewage treatment plant for primary treatment, it passes through a screen (a wire mesh filter) that removes the larger items. The sewage then flows into settling tanks where it is kept for about two hours. In the settling tanks, suspended solids settle to form a sediment, and **floatables** such as oil and plastic collect on top of the sewage and are removed.

The watery part of the sewage flows from the settling tank into secondary treatment. This waste water still contains dissolved substances and bacteria. Secondary treatment takes place by filtering the water though soil and grass or by storing it in a series of one-metre-deep lagoons for two to four months. In the secondary treatment, the bacteria in the waste water break down the dissolved substances to purify the water further. In the lagoons, sedimentation also takes place. The treated water looks clear but it is still not safe to drink.

The advanced lagoon sewage treatment system shown in figure 5.30 is part of Melbourne Water's Western Treatment Plant in Werribee, which covers 11 000 hectares in area. Some of this treated water is recycled and used for agriculture, horticulture and other applications.

**suspended** hanging, not falling or sinking

**floatables** substances that are less dense than water so can float on water

**FIGURE 5.30** The lagoon system at Melbourne Water's Western Treatment Plant in Werribee

## Pollution from the sewage system

There are many materials that should not be tipped down kitchen, bathroom, laundry or school laboratory sinks. The treated water is eventually released into the sea, but there are many substances that the sewerage system is not designed to treat. Such substances include:

- chemicals such as oven cleaners and insect sprays that are poisonous
- substances like fat and oil that don't dissolve in water.

These substances can eventually find their way to the sea, polluting it and killing or harming animals, plants and other living things (such as algae) that live there. Substances like these should be saved for collection by local councils.

Small objects such as cotton buds and tampons should not be flushed down the toilet because they can block the filters at treatment plants. These objects can be put out with other household garbage. This is also the case with paper towels, tissues and baby wipes, which do not break down as toilet paper does. The effect of flushing these objects was seen during the Coronavirus pandemic (COVID-19) in 2020, when a shortage of toilet paper meant baby wipes and tissues were used and flushed instead. This lead to significant plumbing and sewerage issues caused by blockages from these items.

## Play it safe

The best policy at home is to avoid putting anything solid or oily down the sink, or that you suspect may be poisonous or harmful to living things. Some things that can go down the sink at home in small amounts are:

- drain cleaners
- window cleaners
- kitchen and bathroom cleaners
- disinfectants (but not if you have a septic tank).

At school, you should not tip anything down the sink except water, unless your teacher instructs you to.

int-3434

### SCIENCE AS A HUMAN ENDEAVOUR: Recycling to reduce waste

To preserve resources for future generations the **recycling** of materials is essential. Items such as paper, all plastic bottles and containers, glass, aluminium and steel can be recycled and made into new products. Recycling reduces the amount of waste that goes to **landfill** and saves precious natural resources such as trees and bushland. Many **manufacturing processes** pollute the environment. Recycling and reusing materials reduces the need to manufacture from **raw materials**. Fortunately, most local councils have a recycling program.

#### Separating by sight

Household rubbish is usually a mixture of food scraps, recyclable materials and other waste. The first step in recycling is to separate the recyclable items from other household rubbish. This is most easily done by hand — that is, separating by sight. We can see the differences between the types of rubbish, and we know which items can be recycled.

**recycling** treating items such as glass, paper, plastic, aluminium and steel so that new products can be made from them

**landfill** an area set aside for the dumping of rubbish

**manufacturing processes** processes used to make products

**raw materials** materials before they are made into a final form

**FIGURE 5.31** Recycling centres sort through waste, so it can be made into new products.



### ACTIVITY: Examining waste in schools

What type of waste is produced in your school? What do you think is the most common waste that is deposited in the school waste bins? Perhaps you could examine the rubbish using gloves and protective gear, and then write a report. Consider what measures you could take to decrease the amount of waste produced.

### DISCUSSION

How does the recycling of cans and bottles save oil, coal and gas? It takes energy from fossil fuels to run the equipment that mines and processes the materials that make new cans and bottles. Recycling also reduces the amount of raw materials that need to be taken from the ground and processed.

How would you encourage or help people around the world to recycle more of their cans and bottles? Would different methods convince people in different places in Australia to recycle more? How else could we reduce the number of cans and bottles that are produced?

### on Resources

**eWorkbook** Treating waste water (ewbk-3080)

**assess on** Additional automatically marked question sets

## 5.8 Exercise

learnON

To answer questions online and to receive **immediate feedback** and sample responses for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions | Questions | Questions |
| 1, 4, 5, 8, 15 | 2, 6, 9, 11, 13, 16 | 3, 7, 10, 12, 14 |

### Remember and understand

1. MC Identify which of the following substances is likely to be found in waste water.
   - A. Human waste
   - B. Food scraps
   - C. Cleaning products
   - D. All of the above
2. Reorder the stages of how sewage is broken down in a septic tank from beginning to end.
   1. Bacteria in the tank breaks the sewage down.
   2. Clean water flows out of the tank.
   3. The sewage becomes a thick, smelly sludge.
   4. The sludge sinks to the bottom of the tank.
   5. Sewage enters the septic tank.
3. Complete the following passage, which describes the processes involved in the primary and secondary treatment of sewage, using the words in the word bank.
   **Word bank:** algae, bacteria, floatables, lagoons, purify, screen, sediment, settling, sediment, suspended
   Sewage is first passed through a _____ (filter) to remove larger items. It then flows into _____ tanks, where _____ solids settle to form a _____, and _____, such as oil and plastic, collect on the top and are removed. Waste water may be stored in a series of one-metre-deep _____ for two to four months, where suspended solids can _____. Bacteria in the water break down dissolved substances and _____ the water further.

4. Make a list of substances that should not be tipped down the kitchen sink.
5. List at least two reasons why recycling is good for the environment.
6. MC Why can't the same type of magnet be used for separating both aluminium and steel cans?
   A. Aluminium is not attracted to magnets.
   B. Aluminium is a ferromagnetic material.
   C. Steel is not attracted to magnets.
   D. Steel and aluminium are attracted to different types of magnets.

## Apply and analyse

7. A certain type of shower provides water at a rate of 11 L per minute.
   a. If you have a five-minute shower, how much water do you use?
   b. How much water would you use showering in a year?
   c. How much water would your family use showering in a year?
8. Describe how paper and cardboard are separated from other recyclable materials.
9. What happens to recycled glass after it is separated from other materials in a recycling plant?
10. Suggest why disinfectants that kill bacteria should not be poured down a septic system.
11. Why do people, rather than machines, manually separate some of the recycling mixture?
12. Construct a table to show the following information about separating recyclable rubbish. For each method, list:
    a. the material removed from the flow of rubbish
    b. the properties of the recycled material that allow it to be separated from the mixture.

**TABLE** Comparing different methods of separating recyclable rubbish

| Method | What is removed | Properties |
|---|---|---|
| a. Sorting by hand | | |
| b. Magnet | | |
| c. Air classifier | | |
| d. Lasers | | |
| e. Electricity | | |

13. What roles might engineers, biologists and environmental scientists play in the development of a sewage treatment plant? Write a short paragraph describing some of the tasks each person might have to complete.

## Evaluate and create

14. SIS Find out the kind of treatment (primary or secondary) that is used for the sewage treatment system in the capital city of your state or territory. Where does the treated water go? How suitable do you think this system is for a large city?
15. SIS Find out who is responsible in your area for the collection of waste that cannot be tipped down the kitchen, bathroom or laundry sinks, and how often it is collected.
16. SIS Design a poster or summary that explains which plastics can be recycled, include explanation of symbols and images. Check with your local council for its recycling guidelines. Compare the properties of plastics that can be recycled with those that can't.

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.9 Thinking tools — Single bubble maps

## 5.9.1 Tell me

### What is a single bubble map?

A single bubble map is used to show the characteristics or features of a single topic. They are sometimes called sunshine wheels or spider diagrams. A bubble map is used when you want to show how one idea can be broken down into subtopics or features that all have the same weighting, or when showing a hierarchy (or order) isn't needed.

**FIGURE 5.32** You can summarise what you know about a single idea with a single bubble map.




### What is a single bubble map used for?

Single bubble maps are a good tool to use for summarising what you know about a single idea and remembering the main parts of a bigger topic. If you need to divide your topic into more than one level, a single bubble map is not the right tool. (For showing more than one level of information coming from your topic, try using a concept map.)

For example, you might use a single bubble map to show:

- the types of chocolate in a box
- the substances that are mined at a specific mine site
- the physical features of an animal.

Because single bubble maps show the parts of one idea, they are a great tool for summarising — for example, summarising the subtopics in this chapter to help with revision.

## 5.9.2 Show me

Follow these steps to create a single bubble map.

1. Draw a circle (or square) in the centre of a sheet of paper. Write your main idea or topic in the shape.
2. Think of an example, part or feature that relates to your main idea. Write that in a circle (or shape) attached to your main topic with a line.

**FIGURE 5.33** Creating a single bubble map — Step 1

**FIGURE 5.34** Creating a single bubble map — Step 2



3. For each new example, part or feature, attach a new circle to your central topic.
   The example shows a single bubble map of the methods of separating mixtures.

**FIGURE 5.35** A single bubble map — Step 3




## 5.9.3 Let me do it

### 5.9 ACTIVITY

1. Create your own single bubble map to show what you have learned about one aspect of separating mixtures. Remember, this kind of diagram is for showing the basic or most important parts of one idea only. Create a bubble map for each of the following.
   a. common kitchen products that are not safe to tip down the kitchen sink
   b. different components of blood that the Australian Red Cross separate
   c. different substances in your favourite fizzy drink
   d. common chemicals added to drinking water.

**Fully worked solutions and sample responses are available in your digital formats.**

# 5.10 Project — The diamond flush

## Scenario

Having only just been toilet-trained, your little brother seems fixated on dropping stuff into the toilet and flushing it away. He has flushed away all sorts of things — Lego blocks, shopping lists, dog biscuits and even the occasional goldfish get put down the U-bend. It all seemed very funny until one day when he flushed away some really valuable things including a diamond ring, a pair of tiny diamond stud earrings, a wallet and a cultured pearl necklace. Your mum is absolutely frantic; but, maybe, if you can track down where in the sewerage system they went, you have a chance of getting some things back for her!

## Your task

Choose one of the valuable items and determine the most likely place that the missing object would be found. To do this you will need to:

1. Research the pathway taken by the sewage after it leaves your house and the different processes that the sewage (and the object) would be subjected to as it undergoes treatment.
2. Put together a PowerPoint presentation that:
   a. explains the pathway along which the object would have travelled once it left the house
   b. explains the pathway through the sewage treatment systems that it would have passed through
   c. identifies where in the treatment system it is most likely to be found.

**FIGURE 5.36** How would you find something accidentally flushed down the toilet?

### Resources

**ProjectsPlus** The diamond flush (pro-0070)

# 5.11 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-3090 | ewbk-3092 | ewbk-3094 |

on Resources

## 5.11.1 Summary

### Pure substances and mixtures

- All the parts of a pure substance are the same, whereas a mixture is made up of two or more different pure substances. Examples of pure substances include oxygen, silver, water and carbon dioxide. Examples of mixtures include salty water, milk, air, soil.
- A mixture can be separated according to specific properties of its components.

### Types of mixtures

- A solution consists of solute dissolved in a solvent. An example is when salt (solute) dissolves in water (solvent) to form a salt solution.
- Solutes can be solids, liquids or gases.
- Solutions where water is the solvent are described as aqueous solutions.
- Solubility refers to the amount of solute that dissolves in a particular amount of solution.
- A concentrated solution has a large amount of solute dissolved whereas a dilute solution has a small amount of solute dissolved.
- Solids that do not dissolve in a liquid form suspensions. They either settle to form a sediment or float on top of the liquid.
- The particles in a colloid are too small to settle.
- An emulsion is a type of colloid that has one liquid spread evenly through another. Mayonnaise is an example of an emulsion.

### Separating mixtures

- The processes of filtering (solid from liquid), sieving (smaller particles from larger particles), decanting (liquid from solid or denser liquid), distillation (liquid from solution or liquids with different boiling points), evaporation (liquid from solution), crystallisation (solid from solution), chromatography (for example, liquids from liquids) and using a separating funnel (less dense from more dense liquid) can be used in separating mixtures.
- Filtering (red and white blood cells) and centrifuging (heavier substances sink to the bottom of a container when spun) can be used in the isolation of blood products,
- Distillation and evaporation may be used to purify water. Pure water can be obtained after evaporation, using a condenser which converts the water vapour back to liquid water to be collected.

### Science as a human endeavour

- Separation processes used in industry include methods such as distillation, centrifuging and chromatography. Other examples include:
  - froth flotation in the separation of copper ore
  - gravity separation for gold
  - evaporation to produce skim milk
  - filtration to remove solid impurities in wine.
- Salt is separated from sea water in desalination plants by reverse osmosis.
- Common contaminants found in water include animal waste, pesticides, detergents, chemicals and salt.

- Water is made safer by adding chlorine, fluoride and lime, and through flocculation.
- Sewage is household waste water, whereas sewerage is the process by which sewage is removed.
- The processes by which sewage is treated involves filtering, settling, removing floatables, filtering through soil, breakdown by bacteria and further settling over time.

## 5.11.2 Key terms

**aqueous solutions** solutions in which water is the solvent
**biodegradable** a substance that breaks down or decomposes easily in the environment
**biostimulants** substances that stimulate processes of living organisms to enhance their growth
**booms** devices that float on the surface of the ocean and assist in containing oil spills by extending below the oil spill
**buoyant** the property that enables an object to float on a liquid
**centrifuging** separating a mixture by rotating the container quickly so the heavier parts of the mixture move to the outside of the spinning container
**chemical reaction** a chemical change in which one or more new chemical substances is produced
**colloid** a mixture in which extremely small particles of one substance are spread evenly throughout another substance
**concentrated** a solution containing a large amount of solute
**condense** change state from liquid to gas
**contaminated** when a useful substance that contains one or more other substances that affect its use
**crystallisation** a separation technique that uses evaporation to separate the parts of a solution, leaving the solute as crystals
**decanting** pouring liquid off the top when sediment has settled to the bottom of the container
**dilution** the process of adding more solvent to a solution to make it less concentrated
**dissolved** a substance that has mixed completely with a liquid so that it is no longer visible
**distillate** the liquid collected during distillation when the evaporated substance condenses
**distillation** a separation technique that uses evaporation to separate substances
**distilled water** pure water collected by condensing steam
**emulsion** a colloid where droplets of one liquid spread evenly through another
**evaporate** change state from liquid to gas
**filter** a device that allows some materials to pass through. It blocks particles too large to fit through the holes or pores
**filtrate** liquid that has passed through a filter
**filtration** the process of separating suspended particles from fluid through a filter
**flammable** substances such as methylated spirits that burn easily
**floatables** substances that are less dense than water so can float on water
**floc** a clump of particles heavy enough to sink to the bottom rather than remain floating in a liquid
**flocculation** the process of adding a chemical to a suspension to create flocs, which settle to the bottom
**forensic scientists** people who use methodical gathering and analysis of scientific evidence to establish facts that can be presented in a legal proceeding
**froth flotation** process used to separate a mixture of mineral particles by adding a substance that floats to the top with one of the minerals attached
**gravity separation** separation of heavier particles in a mixture, by shaking or spinning them
**heterogenous mixture** a mixture in which particles are spread unevenly
**homogenous mixture** a mixture in which particles spread evenly
**helitorch** a device used to drop flaming fuel onto another substance in order to ignite it
**insoluble** a substance that will not dissolve in a liquid
**landfill** an area set aside for the dumping of rubbish
**manufacturing processes** processes used to make products
**mixture** a substance that is made by a combination of two or more components which is easy to separate
**oil spill dispersants** chemicals that when sprayed onto an oil spill, can break the oil into smaller particles
**osmosis** the process of separating using a membrane through which one constituent cannot pass
**paper chromatography** method of separating a mixture of different colours positioned on filter paper using a solvent
**pollution** the introduction of harmful substances or products into the environment

**pressure** the physical force squeezing or pushing on an object
**properties** the qualities and characteristics of materials and the substances that they are composed of
**pure substance** a form of matter that cannot easily be separated into its components
**raw materials** materials before they are made into a final form
**recycling** treating items such as glass, paper, plastic, aluminium and steel so that new products can be made from them
**residue** the material remaining as a solid on a filter paper after a liquid passes through in the filtration procedure
**reverse osmosis** a technique by which a fluid moves under pressure through a membrane from a high solute concentration to a lesser concentration; used to purify water
**saturated** unable to dissolve any more solute
**sediment** the insoluble material that collects at the bottom of a container when suspensions are left to stand
**separating funnel** a pear-shaped glass container, with a tap at its base, used to separate two liquids that do not mix
**septic tank** a sewage treatment system placed underground in backyards of houses not connected to town sewage treatment plants
**sewage** a mixture of water and substances that flow from laundries, bathrooms, kitchens and toilets
**sewerage** the system of drains and pipes that takes sewage away from a property
**sieving** separating particles of different sizes by allowing the smaller particles to fall through holes in a container
**skimmers** devices dragged by boats that scrape the oil of the surface
**soluble** a substance that will dissolve in a liquid
**solute** a substance that is dissolved in a solvent to form a solution
**solution** a mixture of a solute dissolved in a solvent
**solvent** a substance in which a solute dissolves to form a solution
**surfactants** substances that can break up substances such as oil into smaller particles
**suspended** hanging, not falling or sinking
**suspension** a mixture of an insoluble substance in a liquid or gas
**sustainable** using the Earth's resources so that the needs of the world's present population can be met, without damaging the ability of future populations to meet their needs

## on Resources

| | |
|---|---|
| **Digital document** | Key terms glossary (doc-34767) |
| **eWorkbooks** | Study checklist (ewbk-3082)<br>Literacy builder (ewbk-3084)<br>Crossword (ewbk-3086)<br>Word search (ewbk-3088) |
| **Practical investigation eLogbook** | Topic 5 Practicai investigation eLogbook (elog-0148) |

# 5.11 Exercise

learnON

To answer questions online and to receive **immediate feedback** and sample responses for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 5, 7, 10, 12, 17, 20, 22 | Questions<br>3, 6, 9, 13, 14, 16, 18, 23, 25, 27 | Questions<br>8, 11, 15, 19, 21, 24, 26, 28, 29, 30 |

## Remember and understand

1. Categorise the following substances according to whether they are pure substances or mixtures.

**TABLE** Comparing pure substances and mixtures

| Substance | Pure substance | Mixture |
|---|---|---|
| a. freshly made apple juice | | |
| b. tap water | | |
| c. soft drink | | |
| d. cake batter | | |
| e. sterling silver | | |
| f. distilled water | | |
| g. gold nugget | | |
| h. glass | | |
| i. cornflakes | | |
| j. oxygen | | |

2. Black instant coffee is a mixture of coffee powder and hot water. Match the ingredients of a cup of coffee to their part in the mixture.

**TABLE** Ingredients in black instant coffee

| Component | Ingredient |
|---|---|
| a. Solute | |
| b. Solvent | |
| c. Solution | |

3. MC How can you tell whether a mixture in water is a solution or a suspension?
   - **A.** A solution will be cloudy, and a suspension will be clear.
   - **B.** Both are the only mixtures that are clear.
   - **C.** A solution will be clear, and a suspension will be cloudy.
   - **D.** A solution is solid, and a suspension is gas.
4. MC Identify which of the following substances is a mixture.
   - **A.** silver **B.** distilled water **C.** smoke **D.** nitrogen gas
5. MC A water sample taken from a river that shows a brown colour is most likely to be:
   - **A.** a solution **B.** a colloid **C.** a suspension **D.** an emulsion.

6. Identify the emulsions from the following list.

**TABLE** Identifying emulsions

| Substance | Emulsion | Not an emulsion |
|---|---|---|
| **A.** mayonnaise | | |
| **B.** house paint | | |
| **C.** water | | |
| **D.** sand | | |
| **E.** hair conditioner | | |

7. MC Which of the following are separating processes done by sight in a recycling plant?
   **A.** separating different coloured glass
   **B.** removing other household rubbish from recyclables
   **C.** separating the steel cans from the aluminium cans
   **D.** all of the above
8. How would you separate the sand from a mixture of sand and sawdust? Choose one option for each of the boxes in the flowchart to show how you would do this in four steps.



9. Match the separation techniques to their description and examples.

| Method of separation | Description of how it works | An example of how it is used in the home or in industry |
|---|---|---|
| a. Filtration | A. Particles mixed in a liquid are made to clump together so that they settle to the bottom of a mixture more quickly. | i. In making perfumes and wine |
| b. Distillation | B. A device or substance allows some substances to flow through but prevents others from flowing through. | ii. Tea strainer |
| c. Crystallisation | C. Two liquids that do not mix are poured through a funnel with a tap. The liquid that floats on the other is left in the funnel, while the other liquid is allowed to flow out. | iii. In cleaning pools in which animals are kept; in separating sewage from water |
| d. Flocculation | D. A mixture is spun so that the heavier particles move further to the outside than the lighter particles. | iv. Leaving the sediment at the bottom of the bottle when red wine is poured |
| e. Decanting | E. A liquid mixture is soaked up through paper to separate substances that have different colours. | v. In the manufacture of table salt |
| f. Separating funnel | F. A liquid is poured off after a sediment has formed at the bottom of the container. | vi. Analysing stains, dyes and inks |
| g. Centrifuging | G. A solution is heated to leave a solid dissolved in a solvent behind as crystals. | vii. Separating blood cells from plasma; separating cream from milk |
| h. Chromatography | H. A mixture of two liquids that have different boiling points is heated. The liquid with the lower boiling point evaporates first and is collected. | viii. Separating oil from water |

10. MC A separating funnel works when two substances have different:
A. melting points B. colours C. boiling points D. densities.

11. MC What is the purpose of the S-bend in the toilet?
A. prevents smells escaping from the sewer into the house
B. helps the waste move quickly down the pipe
C. allows for a clear flow of water to move from the tank to the bowl
D. recycling water for reuse

## Apply and analyse

12. During an experiment, a teacher accidentally drops some steel drawing pins into a bowl of sugar. Outline two methods that could be used to remove the drawing pins from the sugar. Briefly explain each method.

13. Imagine you dropped plastic nails in the sawdust in woodwork class. Propose three reliable, safe ways of separating the nails from the sawdust.

14. The diagram provided shows a mixture being filtered.
    a. Add the missing labels.
    b. MC What is the purpose of the stirring rod?
        A. Pouring the mixture along a stirring rod creates splashing that helps to agitate the mixture.
        B. The stirring rod prevents the gases from escaping the funnel.
        C. Pouring the mixture along a stirring rod prevents splashing and ensures that all of the mixture is filtered.
        D. The stirring rod goes through a hole in the middle of the filter so it stays in place.



15. You have been asked to analyse some salt-contaminated soil and to propose a method for separating the salt from the soil.
    a. Outline the method that you would use to obtain pure dry salt and pure dry soil.
    b. Draw a labelled diagram showing how your equipment would be set up for each stage of your separation.
    c. Suggest possible errors that might affect the outcome of this experiment.
16. Pasta is cooked by boiling it in water. It sinks to the bottom of the saucepan when it is left to stand.
    a. Which type of mixture is the pasta and water?
    b. Describe two different methods that could be used to separate the pasta.
    c. Which of the two techniques is better for separating the pasta and water?

17. Identify the properties that allow the following substances to be separated from a mixture.
    a. Peas from a mixture of peas and water
    b. Oil from a mixture of oil and water
    c. Gold particles from a mixture of sand and creek water
    d. Cream from cows' milk
18. You are out in the bush and the only water available to drink is in a muddy waterhole. You have an empty bottle and a cup. How would you remove the dirt from the muddy water so that you could drink the water?
19. Explain the difference between froth flotation and flocculation.
20. Explain why chlorine is added in small amounts to the water supplies of many cities.
21. Oil floats on water. When detergent is added, the oil forms droplets in the water that do not settle. What type of mixture has been formed? Justify your answer.
22. Muddy water is an example of a colloid. Describe how a colloid is different from other suspensions.
23. Mayonnaise is an example of an emulsion, which is a type of colloid. Explain how an emulsion is different from other colloids.
24. State one good reason why each of the following objects or substances should not be tipped down the sink or flushed in a toilet.
    a. Fat or oil  b. Cotton buds  c. Oven cleaner

## Evaluate and create

25. Use a labelled diagram to illustrate the differences between the processes of osmosis and reverse osmosis used in desalination plants.
26. Blue-green algae has grown in a lake. It forms a fine, green suspension in the water. The local council wants to make the water clear again so that fish and other living organisms can safely inhabit the lake. Propose a method that you would use to solve the local council's problem. Remember that your method should not harm the fish already in the lake.
27. How does flocculation make the particles in a suspension settle out?
28. Explain why blood collected by the Red Cross Blood Service needs to be separated before it is used.
29. SIS Design a mixture that cannot be separated by the methods described in this chapter. Explain the basis for your design.

**30.** Read the story 'An ocean of salt' and use the information to answer the following questions.

**a.** Write down what you think Marco would have said to his son. Explain the two methods clearly.

**b.** Propose three questions that Flavius would have asked in return.

**c.** Construct a flowchart that shows the steps involved in each salt harvest process using appropriate scientific terminology to describe changes of state and separation techniques.
Spend some time researching ancient methods of salt separation before creating your flowchart. If using the internet, use search words such as 'ancient salt production', 'Roman times salt' and 'salt evaporation'.

**An ocean of salt**

Salt has been used by civilisations for centuries to preserve meats, cure hides, make cheese and other foods, and as flavouring in cooking. Salt was essential for life. Some communities even used salt instead of money as a form of payment. A community grew wealthy from its ability to produce salt.

Salt was mined from the ground, in the form of rock salt, or collected from sea water. The sea water, sometimes called brine, was evaporated and the salt collected. The brine was either heated over a wood fire or collected in shallow pools and left to heat in the Sun.

'There's a whole ocean out there — full of salt — we just need to get it out of the water!', Marco remembered his grandfather saying. Marco lived during ancient Roman times. He lived in a town off the coast of the Mediterranean Sea. Marco himself now worked in the business his grandfather had started. He, too, marvelled at how he used the Sun and winds to separate salt from sea water.

This day was special; it marked the day his son, Flavius, would first work at the salt business. As they reached the hill, they smelled smoke from the wood fires and looked out over the flat natural basin where salty water collected in shallow pools. Flavius saw that the smoke was from fires burning under large rectangular lead pans. Marco turned to his son and explained the two ways they separated salt from sea water.

**Fully worked solutions and sample responses are available in your digital formats.**

## on Resources

**eWorkbook** Reflection (ewbk-3038)

## teachON

**Test maker**
Create customised assessments from our extensive range of questions, including teacher quarantined questions.
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 5.1 Overview

**eWorkbooks**
- Topic 5 eWorkbook (ewbk-3127)
- Student learning matrix (ewbk-3886)
- Starter activity (ewbk-3040)

**Practical investigation eLogbooks**
- Investigation 5.1 Design and separate (elog-0111)
- Topic 5 Practical investigation eLogbook (elog-0148)

**Video eLesson**
- Separating coloured markers (eles-3526)

## 5.2 Mixtures and solutions

**eWorkbooks**
- Labelling a flowchart — pure substances and mixtures (ewbk-3042)
- Labelling the components of a solution (ewbk-3044)
- Solutions and solubility (ewbk-3048)
- Mail room mayhem (ewbk-3046)

**Practical investigation eLogbooks**
- Investigation 5.2 What is soluble in water? (elog-0113)
- Investigation 5.3 Froth and bubble (elog-0115)

**Interactivities**
- Labelling a flowchart — pure substances and mixtures (int-8050)
- Labelling the components of a solution (int-8051)
- Soluble or insoluble (int-8060)

## 5.3 Separating solids from mixtures

**eWorkbooks**
- Labelling the equipment used in filtering (ewbk-3050)
- Sieving, filtering or decanting (ewbk-3054)
- The pool shop (ewbk-3056)

**Practical investigation eLogbook**
- Investigation 5.4 Filtration in the laboratory (elog-0117)

**Video eLessons**
- Decanting (eles-2214)
- Density (eles-2546)

**Interactivities**
- Labelling the equipment used in filtering (int-8052)
- Sieving and decanting (int-8053)
- Mixtures (int-0224)
- Adding an insoluble substance to a liquid (int-3436)

## 5.4 Other separating techniques

**eWorkbooks**
- Labelling the components of a separating funnel (ewbk-3058)
- Centrifuging and separating (ewbk-3060)

**Video eLesson**
- Centrifuging (eles-0061)

**Interactivities**
- Blood donation in Australia (int-3439)
- Labelling the components of a separating funnel (int-8055)

**Weblink**
- Follow the blood bag: How Australian Red Cross processes life-saving donations

## 5.5 Separating solutions

**eWorkbooks**
- Labelling the equipment used in distillation (ewbk-3064)
- Labelling the components of solar distillation (ewbk-3066)
- Chromatography (ewbk-3070)
- Crystallisation and distillation (ewbk-3072)

**Practical investigation eLogbooks**
- Investigation 5.5 Making a simple water still (elog-0119)
- Investigation 5.6 Separating colours (elog-0121)
- Investigation 5.7 Crystallisation (elog-0123)

**Video eLessons**
- Distillation (eles-0060)
- Paper chromatography (eles-2548)

**Interactivities**
- Labelling the equipment used in distillation (int-8056)
- Labelling the components of solar distillation (int-8057)
- How chromatography works (int-3442)

**Weblink**
- Seperating mixtures

## 5.6 Separation in industry

**eWorkbook**
- Separation in industry (ewbk-3076)

**Practical investigation eLogbook**
- Investigation 5.8 Separation by flotation (elog-0125)

**Video eLessons**
- Gold panning (eles-2547)
- Gravity separation and plants (eles-2215)

**Interactivities**
- Cleaning up an oil spill (int-3438)
- The homogenisation process (int-3437)

**Weblink**
- How do we clean up oil spills?

## 5.7 Removing contamination from water

**eWorkbook**
- Clean and clear? (ewbk-3078)

**Practical investigation eLogbook**
- Investigation 5.9 Treating your own dirty water (elog-0127)

**Weblink**
- Australia Water Association – Desalination Plants

## 5.8 Separating our waste

**eWorkbook**
- Treating waste water (ewbk-3080)

**Video eLessons**
- Treating sewage (eles-0059)
- Gravity separation and plants (eles-2215)

**Interactivity**
- The recycling plant (int-3434)

**Weblinks**
- Department of Health – 8 methods of sewerage treatment
- Melbourne Water – What is sewerage?

## 5.10 Project — The diamond flush

**ProjectsPlus**
- The diamond flush (pro-0070)

## 5.11 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-3090)
- Topic review Level 2 (ewbk-3092)
- Topic review Level 3 (ewbk-3094)
- Study checklist (ewbk-3082)
- Literacy builder (ewbk-3084)
- Crossword (ewbk-3086)
- Word search (ewbk-3088)

**Practical investigation eLogbook**
- Topic 5 Practical investigation eLogbook (elog-0148)

**Digital document**
- Key terms glossary (doc-34767)

To access these online resources, log on to **www.jacplus.com.au**

# 6 The Earth in space

## LEARNING SEQUENCE


6.1 Overview ..... 304
6.2 The Earth in orbit ..... 306
6.3 The Moon ..... 314
6.4 Phases of the Moon ..... 317
6.5 Eclipses ..... 320
6.6 Tides ..... 327
6.7 Explaining the night sky ..... 331
6.8 Thinking tools — Mind maps ..... 337
6.9 Review ..... 340




# 6.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au.

## 6.1.1 Introduction

The Earth is just a tiny speck in a vast **universe**. It's one of eight planets in the solar system, and the Sun is one of more than a billion, billion stars in the universe. But life on Earth is very much controlled by events in our own 'neighbourhood'. The seasons, day and night, the tides and the phases of the Moon are the results of Earth's orbit around the Sun, the rotation of the Earth and the orbit of the Moon around the Earth.

**universe** all of space and the matter and energy contained in it

**FIGURE 6.1** The Moon is a natural satellite that orbits the Earth. The Earth is one of eight planets that orbits the Sun.



### on Resources

**Video eLesson** The Earth within the universe (eles-3528)

The Earth is just a tiny speck in a vast universe. Watch this video to see a fly-through space, from Earth to the edge of our Milky Way galaxy, within an even larger universe.

## 6.1.2 Think about the Earth in space

1. What causes the seasons?
2. Why is there more daylight in summer than winter?
3. Why does the same side of the Moon always face the Earth?
4. Which step was 'one giant leap for mankind'?
5. What causes the phases of the Moon?
6. Why do coastal communities experience high and low tides?
7. Why are total solar eclipses so rare?
8. Which famous scientist was imprisoned for arguing that the planets revolved around the Sun?
9. How does our current knowledge of the Earth, Moon and Sun differ from historical ideas?

## 6.1.3 Science inquiry

elog-0215

### INVESTIGATION 6.1

### The changing Moon

#### Aim

**To observe and explain the phases of the Moon**

#### Method

1. Observe the Moon every third or fourth evening over a period of at least two weeks. Observations over one whole month would be best. Try to make your observations as close to sunset as possible so that you know where the Sun is.
2. Write your results in a table similar to that shown in the Results section.

#### Results

Record the date, the time and the shape of the sunlit part of the Moon in your table.

**TABLE** Observing the phases of the Moon

| Date | Time | Shape of the Moon | Comment about the position of the Sun and the shape of the Moon |
|---|---|---|---|
| | | | |

#### Discussion

1. Each time you make an observation, make a comment about the position of the Sun and suggest why the Moon has the shape that you have observed. If you live near a beach, comment about the tides at your beach. Is there a big difference between high and low tides or does the water stay at roughly the same level all day?
2. What would the Moon look like if it was viewed from somewhere in the Northern Hemisphere? Why do you think it looks that way?
3. Estimate the percentage of the Moon's 'face' which is visible. Draw a graph of your observations. Describe the shape of your graph.
4. Use your observations to predict the shape of the Moon one week from now, and one month from now.

#### Conclusion

Write a couple of sentences explaining how the motion of the Moon and the Earth causes the phases of the Moon and summarise how these motions help us predict the Moon's phases.

### on Resources

**eWorkbooks**
Topic 6 eWorkbook (ewbk-3176)
Student learning matrix (ewbk-3180)
Starter activity (ewbk-3178)

**Practical investigation eLogbook**
Topic 6 Practical investigation eLogbook (elog-0214)

**learnon**
Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions.

# 6.2 The Earth in orbit

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe how the Earth moves through space due to the gravitational force of the Sun and how the orbit and rotation of the Earth influences the seasons and day/night cycles.

## 6.2.1 Paths through space

The Earth is constantly moving through space. It does not move randomly but takes a specific path around the Sun called an **orbit**.

The Earth's orbit is **elliptical**; it is almost, but not quite, circular. The Earth has followed this same orbit for billions of years in the past and will continue to follow this same orbit for billions of years into the future. The Moon also moves in an orbit — it moves in an elliptical orbit around the Earth. Other planets in our solar system orbit the Sun, too. Many of these planets also have moons in orbit around them. Even the Sun follows a path through space.

The Earth orbits the Sun because of the Sun's **gravitational force** pulling on the Earth. The Sun's gravitational force also acts on other planets in our solar system, making them orbit the Sun, too. The Earth's gravitational force on the Moon causes the Moon to orbit the Earth. These gravitational forces are always present between the Sun and the Earth, and the Earth and the Moon, and make the movement of the Earth and Moon cyclical. This means that there are predictable cycles or patterns which repeat themselves. This allows us to measure and predict events such as day and night, the seasons, the phases of the Moon and the tides.

eles-3529

**FIGURE 6.2** Cyclical motions of the Earth, Moon and Sun



**orbit** the curved path of a celestial object or spacecraft about a star or planet, for example the path of the Earth around the Sun or the Moon around the Earth

**elliptical** an oval or egg shape. The shape of the Earth's orbit around the Sun

**gravitational force** an attractive force between two objects which have mass

## 6.2.2 Night and day

In addition to orbiting the Sun, the Earth also rotates on its own axis, as do all the other planets. The Earth's axis is an imaginary straight line between the South Pole and the North Pole. The axis is tilted at an angle of 23.5° from the vertical, as shown in figure 6.3. This **rotation** takes 24 hours to complete and results in day and night on Earth.

From the surface of the Earth, the Sun appears to rise, move across the sky and set every day. The ancient Egyptians believed that the Sun god Ra sailed a boat across the sky each day. The ancient Greeks explained the movement of the Sun as the daily journey of the Sun god Helios across the sky in a chariot. It is not surprising that early astronomers explained day and night by suggesting that the Sun moved around the Earth because we don't feel like we are moving when we stand on the surface of the Earth.

As the Earth rotates, the side facing the Sun receives light from the Sun and experiences day time (see figure 6.3). The side of the Earth facing away from the Sun does not receive any light and experiences night time. During one rotation, the amount of sunlight one place receives will increase and then decrease, creating dawn, midday and twilight.

**FIGURE 6.3** Only one half of the Earth can face the Sun at any one time. This diagram shows Australia and part of East Asia in daylight.




The Earth rotates in an anti-clockwise direction (opposite to the hands on a clockface) when viewed from above the North Pole, or a clockwise direction when viewed from above the South Pole. This also means that as you travel west, sunrise will happen later and later in the day. At night, the rotation of the Earth makes the moons and planets appear to move in this same direction. This makes it seem like they are travelling from east to west.

**rotation** the turning of an object about its own axis (between the North and South poles)

elog-0217

## INVESTIGATION 6.2

### Day and night

#### Aim

**To model the cycle of day and night**

#### Materials

- polystyrene (or similar) sphere
- spotlight or bright torch
- skewer
- marker

#### Method

1. Your sphere represents the Earth. Draw a line around the centre to represent the equator. Label the Northern and Southern Hemispheres and mark in the North and South Poles.
2. Draw an outline of the continents on your sphere: Australia, Africa, North America, South America, Europe, Asia and Antarctica. Use an atlas to check the positions and approximate shape of each continent.
3. Draw in a compass and label the directions of north, south, east and west.

4. Gently push a skewer through the centre of your sphere from bottom to top through the North and South Poles. This represents the Earth's imaginary axis.
5. Turn on the spotlight or torch in a darkened room. Its light represents the Sun's light. Hold the skewer so it leans a little away from the vertical. This represents the Earth's tilt.
6. Turn your sphere very slowly in the light, making sure you keep the skewer slightly tilted all the time. Turn it in an anticlockwise direction (as seen from above the North Pole).




### Results

1. In which direction is the 'Earth' rotating — from east to west or west to east? Check the compass directions you marked on your sphere.
2. In which direction does the 'Sun's light' seem to move around the 'Earth'?

### Discussion

1. Where is Africa when Australia is lit up? Where is Australia when Africa is lit up? Explain why these continents experience daylight at different times.
2. How can we explain the apparent movement of the Sun across the sky?
3. How does this model help to explain why night falls in Perth about two hours later than in Sydney and Melbourne?

### Conclusion

Write a sentence explaining why the surface of the Earth experiences day and night.

## on Resources

**Interactivity** Day, night and time zones (int-0006)

## 6.2.3 Measuring time

The Earth takes approximately 24 hours to complete one rotation around its axis. The time between noon one day and noon the next day is 24 hours. This period is called a day, and is almost constant.

The Moon takes approximately 27 days to complete one revolution around the Earth. Since the Earth also moves, it can appear as if the Moon takes longer to complete its orbit; $29\frac{1}{2}$ days. Historically, this time period of $29\frac{1}{2}$ days is used to define a month. This time frame of $29\frac{1}{2}$ days is known as the lunar cycle (the time between one full moon to the next as observed on Earth).

The Earth takes $365\frac{1}{4}$ days to complete one **revolution** around the Sun. This period is called a calendar year. To make the calendar simpler, we make each year 365 days with every fourth year being a leap year, 366 days. Over four years that averages out at $365\frac{1}{4}$ days.

**revolution** movement around an orbit

A day is the length of time taken by a planet to rotate on its own axis. A year is the length of time taken by a planet to complete one revolution around the Sun.

## Longest day of the year

The longest day of the year, the day with the most daylight hours, is called the **summer solstice**. In Australia it occurs in late December. Some people think that it occurs because the Earth is closer to the Sun on this day; however, that is not true.

Just like the seasons, the number of hours of daylight is determined not by the distance of the Earth from the Sun but by the angle at which the Sun's rays strike the Earth. In summer, the Sun is high in the sky and provides light for a longer time.

In winter, the Sun is low in the sky, rising late in the morning then setting early in the afternoon. The day with the fewest hours of daylight is called the **winter solstice**. In Australia, this happens in June.

There are two days during the year with the same number of daylight hours as night hours. These days are called the spring **equinox**, in September, and the autumnal equinox, in March.

**summer solstice** the day of the year with the most daylight hours

**winter solstice** the day of the year with the fewest daylight hours

**equinox** days with the same number of daylight hours as night hours

### on Resources

**Weblink** Solstices and equinoxes in Melbourne

elog-0219

## INVESTIGATION 6.3

### Long days, short days

#### Aim

**To model the cycle of the seasons and explain the variation in daylight hours**

#### Materials

- polystyrene (or similar) sphere
- spotlight or bright torch
- skewer
- marker
- 2 pins with coloured heads

#### Method




1. Hold the skewer vertically. Push two pins into your sphere — one about where Sydney is and the other directly above it at the top of the sphere, near the skewer.
2. Set the spotlight up in a central place (such as on a table you can move around). Darken the room.
3. Stand to the left of the spotlight. Hold the skewer so it leans to the left from the vertical. The southern half of your sphere should be leaning more towards the light.
4. Slowly turn your sphere in the light, making sure you keep the skewer slightly tilted. Turn it in an east to west direction. Watch what happens from side on. Watch the side of the sphere you can see as you turn it. A partner should watch the other side.
5. Now stand to the right of the spotlight holding your skewer tilted to the left as before. This time the northern half of your sphere should be leaning more towards the light. Repeat what you did in the previous step.

6. Repeat the whole procedure two more times. The first time, look at what happens at each of the poles. The second time, look at what happens at the equator.

### Results

Summarise your observations, including outlining which pin moves from the dark to the light first.

### Discussion

1. Which pin comes into the light first when the southern half of the sphere leans towards the light?
2. What does this tell you about the number of daylight hours in each hemisphere when the Southern Hemisphere tilts towards the Sun?
3. Which pin comes into the light first when the northern half of the sphere leans towards the light?
4. What does this tell you about the number of daylight hours in each hemisphere when the Northern Hemisphere tilts towards the Sun?
5. What is the approximate length of day and night at the equator in each season?
6. Suggest why the Sun never sets at certain times of the year at the North and South Poles. What season is the Southern Hemisphere experiencing when the South Pole has several months of darkness?

### Conclusion

Write a sentence explaining why the seasons occur on the surface of the Earth.

## 6.2.4 The Earth's seasons

As the Earth orbits the Sun, the tilt of its axis remains the same. The diagram in figure 6.4 shows that, for one part of Earth's orbit, the Southern Hemisphere is tilted towards the Sun. For the other part of the orbit, the Southern Hemisphere is tilted away from the Sun. The opposite is true for the Northern Hemisphere.

ewbk-3181
int-8061

**FIGURE 6.4** As the Earth orbits the Sun, the seasons change. This diagram shows the seasons as they are in the Southern Hemisphere.



The Southern Hemisphere experiences summer when it is tilted towards the Sun. During summer, the South Pole is in constant daylight.

The light from the Sun hits the Southern Hemisphere 'head-on'. Therefore, heat energy from the Sun is concentrated in a small area, leading to an increase in temperature, and warmer weather. At the same time, the Northern Hemisphere experiences winter because it is tilted away from the Sun. The North Pole is in constant darkness.

The Southern Hemisphere experiences winter when it is tilted away from the Sun. It's cooler than summer because light from the Sun hits the Southern Hemisphere at a large angle, spreading the heat energy over a larger area. Because the heat energy is spread out over a larger area, this results in lower temperatures during this time.

While it's winter in the Southern Hemisphere it's summer in the Northern Hemisphere. Between summer and winter, neither hemisphere is tilted towards the Sun. This happens during autumn and spring.

The light from the Sun is made up of many different parts. One part is visible light, which allows humans to see the world around us, and allows plants to perform photosynthesis. Sunlight also contains infrared light (or heat energy) and UV light (which can cause skin cancer). There are also small amounts of radio waves and microwaves in sunlight. The amount of each type of light reaching the Earth's surface changes during a year. This leads to the different seasons, changes in day lengths, and it also changes our chances of getting sunburnt!

**FIGURE 6.5** The tilt of the Earth's axis and its path around the Sun help explain the seasons.




## on Resources

**eWorkbook** Sunrise, sunset and seasons (ewbk-3183)

**assess on** Additional automatically marked question sets

# 6.2 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>2, 3, 5, 12, 14 | Questions<br>1, 7, 8, 11, 15, 16 | Questions<br>4, 6, 9, 10, 13 |

## Remember and understand

1. Explain the difference between the revolution and rotation of the Earth.
2. How long does it take the Earth to complete one:
   - **a.** rotation
   - **b.** revolution?
3. Outline why we experience day and night.
4. Explain why the Sun rises in the east and sets in the west.
5. During which season does Australia tilt towards the Sun?

## Apply and analyse

6. Use the diagram shown to answer the following questions.
   - **a.** Identify which of the locations A, B, C, D and E:
     - **i.** are in daylight
     - **ii.** are experiencing summer
     - **iii.** are experiencing the longest day
     - **iv.** are experiencing the shortest day.
   - **b.** In which of the locations that are in daylight will the Sun set first?




7. Explain why it is usually warmer on a summer's day than on a winter's day.
8. Explain why there are 365 days in most years but 366 days in every fourth year.
9. Explain, with the aid of a diagram, why the South Pole is in darkness during the Southern Hemisphere's winter.
10. Explain why both the time and position of sunrise and sunset are not the same every day.
11. A day on Jupiter is less than 10 hours. This means it takes under 10 hours to complete one rotation. But this giant planet, made mostly of gas, is about 13 000 times bigger than Earth. So when it rotates, its outermost clouds move at close to 45 000 kilometres every hour!
    - **a.** Which planets in the solar system have the shortest and longest days?
    - **b.** How long are these days?
    - **c.** Which planets in the solar system have the longest and shortest years?
    - **d.** How long are these years?
12. Brainstorm to compile a list of occupations in which day-to-day work is affected by seasonal changes. Provide a brief description of how each occupation is affected.

## Evaluate and create

13. Observe the position of the shadow of a tree trunk or vertical pole from time to time on a sunny day.
    - **a.** Explain how the shadow moves during the day from sunrise to sunset.
    - **b.** How do you think prehistoric people explained the movement of the shadow?
    - **c.** What does the shadow tell you about the Sun and the Earth?
    - **d.** How would you expect the length of the shadow to change from summer to winter?
    - **e.** In ancient times, a vertical stick was used as a daylight clock. It was called a sundial. Describe the disadvantages of sundials.

14. SIS This graph shows the UV Index at different times on a summer day in Melbourne (note that hours are shown in 24-hour time).




a. At what time is the UV Index the highest?
b. Using this graph, give the approximate time of sunrise and sunset in Melbourne on this day.
c. Explain why the UV Index varies throughout the day.

15. SIS The graph shows the length of a day in different cities around the world in the Northern versus Southern Hemisphere.




a. Explain why Melbourne has its longest daylight hours at the start and end of the year while Shanghai and London experience their longest daylight hours in the middle of the year.
b. London is closer to the North Pole than Shanghai and has a larger variation in its daylight hours. Melbourne is closer to the South Pole than Brisbane. Would Brisbane have more or less variation in its daylight hours compared to Melbourne?

16. SIS Use the internet or other resources to find out when and where the astronomer Al-Battani lived and worked, and what contribution he made to understanding the seasons.

**Fully worked solutions and sample responses are available in your digital formats.**

# 6.3 The Moon

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the differences between the surface of the Earth and the surface of the Moon and explain the important role the Moon has played in the development of science.

## 6.3.1 Looking up from Earth

From Earth, the Moon is, by far, the brightest object in the night sky. The Moon is the only natural **satellite** of the Earth. Its presence and changing appearance have raised questions, inspired myths and legends, shaped our calendar and even determined the dates of some religious holidays.

The Moon takes the same time to complete one full turn about its own axis as it takes to orbit the Earth, as seen from the surface of the Earth. For this reason only one face of the Moon can be seen from the Earth. The face seen from Earth is much less mountainous and rugged than the other side. Because the Moon wobbles a little during its orbit around Earth, we sometimes get a view of the edges of the far side. However, 41 per cent of its surface is never visible from the Earth.

**satellite** a body such as a moon that orbits another celestial body of a larger size and mass

Unlike the Earth, the Moon has no atmosphere. There is no air. There is no sign of water on the surface. There is no wind and no rain. This means that there is no erosion.

### Profile of the Moon

- Natural satellite of the Earth
- Distance from Earth: 385 000 km (three days by spacecraft)
- Diameter at equator: 3475 km (Earth's diameter is 12 750 km)
- Period of orbit around Earth: about 27.3 days*
- Period of rotation about its own axis: about 27.3 days
- Surface gravity: about one-sixth that of Earth
- Surface temperature: ranges from –175°C in darkness to 125°C in sunlight

*Note that this period of orbit is relative to distant stars.

## 6.3.2 Mapping the Moon

From the time of the invention of the first telescope in 1608, it was possible to see some detail in the features of the Moon's surface. In 1609, Galileo Galilei used his homemade telescope to study the Moon, planets and stars.

While observing the Moon's surface, Galileo observed:

- large, dark and flat areas that he called maria (Latin for seas)
- dark shadows that appeared to be made by mountains up to 6 kilometres high
- numerous craters.

**FIGURE 6.6** The flat areas and shadows of the Moon can be observed from Earth.

### Resources

**eWorkbook** Features of the Moon (ewbk-3185)

**Video eLesson** The surface of the moon (eles-2224)

## SCIENCE AS A HUMAN ENDEAVOUR: Rovers and moon landings

Until 1959, when the first television pictures were transmitted from space, our knowledge of the Moon depended on what could be seen through telescopes from Earth. Table 6.1 lists some of the important events that have occurred in the quest for knowledge about the Moon.

The most significant event since Galileo's use of a telescope in 1609 to observe the Moon occurred on 20 July 1969. On that day, astronaut Neil Armstrong stepped down from the lunar landing craft *Eagle*, and as his foot touched the lunar soil he uttered the words: 'That's one small step for a man, one giant leap for mankind'.

While the USA is the only country to have put people on the Moon, many countries have landed robots there, including Russia, China, Japan, India and the European Space Agency. Many other countries, and some private companies, are planning missions to the Moon.

**FIGURE 6.7** The lunar rover *Yutu* (also known as Jade Rabbit) is seen exploring the Moon's surface in December 2013.



Travelling to the Moon is the first step in sending people and probes to Mars, to the outer reaches of the solar system and even to other stars or galaxies. The Australian Space Agency is linking Australian scientists with overseas scientists and organisations, making it possible for Australians to participate in missions to the Moon, Mars and beyond.

**TABLE 6.1** Probing the Moon: some important events

| Year | Event |
|---|---|
| **1609** | Galileo Galilei used a telescope to observe the Moon. |
| **1850s** | Astronomers took the first photographs of features of the Moon. |
| **1959** | *Luna 2* (USSR) became the first space probe to reach the Moon when it crashed into the surface. |
| **1964** | Space probe *Ranger 7* (USA) took the first close-up pictures of the Moon. |
| **1966** | *Luna 9* (USSR) became the first space probe to make a soft landing on the Moon and take pictures from the surface. |
| **1969** | *Apollo 11* (USA) carried three astronauts to and from the Moon. Astronauts Neil Armstrong and Buzz Aldrin became the first humans to walk on the Moon. They spent three hours collecting soil and rocks, performing experiments and setting up equipment for further experiments. |
| **1969–1972** | Apollo missions 12 and 14–17 (USA) successfully reached the Moon, enabling more experiments to be completed. *Apollo 13* failed, stranding the three astronauts in space. The movie *Apollo 13* shows how the astronauts were able to return safely to Earth by using the fuel and oxygen stored in their lunar lander. |
| **2008** | *Chandrayaan-1* (India) discovered evidence of water and a large cave beneath the surface that could provide a location for human settlement on the Moon. |
| **2013** | *Chang'e 3* (China) landed with a six-wheeled lunar rover, called *Yutu*, with a mission to explore three square kilometres of the lunar surface. It used cameras and scientific instruments to send data back to Earth. |
| **2018** | *Chang'e 4* — CNSA (China) Lunar Farside Lander |
| **2019** | *Beresheet* — Space IL and Israeli Aerospace Industries (Israel) Lunar Lander |
| **2019** | *Chandrayaan 2* — ISRO (India) Lunar Orbiter, Lander and Rover Mission |

elog-0221

## INVESTIGATION 6.4

### Observing the Moon's surface from Earth

#### Aim

**To observe the Moon's surface using a telescope or binoculars**

#### Materials

- binoculars or small telescope

#### Method

1. Observe the Moon with a pair of binoculars or a small telescope. The best time to observe the Moon is when about half of it is visible. Craters and mountains are difficult to see when there is a full moon because they do not cast shadows.
2. Try to identify the seas (dark, smooth areas), mountainous areas and craters.

#### Results

Sketch and label what you see.

#### Discussion

1. Which features were easiest to locate?
2. How do you think the craters were formed?

#### Conclusion

Summarise the differences between the surface of the Earth and the surface of the Moon.

**on** Resources

**assess on** Additional automatically marked question sets

## 6.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 3, 8 | Questions<br>2, 5, 7 | Questions<br>4, 6 |

### Remember and understand

1. Explain why the same side of the Moon always faces the Earth.
2. What are the large, dark, flat areas on the Moon that are visible from Earth?

### Apply and analyse

3. Explain why there is no erosion on the Moon.
4. Explain the difference between the mountains on the Moon to those on the Earth.

### Evaluate and create

5. As Neil Armstrong stepped down from the lunar landing craft onto the lunar soil, his now-famous words were heard by the millions of people watching the event live on television. Why do you think that this step was such a 'giant leap for mankind'?

6. SIS When you were looking at a crater, the shadow on one side would have been longer than the shadow on the other side. Why might this occur? (*Hint*: consider the level of the ground outside the crater compared to inside the crater.)
7. SIS It is likely that, in the not-too-distant future, people will be living and working on the Moon for long periods. Before that happens, a lot of scientific investigations need to be carried out. The lack of gravity, fresh food, water and oxygen are just a few problems that need to be solved. Research the types of scientists that need to be involved and what they would need to investigate to ensure that people could maintain healthy lives.
   Use the NASA and European Southern Observatory websites to explore the types of jobs you might have working in the space industry.
8. Research the moons of planets other than Earth.
   a. How do the features of these moons compare to the Earth's moon?
   b. Explain why other planets have different numbers of moons compared to Earth.

**Fully worked solutions and sample responses are available in your digital formats.**

# 6.4 Phases of the Moon

## LEARNING INTENTION

At the end of this subtopic you will be able to describe the sequence of the phases of the Moon and explain why these phases occur.

## 6.4.1 Phases of the Moon

The Moon is visible from Earth only because it reflects light from the Sun.

As the Moon orbits the Earth, it turns so that the same side of the Moon always faces the Earth. At night, when you are in darkness, the side of the Moon facing Earth is sometimes completely bathed in sunlight. You then see a **full moon**.

**full moon** the view of the Moon seen from Earth when the whole of its near side is in sunlight

When the Moon is between the Sun and the Earth, the side of the Moon facing the Earth is facing away from the Sun and in complete darkness. You are then unable to see the Moon.

ewbk-3187
int-8062
eles-2225

**FIGURE 6.8** The phases of the Moon



When the side of the Moon facing the Earth is partially bathed in sunlight and partially in shadow, you see only the part that is in sunlight. The different shapes of the Moon that you see from Earth are called **phases**. The diagram in figure 6.8 shows how the phases change during the $29\frac{1}{2}$ day period between one new moon and the next (as outlined in section 6.2.3, this is the length of time it takes for the Moon to complete one orbit as measured from the surface of the Earth, which is linked with the Earth's own rotation and orbit). This time between one full moon and the next is referred to as a **lunar month**. The view of the Moon from Australia at each of the numbered positions is shown at the bottom of the diagram in figure 6.8. The actual appearance of the Moon varies a little depending on where exactly in Australia you are. The closer you are to the equator, the more the phases will be like the ones in the diagrams; in Victoria, the divide between the bright and dark parts of the Moon will not be vertical.

**phases** shapes observed in a repeated pattern of changes

**lunar month** the time period between the appearance of one new moon to the next which equates to 29.5 days

**waxing** the change in the Moon's appearance between a new moon and the following full moon

**waning** the change in the Moon's appearance between a full moon and the following new moon

During the period between a new moon and a full moon, the Moon is said to be **waxing**. As the phases change between the full moon and the new moon, it is said to be **waning**.

## DISCUSSION

Why can you sometimes see the Moon during the day? Where is the Moon when you can't see it? Discuss this with your classmates.

elog-0223

## INVESTIGATION 6.5

### Modelling the phases of the Moon

#### Aim

**To model the phases of the Moon**

#### Materials

- projector or spotlight
- large, light-coloured ball

#### Method

1. Select one student to act as the Earth and another to hold the ball representing the Moon.
2. Darken the room and aim the projector (the Sun) at the ball (the Moon). The student holding it walks around the 'Earth' slowly in an anticlockwise direction, holding the same side towards the 'Earth'.
3. Try to identify each of the eight phases of the Moon, as they are seen by the person representing the Earth. Stop rotating briefly when each of the phases is identified so that the positions of the 'Sun', 'Earth' and 'Moon' can be recorded.



#### Results

Draw a diagram to show the positions of the 'Sun', 'Earth' and 'Moon' that result in:

a. a full moon
b. a gibbous moon
c. a quarter moon
d. a crescent moon
e. a new moon.

### Discussion

1. Describe the positions of the Sun, Earth and Moon when there is:
   a. a full moon
   b. a new moon.
2. Explain why the appearance of the Moon varies when we see it from Earth.

### Conclusion

Summarise how this investigation allowed you to model the different phases of the Moon.

## ACTIVITY: Songs about the Moon

The Moon has been the subject of many poems and songs. As a class, see how many songs you can list with the word 'Moon' in the title. Many of them are quite old, so you might need to ask music-minded adults for help.

Why do you think the Moon features in so many poems and songs?

## on Resources

**eWorkbook** The phases of the Moon (ewbk-3189)

**Video eLesson** Full moon (eles-2549)

**assess on** Additional automatically marked question sets

# 6.4 Exercise

learn on

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 6 | Questions<br>3, 5, 9 | Questions<br>4, 7, 8 |

### Remember and understand

1. During which phase of the Moon is it:
   a. between the Sun and the Earth
   b. on the opposite side of the Earth from the Sun?
2. What is a lunar month?
3. Explain, with the aid of a diagram, how a quarter moon occurs.
4. Why is the phase in which half the Moon is visible called a quarter moon?

### Apply and analyse

5 Sometimes the Moon is visible during the day.
   a. What phases of the Moon would you be most likely to see during the day?
   b. Would it be possible to see a full moon during daylight hours? Explain your answer.
6 Draw a clear diagram or make a flow chart to show how the phases of the Moon occur.

7 SIS

a. Using the information in the table provided, draw a graph of the percentage of the Moon's surface which is visible against the day of the month.

**TABLE** Percentage of the Moon's surface visible from Earth

| Day of the Month | Percentage of Moon's surface which is visible |
|---|---|
| 1 | 96 |
| 3 | 100 |
| 5 | 93 |
| 8 | 67 |
| 12 | 23 |
| 15 | 2 |
| 16 | 0 |
| 19 | 10 |
| 23 | 50 |
| 25 | 72 |
| 30 | 100 |
| 31 | 97 |

b. Using your graph, determine the phase of the Moon on:
   i. day 11 ii. day 16 iii. day 25.

c. Using your graph, determine the day on which the Moon would be:
   i. full ii. waning gibbous iii. first quarter moon.

### Evaluate and create

8. SIS What is a blue moon? Can you find any other 'moon' names and their meaning?
9. Describe a harvest moon.

**Fully worked solutions and sample responses are available in your digital formats.**

# 6.5 Eclipses

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the cause of solar and lunar eclipses and will be able to draw diagrams showing the relative positions of the Earth, Sun and Moon during eclipses.

## 6.5.1 Lunar eclipses

Any object that you cannot see through casts a shadow when the Sun shines on it. The Earth and Moon both cast shadows into space. A **lunar eclipse** occurs when the Moon passes into the Earth's shadow. The Moon no longer receives any light from the Sun and can't be seen from the surface of the Earth. This can happen only during a full moon, when the Earth lies between the Sun and the Moon. When the entire Moon passes through the shadow of the Earth, a total lunar eclipse occurs.

**lunar eclipse** occurs when the Earth moves between the Sun and the Moon so that some or all of the Moon's surface does not receive light from the Sun and cannot be seen

A total lunar eclipse is usually observed as a blood moon, in which the Moon has a red tinge (see figure 6.9). This is due to the way the red light from the Sun bends (or diffracts) around the Earth and reaches the Moon. When only a section of the Moon passes through the Earth's shadow a partial lunar eclipse happens.

**FIGURE 6.9** The Earth's shadow makes the Moon appear to change phases during a total lunar eclipse. Note the red tinge of the Moon at the height of the eclipse.

Lunar eclipses occur more often than solar eclipses. However, the Moon's orbit around the Earth is tilted, so it does not pass through the Earth's shadow every time there is a full moon (see figures 6.10 and 6.11).

ewbk-3191

int-8063

**FIGURE 6.10** Total lunar eclipse



ewbk-3193
int-8064

**FIGURE 6.11** Partial lunar eclipse




## Resources

**Video eLesson** Lunar eclipses (eles-3531)

**Weblink** Time and date of lunar eclipses in Australia

## 6.5.2 Solar eclipses

Sometimes, when the Moon passes between the Earth and the Sun, the Moon's shadow falls on the Earth. The part of the Earth in the shadow experiences a **solar eclipse** (see figure 6.12).

**solar eclipse** occurs when the Moon moves between the Earth and the Sun and prevents some or all of the Sun's light reaching a place on Earth

ewbk-3195
int-8065

**FIGURE 6.12** Total and partial solar eclipses



## Total solar eclipse

The shadow cast by the Moon during an eclipse is not sharp, it has a fuzzy or partially dark edge. Most of the shadow is only partially dark. Only the centre of the shadow is in total darkness. Even though the Moon passes between the Sun and the Earth every $29\frac{1}{2}$ days, eclipses do not occur very often. Usually the whole shadow passes above or below the Earth. If the dark centre of the shadow falls on the Earth, a **total solar eclipse** is experienced.

**FIGURE 6.13** A solar eclipse created this ring effect.

**FIGURE 6.14** A total solar eclipse — the Sun's light is blocked.



During a total solar eclipse, the area in the dark centre of the shadow becomes completely dark, as if it were night-time. The Sun is completely blocked out, as seen in figure 6.13. The last total solar eclipse to affect Australia passed across a narrow band of tropical northern Australia in November 2012. It plunged the Cairns area into complete darkness for about two minutes.

The next total solar eclipse to affect Australia will only be observed in the southern part of Australia (mostly Tasmania and Victoria) and will occur in December 2021. The next total solar eclipse after this to affect Australia will touch the coast at Exmouth in Western Australia in April 2023. A further total solar eclipse in July 2028 will cross a narrow band from the Kimberley in Western Australia all the way to Sydney.

## Partial and annular solar eclipses

**Partial solar eclipses** (see figure 6.15) and **annular solar eclipses** (see figure 6.16) are much more common than total solar eclipses. A partial solar eclipse is experienced by areas in the partially dark part of the shadow. Not enough of the Sun is blocked out to cause darkness. An annular eclipse occurs when the Moon blocks out the central part of the Sun, leaving a ring (called an annulus) of light from the outer part of the Sun, which is visible from Earth.

Solar eclipses are extremely useful to astronomers because the outer part of the Sun, known as the corona, can be seen. The corona is normally not visible because of the brightness of the rest of the Sun. However, during a total solar eclipse the rest of the Sun's light is blocked out by the Moon. The corona can then be successfully photographed and studied.

**total solar eclipse** occurs when the Moon moves between the Earth and the Sun so that all of the Sun's light to a place on Earth is blocked by the Moon

**partial solar eclipse** occurs when the Moon moves between the Earth and the Sun and prevents some of the Sun's light reaching a place on Earth

**annular solar eclipse** occurs when the Moon moves between the Sun and the Earth

**FIGURE 6.15** Partial solar eclipse

**FIGURE 6.16** An annular eclipse



## CAUTION

You must NEVER look directly at an eclipse of the Sun — even a partial eclipse. You could permanently damage your eyes. Sunglasses will not protect you.

## on Resources

**Video eLessons** Total solar eclipses (eles-3532)
Partial solar eclipse (eles-2227)

**Weblink** Future solar eclipses in Australia

## ACTIVITY: Cultural beliefs on solar eclipses

The ancient Chinese believed that solar eclipses occurred when a giant dragon ate the Sun. They thought that if they made enough noise they could frighten the dragon. The frightened dragon would then spit the Sun out, bringing daylight back. Investigate other cultural beliefs about solar eclipses, and discuss your findings as a class.



elog-0225

## INVESTIGATION 6.6

### Modelling solar and lunar eclipses

#### Aim

**To model solar and lunar eclipses**

#### Materials

- projector
- globe
- tennis ball attached to string

### Method

1. Darken the room and aim a beam of light at the globe.
2. To simulate a solar eclipse, suspend the tennis ball (the Moon) between the projector (the Sun) and the globe (the Earth) as shown. Ensure that you keep your own shadow off the globe.
3. Rotate the globe a little (think carefully about which way to turn it) and note what happens to the shadow.
4. To simulate a lunar eclipse, move the tennis ball to the opposite side of the globe from the projector. Suspend it so that it is partly in the shadow of the globe.




### Results

1. Draw a diagram to show the initial positions of Earth, Moon and Sun in your model of a solar eclipse.
2. When you rotate the globe, does the shadow move from east to west or from west to east?
3. Draw a diagram showing the positions of the Earth, Moon and Sun in your lunar eclipse model.

### Discussion

1. During which phase of the Moon does a lunar eclipse occur?
2. During which phase of the Moon does a solar eclipse occur?

### Conclusion

Write a summary explaining how the motion of the Moon and the Sun create solar and lunar eclipses.

elog-0227

## INVESTIGATION 6.7

## Fuzzy shadows

### Aim

**To investigate the creation of sharp and fuzzy shadows**

### Materials

- torch
- white card or a bare wall to act as a screen
- coin

### Method

1. Use a torch to cast light on a white card or bare wall. Observe the shadow of a coin as you move it between the light source and screen.
2. Create sharp shadows and fuzzy shadows.
3. Create a shadow that is dark in the centre and partially dark on the outside. This is the type of shadow cast on the Earth by the Moon.

### Results

1. Where does the coin need to be to create a sharp shadow?
2. Where does the coin need to be to create a fuzzy shadow?
3. Draw a diagram of this fuzzy shadow.

### Discussion

1. Describe the position of the Earth, the Moon and the Sun during a total solar eclipse.
2. Explain why the shadow is fuzzy. Would you expect this in a partial solar eclipse?

### Conclusion

Write a sentence to describe what kind of shadow the Moon casts on the Earth during a total solar eclipse.

## Resources

**Interactivity** Eclipses (int-8230)

**Weblink** The Earth's Moon

**eWorkbook** Eclipses (ewbk-3197)

**assessON** Additional automatically marked question sets

## 6.5 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2 | Questions<br>3, 5 | Questions<br>4, 6 |

### Remember and understand

1. Outline the difference between a solar eclipse and a lunar eclipse.
2. State why you must never look directly at a solar eclipse.

### Apply and analyse

3. Explain why total solar eclipses are much less frequent than partial solar eclipses.
4. Explain why a total lunar eclipse occurs only when there is a full moon, and why a solar eclipse occurs only when there is a new moon.

### Evaluate and create

5. Is the image shown a lunar or a solar eclipse? Justify your response.

6. SIS Research solar and lunar eclipses that will be or have been observed in Australia between the years 2015 and 2025.
   a. Copy and complete the table with the information you have found.

**TABLE** Information on solar and lunar eclipses observed in Australia from 2015–2025

| Date | Year | Solar or lunar | Type of eclipse (partial/total) | Locations visible |
|---|---|---|---|---|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

   b. Of these eclipses, calculate the percentage that are solar eclipses.
   c. Create a graph comparing the number of total and partial eclipses. What does this graph suggest?
   d. What predictions would you make about eclipses in the year 2030?

**Fully worked solutions and sample responses are available in your digital formats.**

# 6.6 Tides

## LEARNING INTENTION

At the end of this subtopic you will be able to explain the causes of tides on Earth and describe the relative effect of the Moon's and Sun's gravitational pulls on the size of high and low tides.

## 6.6.1 Tides and the Moon

If you have lived near or visited coastal areas, you will know that the level of the water rises and falls. These changes in the water level are called **tides**. These tides occur for a number of reasons, mostly due to the gravitational force of the Moon.

**tide** the regular rise and fall of water level of the ocean, in a cycle close to twelve and a half hours

**FIGURE 6.17** Low and high tides at Lorne, Victoria. Between these two tides the water level rose vertically by 2.6 m, but stretched horizontally much further along the beach.

Figure 6.18 shows a view of the Earth from above the South Pole. The arrow shows the direction of the Earth's rotation. The oceans at A, closest to the Moon, are pulled more strongly towards it, taking water away from B and D. The result is that A is a region of high tide while B and D are regions of low tide. As the Earth rotates, different places on Earth move through A, B and D, and experience a high tide at A and low tides at B and D. However, places on the Earth experience two high tides and two low tides a day; the Moon's gravitational force can only explain one high tide.

ewbk-3199
int-8066

**FIGURE 6.18** Looking down on Earth from above the South Pole — as the Earth rotates once, each place on Earth experiences two high tides and two low tides.




Because the Earth rotates on its axis, the oceans bulge near the equator. This bulge is shown in figure 6.19. This effect is just like that in the spin-dryer of a washing machine. As it spins, the water in the oceans moves away from the Earth. The ocean water doesn't come completely off the Earth's surface because it is pulled back by the Earth's gravitational force. This effect is stronger than the effect of the Moon's gravitation force on the other side of the Earth creating a second high tide.

**FIGURE 6.19** The rotation of the Earth would cause a permanent bulge all the way around the equator if it were not for the Sun and the Moon.




## 6.6.2 The effect of the Sun

The Sun also influences the tides. However, because it is further away, its gravitational force has much less effect than the Moon's. Even though the mass of the Moon is 27 million times less than that of the Sun, its gravitational force on the Earth is greater because it is so much closer to Earth.

When the Sun is on the same side of the Earth as the Moon, its gravitational force adds to the gravitational force of the Moon. When it is on the opposite side, its gravitational force assists the rotation of the Earth in creating the second bulge of water, and higher tides than normal are experienced. These tides are called **spring tides**. They occur when there is a full moon or a new moon when the Sun, Earth and Moon form a straight line.

**spring tide** very high tide that occurs when there is a new or full moon

ewbk-3201
int-8067

**FIGURE 6.20** During each orbit of the Moon around the Earth (29 days), there are two spring tides and two neap tides.




About seven days after a spring tide, the Sun and the Moon are no longer in the same line as the Earth. The gravitational pull of the Sun is at right angles to the gravitational pull of the Moon. The gravitational pull of the Sun and the Moon work against each other. The high tides are not as high as usual. The low tides are not as low as usual. These 'weaker' tides are called **neap tides**. They occur when there is a quarter moon.

**neap tide** a weaker high and low tide that occurs when the Sun and the Moon are not in the same line as the Earth

## Resources

- **Video eLesson** Tides (eles-2226)
- **Weblink** Tide predictions in Australia
- **Interactivity** Time-lapse video of the Floating Torii Gate on Miyajima Island (int-0225)
- **eWorkbook** Surf's up (ewbk-3203)
- **assessON** Additional automatically marked question sets

## 6.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 5, 9 | Questions<br>2, 4, 7, 10 | Questions<br>3, 6, 8 |

## Remember and understand

1. State the major cause of tides on Earth.
2. Why are there two high tides and two low tides in a day?
3. Even though the Sun is much larger than the Moon, it has much less effect on the tides. Explain the reasoning for this.

## Apply and analyse

4. Explain why the highest tides occur during a new moon or a full moon.
5. If the Moon did not exist, would there still be tides? If so, how would they be different?
6. Explain how the tides would be different if the Earth did not rotate.

## Evaluate and create

7. Draw a well labelled diagram that shows one arrangement of the Sun, Moon and Earth that would cause a neap tide on the side of the Earth closest to the Sun.
8. On any given day, one high tide is higher than the other one. Suggest a reason for this.
9. SIS Use the information in the table provided to plot a graph of the high and low tide levels at Portland beach during July 2020.

**TABLE** High and low tide at Portland beach

| Date | Highest tide (m) | Lowest tide (m) |
|---|---|---|
| Tuesday 2 April | 1.24 | 0.18 |
| Friday 5 April | 1.18 | 0.23 |
| Tuesday 9 April | 1.09 | 0.25 |
| Saturday 13 April | 1.09 | 0.31 |
| Wednesday 17 April | 1.29 | 0.14 |
| Sunday 21 April | 1.16 | 0.23 |
| Thursday 25 April | 1.02 | 0.36 |
| Monday 29 April | 1.07 | 0.27 |

10. Use the information in the table provided to answer the questions.

**TABLE** High tide and low tide during July

| | | High tide 1 | Low tide 1 | High tide 2 | Low tide 2 |
|---|---|---|---|---|---|
| Monday 1 July | Time | 12:32 | 06.27 | | 18.11 |
| | Height (m) | 1.41 | 0.37 | | 0.62 |
| Friday 5 July | Time | 03:59 | 10:35 | 16:55 | 22:49 |
| | Height (m) | 1.60 | 0.51 | 1.46 | 0.69 |
| Tuesday 9 July | Time | 07:14 | 01:19 | 19:39 | 13:15 |
| | Height (m) | 1.52 | 0.54 | 1.71 | 0.51 |
| Saturday 13 July | Time | 09:47 | 03:50 | 21:53 | 15:24 |
| | Height (m) | 1.41 | 0.49 | 1.76 | 0.61 |
| Wednesday 17 July | Time | 12:47 | 06:45 | | 18:15 |
| | Height (m) | 1.28 | 0.60 | | 0.79 |
| Sunday 21 July | Time | 03:48 | 10:20 | 16:42 | 22:41 |
| | Height (m) | 1.56 | 0.49 | 1.53 | 0.66 |
| Thursday 25 July | Time | 03:59 | 10:35 | 16:55 | 19:56 |
| | Height (m) | 1.66 | 0.32 | 2.02 | 0.34 |
| Monday 29 July | Time | 11:19 | 05:14 | 23:23 | 16:58 |
| | Height (m) | 1.48 | 0.27 | 1.95 | 0.55 |

a. Identify when the first low tide occurred on Thursday 25th July.
b. How long was it between the first low tide and the first high tide on Saturday 13th July?
c. There was no second high tide on Monday 1st July or Wednesday 17th July. It occurred early the next morning. Predict the time of the first high tide on Tuesday 2nd July.

**Fully worked solutions and sample responses are available in your digital formats.**

# 6.7 Explaining the night sky

## LEARNING INTENTION

At the end of this subtopic you will be able to describe how people's views of the solar system have changed over centuries and how current astronomers are continuing to investigate the night sky.

## 6.7.1 Developments in astronomy

Astronomers have been recording observations of the night sky for at least 4000 years. For just as long, they have been trying to explain their observations.

The quest for knowledge and understanding of the universe is not over. Astronomers are still making new discoveries, often leading to more questions than answers.

### SCIENCE AS A HUMAN ENDEAVOUR: The earliest astronomers

Almost all ancient cultures had stories about how the universe was created, what it was like and how the Earth, Sun, Moon, planets and stars got here. Thousands of years ago, Indigenous Australians told stories that explained the stars, the Sun and the Moon. They identified the shapes of groups of stars in the night sky and told stories about them that were passed on from generation to generation. The shapes described and the stories about them varied from tribe to tribe.

#### The emu in the sky

Rock engravings carved by the Guringai people of the northern outskirts of Sydney show an emu in the sky that stretches from its head in a dark patch of the Southern Cross through the cloud-like band of stars that we call the Milky Way. Their story explains that when the real emu in the sky is directly above the engravings, it is the emu egg-laying season. It signals that it is time to gather the eggs. Another explanation from Papunya in the Northern Territory tells the story of an old blind man who speared the emu and sent it to the Milky Way after it killed his wife while protecting its eggs.

**FIGURE 6.21** The Dark Emu of Aboriginal sky lore rising in a moonlit sky over the Tasman Sea from a beach near Lakes Entrance, Victoria

### Chopped to bits

The Yolngu people of Arnhem Land explain the phases of the Moon with the story of Ngalindi and his wives. At the time of the full moon, Ngalindi is a fat, lazy man. His wives punish him by attacking him with an axe, and he is seen as a waning moon as parts of him are chopped off. Unable to escape his wives, Ngalindi dies of his wounds, and this is the time of the new moon. He rises from the dead after three days and is seen as the waxing moon as he again grows round and fat. Two weeks later, his wives punish him again, and the cycle repeats.

### The lunar chariot of Rome

The ancient Romans thought that the Moon was a goddess. Named Luna, she drove across the sky at night in a chariot. When the Moon did not appear, Luna had driven her chariot down to Earth to visit her mortal lover, a shepherd named Endymion.

### Ancient Greek astronomy

The ancient Greeks provided many of the early ideas from which modern astronomy was developed. Their ideas were widely accepted throughout Europe for hundreds of years.

The Greeks discovered that the Earth was spherical; the Greek philosopher Eratosthenes calculated the circumference of the Earth to within about 300 kilometres of the true value. In the fourth century BC, Aristotle was one of the most influential philosophers in Greece. He believed that the Sun and Moon revolved around the Earth, which was the centre of the universe. Aristotle's model was easily accepted at the time because people who studied the night sky saw celestial bodies passing over the Earth.

### Ptolemy's theory

The early Greek astronomer Ptolemy, in about AD 150, used his own observations and the ideas of other Greek astronomers to develop a model of the universe. The universe is the whole of space and everything in it. In Ptolemy's model, the Earth was the centre of the universe. The universe was surrounded by a sphere called the celestial sphere to which all of the stars were attached. The Moon, Sun and planets orbited the Earth, which did not move at all. Ptolemy's model was generally accepted as correct for almost 1500 years.

**FIGURE 6.22** Ptolemy's model of planetary motion



### Aristarchus's heliocentric model

In the following century, Aristarchus developed a model of the universe in which the Sun was fixed and all the planets, including Earth, orbited it along circular paths (as seen in figure 6.23). This is a heliocentric model, with *helio* meaning 'sun', and *centric* meaning 'centre'. He also noted that, once a day, the Moon revolved around the Earth and the Earth rotated on its axis. Aristarchus's model did not gain wide acceptance at the time. However, this is the model we currently use. This Sun-centred theory would have defied common sense at the time because we do not feel the Earth spinning or moving through space.

**FIGURE 6.23** Aristarchus's heliocentric model




### The Incas of Peru

For about 300 years, from the 1200s until the Spanish conquistadors invaded in the 1500s, much of South America around Peru was ruled by the Incan empire.

The Incas had a deep knowledge of the stars and constellations, which they observed and named. They named the Milky Way *mayu*, meaning 'river'. This celestial river was said to join up with the Urubamba River in the waters of a great cosmic sea that encircled the Earth. The Incans believed that the celestial river, the Milky Way, was the source of rain on Earth as it passed through the night sky.

At Cusco, the astronomical centre of their empire, the Incas constructed a series of stone towers to mark the points of sunrise and sunset on important days. These included the summer solstice (the longest day of the year) and the winter solstice

**FIGURE 6.24** Most historians agree that the Incans had a calendar based on observations of the Sun and the Moon and their relationship to the stars.

(the shortest day of the year). The Incas created an accurate annual calendar based on the positions at which the Moon rose and set on the horizon, as well as observations of the phases of the Moon.

### Copernicus's heliocentric model

Nicolaus Copernicus, born in Poland in 1473, was a mathematician with a keen interest in astronomy. He was unhappy with Ptolemy's model. Although it explained the circular movement of the stars, it did not fully explain the movement of the planets across the sky. Copernicus was convinced that the planets revolved around the Sun. The movement of the stars could be explained if the Earth spun on its own axis once a day. Copernicus wrote a book in which he used mathematics to explain his ideas. He died in 1543 on the day that his book, *On the Revolutions of Heavenly Spheres*, was published. The book was then banned because it disputed the teachings of the Roman Catholic Church and was considered to be morally wrong. According to the Roman Catholic Church at that time, the Earth had to be at the centre of the universe.

**FIGURE 6.25** Copernicus's heliocentric model




### The heliocentric model is confirmed

Galileo Galilei (1564–1642) was the first astronomer to use a telescope to observe the night sky. His discovery in 1610 of four moons orbiting the planet Jupiter showed that not all heavenly bodies revolve around the Earth. Galileo, despite strong opposition from the Church, actively supported the ideas of Copernicus. In 1616, he was ordered by the Roman Catholic Church not to defend the Copernican model. However, he defied the order and in 1632 published a book in which he showed that the ideas of Copernicus were far more sensible than the Earth-centred model of Ptolemy. The following year Galileo was forced, under threat of torture, to deny his beliefs in public. His book was banned and he was sentenced to life imprisonment. Old, sick and losing his sight, Galileo was allowed to serve his sentence locked in his own home. He was totally blind during the last four years of his life.

It was not long after Galileo's death that the observations of other astronomers, and the theories of English scientist Sir Isaac Newton, confirmed that the Sun was at the centre of the solar system. Newton died in 1727 knowing that he had finally convinced most astronomers that the Earth was not the centre of the solar system or the universe.

### The quest continues

Astronomers continue to observe the night sky using telescopes. New technology has allowed observations to be made during the day. Observations can be made even from space — above the gases in the Earth's atmosphere that blur the detail. Sometimes, new observations help astronomers answer questions. The discovery of a new star might, for example, provide some clues about how big the universe is.

One advance in exploring and explaining the universe is the Hubble Space Telescope. It orbits the Earth at a distance of about 600 kilometres above the surface. The images are much clearer than could be obtained by similar telescopes on the Earth's surface. The Hubble Space Telescope was lifted into orbit in 1990 by a space shuttle.

**FIGURE 6.26** CSIRO's Australia Telescope Compact Array near Narrabri, NSW, built in 1988, consists of radio telescopes that can be moved along railway tracks to make a more complete picture of the sky. (Photograph courtesy of CSIRO).

Since the accidental discovery in 1931 that stars emit radio waves as well as light, new generations of telescopes have emerged. Radio telescopes are huge dishes that collect radio waves from distant stars and galaxies.

The newest telescopes make use of modern computers to combine images from multiple receivers. This can create telescopes which are as big as the Earth, and it also increases the amount of detail in images. The Square Kilometre Array is one of these telescopes. It is currently being built in the outback of Western Australia and the desert of South Africa. Scientists hope to get data from the telescope in 2027. They hope it will give information about the start of the universe, the formation of stars and galaxies, and perhaps find new Earth-like planets.

## on Resources

**eWorkbook** Astronomical history (ewbk-3205)

**Video eLesson** The Copernican model (eles-2228)

**assessON** Additional automatically marked question sets

# 6.7 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 5, 9 | Questions<br>2, 3, 6, 7, 12 | Questions<br>4, 8, 10, 11 |

## Remember and understand

1. How does the position of the emu in the sky influence the Guringai people of New South Wales?
2. Besides Dreamtime stories that still survive today, suggest evidence that Aboriginal peoples studied the night sky.
3. The Incan calendar, like our own, is based on astronomy. Outline the information used to help create such a calendar.
4. Explain why an Earth-centred model of the solar system made much more sense to early astronomers than a Sun-centred one.

## Apply and analyse

5. Which new technology enabled Galileo to make observations that supported the idea of a Sun-centred solar system?
6. Why were the ideas of Copernicus rejected for so long?
7. Describe the limitations that ancient cultures had on their study of the night sky.
8. Describe how Copernicus explained the circular motion of the stars, if the Earth was not at the centre of the universe.

## Evaluate and create

9. Suggest evidence that you would use to argue that the Earth was at the centre of the universe.
10. During the lifetimes of Copernicus and Galileo, new theories about our solar system developed rapidly and previous ones were rejected. In science, why are existing theories replaced by new ones?
11. SIS Use resources from the library, online, or home to find out more about how explanations of the night sky have changed since ancient times. In your timeline, include the technology, such as telescopes and space probes, that has made new explanations possible. You might need to use separate timelines to show some of the detail from AD 1400 to AD 1700 and from AD 1950 to the present time.
12. SIS Research and write a report of approximately 200 words about the life and times of Omar Khayyam and the contributions he made to astronomy.

**Fully worked solutions and sample responses are available in your digital formats.**

# 6.8 Thinking tools — Mind maps

## 6.8.1 Tell me

### What is a mind map?

A mind map is a diagram that breaks up ideas within a topic, from the main topic to the many small features or examples of its parts. They are also called model maps, memory maps or brain maps.

A mind map breaks down a topic into sections or groups of ideas, all curving out from the central topic in the middle. In a mind map, there are no straight lines, horizontal organisation or ordering like you will see in a tree or concept map.

**FIGURE 6.27** A mind map with fluid lines and a central topic showing that the concepts are all different




### What is a mind map for?

A mind map is used for showing how different parts of a central idea can be broken down into sections or groups. They are for when you want to show connections that do not have a series of similar levels; because of this, mind maps are freer flowing and suit brainstorming and summaries well.

For example, you would use a mind map to:

- summarise what you know about a topic
- show key terms related to a topic and subtopic
- brainstorm ideas for a project or essay.

## 6.8.2 Show me

To create a mind map:

1. Write your topic in the middle of a sheet of paper.
2. Draw a number of lines branching out from it. Think of some main ideas related to the topic and write one on each branch.
3. Draw a number of lines branching from each of your main ideas. Think of words or terms related to one of your main ideas and write one on each branch.
4. Continue adding branches until you run out of ideas. You can also decorate your map with colour, drawings or photos to make the ideas and links clearer.

**FIGURE 6.28** The steps involved in making a concept map. **a.** Write your topic **b.** Add main concepts around the topic **c.** Add branches from your main concepts **d.** Add more branches until you run out of ideas.



An example of a mind map for the seasons is shown in figure 6.29.

**FIGURE 6.29** Summarising ideas about seasons in a mind map




## 6.8.3 Let me do it

### 6.8 ACTIVITIES

This mind map summarises what a student might remember about the Earth in space in this topic.

1. Create your own mind map to show what you have learned in this topic or to brainstorm one part of the topic you have enjoyed or found interesting.
   Some examples of topics you might place in the centre include:
   - the Moon
   - systems
   - the night sky
   - ancient ideas about the universe.

   You can use branches with words or pictures flowing from the centre (or both).




**Fully worked solutions and sample responses are available in your digital formats.**

# 6.9 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-3210 | ewbk-3211 | ewbk-3217 |

on Resources

## 6.9.1 Summary

### The seasons, day and night

- The Earth rotates in an anti-clockwise direction when viewed from above the North Pole.
- The Earth rotates on its own axis, which is 23.5° from the vertical. The Earth takes 24 hours to complete one full rotation.
- As the Earth rotates, the side facing the Sun experiences day time and the other side experiences night time.
- The Earth orbits the Sun — one orbit takes $365\frac{1}{4}$ days.
- This orbit is an elliptical orbit (rather than being perfectly circular).
- Due to the tilt of the Earth, during orbit, the different hemispheres are tilted towards the Sun. This results in the seasons.

### The Moon

- The Moon takes approximately $29\frac{1}{2}$ days to complete one revolution or orbit around the Earth.
- The Moon also rotates on its axis so we usually see only one face.
- The face of the Moon we see is less mountainous and rugged compared to the other side (the far side).
- The Moon has no atmosphere, no air and no sign of water on the surface.
- The Moon is a natural satellite of Earth, with surface gravity around one-sixth of that of Earth.
- The different shapes of the Moon that are seen from Earth are referred to as phases.
- The phase of the Moon depends on its position in orbit and how much of the Sun's rays are shining on it.

### Eclipses

- A lunar eclipse occurs when the Moon passes into the Earth's shadow, so the Moon no longer receives light from the Sun.
- During a total lunar eclipse, the Moon appears as a red blood moon.
- During a partial lunar eclipse, only some of the Moon is covered by the Earth's shadow (known as the umbra).
- In a solar eclipse, the Moon passes between the Earth and the Sun.
- In a total solar eclipse, the Moon is in a location where all of the Sun's light is blocked by the Moon.
- In a partial eclipse or an annular solar eclipse, only part of the Sun is blocked by the Moon.

### Tides

- The changes in water levels are referred to as tides.
- These tides are mostly due to the gravitational force or pull of the Moon.
- The side closest to the Moon experiences higher tides. A lower tide is experienced as the Earth rotates away from the Moon.
- A second high tide occurs each day, as the oceans bulge at the equator.

### Explaining the night sky

- Until 1959, our knowledge of the Moon depended on what could be observed through telescopes.
- In 1969, the first astronauts completed a lunar landing. Many countries have landed robots and rovers to explore the Moon.

- Early astronomers have been recording observations of the night sky for at least 4000 years.
- Many cultures use stories to explain the night sky — including those passed on through generations by Indigenous Australians.
- The Ancient Greeks provided many early ideas that developed into modern astronomy. Originally, people believed that everything revolved around Earth.
- This developed over time into the currently supported theory of the heliocentric model of the solar system, in which the planets orbit the Sun.

## 6.9.2 Key terms

**annular solar eclipse** occurs when the Moon moves between the Sun and the Earth
**elliptical** an oval or egg shape. The shape of the Earth's orbit around the Sun
**equinox** days with the same number of daylight hours as night hours
**full moon** the view of the Moon seen from Earth when the whole of its near side is in sunlight
**gravitational force** an attractive force between two objects which have mass
**lunar eclipse** occurs when the Earth moves between the Sun and the Moon so that some or all of the Moon's surface does not receive light from the Sun and cannot be seen
**lunar month** the time period between the appearance of one new moon to the next which equates to 29.5 days
**neap tide** a weaker high and low tide that occurs when the Sun and the Moon are not in the same line as the Earth
**orbit** the curved path of a celestial object or spacecraft about a star or planet, for example the path of the Earth around the Sun or the Moon around the Earth
**partial solar eclipse** occurs when the Moon moves between the Earth and the Sun and prevents some of the Sun's light reaching a place on Earth
**phases** shapes observed in a repeated pattern of changes
**revolution** movement around an orbit
**rotation** the turning of an object about its own axis (between the North and South poles)
**satellite** a body such as a moon that orbits another celestial body of a larger size and mass
**solar eclipse** occurs when the Moon moves between the Earth and the Sun and prevents some or all of the Sun's light reaching a place on Earth
**spring tide** very high tide that occurs when there is a new or full moon
**summer solstice** the day of the year with the most daylight hours
**tide** the regular rise and fall of water level of the ocean, in a cycle close to twelve and a half hours
**total solar eclipse** occurs when the Moon moves between the Earth and the Sun so that all of the Sun's light to a place on Earth is blocked by the Moon
**universe** all of space and the matter and energy contained in it
**waning** the change in the Moon's appearance between a full moon and the following new moon
**waxing** the change in the Moon's appearance between a new moon and the following full moon
**winter solstice** the day of the year with the fewest daylight hours

### on Resources

| | |
|---|---|
| **Digital document** | Key terms glossary (doc-34528) |
| **eWorkbooks** | Study checklist (ewbk-3207)<br>Literacy builder (ewbk-3208)<br>Crossword (ewbk-3212)<br>Word search (ewbk-3214) |
| **Practical investigation eLogbook** | Topic 6 Practical investigation eLogbook (elog-0214) |

# 6.9 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4, 10, 12 | Questions<br>2, 6, 8, 11 | Questions<br>3, 5, 7, 9 |

## Remember and understand

1. State the difference between the rotation and revolution of the Earth.
2. The diagram shows half the Earth in sunlight while the other half is in darkness. Which Australian season is represented in this diagram? Explain how you know.




3. Explain why the position of the Sun in the sky at midday changes from day to day.
4. Explain what causes a partial solar eclipse. Explain how it is different from a total solar eclipse.

## Apply and analyse

5. The diagram shows the Moon in eight different positions during an orbit around the Earth.



a. Copy the diagram of the Moon in the eight different positions and shade the parts of the Earth and the Moon that are in darkness.
b. How long does it take the Moon to complete a single orbit?
c. Why is it not possible to see a new moon during the day?
d. Explain which one or more positions of the Moon would result in a quarter moon.
e. Explain which one or more positions of the Moon would result in a gibbous moon.
f. Explain which one or more positions of the moon would result in a full moon.
g. How many times does the Moon rotate about its own axis while completing a single orbit of the Earth?

6. The length of a day on the planet Venus is 243 Earth days. The length of a year on Venus is only 225 Earth days. Explain how it is possible for a day to be longer than a year.
7. Explain which type of tide is experienced when a full moon is overhead.
8. The diagram shows the view of the Earth from above the South Pole. While the Moon is in the position shown, explain which type of tide is being experienced on the east coast of Australia — high tide, low tide or neap tide?




## Evaluate and create

9. The photograph shows the Earth as it is seen from the Moon.
   a. Why is the Earth visible even though it does not emit its own light?
   b. Would you expect the Earth to always be visible from the part of the Moon that faces it? Explain your answer.
   c. Does the Earth have the same phases as the Moon? Draw some diagrams showing the positions of the Sun, Earth and Moon to explain your answer.
   d. If you were on the Moon, how long would you expect to have to wait between Earthrise and Earthset?

10. Astronauts have already visited the Moon and may soon land on Mars. Is it likely that astronauts will one day visit a planet outside our solar system? Explain your answer and describe what a trip to a distant planet may look like.

11. **a.** Which astronomer developed the model of the universe shown in the diagram?
    **b.** Where are the stars on this model?
    **c.** Explain why this model of the universe was so well accepted for almost 1500 years.
    **d.** Name three well-known scientists or mathematicians who put an end to the popularity of this model.




12. Imagine you are given the task of describing your planet and its position in space to an alien from a distant galaxy. You are limited to either 200 words or one image, but you cannot use both words and images. What would you write or draw?

**Fully worked solutions and sample responses are available in your digital formats.**

## on Resources

**eWorkbook** Reflection (ewbk-3038)

## teachon

**Test maker**
Create customised assessments from our extensive range of questions, including teacher-quarantined questions.
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 6.1 Overview

**eWorkbooks**
- Topic 6 eWorkbook (ewbk-3176)
- Starter activity (ewbk-3178)
- Student learning matrix (ewbk-3180)

**Practical investigation eLogbooks**
- Topic 6 Practical investigation eLogbook (elog-0214)
- Investigation 6.1: The changing Moon (elog-0215)

**Video eLesson**
- The Earth within the universe (eles-3528)

## 6.2 The Earth in orbit

**eWorkbooks**
- Labelling the location of the Earth in different seasons (ewbk-3181)
- Sunrise, sunset and seasons (ewbk-3183)

**Practical investigation eLogbooks**
- Investigation 6.2: Day and night (elog-0217)
- Investigation 6.3: Long days, short days (elog-0219)

**Video eLesson**
- Cyclical motions of the Earth, Moon and Sun (eles-3529)

**Interactivities**
- Day, night and time zones (int-0006)
- Labelling the location of the Earth in different seasons (int-8061)

**Weblink**
- Solstices and equinoxes in Melbourne

## 6.3 The Moon

**eWorkbook**
- Features of the Moon (ewbk-3185)

**Practical investigation eLogbook**
- Investigation 6.4: Observing the Moon's surface from Earth (elog-0221)

**Video eLesson**
- The surface of the moon (eles-2224)

## 6.4 Phases of the Moon

**eWorkbooks**
- Labelling the phases of the Moon (ewbk-3187)
- The phases of the Moon (ewbk-3189)

**Practical investigation eLogbook**
- Investigation 6.5: Modelling the phases of the Moon (elog-0223)

**Video eLessons**
- Moon phases (eles-2225)
- Full moon (eles-2549)

**Interactivity**
- Labelling the phases of the Moon (int-8062)

## 6.5 Eclipses

**eWorkbooks**
- Labelling a total lunar eclipse (ewbk-3191)
- Labelling a partial lunar eclipse (ewbk-3193)
- Labelling a total and partial solar eclipse (ewbk-3195)
- Eclipses (ewbk-3197)

**Practical investigation eLogbooks**
- Investigation 6.6: Modelling solar and lunar eclipses (elog-0225)
- Investigation 6.7: Fuzzy shadows (elog-0227)

**Video eLessons**
- Lunar eclipses (eles-3531)
- Total solar eclipse (eles-3532)
- Partial solar eclipse (eles-2227)

**Interactivities**
- Labelling a total lunar eclipse (int-8063)
- Labelling a partial lunar eclipse (int-8064)
- Labelling a total and partial solar eclipse (int-8065)
- Eclipses (int-8230)

**Weblinks**
- Time and date of lunar eclipses in Australia
- Future solar eclipses in Australia
- The Earth's Moon

## 6.6 Tides

**eWorkbooks**
- Labelling high and low tides (ewbk-3199)
- Labelling spring and neap tides (ewbk-3201)
- Surf's up (ewbk-3203)

**Video eLesson**
- Time-lapse video of the Floating Torii Gate on Miyajima Island (eles-2226)

**Interactivities**
- Labelling high and low tides (int-8066)
- Labelling spring and neap tides (int-8067)
- Tides (int-0225)

**Weblink**
- Tide predictions in Australia

## 6.7 Explaining the night sky

**eWorkbook**
- Astronomical history (ewbk-3205)

**Video eLesson**
- The Copernican model (eles-2228)

## 6.9 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-3210)
- Topic review Level 2 (ewbk-3211)
- Topic review Level 3 (ewbk-3217)
- Study checklist (ewbk-3207)
- Literacy builder (ewbk-3208)
- Crossword (ewbk-3212)
- Word search (ewbk-3214)
- Reflection (ewbk-3038)

**Practical investigation eLogbook**
- Topic 6 Practical investigation eLogbook (elog-0214)

**Digital document**
- Key terms glossary (doc-34528)

To access these online resources, log on to www.jacplus.com.au.

# 7 Precious resources

## LEARNING SEQUENCE


7.1 Overview ..... 348
7.2 The Earth's mineral resources ..... 350
7.3 Fossil fuels ..... 356
7.4 Renewable energy ..... 364
7.5 Water in motion ..... 372
7.6 Water as a resource ..... 380
7.7 Soil as a resource ..... 386
7.8 Thinking Tools — Plus, Minus, Interesting charts ..... 396
7.9 Review ..... 398




# 7.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au. They will help you to learn the concepts covered in this topic.

## 7.1.1 Introduction

When people describe Australia as being rich in resources, they are talking about useful materials such as iron, copper, nickel, uranium, coal and a host of precious minerals. Gold and diamonds are examples of precious minerals found in Australia. All these resources are ingredients for items we use daily, as well as being sources of energy (fuel) needed to operate some of these items.

When it comes to the most precious resource of all — water — Australia is sadly lacking, as seen in the photo on the topic opener. Apart from Antarctica, Australia is the driest continent on Earth.

All resources take time to renew. Precious minerals, fuels and water must be used wisely to ensure that our future is sustainable and our resources are available for generations to come.

**FIGURE 7.1** Gold is a valuable resource; thus, when gold was discovered in the 1850s, Victoria's population grew dramatically.

### Resources

**Video eLesson** Panning for gold (eles-3261)

Many places in Australia are rich in resources such as gold. This gold is sometimes sitting as sediment in waterways which can be found through gold panning. Watch this video to see gold being found through this process.

## 7.1.2 Think about resources

1. Why does it matter if a resource is renewable or non-renewable?
2. How do geologists know where to mine for precious minerals?
3. How does coal form from a damp, green swamp?
4. What makes underground coal mining so dangerous?
5. How many homes can be powered by a single wind turbine?
6. Where is most of the world's fresh water?
7. How does global warming affect the water cycle?
8. What makes soil such a precious resource?

# 7.1.3 Science inquiry

## Renewable and non-renewable resources

**Renewable resources** are those that are not depleted (used up) when used, or are naturally replaced within a human lifetime. For example, solar energy is a renewable energy resource that can be used for heating water or generating electricity. It is never 'used up' because it is constantly replaced by the Sun. Oil is a **non-renewable resource** because it takes millions of years to be replaced.

**renewable resources** resources that are not depleted (used up) or are naturally replaced within a human lifetime

**non-renewable resources** resources that are depleted or are not naturally replaced within a human lifetime

1. Copy and complete the table deciding, for each natural resource, if it is renewable or non-renewable.

**TABLE** Determining if natural resources are renewable or non-renewable

| Natural resource | Renewable or non-renewable? | Reason for your decision |
|---|---|---|
| Coal | | |
| Diamonds | | |
| Hydro-electricity | | |
| Natural gas | | |
| Water | | |
| Wood | | |

2. The materials in the table are all made from natural resources. Copy and complete the table with your own knowledge, then fill in the gaps using your own research.

**TABLE** Comparing different materials made from natural resources

| Material | Natural resource from which it is made | Renewable or non-renewable? | Why is it useful? |
|---|---|---|---|
| Plastic | | | |
| Steel | | | |
| Nylon | | | |
| Wool | | | |
| Paper | | | |
| Glass | | | |
| Electrical wire | | | |

3. The demand for many metal resources is increasing around the world. This includes rising demand for iron ore, copper and nickel, and emerging metals like lithium.
   a. World demand for refined copper in 2018 was 24.4 million tonnes. That is enough copper to fill nearly one thousand Olympic-sized swimming pools. The estimated demand for 2030 is 30.3 million tonnes. Calculate how many more tonnes are required to meet the increased demand.
   b. Why do you think there is an increased demand for copper?
   c. i. Identify a resource problem that will accompany the increased demand for copper.
      ii. Suggest a solution to the above problem and create a brochure or poster to show this solution.

## on Resources

**eWorkbooks**
Topic 7 eWorkbook (ewbk-3391)
Student learning matrix (ewbk-3395)
Starter activity (ewbk-3393)

**Practical investigation eLogbook**
Topic 7 Practical investigation eLogbook (elog-0231)

**learnon**
Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions.

# 7.2 The Earth's mineral resources

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe why most of the Earth's mineral resources are considered non-renewable. You will also be able to explain the steps involved in removing metal resources from the Earth's crust.

## 7.2.1 Natural resources

When looking out a window during a storm, have you ever thought about where the glass protecting you might have come from? Most glass is made from liquid sand, a product of melting ordinary silica sand (like the sand you see on the beach) to a very high temperature of 1700°C.

The Earth provides a vast range of resources, like glass, that allow us to live healthily and to make things that we take for granted every day. Buildings, furniture, cars and plastics (including nylon and polyester found in your sports uniform) are all made from natural resources that are sourced from the Earth.

## 7.2.2 Metal resources in the Earth's crust

The Earth can be pictured like an apple with a layer of skin on the outside, flesh on the inside and a core at the centre. The thin surface layer of Earth is called the **crust** and is made mostly of solid rock.

The metals used in buildings, road vehicles, trams and trains, all electronic devices (such as a computer or smart phone) and countless other products are obtained from **minerals** found in the Earth's crust. Minerals are the individual, natural and solid crystals of matter that very slowly collect to form rocks, which can contain one or more types of mineral. Not all minerals are useful for humans, but when these minerals contain a metal, such as aluminium in bauxite, it can become a valuable **ore mineral**. Table 7.1 outlines some of these ore minerals and the metals they may contain.

The majority of mineral resources are non-renewable, because when they are mined and used they are not naturally replenished within a human lifetime. It can, in fact, take millions of years for many resources to be replaced in nature.

**TABLE 7.1** Some ore minerals commonly mined in Australia

| Ore mineral | Metal |
|---|---|
| Bauxite | Aluminium |
| Galena | Lead |
| Sphalerite | Zinc |
| Haematite | Iron |
| Pentlandite | Nickel |
| Chalcopyrite | Copper |
| Gold | Gold |

**crust** the outer layer of the Earth, including all landforms, rocks and soil

**minerals** natural solid substances that make up rocks

**ore mineral** a mineral from which a valuable metal can be removed for profit

### ACTIVITY: Understanding the Earth's crust

To get an idea of how thin the Earth's crust is, take a medium-sized apple and cut it in half. Now imagine that the apple is the Earth — the crust by comparison is as thin as the apple skin.

1. Measure the width of the apple skin compared to the width of the entire apple (at the widest part of the cut surface). What total percentage of the skin makes up the diameter of the apple?
2. With the crust representing such a small portion of the Earth, why are we limited to using the minerals found in the crust?
3. Draw a labelled diagram of how each feature of the apple can be compared to the Earth. You may need to research some of the parts of the Earth to help you do this.

**FIGURE 7.2** The Earth's crust is like the skin of an apple.



## 7.2.3 Finding ore minerals

Locating ore minerals is a bit like finding a needle in a haystack, because metals only make up a tiny portion of the entire Earth's crust. Scientists usually want to find areas where metals have gathered (concentrated), rather than finding small pieces of metal scattered across a large area.

The task of scientifically locating ore minerals usually occurs in steps.

1. High above the Earth, satellites with cameras and sensors look for features on the surface that provide clues to what lies beneath.
2. Planes and helicopters look for further clues by measuring gravity and magnetic changes across the surface. Some ore minerals, such as those that contain iron and nickel, can be found because they are magnetic.
3. Geologists walk and explore the surface, identifying and collecting rock and mineral samples.

**FIGURE 7.3** The last step in finding minerals is exploring the surface of the Earth to collect samples that give clues to what lies beneath.

### DISCUSSION

Geologists spend a lot of time looking for minerals without disturbing the environment. Why do you think they do this, rather than starting by digging up the Earth?

## 7.2.4 Mining ore

Once the ore has been found, the process of removing it from the ground is **mining**. The method used for mining depends on several factors, including:

- estimated amount (quantity) of ore
- how close the mineral ore is to the surface
- what type of rock lies above the mineral ore.

**mining** the process of removing mineral ore from the ground

**Open-cut mining** is a method of removing ore that is close to the surface. A large hole is made to expose the rocks containing the ore. Explosives are used to break up the rock and huge trucks are used to transport the broken pieces out of the open pit.

eles-2551

**FIGURE 7.4** The Super Pit in Kalgoorlie, Western Australia, is one of Australia's largest open-cut gold mines. In 2020 it was approximately 1.55 km across and 3.7 km long.

**open-cut mining** a method of mining mineral ores that are close to the surface — a large hole is made to expose the rocks, which are broken up using explosives

**underground mining** a method of mining mineral ores that are deep below the surface, using shafts and tunnels dug deep into the ground

**concentration** the process of making a substance purer by removing the inessential portion

**reduction** bringing an ore mineral into a metallic state by separating the non-metallic constituents

**purification** the removal of impurities from metals to produce a pure metal

**gangue** leftover waste rock and mineral material

**smelting** melting ore minerals as a process of reduction

If the ore is deep below the surface, **underground mining** is undertaken. Tunnels and vertical shafts are dug deep into the ground to reach the ore. The deepest underground mine is four kilometres down, where temperatures reach around 60 degrees Celsius. All mining is dangerous, but underground mining is more dangerous and expensive than open-cut mining.

Some reasons for this include:

- temperatures are higher and air quality is poorer, making it difficult to work
- tunnels can flood
- tunnels or shafts can collapse.

## 7.2.5 Extracting the metal

After the rock containing an ore mineral is removed from the ground the valuable part of it, the metal, is extracted. The method of extraction (or separation) varies from metal to metal, but most methods involve **concentration**, **reduction** and **purification**.

The processes that occur in these stages are as follows:

- **Stage 1:** *concentration of the ore mineral.*
  The useful rock taken from the ground is a mixture of wanted ore minerals and unwanted material. The unwanted material is called **gangue**, or more commonly,'waste'. To concentrate the ore minerals, the rock is physically crushed into smaller pieces and put through a series of tests that help to separate the ore mineral from the gangue. The gangue is generally placed into waste piles called mullock heaps or tailings (refer to figure 7.5a).
- **Stage 2:** *reduction of the ore mineral to the metal.*
  This involves a number of chemical reactions that separate the metallic portion from the non-metallic portions. The reduction process often involves **smelting**, in which the ore is melted (refer to figure 7.5b). The reduction of aluminium ore requires additional and expensive processes, which is one of the reasons why recycling aluminium cans is so important.
- **Stage 3:** *purification of the metal.*
  Most metals obtained from the reduction process still contain impurities. These are removed using various chemical processes to produce the pure metal.

eles-2236

**FIGURE 7.5 a.** Waste piles (mullock heaps) containing gangue **b.** Hot liquid iron being poured from a melting pot during smelting

## ACTIVITY: Traditional mining of ochre

Long before the big mining companies began exploring for and extracting minerals, Aboriginal and Torres Strait Islander peoples were extracting a type of mineral called ochre from the ground (ochre is a natural clay pigment). Investigate traditional ochre mining, and how ochre was used by Aboriginal and Torres Strait Islander peoples. Create a poster to summarise this information.

## SCIENCE AS A HUMAN ENDEAVOUR: The Victorian Gold Rush and identifying contaminants

Victoria was the heart of the Australian Gold Rush in the 1850s. The Gold Rush attracted people from around the globe, with many from Europe and China. The miners were known as 'diggers'.

The landscape dramatically changed during this time as diggers altered stream beds, removed trees, dug shafts and piled tailings. Today, there are thousands of abandoned former mine sites from the 1800s, including shafts and mullock heaps, as well as a few abandoned small open-cut mines. Many of these sites are protected for their important heritage; however, they also may raise environmental issues.

Mining during the Gold Rush was targeted towards extracting gold, but there were other minerals present in the waste rocks, which were left behind in mullock heaps on the surface. With no environmental rules in place, this waste material has been exposed to air and water for the last 150 years. Some of the minerals have chemically changed into dangerous contaminants such as arsenic. This can pose a public health risk.

Scientists such as agronomists and geochemists try to identify and evaluate the health risk by sampling soils and water around the abandoned mine sites. If contaminants are found there are several options, including:

- leave it and avoid using any sands or tailings from the site
- shift the contaminated material to a toxic waste dump
- put microorganisms into the polluted site, with the hope that they eat and break down the contaminants.

**FIGURE 7.6** Diggers' huts on the goldfields were basic bark huts.

**FIGURE 7.7** A scientist takes notes in the field and takes soil samples for testing.

Mining is an ongoing and economically important activity, and it will continue because we need the natural resources it extracts, such as the ore minerals. However, we clearly recognise that mining operations have a big environmental impact. The study and advancements in science mixed with improved government guidelines have helped us reduce this impact.

### DISCUSSION

What are some of the positive effects of mining? What are some of the negative effects of mining? Discuss whether you think the positives outweigh the negatives, or the negatives outweigh the positives.

How might decisions about mining have an impact on people in other places in Australia or around the world?

### on Resources

**eWorkbook** Mining and the environment (ewbk-3396)
**Video eLesson** Mining and Australia's environment (eles-0128)
**Weblinks** Australian minerals
Super mines: Australia's biggest mining projects
**assessON** Additional automatically marked question sets

## 7.2 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 5 | Questions<br>4, 7, 8, 11 | Questions<br>6, 9, 10 |

### Remember and understand

1. Outline why minerals in the Earth's crust are classified as non-renewable resources.
2. MC Which of the following statements about ore minerals is correct?
   - **A.** Valuable metals can be extracted for profit.
   - **B.** They are minerals from which liquid sand comes.
   - **C.** All rocks are made from them.
   - **D.** All of the above are correct.
3. Explain why underground mining is more dangerous than open-cut mining.
4. Complete the two-column table on extracting a metal from its ore.
   - **a.** In the first column, list the three stages involved in extracting a metal from its ore, with the first at the top and last at the bottom.
   - **b.** In the second column, describe the purpose of each stage.

**TABLE** The different stages in extracting metals from ore

| Stage | Purpose |
|---|---|
| | |
| | |
| | |

## Apply and analyse

5. Explain why exploration for mineral resources could be likened to ‘finding a needle in a haystack’.
6. SIS A geologist has been hired to find a new iron ore mine site. Their procedure of exploration was that they:
   - i. used satellite images to circle potential areas, identified by red/dark coloured soils
   - ii. walked around the area collecting samples for analysis
   - iii. used a plane equipped with a magnetometer to identify areas with higher magnetism
   - iv. overlapped the results from steps ii. and iii. to find common ground with positive data and propose the new mine site for drilling.

   a. Identify an error they made in their procedure.
   b. Identify two proper applications in their exploration.
7. Identify three advantages and three disadvantages of open-cut mining.

**TABLE** Advantages and disadvantages of open-cut mining

| Advantages | Disadvantages |
|---|---|
| | |
| | |
| | |

8. SIS Suggest why the temperature in underground mining tunnels would be greater than the temperature on the ground surface.

## Evaluate and create

9. SIS You are given a chocolate chip cookie, but you only want the chocolate chips. How could you extract the chocolate chips? Relate your process to one or more of the three metal extracting stages.
10. Ore minerals are not the only valuable mineral resource extracted from the Earth’s crust; the others are called industrial minerals. An example of an industrial mineral is kaolin (a type of clay), which is used for ceramics and paints. Research the minerals in the table shown and determine whether they are an ore mineral or an industrial mineral.

**TABLE** Examples of ore and industrial minerals

| Mineral/resource | Ore mineral (metal) | Industrial mineral (non-metal) |
|---|---|---|
| a. Kaolin | | |
| b. Haematite | | |
| c. Bauxite | | |
| d. Diamonds | | |
| e. Mineral sands | | |
| f. Uranium | | |
| g. Calcite | | |

11. Research which primary ore mineral and metal are mined at each of these Australian mine locations. List each in the table and label these locations at the numbers on the map provided.

**TABLE** Primary ore minerals and metals mined at different Australian mine locations

| Australian mine location | Ore mineral | Metal |
|---|---|---|
| Fosterville, Victoria | | |
| Gove, Northern Territory | | |
| Broken Hill, New South Wales | | |
| Kambalda, Western Australia | | |
| Pilbara region, Western Australia | | |
| Olympic Dam, South Australia | | |

**Fully worked solutions and sample responses are available in your digital formats.**

# 7.3 Fossil fuels

## LEARNING INTENTION

At the end of this subtopic you will be able to describe how fossils fuels are formed, what they are used for and the global impacts of their use.

## 7.3.1 What are fossil fuels?

Among the natural resources below the Earth's surface is a reserve of energy in the form of **fossil fuels**. The energy stored in fossil fuels originally came from the Sun, captured by once-living ancient plants and animals. These plants and animals died, and their remains were buried under layers of the Earth's crust that have built up over tens or hundreds of millions of years.

**fossil fuels** substances that are formed from the remains of ancient organisms and are often burnt as fuels to produce heat

Fossil fuels have a high energy density. When we burn fossil fuels — coal, oil and natural gas — the stored energy is converted to other forms of energy, including heat, movement and light. In the same way that we burn wood to release energy that trees capture from the Sun, we burn fossil fuels to release the captured energy of these ancient plants and animals.

## 7.3.2 How coal is formed

Coal is formed from the remains of ancient plants that grew in swamps. Millions of years ago — even before the peak of dinosaurs — much of the land on Earth was covered with warm, humid forests and swamps. There are four key stages in the process of forming coal from ancient swamps.

### Stage 1: Plant matter to peat

Trees and plants die and are buried by layers of other dead plants before they can decompose (rot). Over hundreds to thousands of years, more layers of material builds up. The older layers at the bottom are compressed under the weight of younger layers on top. The compression drives some of the moisture out of the material — like squeezing water out of a sponge. This lightly compacted plant matter is known as **peat**. The shapes of leaf and wood are still visible in peat.

### Stage 2: Formation of sedimentary rocks

Over time, areas were flooded by rivers or rising sea levels, which covered the peat with sediments of gravel, sand or mud. Over millions of years, the peat continued to be buried by sediments.

### Stage 3: Production of brown coal

When buried deep enough, the compression from the overlying materials and heat from the Earth push out more moisture, concentrating the plant matter. This forms **brown coal** (lignite), which only has some plant fossils still visible.

### Stage 4: Concentration into black coal

With even more time, compression and heat, nearly all moisture is removed, concentrating the plant matter into harder **black coal** (bituminous and anthracite). Anthracite is the most condensed form of black coal. At this stage the fossils are no longer visible.

**peat** partially decomposed plant matter, lightly buried and compressed over a thousand years

**brown coal** a form of coal formed from peat compressed over millions of years, also known as lignite

**black coal** a harder, drier from of coal than brown coal, formed from peat compressed over millions of years

ewbk-3398

int-8071

**FIGURE 7.8** The process of coal formation



## Using coal as a fuel

The concentrated plant remains of either brown or black coal can be burnt as fuel. Black coal provides more energy than the same amount of brown coal, mainly because it contains less water. In some countries, peat is used as a fuel. However, it must be dried first. In Ireland, where there is very little coal or oil, peat is used to generate electricity.

The majority of Australia's brown coal mines are in Victoria, with major reserves found in the Latrobe Valley. The location of these mines (alongside the black coal mines) can be seen in figure 7.9. In 2017, one of the largest brown coal stations (Hazelwood near Morwell) was closed, and the local open-cut mine is undergoing rehabilitation (being returned to a more natural state). The closure of more coal stations and mines will likely follow as we try to move towards 'cleaner' energy. In fact, Australia's coal consumption has dropped 21 per cent since 2009.

ewbk-3400
int-8072

**FIGURE 7.9** Location of Australian brown and black coal mines

### DISCUSSION

Almost one-quarter of the crust that makes up the Australian continent contains coal of one type or another. Australia has approximately 5 per cent of the world's known reserves of black coal and approximately 23 per cent of the world's recoverable reserves of brown coal. More than three-quarters of the black coal mined in Australia is exported to other countries.

Why do you think Australia exports so much of its coal?

What positive or negative effects might result from Australia exporting so much of its coal?

## 7.3.3 Oil and natural gas

Oil and **natural gas** have formed from the remains of ancient tiny animals and plants that lived in shallow seas.

**FIGURE 7.10** Summarising the process of natural gas and oil production




The process of forming oil and natural gas involves four key stages.

### Stage 1: The death of tiny organisms

Millions of years ago, tiny organisms died and sank to the sea-floor, where they were buried by sediments. As these animal and plant remains slowly decomposed, they were compressed by the water and new layers of sediment that formed above them. The decomposition and burial caused chemical reactions that gradually changed the remains into a waxy substance called **kerogen** and a black tar (bitumen).

### Stage 2: Hydrocarbon conversion

The death and burial of more organisms adds more compression over time. This compression and the heat from the Earth convert kerogen into the hydrocarbons we call crude oil. If temperatures become even hotter, the kerogen becomes the smaller hydrocarbons we call natural gas. If the temperature gets too hot, the kerogen is destroyed.

### Stage 3: Migration

The hot oil and gas are less dense than the rocks around them, this encourages them to move upwards through the overlying layers of sedimentary rocks. Sediments and rocks that allow fluids and gas to move through them (or migrate) are described as **porous**, as the spaces in between sediments (pores) link together, like hallways in a building.

### Stage 4: Trapped

The upward moving oil and gas can be trapped by a non-porous rock layer above, which do not allow them to move through. The best locations for oil and gas to concentrate is where the rock layers have bent or cracked, generally the gas pools above the oil.

The trapped oil and/or gas is taken from beneath the Earth's surface by the pumping of an oil rig, and then transported to oil refineries and converted into a number of different products, including gas, diesel fuel, petrol and petrochemicals. We use

**natural gas** a fossil fuel consisting of mainly methane

**kerogen** the solid organic material found in some rocks that produces hydrocarbons when heated

**porous** having many pores or other small spaces that can hold a gas or liquid or allow it to pass through

these products for many purposes: to operate cars, trains and machinery, heat buildings, cook food, make plastics and create fibres that we weave into polyester and nylon fabrics. They are even used in cosmetics.

### Using natural gas and oil in Australia

Australia's biggest oil and natural gas reserves lie under the seabed in the Bass Strait off the coast of Victoria and on the North West Shelf off Western Australia. The use of oil and natural gas currently supplies 64 per cent of Australia's energy.

ewbk-3402
int-8073

**FIGURE 7.11** Australia's oil and gas reserves

## 7.3.4 The impact of using fossil fuels

Fossil fuels are hundreds of millions of years old, but in the last 200 years consumption has increased rapidly, leaving fossil fuel reserves depleted (much lower). When will they run out? No one really knows the absolute answer to that, because advancing science and technology has allowed us to continue accessing more reserves.

> Fossil fuels are non-renewable resources. To say that they are being used up more quickly than they are replaced is an understatement.

There will be a point when all reserves are gone, especially with ever increasing populations and demand. This a problem to consider as well as another important question, 'What are the environmental impacts of using fossil fuels?'.

## SCIENCE AS A HUMAN ENDEAVOUR: Global impact

The use of fossil fuels has changed and advanced the way we live our lives, but at what cost? There are unfortunately several environmental downsides to the use of fossil fuels.

The four main negative effects fossil fuels have on the environment are:

1. *Air pollution.* The burning of fossil fuels releases carbon dioxide, methane and other harmful gases into the atmosphere. Some of these gases contribute to climate change and global warming.
2. *Water demands.* Most fossil fuels use conventional steam technologies to generate electricity. Steam plants require large amounts of water for both the creation of steam and cooling. This demand can negatively impact local water resources and aquatic habitats.
3. *Habitat destruction.* A vast amount of land has been disturbed to provide space for mining, drilling wells, pipelines, and processing facilities.
4. *Ocean pollution.* The pollution of the coastline is often blamed on oil from offshore oil rigs, oil spills and natural seepages. In oil rigs, oil companies drill through layers of undersea rock to tap oil reserves. However, most pollution comes from the oil and oil products that are dumped down our drains.

**FIGURE 7.12** The four main negative effects of fossil fuels on the environment




Most developed nations, including Australia, have encouraged the use of more renewable energy resources such as solar and wind energy. However, fossil fuels are used for more than just producing energy. Plastics and many other products include fossil fuels in their recipes. Scientists and engineers will have to come up with environmentally friendly replacements for all those products if society chooses to reduce its current reliance on fossil fuels.

## DISCUSSION

Giving up fossil fuels entirely won't be easy, at least in the near future, because they supply about 85 per cent of the world's total primary energy. Imagine a world in which mining fossil fuels was banned. What are the top ten everyday 'necessities' and luxuries we rely on that you would miss if the world's supply of fossil fuels ran out? Think about objects (e.g. plastic bottles) and processes (e.g. electricity production) that would be affected.

For the objects you listed, can you think of renewable resources that would be able to replace them?

### Resources

**eWorkbook** Reviewing fossil fuels (ewbk-3404)

**Weblink** Australian Energy Resources Assessment

**assessON** Additional automatically marked question sets

## 7.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4, 7, 9 | Questions<br>3, 5, 8, 10, 12, 13 | Questions<br>6, 11, 14, 15 |

### Remember and understand

1. From where does the energy stored in fossil fuels come?
2. When fossil fuels are burned, the stored energy is converted to which three forms of energy?
3. MC Apart from its colour, how is black coal different from brown coal (select two answers)?
   - A. Contains more moisture
   - B. Contains more carbon dioxide
   - C. Harder
   - D. Drier
4. MC Why is peat generally not used as a fuel in most countries of the world?
   - A. Because it is harder to find
   - B. Because it is too heavy
   - C. Because it has to be dried first
   - D. Because it produces greenhouse gases
5. Peat and the varieties of coal can all be burned as an energy source; however, they are not all equal in the amount of energy released for the same volume of material.
   Order these fuels from the one that provides the most energy to the least:
   peat, anthracite black coal, brown coal, bituminous black coal
6. How do oil and natural gas get trapped underground?
7. MC Where are Australia's biggest oil and natural gas reserves (select two answers)?
   - A. North West Shelf of Western Australia
   - B. Coral Sea, east of Cairns
   - C. Darwin Harbour
   - D. Bass Strait off the coast of Victoria
8. MC When we burn fossil fuels — coal, oil and natural gas — the stored energy is converted to other forms of energy, including heat, movement and light. Which of these is also produced?

A. Carbon dioxide
B. Methane
C. Water vapour
D. All of the above

## Apply and analyse

9. Apart from the threat of the supply running out, describe two other major downsides to the use of fossil fuels.
10. SIS Black coal is sometimes mined underground but brown coal is not, even though there are reserves that could be mined in that way. Suggest why underground mining of brown coal is avoided.
11. Explain why it is correct to describe fossil fuels as 'stored solar energy'.
12. MC Brown coal is used to generate electricity in Victoria rather than black coal, even though brown coal contains more moisture. Review figure 7.9 to identify the pattern to coal mines and suggest why that is the case for Victoria.
    A. Victoria contains large deposits of brown coal.
    B. Victoria does not have factories that can break down black coal.
    C. Black coal pollutes the air more.
    D. Brown coal is easier to use.
13. Complete the paragraph to explain why increasing temperature will change crude oil hydrocarbons into natural gas, and can eventually destroy all hydrocarbons if it gets too hot. Fill in the gaps with words from the word bank.
    **Word bank:** smaller, larger, more, less, increases, decreases
    Natural gas is a _____ hydrocarbon, that results from the break-down of _____ crude oil hydrocarbons. This break-down occurs when temperature increases, forcing the hydrocarbon structure to vibrate _____. If it gets too hot, the hydrocarbons can break apart completely.

## Evaluate and create

14. SIS You are a scientist working for an oil company and your team has found a rock layer super-rich in natural gas. Unfortunately, the rock properties have not allowed the gas to migrate and concentrate.
    a. Suggest ideas about how to solve this problem.
    b. Are there any downsides to your solution?
15. SIS The table shown lists each Australian state in order of energy consumption share (percentage) for the 2017–18 financial year and their population share as of June 2018.
    a. With the given data, create a chart to help you evaluate the relationship between energy consumption and population size.
    b. Observe the data and describe the relationship.
    c. Suggest a hypothesis as to why the relationship may, or may not, be perfect.

**TABLE** The differences in energy consumption across various states and territories in Australia

| Australian state | Energy consumption share (2017–2018)* (%) | Population share (June 2018) (%) |
|---|---|---|
| NSW and ACT | 25.2 | 33.7 |
| QLD | 24.9 | 20.1 |
| VIC | 21.6 | 25.8 |
| WA | 19.5 | 10.4 |
| SA | 5.5 | 6.9 |
| TAS | 1.8 | 2.1 |
| NT | 1.5 | 1.0 |
| | Total: 100% | Total: 100% |

*Department of the Environment and Energy (2019), Australian Energy Update 2019, Australian Energy Statistics, September, Canberra

**Fully worked solutions and sample responses are available in your digital formats.**

# 7.4 Renewable energy

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the different types of renewable energy and their positive and negative features.

## 7.4.1 Reducing our fossil fuel use

About 85 per cent of the world's total energy needs are supplied by fossil fuels. This 'total energy' includes fuel used for transportation and heating as well as generating electricity.

When it comes to just generating electricity in Australia, in 2017–18, the main sources of production were:

- 60 per cent coal
- 21 per cent gas
- 17 per cent renewable sources (with approximately 6 per cent hydro, 6 per cent wind, 4 per cent solar).

In the past few years, the percentage of electricity supplied by renewable sources has increased, and was up to 24 per cent at the end of 2019. The increase reflects the effort to reach a federal government's target of 20 per cent renewable energy by the year 2020. As this target has been reached, it has now been increased further, and each year, the use of renewable sources is on the rise.

Remember: renewable sources are those that are not depleted when used or are naturally replenished within a human lifetime.

Australia's energy needs are still largely met by fossil fuels, where most power stations rely on coal and steam to drive **turbines** used to generate electricity. Coal is still used because of its abundance and low-cost. The problems caused by using a coal, including pollution and climate change, give us no choice but to look for alternative sources of energy.

Governments, industry and power companies all have a responsibility to seek renewable alternatives. Even you and your parents/guardians, as consumers, have a responsibility to make sensible choices about your energy use.

**on Resources**

**Weblink** Clean Energy Australia Report

## 7.4.2 Renewable energy options

### Solar energy

High solar radiation levels over large areas provide Australia with some of the best solar resource opportunities in the world and make it one of the fastest growing alternative sources for home energy. **Solar energy** is renewable because the Sun rises every day, providing continuous sunlight.

Solar energy uses many photovoltaic cells placed on solar panels to absorb sunlight and use the light energy to create an electrical current that can be used immediately or stored in rechargeable batteries. The photovoltaic cells can also be used to power domestic hot water systems.

**turbine** wheels that, when turned, drive electrical generators

**solar energy** the solar radiation emitted from the Sun as sunlight, which can be captured and converted into electricity by photovoltaic cells

Solar panels can be installed onto individual house roofs to help reduce energy costs, or set up in large grids called solar 'farms'. Relatively high costs, panel sizes and power fluctuations have limited the use of solar energy resources, but recent and significant investments in research and development are helping to increase the efficiency and cost-effectiveness of solar power.

Solar thermal power stations use curved mirrors that reflect sunlight onto tubes filled with oil. The hot oil is used to heat water to form steam, which drives the turbines that generate electricity.

**FIGURE 7.13** Many buildings in Australia now have panels of photovoltaic cells on the roof to generate electricity.

### EXTENSION

The Victorian government hopes to meet a goal of supplying 40 per cent of the state's electricity from renewables by 2025. To help, they have built several large solar farms already and in 2019 announced the building of three more. The three new farms will be equipped with more than 650 000 solar panels, which will be expected to power around 80 000 homes.

**on Resources**

**Video eLessons** A photovoltaic solar cell (eles-2238)
A solar hotwater panel (eles-2237)

## Wind energy

Wind 'farms' dotted with wind turbines can be found in many countries throughout the world, including Australia. **Wind energy** is renewable because wind is continually created by the uneven heating of the Earth and its oceans by energy from the Sun. Wind is continuous, but the strength of wind can fluctuate, and some locations are known for having more consistently strong winds — the coastline, for example.

**FIGURE 7.14** Wind farms are an important way to provide energy in Australia.

Wind energy technology is relatively old, with the first windmills used almost 2000 years ago. Today's wind turbines use the wind to turn propeller-like blades around a rotor, which spins a generator, creating electricity.

The size of a wind turbine determines its energy potential — the bigger the turbine, the more energy it can produce. Most land-based wind 'farms' in Australia display turbines that are 110 metres in height to a horizontal rotor with three blades around 70 metres long — a blade upright would be the height of a 20-story building. A single wind turbine of this size can provide enough energy to supply more than 2000 average homes with the electricity they need.

Wind power is expanding rapidly and as of 2020 is Australia's largest source of renewable energy, just ahead of hydro electricity.

**on Resources**

**Video eLesson** Wind turbines (eles-2247)

**wind energy** a renewable energy derived from the wind (caused by uneven heating of the Earth and its oceans by the Sun)

## Biomass

Bioenergy is another potential renewable energy resource in Australia. **Biomass** is renewable because it is produced from the remains or waste of modern living things.

Dead and rotting plant and animal tissue, as well as animal waste, can release gases such as methane, methanol and oils. These biomasses can be used as fuels to drive small turbine electricity generators. Biomass works like fossil fuels, but they burn cleaner and result in less air pollution.

In Europe, biogas produces approximately 6 per cent of the renewable energy electricity generation. Currently, Australia's use of biomass is small and limited to bagasse (sugar cane residue), wood waste, and gas from landfill and sewage facilities.

**FIGURE 7.15** A biogas plant at a pig farm in the Czech Republic producing renewable energy from biomass.

## Ocean waves

Ocean waves are both clean and renewable sources of energy with a tremendous worldwide potential of generating electricity. **Ocean wave energy** is renewable because waves are common, produced by the effect of the wind blowing over the ocean surface.

The up and down movement of the waves is used to drive motors on floating devices that generate electricity.

Britain and Portugal are currently the leading nations when it comes to ocean wave energy conversion. A wave 'farm' has been built and operating in Portugal since 2008. Australia has a world-class wave energy resource along its western and southern coastline, especially in Tasmania. However, at present most ocean energy technologies are relatively new and are therefore very expensive and still need to be proven in pilot and demonstration plants.

**FIGURE 7.16** Part of a wave-powered electricity generator on the shore. Notice the fins inside the turbines that are caught by the waves.

## Tidal energy

Tides are caused by the gravitational pull of the Moon and the Sun, with two high tides and two low tides occurring every 24 hours and 50 minutes, so **tidal energy** is renewable.

**biomass** material produced by living organisms

**ocean wave energy** a renewable energy created by converting the mechanical energy of ocean waves to electrical energy

**tidal energy** a renewable energy that can be harvested from the tides in the ocean

Reversible turbines are placed at the entrance to a coastal bay in areas with extremely high and low tides. As water flows into and out of the bay during high and low tides, tidal currents are created. These currents can be strong enough to drive turbines that generate electricity. The large density of water, almost 1000 times greater than air, results in the generation of large amounts of energy, even if the water flow is low.

Tidal power is still in the development stage, as such the technology is experimental and expensive, but there are several power stations worldwide being used for research and experimental studies. When tidal energy is better advanced and its impacts are evaluated, the best tidal resources in Australia are located along the northern margin, especially the northwest coast of Western Australia.

**FIGURE 7.17** Turbines harness the tidal currents of the ocean to create electricity.

## Geothermal energy

Temperature increases as you get deeper into the Earth because the Earth is full of heat and will continue to be for a very long time. This heat is the source of renewable **geothermal energy**.

Geothermal energy can be captured through geothermal power plants or geothermal heat pumps.

- The power plants pump hot high-pressured water from deep underground (reservoirs), which turns to steam at the surface. This steam spins a turbine connected to a generator, producing electricity. To keep the system balanced, the stream is cooled off and the water is pumped back into the Earth to begin the process again.
- Geothermal heat pumps operate at a smaller scale than the power plants as it taps into heat close to the surface to heat water or provide heat for a building.

**geothermal energy** heat transferred from rocks below the Earth's surface

Geothermal energy has been used for thousands of years in some countries for cooking and heating. Setting up geothermal energy plants can be very expensive initially because of the cost of drilling deep enough to get to the hot reservoirs. Some places such as New Zealand and Iceland are fortunate to have higher temperatures closer to the surface, and thus utilise geothermal energy much more, compared to Australia. Other countries that have found locations to use geothermal energy include the United States and Japan.

Geothermal energy is a 'hot' topic in Australia, with significant 'hot rocks' identified and several companies in advanced stages of exploration.

**FIGURE 7.18** The water from the Svartsengi geothermal power plant in Iceland (in the background of the image) generates electricity, but the water used for energy production is also pumped through Reykjavik's city heating system and into the nearby Blue Lagoon Spa Resort.

## DISCUSSION

The amount of energy potential from renewable energy sources such as solar, wind, waves and tides is dependent on the time of day or weather. One of the benefits of geothermal energy is consistency of energy supply, as the heat will always be there. What other advantages might there be of using geothermal energy?

Thinking about how it works as well as looking at the images in figures 7.13–7.18, what are some disadvantages to geothermal energy?

### Hydroelectricity

In 2017–2018, just over 6 per cent of Australia's electricity was generated by **hydroelectric** power plants. This is a renewable energy source because it uses the ever-moving water cycle, driven by solar energy and gravity. Heat from the Sun evaporates water from the oceans. Clouds are formed and it eventually rains. Water then flows over the surface as rivers, trying to make its way back to the ocean.

**FIGURE 7.19** In a hydroelectric power station the turbines are driven by water falling through pipes from a high dam.

Hydroelectric plants are generally associated with high dams along rivers, which concentrates water behind the dam into a reservoir. Water from the reservoir is released into steep pipes, where falling water rotates turbines and generates electricity.

Hydroelectric energy resources were developed early in Australia and are currently the largest source of renewable electricity. The hydroelectric plants are located within areas of highest rainfall and elevation and are mostly in New South Wales and Tasmania. A dry climate coupled with high evaporation rates and highly variable rainfall over much of Australia limits substantial expansion of hydro power. Droughts and bushfires can reduce the energy potential.

## 7.4.3 Nuclear energy

Nuclear power stations use energy released from the radioactive metals of uranium or plutonium to boil water and produce steam to drive turbines. **Nuclear energy** is technically a non-renewable energy source because it comes from a mineral.

**hydroelectric power** produced by the energy of falling water

**nuclear energy** the energy stored at the centre of atoms, the tiny particles that make up all substances

There are positive and negative features of using nuclear energy.

**TABLE 7.2** The effects of using nuclear energy

| Positive | Negative |
|---|---|
| stable and consistent amount of energy | radioactive waste |
| higher energy density | risks of accidents |
| less air pollution produced | |

Most of the world's nuclear power plants can be found in the United States, Europe, Japan and Canada. Australia exports large volumes of uranium oxide, which is enriched overseas for use in nuclear power plants. In 2018, Australia supplied 11 per cent of the world's uranium and is one of the world's largest exporters.

## DISCUSSION

In 1986, in Chernobyl, Ukraine, radiation from a nuclear power plant accident resulted in the death of somewhere between 15 000 and 30 000 people. Many people who argue against nuclear power use nuclear accidents like Chernobyl as evidence for how dangerous its production can be.

Another nuclear disaster occured at the Fukushima Daini nuclear power plant in Japan in 2011, caused by an earthquake and a tsunami that soon followed. Due to flooding of parts of the plant and damage to equipment, multiple nuclear meltdowns occurred and radioactive material being released. This led to the evacuation of over 100 000 nearby residents.

How common are such accidents? Do you think the benefits outweigh the risks? Would you be happy living in an area that was near a nuclear power plant?

**FIGURE 7.20** The entire city of Pripyat in Ukraine near the Chernobyl power station had to be abandoned after the nuclear accident.

## on Resources

**eWorkbook** Types of renewable resources (ewbk-3406)

**assess on** Additional automatically marked question sets

# 7.4 Exercise

learn on

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 8 | Questions<br>5, 6, 9, 10 | Questions<br>4, 7, 11 |

### Remember and understand

1. What percentage of Australia's energy was aimed to be supplied by renewable energy sources by 2020?
2. MC Which two of the following are ways of protecting the Earth's supply of non-renewable energy resources?
   - A. Using less coal
   - B. Reducing use of solar power
   - C. Increasing use of renewable energy
   - D. Banning wind farms
3. Outline why geothermal energy is classified as renewable.
4. Describe two ways in which solar energy can be used to generate electricity.
5. Of the following, identify which two non-renewable fuels are not fossil fuels: wind energy, uranium, plutonium, geothermal energy and coal.

## Apply and analyse

6. SIS This graph displays the shares (per cent) of global energy consumption by fuel type.




   a. MC Which option best describes the pattern of oil consumption for the last 30 years?
      A. Decreasing overall
      B. Increasing overall
      C. Unchanging
      D. Less than renewables
   b. MC Which option best describes the pattern of consumption for coal over the last 30 years?
      A. Decreasing overall
      B. Increasing overall
      C. Unchanging
      D. Less than renewables
   c. MC Which span of years saw the greatest increase in renewable energies?
      A. 1985–1987
      B. 1989–1992
      C. 1997–1999
      D. 2015–2017
   d. MC Which non-renewable energy resources dropped the most to compensate the rise in renewable energy?
      A. Nuclear
      B. Coal
      C. Hydroelectricity
      D. Natural gas
   e. What do you predict the future lines for the next ten years will look?
7. The turbines in coal-fired and hydroelectric power stations rotate in only one direction. Explain why the turbines in tidal power stations rotate in two directions.
8. Nuclear energy is a non-renewable energy source.
   a. Why is it classified as non-renewable?
   b. Is nuclear energy a fossil fuel? Give a reason for your answer.

## Evaluate and create

9. SIS Each of the renewable energy options for generating electricity solves some of the problems caused by burning fossil fuels. However, each of them also has disadvantages or limitations. Describe at least one disadvantage for each of the renewable energy options.

**TABLE** Disadvantages of different renewable energy souces

| Renewable energy source | Disadvantage(s) |
|---|---|
| a. Solar | |
| b. Wind | |
| c. Biomass | |
| d. Ocean waves | |
| e. Tidal | |
| f. Geothermal | |
| g. Hydroelectricity | |

**10.** SIS Identify where on this map you would place a wind farm and explain your reasons for not selecting the other locations.




**11.** SIS At present, to provide all of an average home's electrical needs with solar energy, 28–35 solar panels would be required.

**a.** Suggest why there is a range in the number of required solar panels.

**b.** Can a medium sized house with a roof area of 150 square metres fit 35 standard residential panels (approximately 164 cm by 99 cm with 60 cells) on its roof?

**c.** What might stop people from using solar energy to supply 100 per cent of their electrical needs?

**Fully worked solutions and sample responses are available in your digital formats.**

# 7.5 Water in motion

## LEARNING INTENTION

At the end of this subtopic you will be able to describe how water changes and moves in the water cycle, and how it relates to changing weather and climate conditions.

## 7.5.1 The water cycle

Water is essential for life on Earth. It is therefore our most precious resource. There is certainly plenty of water on the planet — almost 70 per cent of the Earth's surface is covered with water. But almost all of it is salt water in the oceans. The rest is found in glaciers, ice caps, groundwater, rivers, lakes, and in the air. Water is constantly moving and changing states, in the **water cycle**.

**water cycle** the constant circulation of water on Earth, as it evaporates from the sea, condenses into clouds and precipitates back to the sea

ewbk-3408
int-8074
eles-0062

**FIGURE 7.21** Water constantly moves and changes state in the water cycle.




### THE STEPS IN THE WATER CYCLE

1. Heat from the Sun can make water (liquid) from the oceans, rivers or lakes evaporate to form invisible water vapour (gas) in the air in a process known as **evaporation**.
2. Water vapour rises with warm air. Away from the Earth's surface, the air cools down and begins turning into a liquid in a process known as **condensation**.
3. When the water vapour becomes cold enough, it forms clouds.
4. The clouds are visible and move along with the air moving around them.
5. When water condenses into larger and heavier droplets, they can fall to the ground as rain, snow or hail, in a process called **precipitation**.
6. Rainwater falls back into the ocean or on land, where it flows as rivers and streams (run-off), eventually reaching back to the ocean.

**evaporation** to turn from liquid to vapour (a state that is a mixture of both gas and liquid) or gas

**condensation** to turn vapour or gas to a liquid

**precipitation** rain, snow, sleet, or hail that falls to the ground

7. The run-off water can also soak into the surface soils to feed plant roots where plants will transpire (exhale) water vapour, in a process called **transpiration**.
8. **Infiltration** may occur, in which water can filter through soil and rocks to form underground water.

The process repeats.

**transpiration** the exhalation of water vapour by a plant

**infiltration** the seeping of a liquid through soil and rocks by filtrations to form underground water

## DISCUSSION

- Is the diagram and description of the water cycle in figure 7.21 missing any components?
- How does snow and hail fit into the cycle?
- Other than rainwater run-off and transpiration, what else might happen to rain?

## Clouds

Clouds are an important aspect of the water cycle. These clouds come in different sizes and are positioned at different locations in the sky (see figure 7.22). Many clouds form as part of the water cycle, when water from the Earth evaporates. Other clouds are formed due the movement of the wind.

By observing clouds in the sky, different weather patterns can be predicted, such as when and where precipitation is likely to occur.

**FIGURE 7.22** Different clouds that can be observed in the sky



elog-0232

## INVESTIGATION 7.1

### Forming clouds

#### Aim

**To model the formation of clouds**



#### Materials

- 250 mL beaker
- ice cubes
- watchglass
- safety glasses
- heatproof mat
- Bunsen burner and matches
- tripod and gauze mat

#### Method

1. Half-fill a beaker with water and heat it until the water is boiling.
2. Stop heating and cover the beaker carefully with a watchglass.
3. Observe the bottom of the watchglass.
4. Remove the watchglass and heat the water again until it boils.
5. Stop heating and turn off the gas supply. Quickly but carefully, cover the beaker with a watchglass containing ice cubes.
6. Observe the area under the watchglass.

#### Results

1. Describe what happened to the bottom of the watchglass when you first covered the boiled water (step 3).
2. Describe what happened in the beaker just below the watchglass containing ice cubes (step 4).

#### Discussion

1. What changes of state has taken place?
2. Explain how this investigation allowed you to model cloud formation.

#### Conclusion

Make a conclusion statement about the role of temperature in the change of state.

elog-0234

## INVESTIGATION 7.2

### Observing clouds

#### Aim

**To investigate the links between clouds and rain, hail and snow**

#### Materials

None (just the opportunity to observe weather and clouds over a set time period)

#### Method

1. Before commencing your observations, design a table for your results in which you can record your observations of the amount of cloud cover, the type of cloud and the weather over the time period.
2. Observe the same fraction of the sky covered by cloud (if any) for five consecutive days. Make your observations at the same time each day.
3. Describe and record the type of cloud and the amount of cover in your table.
4. Record whether there was any drizzle, rain, hail or snow during the hour after your observations were made.

#### Results

Fill in your observations in your table.

### Discussion

1. Is there a relationship between the type of cloud and the precipitation (none, drizzle, rain, hail or snow)? Explain your response using your observations in this investigation.
2. Is there a relationship between the amount of cloud cover and the precipitation (none, drizzle, rain, hail or snow)? Explain your answer.

### Conclusion

Make a conclusion statement summarising your findings about the link between clouds, rain, hail and snow.

## on Resources

**eWorkbooks** The water cycle (ewbk-3410)
Clouds (ewbk-3412)

## 7.5.2 Global climate change

During daylight hours, heat from the Sun enters the atmosphere and warms up the Earth's surface. At night, heat from the surface escapes through the atmosphere. Some of the gases in the atmosphere, including carbon dioxide, methane, nitrous oxide, and water vapour, trap some of the heat. These gases are referred to as greenhouse gases and the trapping of heat is called the **greenhouse effect**.

**greenhouse effect** a natural effect of the Earth's atmosphere trapping heat

Greenhouse gases act like a blanket around the Earth. The more greenhouse gases there are, the thicker the blanket will be. A thicker blanket will keep the Earth warmer, changing the global climate.

ewbk-3414
int-8075

**FIGURE 7.23** How the greenhouse effect works



Without a natural greenhouse effect, the Earth would be too cold to sustain life as we know it. If there is too much, the Earth would be too hot. Here on Earth, we seem to be just right because water, rocks, plants and animals are working together to help keep the greenhouse gases in balance. For example:

1. When it rains, the water droplets can absorb gases, like carbon, from the atmosphere which ultimately adds them to the ocean.
2. In the ocean, rocks like limestone form and trap the carbon. The carbon can be released when the rock breaks down.
3. Plants take in carbon dioxide from the atmosphere to help them make their own food. In so doing they produce and release oxygen.
4. Animals breathe in oxygen and breathe out carbon dioxide.

All the parts of Earth play a part in keeping a balance, and for a very long time the amount of carbon dioxide and oxygen in the atmosphere has been relatively constant. However, over the past 200 years the amount of carbon dioxide and some other greenhouse gases have increased. As a result, the Earth's average temperature is changing and introducing global climate change.

Climate is the average temperature and amount of precipitation over a long period of time.

**TABLE 7.3** Two of the main contributors to increasing greenhouse gases

| Burning of fossil fuels for electricity, heat, industrial use, and transportation | Agriculture (cultivation of crops and livestock) and deforestation |
|---|---|
| | |
| Each year the world's population adds over 30 billion tonnes of carbon dioxide to the atmosphere by burning fossil fuels — and the amount is growing year by year. | Trees absorb carbon dioxide from the air and produce oxygen. As forests are cleared, this means of keeping the gases in the atmosphere in balance is removed. In Australia, two-thirds of all forests that existed 200 years ago have been cleared. |

## DISCUSSION

When it comes to climate change, there can be a lot to worry and be anxious about, but there are also several things that give rise to optimism in regard to our ability to respond to it. As a class, discuss what measures you know of that have been taken to reduce the contributors to global climate change.

What can you do to avoid climate change anxiety?

## on Resources

**Video eLesson** Global warming in Australia (eles-0057)

## Impact on the water cycle

The increase in the Earth's temperature is likely to have an impact on the water cycle and the world's climate. There is already evidence that in Antarctica, where nearly 61 per cent of the world's fresh water is stored as ice, the coastal ice shelf and glaciers are melting. As the polar icecaps shrink, more liquid water will enter the water cycle and sea level will rise to flood coastal regions.

Changes expected with global climate change:

- less rain and snow in high mountain regions
- more wild storms, including tropical cyclones – when it rains it pours (such as Cyclone Tracy, shown in figure 7.24).
- more heat waves, droughts and bushfires.

This has made us more concerned with monitoring the water cycle and predicting weather conditions. Teams of scientists collect data from all sorts of sources to create computer models that improve our understanding and allows us to better predict future changes. This also helps us make informed water management decisions.

**FIGURE 7.24** Cyclone Tracy devastated Darwin on Christmas Eve in 1974. It killed 65 people and injured 650. Nearly 70 per cent of homes were destroyed.

**FIGURE 7.25** Satellites, radar, probes and surface-observing stations all help to monitor and collect water data for the atmosphere, while river gauges and groundwater boreholes monitor and collect data for surface water flow.



## EXTENSION: Ocean currents

The oceans of the world hold 97 per cent of water in the water cycle and are constantly moving in currents. Ocean currents move warmer water and cooler water between the tropics and the North and South Poles. The main causes of the currents are wind directions and the sinking of colder water near the poles. Other factors, including the rotation of the Earth, also affect the currents. Some ocean currents are permanent and form circular patterns called **gyres**. Figure 7.26 shows the major ocean currents and gyres.

Ocean currents have a major influence on the water cycle and weather patterns. Changes in the ocean currents in the southern Pacific Ocean can cause periods of drought or unusually high rainfall in parts of Australia. You may have heard the term El Niño, which is when the ocean currents bring warmer and wetter weather conditions.

As well as this, the different gyres and currents greatly impact pollution in the oceans, and can lead to rubbish accumulating at particular locations.

**FIGURE 7.26** The world's major currents and gyres




The circular gyre pattern is the result of the rotation of the Earth. The curvature of motion caused by rotation can be demonstrated by trying to throw a ball in a straight line while spinning on a chair.

The North Pacific Gyre is also known as the Garbage Patch. The circulating pattern helps to spin and accumulate ocean debris (rubbish) in the centre. As a result, a lot of that debris ends up on the beaches of Hawaii.

### Resources

**Weblink** The War on Waste

**assessON** Additional automatically marked question sets

**gyres** permanent circulating surface ocean currents that enclose huge areas between continents

# 7.5 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 4, 8 | Questions<br>5, 7, 9, 12, 13 | Questions<br>6, 10, 11, 14, 15 |

## Remember and understand

1. MC Where is most of the water on Earth found?
   **A.** In the ocean **B.** As ice in Antarctica **C.** In lakes and rivers **D.** In the atmosphere
2. Label the locations of evaporation, infiltration, run-off, condensation, transpiration and precipitation onto the diagram of the water cycle.




3. MC What causes water to evaporate?
   **A.** Particles in the atmosphere that absorb water **B.** Heat from the Sun
   **C.** The tides **D.** The high salt content
4. What are clouds and how do they form? Fill in the blanks below from the word bank to explain the process.
   **Word bank:** cold, hot, condenses, expands, clouds, pools
   When water vapour becomes _____ enough, it _____ to form _____ of tiny water droplets.
5. MC Which of the following does **not** help to create ocean currents?
   **A.** Wind direction **B.** Warming water near the equator
   **C.** Sinking of colder water near the poles **D.** Cloud coverage
6. MC What are gyres?
   **A.** Ocean currents that are permanent and form circular patterns
   **B.** Large currents after periods of high rainfall
   **C.** Ocean currents that come periodically
   **D.** Ocean currents that are permanent and form linear patterns

## Apply and analyse

7. Describe the greenhouse effect and explain why it is important for life on Earth.
8. List two human-related reasons for the increase in greenhouse gases, resulting in global climate change.
9. Explain how global climate change is changing the water cycle.
10. Explain why some clouds pass overhead without producing rain.
11. Explain why you can see clouds but not see water vapour in the air.
12. Is water a renewable or non-renewable resource? Explain your answer.

### Evaluate and create

13. SIS Explain how changes in the water cycle are monitored and recorded. How reliable do you think the model(s) would be?
14. SIS One of the ways global climate change is influencing the water cycle is by melting glaciers. But, are the glaciers really melting? The table shows data collected for two glaciers over the years 2015–16, 2016–17, and 2017–2018. The data is a calculated mass balance, where scientists measured the amount of snow accumulated (a positive number) and the amount of glacier melt (a negative number), then found the difference between the two.

**TABLE** The mass balance of glaciers in 2016, 2017 and 2018

| Glacier | Mass Balance 2016 (mm w.e.) | Mass Balance 2017 (mm w.e.) | Mass Balance 2018 (mm w.e.) | Did the glacier grow or shrink? |
|---|---|---|---|---|
| Brewster Glacier, New Zealand | –1193 | +533 | –2217 | |
| Freya Glacier, Greenland | –540 | –24 | +1308 | |

   a. What does a negative mass balance indicate about the glacier size?
   b. What does a positive mass balance indicate about the glacier size?
   c. Complete the table by calculating the total mass balance over the three years and determining if the glacier has grown or shrunk.
   d. Is the data provided enough to conclude that global climate change is real? Justify your response.
15. SIS Research and report on what El Niño and La Niña are and how they affect Australia's weather patterns.

**Fully worked solutions and sample responses are available in your digital formats.**

# 7.6 Water as a resource

**LEARNING INTENTION**

At the end of this subtopic you will be able to explain the importance of water in Australia and the measures we use to combat drought.

## 7.6.1 Water use in Australia

Have you ever thought of water as a natural resource? What would happen if we ran out of water? It is important to note that we cannot live much longer than three days without it.

Aside from Antarctica, Australia is the driest continent on Earth. Yet Australians are the sixth greatest users of water per person in the world — with only the USA, Canada, Belgium, Turkey, and Mexico using more. This makes fresh water a natural resource that we cannot afford to waste. Wise management of this precious resource is essential.

In Australia's major cities, 59 per cent of the available water is used by households. More than half the water used by households is used for watering gardens and flushing toilets.

Until recently, people in major coastal cities have taken the supply of clean water suitable for drinking for granted. There was enough clean water available in dams to use for watering lawns and gardens, washing the car and filling swimming pools. However, in recent years, droughts have been responsible for severe water restrictions in most major cities and many smaller regional towns.

**DISCUSSION**

How do you save water around your home? What things might you do at home, at school, or generally to save more water?

## 7.6.2 Dealing with drought

According to a majority of scientists, global climate change will result in an increase in the number and length of droughts. However, droughts are not new to Australia. There have been around twelve major droughts in different parts of Australia since the 1860s, Two of the most recent major droughts were the drought from 1996–2010 (known as the Millennium drought) and the drought commencing in 2017.

As the population grows, the demand for water will increase. As global climate change takes place Australia is likely to see more droughts. This means that Australians must live with droughts and manage our water wisely to keep sustainable by reducing our impact on the water cycle.

Apart from more severe water restrictions, one solution is to build more dams and reservoirs. Dams not only store water, they can provide areas of reaction, assist with flood control and generating hydroelectricity. However, building more dams and reservoirs is not always the best method of increasing water supplies. Dams on major rivers interfere with the flow of water downstream, causing problems for the environment and for farmers, as shown in figure 7.27. So, what other options do we have?

**FIGURE 7.27** Myponga Dam, near Adelaide, South Australia. Building more dams like this is not always the best solution for improving water supplies.

| Reservoir | Dam | Downstream |
|---|---|---|
| Sediment build-up disrupts wildlife and increases the chance of landslides. | Expensive; blocks the movement of fish and can be hazardous as they age | Increased erosion; poor water quality; lower crop production |

### Tapping groundwater

In the water cycle, rain or runoff water can infiltrate into the sediment and porous rocks below the surface with the pull of gravity. The water found underground is called **groundwater** and it is the second largest source of freshwater on Earth (glaciers and ice caps are the largest).

You can find groundwater just about anywhere, sometimes you only have to dig a few centimetres, but in dry locations you may have to dig several hundred kilometres to reach it, as shown in figure 7.28. **Boreholes** are used to locate and monitor groundwater. The top of the water saturated material is called the **water table**, which is closest to the surface around lakes, rivers and the coastline. The depth of the groundwater will vary depending on the rocks. If given the right conditions, groundwater can be as deep as 9 kilometres as the water is able to infiltrate and move through soil and rocks to form this underground water.

**groundwater** water that has moved underground, under the pull of gravity and through pore spaces between sediments and within rocks

**borehole** a deep, narrow hole made in the ground, especially to locate water or oil

**water table** the top portion of the ground saturated by water

When you walk a straight line, you can do it quickly, but if you have to snake from side to side and crawl through obstacles it would take you a lot longer. This is the story for groundwater. It moves, but very slowly. When we tap the groundwater with wells and pumps, we need to be careful not to pump faster than the speed of groundwater flow, otherwise, the water table will lower and the well will dry up.

ewbk-3416

int-8076

**FIGURE 7.28** Water exchange and the infiltration of groundwater — as the groundwater recharges (moves beneath the surface), it moves into aquifers (layers that contain porous rock). The groundwater is also able to discharge and come back out from beneath the surface, forming a cycle.




## Use of blackwater and greywater

About 20 per cent of the wastewater from an average household comes from the toilet. This waste is known as **blackwater**. The wastewater that comes from the kitchen, bathroom and laundry is known as **greywater**.

Greywater (such as from the laundry) can be used on the garden and is commonly used during periods of water restrictions. However, be aware that greywater contains chemicals left over from detergents and other products, which could cause damage to plants. The damage can be minimised by choosing detergents that are low in phosphorus and are **biodegradable**. Untreated water from the kitchen should never be used on gardens because it contains oil, grease and other chemicals that could damage plants.

**blackwater** wastewater from the toilet system of a household; raw sewage

**greywater** wastewater from the kitchen, bathroom or laundry system of a household; it can be reused for other purposes

**biodegradable** a substance that breaks down or decomposes easily in the environment

The safest way to use greywater is to install a greywater treatment system, which removes chemicals that can damage plants. In some locations the local government body requires you to get permission to install a greywater treatment system, so it is important to check first.

## Recycled water

All water is technically recycled if you think about the larger water cycle. However, man-made water recycling, also known as water reclamation, focuses on the treating of wastewaters. This water will generally be used for non-potable uses. Non-potable water is water that is considered to not be of drinking quality. In some countries, fresh water is so scarce that treated blackwater is used as drinking water. This recycled water goes through several processes to ensure that it is safe to drink.

Examples of uses for non-potable water include:

- irrigating crops
- enhancing streams and wetlands
- completing industrial processes
- creating and filling recreational lakes or fountains
- flushing toilets
- replenishing groundwater
- watering home gardens
- creating, restoring and maintaining wetland habitats.

Several studies have shown that most Australians are happy to use recycled water for firefighting, watering lawns, flushing toilets and irrigation. However, there is little support for the idea of drinking recycled water.

### SCIENCE AS A HUMAN ENDEAVOUR: The Tale of Toowoomba

Toowoomba is a city in southeast Queensland, well known for its beautiful parks and gardens. In 2006, a prolonged drought had left its dams with only 20 per cent of their full capacity. Toowoomba's economy relies on tourists visiting the city to see its lush parks and gardens. Desperate measures were required. The Toowoomba City Council proposed that a quarter of the recycled water from its sewage treatment plant be discharged into its three dams.

The proposal divided the city, and after a long and bitter debate, the voters of Toowoomba rejected it. The vote was 38 per cent in favour and 62 per cent against. Why do you think so many were against it? How would you have voted?

As a result of the rejection, Toowoomba was placed on level 5 water restrictions, the strictest in Australia at the time. The use of tap water outdoors was banned.

**FIGURE 7.29** Toowoomba's economy relies on attracting visitors to its lush, well-watered parks and gardens.

### DISCUSSION

Would you be prepared to drink recycled water in the form of properly recycled sewage if it was declared safe by a popular celebrity? How about government environmental authorities? Explain your reasons why, then explain why someone else might have the opposite point of view.

## SCIENCE AS A HUMAN ENDEAVOUR: Recycling water from your breath

NASA engineers collaborated with other scientists and engineers to develop a system that recycles water from air breathed out, sweat and urine into safe drinking water. It was first used by astronauts on the International Space Station.

The system is now used in developing countries where water is scarce or heavily contaminated. In figure 7.30, volunteers in the northern Iraq village of Kendala help install and test a water purification system that has its origins in the space program.

**FIGURE 7.30** A water purification system in Kendala

## Desalination

In major cities close to the ocean, **desalination** can be used to 'top up' dwindling water supplies. This process of separating fresh water from salty sea water is described in subtopic 5.7. However, like dams, desalination has some negative consequences for the environment. One issue is that it takes a lot of energy to run the process, and another is a question of what to do with the left-over salt.

**desalination** the conversion of sea water to fresh water

### on Resources

**Interactivity** An example of a desalination plant (int-3461)

## SCIENCE AS A HUMAN ENDEAVOUR: Lessons in sustainability from Indigenous Australians

When someone says something is or isn't 'sustainable', what do they mean? Broadly, the word means to keep something at a certain level.

So, if we wanted to keep our water sustainable, we want to keep it at a level of good amount and good quality. That level would provide a standard of good health, for both ourselves and the environment around us, not just now but into the future as well.

Over many thousands of years, Indigenous Australians have successfully located and conserved fresh water in some of the driest parts of the continent. Some of their techniques for locating and conserving water provide valuable lessons for today's scientists and engineers as they meet the challenge of supplying a growing population with this precious resource in a sustainable way. Many Indigenous techniques for locating and collecting water are used in survival training by the Australian Defence Force.

**FIGURE 7.31** Water can be a scarce resource in the northern dry season if you don't know where to look. This image shows Glen Helen Gorge on the Finke River, West MacDonnell Ranges, Northern Territory.

## 7.6.3 Monitoring water quality

Some of the water management solutions for dealing with dry or drought conditions have highlighted a problem with water quality. Whether the water came from the surface or the ground, the quality of any drinking water can be maintained only with constant monitoring to ensure that dangerous levels of pollution are quickly identified and fixed.

In Australia, water quality is monitored by state and territory government agencies, water authorities, local councils, landcare groups and community groups. Streams and reservoirs are checked for numerous properties including temperature, flow rate, cloudiness, dissolved oxygen, pH, bacteria and the presence of pesticides and unwanted nutrients.

### Resources

- **eWorkbook** Testing water (ewbk-3418)
- **Video eLesson** Water: a vital resource (eles-1615)
- **Weblink** Drought in Australia monthly report
- **assessON** Additional automatically marked question sets

## 7.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 6 | Questions<br>3, 4, 8, 9 | Questions<br>5, 7, 10, 11 |

### Remember and understand

1. Explain why fresh water is such a precious resource in Australia.
2. MC How do Australian households use the majority of their fresh water?
   - **A.** Watering gardens
   - **B.** Using dishwashers
   - **C.** Using washing machines
   - **D.** Flushing toilets
3. Explain the difference between blackwater and greywater, by filling in the missing words.
   _____ is water contaminated by products used in the laundry and bathroom (from sinks, baths and showers), while _____ is water contaminated by toilet waste.
4. MC Which of the following are ways in which greywater can be used on gardens without damaging plants?
   - **A.** Filter the greywater by hand before using on the garden.
   - **B.** Only buy and plant plants that can survive with high levels of chemicals.
   - **C.** Install a greywater treatment system that removes chemicals that may damage plants.
   - **D.** Use detergents that are low in phosphorus and are biodegradable.

### Apply and analyse

5. Complete this description of where groundwater comes from.
   Surface water _____ into the subsurface under the pull of gravity, and water fills the pore spaces between sediments and in _____ or fractured rock. Groundwater is moving, just very _____

6. Suggest why the majority of the voters of Toowoomba rejected the use of recycled water from a sewage treatment plant when more water was so desperately needed.
7. Suggest two ways human water management impacts the water cycle.
8. MC How might rainwater harvesting (collecting rain in tanks) at home impact the water cycle?
   - **A.** The water table rises when less water is soaking into the ground.
   - **B.** Water tanks catch rain before it can either runoff or infiltrate the ground.
   - **C.** More water is able to soak into the ground.
   - **D.** More water runs off the soil.

### Evaluate and create

9. SIS A hydrologist studying the groundwater level for a flat grassy landscape drills a borehole in January and collects the following data:

**TABLE** The material and water at varying levels below the soil

| Depth below surface (cm) | Material description | Water description |
|---|---|---|
| 0–10 | Dark brown soil | Moist |
| 10–40 | Brown sandy soil | |
| 40–90 | Light sand and clay sediments | Moist |
| 90–120 | Rock pebbles and sand sediment that get larger towards the base | Saturated at 100 cm |
| 120–200 | Sandstone rock | Saturated |

   - **a.** Draw a labelled diagram for the borehole, showing the different layers of the groundwater.
   - **b. i.** The level of the water table does not always stay at the same depth. Why might this happen?
   - **ii.** With that in mind, how deep would you recommend putting a well?
   - **iii.** What will happen to the water table when the well starts pumping?
10. SIS Building a dam with a reservoir has been a common solution to addressing water supply issues. Select one problem associated with either the reservoir, dam or downstream and design a scientific experiment that could investigate the validity of its claim.
11. Research and report on the location of rivers, dams and reservoirs that supply drinking water to your home.
12. SIS Research and report on the importance of the Aboriginal rain dance.

**Fully worked solutions and sample responses are available in your digital formats.**

# 7.7 Soil as a resource

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the composition of soil and the importance of soil as a non-renewable natural resource.

## 7.7.1 Feeding the world

Good soil contains the nutrients needed for the growth of plants. It is vital in feeding the Earth's growing population. But about 43 per cent of the Earth's dry land is desert or desert-like and useless for growing crops. In Australia the situation is much worse, with 96 per cent of Australian soil unsuitable for growing crops. That makes what soil we have such a valuable resource.

## 7.7.2 Weathering and erosion

Rocks on the surface of the Earth are slowly and continuously being changed by natural events, including the water cycle. Rocks are broken down into smaller rocks or chemically changed in a process called **weathering**.

**weathering** the process of breaking down rocks by conditions in the atmosphere

Examples of weathering include:

- The wind can physically wear rock away, especially in dry conditions, when it blasts the rock with sand and soil it has picked up.
- Water on the ground can react with the minerals in the rocks, causing them to chemically break down and change shape and appearance.
- Water can also physically wear rock away, when it blasts the rock with sand it is carrying.
- When ice forms it expands, which is why you should never put a full water bottle in the freezer. Because of this, when ice forms in cracks of rocks it can help physically break it apart.

Weathered rock is usually moved from one place to another by the wind, running water, the sea or glaciers. This process is called **erosion**. The weathered rock particles, moved by erosion, are called sediments. When sediments stop moving they settle (deposit) on land, riverbeds or floors of lakes, seas and oceans.

Soil is formed by weathering, erosion and **deposition** of rock. Importantly, soil also contains **humus** — decaying plant and animal material. This decay is caused by microbes in the humus. This helps to make the material that plants can grow in.

Fertile soil is a mixture of sediment and humus. It also contains air, water, nutrients and microbes, as outlined in figure 7.32. The variation in soils from place to place largely depends on the rock and minerals from which it formed and the abundance of plants that have lived there.

**erosion** the process of moving weathered rock or soil from one place to another

**deposition** the laying down of weathered rock particles and soil by rivers, wind, oceans and glaciers

**humus** organic matter resulting from the decomposition of plant and animal tissue in the soil

**FIGURE 7.32** Factors affecting the elements of soil



## EXTENSION: Acid rain

Every day many harmful chemicals are pumped into the air. Some are naturally formed chemicals, but many are from cars, factories or from other human activity. The chemicals, such as carbon dioxide in the air, can dissolve in water, much like salt in hot water. This causes the water to be more acidic.

The dissolved chemicals return to the ground in rainwater, snow or fog, and the combination is called acid rain.

Acid rain can increase the speed in which weathering happens. This can be seen in figure 7.33, where a statue is experiencing chemical weathering due to acid rain.

**FIGURE 7.33** A statue displaying the effects of weathering by acid rain

## 7.7.3 Protection from erosion

**deforestation** the removal of trees from the land

Fertile soil contains small particles that can be blown away by the wind or easily washed away by rain or streams. The roots of trees and other vegetation help protect fertile soil from this erosion. When trees are removed or the surface is stripped of vegetation, the soil is left exposed to erosion. The removal of trees on a large scale is known as **deforestation**.

**FIGURE 7.34** Forests in Australia and elsewhere are still cleared to supply wood and wood products.

Natural fertile soils are considered a non-renewable resource, because it can take thousands of years to form even a centimetre of soil, but only seconds for it to be eroded away.

When early European settlers arrived in Australia, they cut down numerous trees to create farmland. As the population grew, more trees were cleared to provide space for industrial areas and housing. Cities have grown larger and the forests have grown smaller. Trees are still being cleared on a large scale for wood and wood products such as paper. During the past 200 years, over two-thirds of Australia's natural forests have been cleared. How much of our precious soil has been lost as well?

elog-0236

# INVESTIGATION 7.3

## Modelling soil erosion

### Aim

**To use a model to investigate the effect of vegetation on soil erosion**

### Materials

- stream tray or other metal or wooden tray
- sand
- wooden block
- rubber tubing to fit a water tap
- small plastic lid (such as from an orange juice container)
- twigs, matches or cotton buds to act as trees

### Method

1. Pack slightly damp sand into the tray so that it is fairly level.
2. Use a small block of wood to raise one end of the tray slightly. Place the other end of the tray on the edge of a sink or over an empty bucket.
3. With one finger, make a slightly winding groove in the sand as shown in the diagram.
4. Plant 'trees' along one edge of your model river using twigs, matches or cotton buds.
5. Place the plastic lid in the sand at the top of the groove and aim the rubber tubing from the tap over it.
6. Turn on the tap so that water flows slowly but steadily into the plastic lid, overflowing into the groove.
7. Take a photo (holding the camera parallel to the tray, facing down) every 3 minutes to help you document the experiment.




### Results

Compile the photos you took to help you describe what happened as the water flows down your model river. Take particular notice of the difference between the two sides of the river and the areas where you had 'trees'.

### Discussion

1. The main aim of this experiment is to examine the effect of plants on the amount of erosion. State the effects you observed.
2. Is there any particular part of the river where erosion (removal of sand) is more apparent? Which part?
3. Explain why this may have occurred.
4. Where is the eroded sand deposited? Use the evidence from your results to explain your answer.

### Conclusion

Write a concluding statement to sum up your findings from this investigation related to erosion.

## 7.7.4 Reducing human impact

Weathering and erosion are natural processes associated with the water cycle and not always a terrible thing; however, human activity can enhance it. Scientists, conservation groups and government bodies play an important part in improving the environment. The aim is to reduce the impact of human activity and repair past damage.

Some methods for reducing erosion and repairing the damage already caused by erosion include:

- farmers ploughing their fields around hills rather than up and down the slope. This reduces the amount of soil washed down hills by rain
- sealing roads and gutters to direct water into proper drains
- controlling numbers of livestock to prevent overgrazing
- replacing trees that have been removed
- avoiding undercutting or over-steepening slopes when constructing
- fencing off large sections of beaches and banning recreational vehicles in many coastal areas
- reducing the impact of introduced animals, such as rabbits, on native vegetation.

**groynes** structures, such as jetties and breakwaters, built into the sea to prevent the erosion of the beach

### SCIENCE AS A HUMAN ENDEAVOUR: Preventing erosion on our beaches

Coastal areas are vulnerable to erosion and can be badly affected. Bare sand is easily washed away by water and blown inland by the wind. Vegetation that helps to bind the sand together has been torn up by recreational vehicles. Vegetation near beaches in tourist areas has been removed and replaced with huge buildings. Barriers such as sea walls, mesh fences and **groynes** (as seen in figure 7.35) are built to try and hold sand on the beaches and thus prevent their erosion.

**FIGURE 7.35** An example of a groyne built as a barrier

### ACTIVITY: Caring for sand dunes

Some people use coastal sand dunes as a playground. Four-wheel-drive recreational vehicles and sand slides can damage the fragile dune system. Design and produce a leaflet or poster to educate people about the care of coastal sand dunes. Your leaflet or poster should list reasons why they should not walk on or use recreational vehicles in those areas vulnerable to erosion.

## Resources

**eWorkbook** Weathering and erosion (ewbk-3420)

**Interactivity** Break down! (int-3101)

## 7.7.5 Changing salinity

While saltiness may be a good thing when you are talking about salted peanuts or fish and chips, it is not a good thing at all when you are looking at salt in the soil.

One of the biggest problems facing Australia's farmers is soil salinity. Salinity is a measure of how salty a substance is, but it is commonly used to describe soil that simply contains too much salt for the healthy growth of plants. Soil salinity occurs when salt in the soil layers and rocks deep below the surface is brought up to the surface.

### SCIENCE AS A HUMAN ENDEAVOUR: Rising salt

#### Slow and natural processes

The salt in the lower layers of soil has increased naturally over a very long period for two major reasons.

- Australia has at different times over millions of years either been covered by the ocean or contained a vast inland sea. The sediment that was deposited in these waters later became dry land, and the rocks that formed have retained a lot of salt from the water.
- Because Australia is a relatively flat and dry continent, there are few major rivers large enough to flush salt from the land out to sea. Instead, the salt soaks down deep into the soil and groundwater. In Australia, the groundwater table usually lies far below the roots of the native trees.

#### The human factor

Natural processes caused the water table to rise slowly over hundreds of thousands of years. However, things changed quickly after 1788 when European settlers started to use the same farming techniques that they had used in Europe. They cleared the native plants and trees from vast areas of land to graze cattle and sheep and to plant crops. Later, they set up irrigation systems to provide water to the crops they had planted.

**FIGURE 7.36** The removal of deep-rooted trees has caused the water table to rise.



The new crops and pasture grasses have much shallower root systems than the native plants and do not cover anywhere near as much of the soil. So now, when rain falls, much more rainwater enters the groundwater, causing the water table to rise, as shown in figure 7.36. This rising water table carries with it a lot of the salt that had been locked in the rocks and soil below. The water table rises even faster on irrigated land. After many years of this type of farming, the salt has reached the upper soil layers near the surface.

Salinity affects the land in a number of different ways.

1. Where the soil is rich in salt, few plants can survive. This has meant that many crops and many grasses established for herds have died. The native species that originally inhabited the cleared regions cannot tolerate the salt either, so they can't be replanted.
2. Where water runs off into waterways it has taken the salt with it, causing increased salinity of waterways. This means that they cannot be used for drinking, and the populations of animals that depend on these fresh water sources have decreased. The Murray River, one of the major sources of fresh water in this country for humans and animals, has been badly affected by salinity.

The reduced supply of drinkable water has led to a decrease in biodiversity of plants and wildlife in saline regions.

The soil in cleared regions has also been damaged by heavy erosion. The deep roots of native plants and trees helped keep the soil on the surface in place. When these native plants are cleared, heavy rainfall washes the topsoil into waterways, leaving behind land on which little can grow.

At present, the problem of salinity is being treated with:

- increased planting of salt-tolerant plants and trees
- a massive decrease in land-clearing practices.

It will be many years before this major problem is solved.

**FIGURE 7.37** The devastation of the rising water table and salinity threatens much of Australia's farmland.

## DISCUSSION

Look at the table and consider what the numbers mean, using the distilled water, drinking water, and the Pacific Ocean as reference. Discuss the quality of the water in Loddon Plain North with your classmates.

**TABLE 7.4** Salinity of water from different sources

| Source of water | Salinity (g/L) |
|---|---|
| Distilled water | 0.0 |
| Murray River, Albury (NSW) | 0.05 |
| Desirable limit for drinking water | 0.5 |
| Murray River, Morgan (SA) | 0.8 |
| Upper limit for citrus trees | 1.0 |
| Upper limit for drinking water | 1.5 |
| Upper limit for dairy cows and ewes | 6.0 |
| Groundwater, Loddon Plain North (Victoria) | 15.0 |
| Pacific Ocean | 35.0 |

*The salinity of water is a measure of the amount of salt dissolved in it. It can be expressed as the number of grams of salt per litre (g/L) of water.

## Australian Research to reduce soil salinity

### Evergraze

Scientists and farmers working on the Evergraze trial are studying a range of plants for grazing pastures at a number of experimental sites, including Wagga Wagga in NSW. They aim to reduce soil salinity by reducing the amount of groundwater by 50 per cent. The trial focuses on plants that can thrive over spring, summer and autumn, such as lucerne and chicory. Lucerne plants have roots down to 3 metres below the soil surface. This means that the plants dry the soil to a greater depth so, when it rains, most of the water is used by the plant. This keeps the water table low and therefore helps to reduce soil salinity.

**FIGURE 7.38** Plants with deep root systems can lower the water table, reducing soil salinity.

### Saltbush

Scientists in Western Australia are studying the use of saltbush for sheep grazing. Many species of saltbush are found in arid regions in the world. However, none of these are common in grazing regions in Western Australia. Scientists, including research scientist Dr Hayley Norman, have discovered that saltbush could be a valuable plant in managing soil salinity. Unlike other plants, saltbush has a very high tolerance to salt and retains salt in its leaves. As an unexpected bonus, sheep grazed on saltbush have health benefits; their meat has a lower fat content.

**FIGURE 7.39** Animals that graze on saltbush often have leaner meat.

## 7.7 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 6, 9 | Questions<br>4, 7, 10, 12, 13, 15 | Questions<br>5, 8, 11, 14, 16 |

### Remember and understand

1. MC What is weathering?
   - A. When trees are blown down in strong weather conditions
   - B. A process where the weather changes rapidly
   - C. A process where soil is moved around due to a natural event (e.g. cyclone)
   - D. A process where rocks are broken down into smaller rocks due to natural events
2. MC What is erosion?
   - A. A process developed to excavate rock
   - B. A process of moving soil to where it is needed
   - C. The movement of weathered rock to another place
   - D. The removal of trees

3. Of the following, identify which four are natural causes of erosion.
   a. Wind
   b. Running water
   c. Ocean waves
   d. Clouds
   e. Glaciers
   f. Trees
   g. Excavators
   h. Pollution
4. When weathered rock is transported by erosion, they become sediments. What is the difference between soil and sediments?
5. MC Why does cutting down trees speed up erosion?
   A. Removing trees creates gusts of wind.
   B. Removing trees exposes fertile soil to wind and water.
   C. Removing trees also removes soil so that deposition (the build-up of sediment layers) can occur.
   D. Removing trees compacts the soil so it cannot move.
6. Define the term 'deforestation'.

## Apply and analyse

7. Describe at least three actions that farmers can take to reduce erosion.
8. Outline at least four ways in which governments can reduce erosion.
9. Is soil a renewable or non-renewable resource? Explain your answer.
10. Identify the thickness (very thin, average or very thick) and quality of soil (poor, average or very fertile) you would predict to find in the following landscapes.

a.
b.
c.

11. Acid rain is a serious problem in industrial areas where there is a lot of air pollution. However, rain reaching the ground after falling through clean air is also slightly acidic. Explain how this could be.
12. MC How does the overgrazing by livestock increase the rate of erosion?
   A. Overgrazing removes too much of the plant material covering the soil.
   B. Livestock pick up the soil as they walk around, allowing it to be free to the wind.
   C. Livestock require a lot of water, which can cause erosion.
   D. Overgrazing means increased numbers of livestock may browse excessively on trees, decreasing the number and size of trees resulting in a reduced number of roots to hold the soil.
13. SIS Agricultural activities over the years have made soils vulnerable to erosion. Use this graph to help answer the following questions.



**a.** When plant cover is removed by harvesting, soils are exposed to erosion. According to this graph, which agent of erosion removes the most: cropland soil, water (sheet and rill) or wind?
**b.** What has been the trend for soil erosion between 1982 and 2010?
**c.** Suggest why you think this could be the case.

## Evaluate and create

**14.** SIS A student noticed that grass grew better in some parts of her paddock than others. This got her thinking that perhaps there are different types of soils that have different plant growth potentials. She decided to design an experiment using the following method.
**i.** She collected three different soil types (clay, sandy and loamy) and put the same amount into six similar sized plant pots (two of each type).
**ii.** She placed five of the same grass seeds in all six pots.
**iii.** Over the course of a month, each were watered the same amount and kept in the same spot of her back veranda.
**iv.** Every week she would observe and measure the grass.

**TABLE** Changes in the height of the grass in different soils over a 4-week period

| Result table | | | | | |
|---|---|---|---|---|---|
| **Soil type** | **Water observations** | **Week 1 (mm)** | **Week 2 (mm)** | **Week 3 (mm)** | **Week 4 (mm)** |
| Clay *(has more clay sediments)* | Water drains slowly | Pot 1: 0<br>Pot 2: 0 | Pot 1: 0<br>Pot 2: 0 | Pot 1: 0.5<br>Pot 2: 0 | Pot 1: 1.0<br>Pot 2: 0.5 |
| Sandy *(has more sand sediments)* | Water drains quickly | Pot 3: 0<br>Pot 4: 0 | Pot 3: 1<br>Pot 4: 0.5 | Pot 3: 2.5<br>Pot 4: 1.5 | Pot 3: 3.0<br>Pot 4: 2.0 |
| Loamy *(an even mix of sand, silt and clay sediments)* | Water drains slow at first then quickly | Pot 5: 0<br>Pot 6: 0 | Pot 5: 1.0<br>Pot 6: 1.0 | Pot 5: 2.5<br>Pot 6: 3.0 | Pot 5: 4.0<br>Pot 6: 5.0 |

**a.** Using your knowledge of soils, explain why there would be different types of soils.
**b.** Identify the independent and dependent variables in her investigation.
**c.** What are the controls in this investigation?
**d.** From the student's result table, what would be your concluding statement?

**15.** How much weathering and erosion would take place on the Moon? How long would you expect a footprint to remain on its surface? Justify your answers.

**16.** SIS The primary solution used to combat the problem of excess salinity in soil has been to add plants that could help to lower the water table. An example of this is in inland Victoria, where they are planting pines.
Design and carry out an experiment to identify some plants that might be more suited to areas affected by salinity.

**Fully worked solutions and sample responses are available in your digital formats.**

# 7.8 Thinking Tools — Plus, Minus, Interesting charts

## 7.8.1 Tell me

### What is a Plus, Minus, Interesting chart?

Plus, Minus, Interesting charts (or PMI charts) are used to encourage you to look at optional viewpoints before making a decision. They are also referred to as Pros, Cons and Interesting points.

PMI charts help show your opinions on a topic, theme or idea, allowing you to consider ideas that can allow you to make a decision..

**FIGURE 7.40** A PMI chart




## 7.8.2 Show me

To create a PMI chart:

1. Draw a box and write your topic or problem in it.
2. Draw three long boxes underneath your topic or problem box.
3. Fill in the first of the three long boxes with good things (plus) related to the topic, theme or idea.
4. Fill in the second of the three long boxes with bad things (minus) related to the topic, theme or idea.
5. Fill in the last of the three long boxes with things that you find related to the topic, theme or idea, but are neither good or bad.

An example of a PMI chart for wind energy is shown here.

**FIGURE 7.41** A PMI chart on wind energy



# 7.8.3 Let me do it

## 7.8 ACTIVITIES

**1.** Is nuclear power an option for Australia? Create a PMI chart to consider the issue. (An example has been provided for each to get you started.)

| Nuclear energy | | |
|---|---|---|
| **Plus** | **Minus** | **Interesting** |
| • is a clean form of energy<br>•<br>•<br>• | • produces dangerous waste products<br>•<br>• | • is used in the UK, US and Japan<br>•<br>•<br>• |

**2.** Create your own personal PMI chart to display the positive, negative and interesting aspects of the use of non-renewables to generate electricity in Australia.

**3.** Create a PMI chart on each of the following issues.
- Permanent water restrictions to conserve water supplies
- The use of desalination plants to change sea water into fresh water
- Building more dams and reservoirs to increase our water supply
- Adding treated sewage water (guaranteed by the government to be safe for drinking) to our water supply

# 7.9 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-3429 | ewbk-3431 | ewbk-3433 |

on Resources

## 7.9.1 Summary

### The Earth's mineral resources

- Mineral resources, like metal ores, are recovered from the Earth's crust to make items you use every day.
- Mineral resources are non-renewable because they form over millions of years.
- Mining is the process of removing mineral resources from the crust, where it is then concentrated, reduced and purified.

### Fossil fuels

- Coal, oil and natural gas are fossil fuels. Fossil fuel energy comes from stored energy in ancient plants and animals, buried and heated for thousands to millions of years.
- Fossil fuels are non-renewable resources, but our demand for them has only increased.
- There are negative environmental impacts associated with using fossil fuels, such as air and ocean pollution, habitat disruption and large water demands.

### Renewable energy

- Renewable energy resources are continually replenished and include solar, wind, biomass, geothermal, hydroelectric, wave and tidal energy. Australia is increasing their use of these resources.
- Nuclear energy is an alternative non-renewable energy resource but has some serious risks.

### Water in motion

- Water on Earth is constantly moving and changing states in the water cycle.
  - Water evaporates into atmospheric water vapour.
  - Clouds form as water vapor cools and condenses.
  - Rain, snow or hail precipitation occurs as water falls back to the surface.
  - Rain fall can flow back to the ocean as run-off over the surface.
  - Some precipitation can infiltrate into the ground or be transpired back to the atmosphere by plants.
- The ocean is the largest source of water in the cycle and moves with currents.
- Global climate change (rising global temperatures) impacts the water cycle.

### Water as a resource

- Water is a precious resource, particularly for a dry continent like Australia.
- Water demands can be met through dams with reservoirs, water restrictions, pumping groundwater, recycling greywater and desalination.

### Soil as a resource

- Soil is a resource because it is required for growing plants, and we need plants to feed us. Soil is a mixture of sediment (eroded rock particles), humus (decomposing organic material and microbes), water and air.
- Natural soils are a non-renewable resource because it takes a thousand years to build up a centimetre of soil, but only seconds to erode (remove) it.
- Erosion is a natural process, but human activity can enhance it.

- Some ways we can conserve our soils include crop rotating, replacing trees, avoid overgrazing and ploughing fields in a circular pattern around hills.
- Other than erosion, rising soil salinity is another conservation problem that Australia faces.

## 7.9.2 Key terms

**biodegradable** a substance that breaks down or decomposes easily in the environment
**biomass** material produced by living organisms
**black coal** a harder, drier from of coal than brown coal, formed from peat compressed over millions of years
**blackwater** wastewater from the toilet system of a household; raw sewage
**borehole** a deep, narrow hole made in the ground, especially to locate water or oil
**brown coal** a form of coal formed from peat compressed over millions of years, also known as lignite
**concentration** the process of making a substance purer by removing the inessential portion
**condensation** to turn vapour or gas to a liquid
**crust** the outer layer of the Earth, including all landforms, rocks and soil
**deforestation** the removal of trees from the land
**deposition** the laying down of weathered rock particles and soil by rivers, wind, oceans and glaciers
**desalination** the conversion of sea water to fresh water
**erosion** the process of moving weathered rock or soil from one place to another
**evaporation** to turn from liquid to vapour (a state that is a mixture of both gas and liquid) or gas
**fossil fuels** substances that are formed from the remains of ancient organisms and are often burnt as fuels to produce heat
**gangue** leftover waste rock and mineral material
**geothermal energy** heat transferred from rocks below the Earth's surface
**greenhouse effect** a natural effect of the Earth's atmosphere trapping heat
**greywater** wastewater from the kitchen, bathroom or laundry system of a household; it can be reused for other purposes
**groundwater** water that has moved underground, under the pull of gravity and through pore spaces between sediments and within rocks
**groynes** structures, such as jetties and breakwaters, built into the sea to prevent the erosion of the beach
**gyres** permanent circulating surface ocean currents that enclose huge areas between continents
**humus** organic matter resulting from the decomposition of plant and animal tissue in the soil
**hydroelectric power** produced by the energy of falling water
**infiltration** the seeping of a liquid through soil and rocks by filtrations to form underground water
**kerogen** the solid organic material found in some rocks that produces hydrocarbons when heated
**minerals** natural solid substances that make up rocks
**mining** the process of removing mineral ore from the ground
**natural gas** a fossil fuel consisting of mainly methane
**non-renewable resources** resources that are depleted or are not naturally replaced within a human lifetime
**nuclear energy** the energy stored at the centre of atoms, the tiny particles that make up all substances
**ocean wave energy** a renewable energy created by converting the mechanical energy of ocean waves to electrical energy
**open-cut mining** a method of mining mineral ores that are close to the surface — a large hole is made to expose the rocks, which are broken up using explosives
**ore mineral** a mineral from which a valuable metal can be removed for profit
**peat** partially decomposed plant matter, lightly buried and compressed over a thousand years
**porous** having many pores or other small spaces that can hold a gas or liquid or allow it to pass through
**precipitation** rain, snow, sleet, or hail that falls to the ground
**purification** the removal of impurities from metals to produce a pure metal
**reduction** bringing an ore mineral into a metallic state by separating the non-metallic constituents
**renewable resources** resources that are not depleted (used up) or are naturally replaced within a human lifetime
**smelting** melting ore minerals as a process of reduction
**solar energy** the solar radiation emitted from the Sun as sunlight, which can be captured and converted into electricity by photovoltaic cells
**tidal energy** a renewable energy that can be harvested from the tides in the ocean
**transpiration** the exhalation of water vapour by a plant

**turbine** wheels that, when turned, drive electrical generators
**underground mining** a method of mining mineral ores that are deep below the surface, using shafts and tunnels dug deep into the ground
**water cycle** the constant circulation of water on Earth, as it evaporates from the sea, condenses into clouds and precipitates back to the sea
**water table** the top portion of the ground saturated by water
**weathering** the process of breaking down rocks by conditions in the atmosphere
**wind energy** a renewable energy derived from the wind (caused by uneven heating of the Earth and its oceans by the Sun)

## Resources

| | |
|---|---|
| **Digital document** | Key terms glossary (doc-34841) |
| **eWorkbooks** | Study checklist (ewbk-3422)<br>Literacy builder (ewbk-3423)<br>Crossword (ewbk-3425)<br>Word search (ewbk-3427)<br>Reflection (ewbk-3038) |
| **Practical investigation eLogbook** | Topic 7 Practical investigation eLogbook (elog-0231) |

## 7.9 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 6, 9, 11, 15, 16, 20, 23 | Questions<br>3, 4, 5, 8, 10, 12, 17, 18, 22, 27, 28 | Questions<br>7, 13, 14, 19, 21, 25, 26, 29, 30 |

### Remember and understand

1. MC Which of the following statements about precious minerals obtained from mines is correct?
   - **A.** They are renewable because they are in unlimited supply.
   - **B.** They are non-renewable because they are in unlimited supply.
   - **C.** They are renewable because they cannot be replaced in a human lifetime.
   - **D.** They are non-renewable because they cannot be replaced in a human lifetime.
2. MC What are the solid wastes of metal extraction called?
   **A.** Sediment **B.** Gangue **C.** Smelt **D.** Ore
3. Complete the table to match the metals with their ore minerals.

| Mineral ore | Metal |
|---|---|
| a. Bauxite | |
| b. Galena | |
| c. Haematite | |
| d. Chalcopyrite | |

4. MC Which of the following is NOT used to decide whether an ore is extracted by open-cut mining or underground mining?
   A. How close the mineral ore is to the surface
   B. The temperature of the atmosphere
   C. How much rock lies above the mineral ore
   D. What type of rock lies above the mineral ore
5. Describe what happens to the rock taken from the ground during the first stage of extraction of its precious metal.
6. State the three most commonly used fossils fuels.
7. Outline what happens to most of Australia's coal after it is mined.
8. List three effects of global climate change on weather patterns.
9. State two reasons why soil is such a precious resource.
10. Explain the difference between:
    a. weathering and erosion
    b. erosion and deposition
    c. sediments and soil.
11. Where does greywater and blackwater come from?

## Apply and analyse

12. Apart from the colour, what are the differences between brown coal and black coal?
13. Examine the diagram.




    a. Identify the two substances labelled A and B.
    b. What property must the layer of rock directly above A and B have?
14. Complete the following sentences to outline the differences between the way in which coal is formed and the way in which oil and natural gas is formed.
    **Difference 1:** Coal is formed _____ and oil and natural gas are formed _____
    **Difference 2:** _____ formation requires chemical processes, whereas _____ formation requires high temperatures.
15. Explain why it is so important for Australia to reduce its dependence on fossil fuels.
16. Our huge dependence on non-renewable energy sources is not sustainable. What is meant by the term 'sustainable'?
17. Expain why biomass is considered a renewable energy source.
18. a. What role does carbon dioxide play in global climate change?
    b. How does cutting down trees in forests increase the amount of carbon dioxide in the air?
19. Why does the use of fossil fuels make a difference to the Earth's atmosphere and surface?
20. What is salinity and how does it affect the usefulness of soil?

## Evaluate and create

21. Why do you think uranium-fuelled nuclear energy is not used to generate electricity in Australia even though we have more uranium reserves than any other country in the world? Justify your response.
22. Draw a flowchart to show how oil and gas are believed to have formed.



23. Create a circular flowchart to describe the water cycle.
24. Draw a diagram to show how clouds are formed.
25. Explain how global climate change has interfered with the natural water cycle, and provide clear examples of this.
26. Suggest three alternatives to building more dams to maintain reliable water supplies.
27. Explain how the planting of trees can reduce erosion. Summarise two pieces of evidence that would help support this.
28. Is natural fertile soil a renewable or non-renewable resource? Explain your answer.
29. a. Explain why the water table in Australia is rising more quickly than it did before European settlement.
    b. Why is a rising water table a problem for farmers?

**Fully worked solutions and sample responses are available in your digital formats.**

### on Resources

**eWorkbook** Reflection (ewbk-3038)

### teachon

**Test maker**
Create customised assessments from our extensive range of questions, including teacher-quarantined questions.
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 7.1 Overview

**eWorkbooks**
- Topic 7 eWorkbook (ewbk-3391)
- Student learning matrix (ewbk-3395)
- Starter activity (ewbk-3393)

**Practical investigation eLogbook**
- Topic 7 Practical investigation eLogbook (elog-0231)

**Video eLesson**
- Panning for gold (eles-3261)

## 7.2 The Earth's mineral resources

**eWorkbook**
- Mining and the environment (ewbk-3396)

**Video eLessons**
- An open-cut mine (eles-2551)
- Hot liquid being poured from a melting pot (eles-2236)
- Mining and Australia's environment (eles-0128)

**Weblinks**
- Australian minerals
- Super mines: Australia's biggest mining projects

## 7.3 Fossil fuels

**eWorkbooks**
- Labelling the formation of coal (ewbk-3398)
- Labelling brown and black coal mines in Australia (ewbk-3400)
- Labelling Australia's oil and gas reserves (ewbk-3402)
- Reviewing fossil fuels (ewbk-3404)

**Interactivities**
- Labelling the formation of coal (int-8071)
- Labelling brown and black coal mines in Australia (int-8072)
- Labelling Australia's oil and gas reserves (int-8073)

**Weblink**
- Australian Energy Resources Assessment

## 7.4 Renewable energy

**eWorkbook**
- Types of renewable resources (ewbk-3406)

**Video eLessons**
- A photovoltaic solar cell (eles-2238)
- A solar hotwater panel (eles-2237)
- Wind turbines (eles-2247)

**Weblink**
- Clean Energy Australia Report

## 7.5 Water in motion

**eWorkbooks**
- Labelling the water cycle (ewbk-3408)
- The water cycle (ewbk-3410)
- Clouds (ewbk-3412)
- Labelling the greenhouse effect (ewbk-3414)

**Practical investigation eLogbook**
- Investigation 7.1: Forming clouds (elog-0232)
- Investigation 7.2: Observing clouds (elog-0234)

**Video eLessons**
- The water cycle (eles-0062)
- Global warming in Australia (eles-0057)

**Interactivities**
- Labelling the water cycle (int-8074)
- Labelling the greenhouse effect (int-8075)

**Weblink**
- The War on Waste

## 7.6 Water as a resource

**eWorkbooks**
- Labelling water exchange and infiltration of groundwater (ewbk-3416)
- Testing water (ewbk-3418)

**Video eLesson**
- Water: a vital resource (eles-1615)

**Interactivities**
- Labelling water exchange and filtration of groundwater (int-8076)
- An example of a desalination plant (int-3461)

**Weblink**
- Drought in Australia monthly report

## 7.7 Soil as a resource

**eWorkbook**
- Weathering and erosion (ewbk-3420)

**Practical investigation eLogbook**
- Investigation 7.3: Modelling soil erosion (elog-0236)

**Interactivity**
- Break down! (int-3101)

## 7.9 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-3429)
- Topic review Level 2 (ewbk-3431)
- Topic review Level 3 (ewbk-3433)
- Study checklist (ewbk-3422)
- Literacy builder (ewbk-3423)
- Crossword (ewbk-3425)
- Word search (ewbk-3427)
- Reflection (ewbk-3038)

**Practical investigation eLogbook**
- Topic 7 Practical investigation eLogbook (elog-0231)

**Digital document**
- Key terms glossary (doc-34841)

To access these online resources, log on to **www.jacplus.com.au**

# 8 Forces in action

## LEARNING SEQUENCE


8.1 Overview ..... 406
8.2 Forces ..... 408
8.3 Gravity ..... 413
8.4 Friction ..... 422
8.5 Keeping afloat ..... 428
8.6 Magnetic fields ..... 432
8.7 Electric fields ..... 443
8.8 Staying safe ..... 449
8.9 Thinking tools — Cluster maps ..... 455
8.10 Review ..... 457




# 8.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au. They will help you to learn the concepts covered in this topic.

## 8.1.1 Introduction

The way objects move depends on what forces are acting on them. A force is a push or a pull. While you are reading this, the muscles in your eyes are pulling the lenses in your eyes into the right shape so the words are not blurry.

Many forces are important in our everyday life. Gravitational forces ensure we do not float off into space. Frictional forces allow use to move, speed up, slow down and stop. What would happen without forces?

They say that 'what goes up must come down'. But, when a bungee jumper's head is about to reach the water, as shown in the topic opener, it's a case of 'what goes down should come up'.

**FIGURE 8.1** Forces can be seen in our everyday lives as a push or a pull




### Resources

**Video eLesson** Parachutist Felix Baumgartner (eles-2229)

Watch this video to see how parachutist Felix Baumgartner jumped from the edge of space, after flying to an altitude of 39 045 metres in a helium-filled balloon. He became the first man to break the sound barrier without the aid of a vehicle. It took years of unthinkably expensive research, development and testing with industry experts to perfect the equipment. One of the most important factors for the jump was Felix's pressure suit, because if this failed he almost certainly would have died.

## 8.1.2 Think about forces

1. In what circumstances do forces cause objects to speed up, slow down, or travel at a constant speed?
2. Why doesn't gravity cause you to fall through the floor?
3. Do you weigh the same on Mars as you do on Earth?
4. Why is it difficult to walk on ice?
5. How does a compass work?
6. Why do you sometimes get a shock when you touch a doorknob after walking on carpet?
7. Why are bicycle helmets necessary?
8. How do seatbelts, airbags and head restraints protect you in a car accident?

# 8.1.3 Science inquiry

## Forces in everyday life

The introduction mentioned the importance of forces in our everyday lives. There are many types of forces—some involve direct contact, but others can occur without objects touching!

1. Using a large piece of butcher's paper or a whiteboard, draw up a table with the terms listed in the left-hand column of the table.

**TABLE** Examples and meanings of different terms relating to forces

| Term | Meaning | Real-life examples |
|---|---|---|
| **a.** Force | | |
| **b.** Friction | | |
| **c.** Magnet | | |
| **d.** Magnetic field | | |
| **e.** Mass | | |
| **f.** Gravity | | |
| **g.** Weight | | |
| **h.** Lubricant | | |
| **i.** Buoyancy | | |
| **j.** Surface tension | | |
| **k.** Aerodynamic | | |

2. Discuss each term and what you think it means. Research the meaning of each term and write the meanings in column two of your table.
3. Discuss some real-life examples of each of the terms, and write them in column three of your table. Try to come up with at least three examples of each.
4. Compare your answers with other groups in the class.
5. Examine the figure of the ice skaters. How do you think forces impact the way they are able to move?

## on Resources

**eWorkbooks**
Topic 8 eWorkbook (ewbk-3932)
Student learning matrix (ewbk-3936)
Starter activity (ewbk-3934)

**Practical investigation eLogbook**
Topic 8 Practical investigation eLogbook (elog-0337)

**learnon**
Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions

# 8.2 Forces

## LEARNING INTENTION

At the end of this subtopic you will be able to explain what forces are and their effect on different objects.

## 8.2.1 Forces everywhere

When a tennis ball is hit with a tennis racquet, it is clear that **forces** are acting on the ball. The ball not only changes its direction of movement, but also, while in contact with the racquet, changes its shape as well.

A force is a push, pull or twist. Forces are acting around you all the time and they can cause changes to occur. Sometimes the effects are obvious and sometimes they are not. At this moment, forces are acting inside your body to pump blood around. When you write, you use a force to push the pen or pencil. The standard unit of force is the **newton** (N).

**FIGURE 8.2** Forces act on a tennis ball when it is hit with a tennis racquet.

**force** a push, pull or twist
**newton** the unit for measuring force

elog-0338

## INVESTIGATION 8.1

### Forces

#### Aim

**To investigate the effects of forces on different objects**

#### Materials

- rubber band
- plasticine
- tennis ball
- coin
- plastic ruler or rod
- nylon or wool cloth

#### Method

Perform each of the following actions and record your observations in the Results table. Take note of any changes in the motion or shape of each object and what caused the change in the motion or shape.

1. Stretch a rubber band.
2. Squash a lump of plasticine.
3. Push down on the floor with one foot.
4. Drop a tennis ball. Observe what happens:
   a. at the moment that you drop it
   b. as it falls
   c. as it hits the ground
   d. as it goes up again.
5. Flick a coin with one finger so that it slides along the surface of a table. Observe what happens after the coin is flicked.
6. Charge a plastic ruler or rod by rubbing it with a nylon or wool cloth. Hold it close to a thin stream of tap water.

### Results

**TABLE** Observations of changes in motion of different actions

| Action | Change in motion or shape | What caused the change |
|---|---|---|
| Stretch a rubber band. | | |
| Squash a lump of plasticine. | | |
| Push down on the floor with one foot. | | |
| Drop a tennis ball. Observe what happens:<br>**a.** at the moment that you drop it<br>**b.** as it falls<br>**c.** as it hits the ground<br>**d.** as it goes up again. | | |
| Flick a coin with one finger so that it slides along the surface of a table. Observe what happens after the coin is flicked. | | |
| Charge a plastic ruler or rod by rubbing it with a nylon or wool cloth. Hold it close to a thin stream of tap water. | | |

### Discussion

1. When you squash a lump of plasticine and stretch a rubber band, a change in shape is observed. What is different about the behaviour of these two materials?
2. Does the tennis ball change its shape at all when it hits the ground? What would happen to a falling lump of plasticine when it hits the ground? Would it bounce? Check your prediction.
3. Which of the forces that you observed were able to change the motion of objects without making contact with them?

### Conclusion

Summarise the observations you made during the investigation and the effect of forces on different objects.

## 8.2.2 Contact or no contact?

The changes in motion illustrated in figure 8.3, are all caused by **contact forces**. One object is in contact with another. The golf club strikes a ball (and the sand), the air pushes against the parachute to slow down the car and the tube of toothpaste is squeezed to change its shape and push out the toothpaste.

**contact forces** forces between objects that are touching

**FIGURE 8.3** Each of these photos demonstrates the action of different forces. Identify as many of these forces as you can.

But the motion and shape of objects can be changed without touching them with anything.

When you drop a tennis ball, it speeds up as it falls through the air. The force of **gravity** pulls it towards the Earth. Gravity is a **non-contact force**. An object does not have to be touching the Earth to be pulled towards it. Other forces that can work without touching are **magnetic forces** and **electrostatic forces**.

Magnets can attract each other or some metals, such as iron, from a distance. If you rub a pen with a cloth, you can pick up small pieces of paper with an electrostatic force.

## 8.2.3 Representing forces

Arrows can be used to represent the sizes and directions of forces. The length of the arrow shows how large the force is compared with another force. The arrow head shows the direction in which the force is acting. The arrows representing forces are usually drawn from the object's centre of gravity. This is where all of the weight of an object would be concentrated if it were in one place. Your body's centre of gravity is at about bellybutton height when you are standing.

**FIGURE 8.4** Forces acting on a kayaker who is speeding up




The arrows in the figure 8.4 shows the upward and downward forces on the kayaker are the same size but in opposite directions. Gravity pulls the kayaker down and the water pushes the kayak (and the kayaker) up (the upward push of the water is called buoyancy.) These two forces on the kayaker add up to zero and so there is no change in her upward or downward motion.

The horizontal arrow to the right horizontal arrow to the left represent the the forward force on the kayaker (provided by using the paddle) and the backward force (provided by the drag of the water). The forward force is larger than the backward force and so the kayaker and kayak speed up.

## 8.2.4 More than one force

There is almost always more than once force acting on an object. All forces acting on an object are added together to determine the **net force** acting on the object. The direction of the force is very important when calculating net force.

If the net force acting on an object is zero (the forces are in **equilibrium**), then the object's motion will remain unchanged. If the net force is non-zero, the object's speed and/or direction will change.

**gravity** the force of attraction that exists between any two bodies in the universe that have mass

**non-contact force** forces between objects that are not touching

**magnetic forces** forces acting between magnets and magnetic objects

**electrostatic forces** attractive or repulsive non-contact forces of electric charges at rest

**net force** the sum of forces acting on an object

**equilibrium** balanced or equal

## EXTENSION: Calculating net force

Consider the situation where a box is being pushed along the floor, as seen in figure 8.5.

In figure 8.5a the upward and downward (gravity) forces both are 50 N and left (friction) and right (push) forces both are 30 N. All forces balance each other so the net force acting on the box is 0 N. The box will continue to move to the right (as it was already moving) without changing its speed or direction.

**FIGURE 8.5 a.** and **b.** The forces at work when pushing a box across the floor




Now consider the situation as shown in figure 8.5b, the upward (contact force) and downward (gravity) forces both are still 50 N, however, the left (friction) force is 30 N and the right (push) force is 10 N. The vertical forces balance each other out, so the box will not move up or down. The horizontal forces, however, do not balance. As the horizontal force on the right is bigger than the left, the box will move to the right with increasing speed.

### on Resources

**Interactivity** Net force (int-5894)

**eWorkbook** Types of forces (ewbk-7079)

**Video eLesson** Pushing force (eles-2230)

**assess on** Additional automatically marked question sets

# 8.2 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4, 7 | Questions<br>2, 5, 9, 10 | Questions<br>3, 6, 8 |

## Remember and understand

1. MC Which of the following is not a force?
   **A.** Gravity **B.** Speed **C.** Push **D.** Pull
2. Classify the following forces as either *contact forces* or *non-contact forces*:
   **a.** friction **b.** electrostatic force **c.** magnetic force **d.** gravity.
3. Complete the following sentence: The force that opposes the movement of water is _____.
4. State why drag can be referred to as a backwards force.

## Apply and analyse

5. Complete the following sentence: When the net force acting on an object is zero, the object's motion _____. When the net force acting on an object is non-zero, the object's motion _____.
6. Where would you expect to find the centre of gravity of a plastic ruler? Explain your response.
7. Copy and complete the following table by thinking of an everyday example of each of the effects of forces.

**TABLE** Everyday examples of forces

| Effect | Examples in everyday life |
|---|---|
| **a.** Starting motion | |
| **b.** Stopping motion | |
| **c.** Speeding up motion | |
| **d.** Slowing down motion | |
| **e.** Changing the direction of motion | |
| **f.** Changing the shape of an object | |
| **g.** Having no visible effect | |

## Evaluate and create

8. When you flick a coin so that it slides across a table, it slows down.
   **a.** What is the name of the force that slows it down?
   **b.** While your finger is still pushing the coin, there are four forces acting on the coin. Draw arrows on the image of the coin to represent the direction and relative size of each force.
   **c.** How many forces are acting on the coin after your finger stops pushing?
   **d.** SIS Do you think that the mass of the coin affects how quickly it slows down? Design an investigation to answer this question, clearly stating any independent, dependent and controlled variables.

9. There are four forces acting cyclist, as shown in the provided diagram.
   a. Which of the four forces represented is a non-contact force?
   b. What would happen if forces B and D were not equal?
   c. Is the cyclist's speed increasing, decreasing or remaining steady? Explain your answer.
   d. Describe what would happen to the cyclist's motion if the size of force C increased to become equal in size to force A.
   e. What would happen if force C became greater in size than force A?
10. SIS Research Newton's First Law of Motion and state it in your own words.




**Fully worked solutions and sample responses are available in your digital formats.**

# 8.3 Gravity

## LEARNING INTENTION

At the end of this subtopic you will be able to explain what the force of gravity is, as well as the difference between mass and weight. You will also be able to describe what it means to reach a terminal speed.

## 8.3.1 Gravity: an attractive force

What causes a ball to fall to the ground after you throw it? Why don't you get flung from the surface of the Earth as it spins around? What keeps the Moon in orbit around the Earth and the planets in orbit around the sun? The answer to all of these is the force of gravity. Without the force of gravity, even the Earth's atmosphere would float off into space.

**FIGURE 8.6** If it weren't for gravity, the Moon would fly past us. The gravitational attraction between the Earth and the Moon keeps the Moon in orbit around the Earth.

Every object in the universe pulls on other objects with a force of gravity. The force of gravity towards an object depends on its mass. **Mass** is a measure of the amount of material in an object or substance, and its standard unit is the kilogram (kg). The mass of an object is the same wherever it is in the universe.

The greater the mass of an object, the greater the force of gravity with which it can attract other objects. Gravity is such a weak force that, unless the object is as large as a star, planet or moon, its pull of gravity is just too small to notice or measure compared to other forces. That is why we can clearly see that we are pulled towards the Earth, but we can't see that the Earth is also pulled towards us.

## 8.3.2 Weight

The **weight** of an object or substance is a measure of the force of gravity pulling it down towards the centre of a large object such as a planet, moon or star.

Because weight is a force, it is measured in newtons. At the Earth's surface, the force of gravity is about 10 newtons for every kilogram of mass. So a 50-kilogram person has a weight of about 500 newtons on Earth. On Mars, however, the force of gravity is only about four newtons for every kilogram. A 50-kilogram person would have a weight of only 200 newtons on Mars.

**mass** a measure of the amount of material (or matter) in an object

**weight** a measure of the size of the force of gravity pulling an object towards the centre of a massive body

## SCIENCE AS A HUMAN ENDEAVOUR: Isaac Newton and the falling apple

Isaac Newton (1643–1727) was an English mathematician, physicist, astronomer and philosopher. You might know him as the guy who sat under the apple tree and, after being struck on the head by a falling apple, discovered gravity. But it probably didn't happen that way. Many scientists and historians believe that Newton was looking out of the window when he saw the apple fall.

Whichever way it happened he was struck with a realisation — apples (and everything else) always fall down, not up or sideways. He wondered about the force that caused this to happen. He wondered what would happen if the tree were much taller. In fact, he was able to deduce, after much time and many calculations, that the force that caused the apple to fall was the same force (gravity) that kept the Moon in orbit around the Earth. From these ideas, Newton wrote his Law of Universal Gravitation, which describes how gravity acts in all places, not just on Earth, as shown in figure 8.8.

Newton was able to explain many observations, including falling apples, tides and orbiting planets with a single law of gravity.

**FIGURE 8.7** An apple falling on the head of Newton inspired the discovery of gravity.

int-3449

**FIGURE 8.8** Weight, the force of gravity on an object, decreases as it gets further from the centre of the Earth. However, the object's mass remains the same wherever it is.



## 8.3.3 Measuring weight and mass

Mass can be measured with a balance. Figure 8.9 shows an old-fashioned measuring scale on which the mass being measured is being compared with a known mass. A two-kilogram bag of flour will balance the two standard kilogram masses no matter what the pull of gravity is.

A laboratory beam balance measures mass by balancing the object to be measured on one side with sliding masses on the other side.

Weight can be measured with a spring balance like the one shown in figure 8.10.

The object is fastened to the hook on the end of the spring balance. As the object falls due to the force of gravity, it pulls down on the spring and stretches it. The distance that the spring is stretched is directly proportional to the object's weight.

**FIGURE 8.9** The two-kilogram bag of flour will always balance the two standard kilogram weights.

**FIGURE 8.10** A spring balance can be used to measure weight.

elog-0340

## INVESTIGATION 8.2

### Measuring weight

#### Aim

**To investigate the relationship between weight and mass**

#### Background

A spring is a good force measurer because, if the pulling force on it doubles, the amount of stretch doubles. If the pulling force triples, the amount of stretch triples.

#### Materials

- 5.0 N spring balance
- set of slotted 50 g masses
- retort stand, bosshead and clamp




#### Method

1. Pull down on the hook of a 5.0 N spring balance until it reads 1.0 N. There are two forces acting on the hook. As long as the hook is not changing its motion, the upward force of tension is the same as the downward pull of your hand.
2. Pull the hook down until the spring balance reads 2.0 N. The downward pull has doubled.
   - What is the tension in the spring?
   - What has happened to the amount that the spring has stretched?

3. Hang the spring balance from a rod fixed to a retort stand and adjust the pointer so that it reads zero.
4. Attach a 50 g mass to the hook of the spring balance and record its weight in newtons by reading from the scale on the spring balance. Record your result in the Results table. Also calculate and record the mass in kilograms by dividing the mass in grams by 1000.
5. Add 50 g masses, one at a time, until you have a total mass of 400 g. Record the mass in kilograms as you go.
6. Record the weight in newtons as you go.

### Results

1. Copy and complete the table provided.

**TABLE** The effect of mass on the weight measured on a spring balance

| Mass (g) | Mass (kg) | Weight (N) |
|---|---|---|
| 50 | 0.05 | |
| 100 | 0.10 | |
| 150 | 0.15 | |

2. Use your results to plot a graph of weight versus mass, using a grid like the one shown.
3. Draw a line through the points that you have plotted and continue your line to where you think it would be if you measured the weight of a mass of 500 g. This process is called extrapolation.




### Discussion

1. Why is it better to hang the spring balance from a rod rather than hold it in your hand?
2. Does the spring increase its stretch by the same amount each time a 50 g mass is added?
3. How would your results be different if you conducted this activity on Mars?
4. Is your line straight? Should it be straight?
5. Use your graph to predict the weight of a 500 g mass. Is this prediction accurate? Measure it and see how accurate your prediction is.
6. How could you alter the scale on the spring balance so that you could read the correct mass from it directly?

### Conclusion

Summarise your findings and state the relationship between mass and weight.

## 8.3.4 Free-fall

An object is said to be in free-fall if the only force acting on it is the force of gravity, although for objects falling near the surface of the Earth, gravity is not the only force acting on them.

The way objects fall depends on the net force acting on them, not just on the pull of gravity. Air in the atmosphere pushes against all falling objects. This push is called **air resistance**. Air resistance is an example of fluid friction.

**air resistance** the force of air pushing on an object as it moves through the air

elog-0342

### INVESTIGATION 8.3

#### More than one force?

**Aim**

**To investigate the effect of air resistance on a disc**

**Materials**

- 20-cent coin
- scissors
- paper

**Method**

1. Drop a coin from about chest height. The force of gravity on the coin (its weight) pulls it down. It speeds up until it hits the floor.
2. Cut out a disc of paper about the size of a 20-cent coin.
3. Hold the paper disc in one hand and the 20-cent coin in the other,
   both at chest height.
4. Predict what will happen if you drop them at the same time.
5. Test your prediction.
6. Place the disc of paper on top of the coin and drop them together from waist height.




**Results**

1. Which object landed first? Was your prediction correct?
2. Which landed first when the paper disc was on top of the coin?

**Discussion**

1. How many forces were acting on the coin as it fell through the air?
2. What two forces were acting on the paper disc when it was dropped on its own?
3. What was different about the forces acting on the coin?
4. How did dropping the coin and disc together (with the disc on top) differ from when they were dropped seperately? Explain why this occurred.

**Conclusion**

Write a clear conclusion for your investigation. Be sure to explain what occured when the coin and discs were dropped separately and together, and why these results happened.

## Terminal speed

When the paper disc is dropped together with the coin in the second part of investigation 8.3, the coin shields it from the air that would normally push against it.

The air resistance on a moving object increases as the object moves faster. When cycling or running quickly, you feel the air pushing against your face even if there is no wind. When you slow down, you don't feel the same push of air against you.

If the object travels fast enough, the air resistance can become as great as the force of gravity on the object. Once the air resistance balances the force of gravity, the object stops speeding up. It has reached its **terminal speed**. It won't fall any faster.

**terminal speed** the maximum constant speed reached by a falling body when the force of gravity pulling it down is balanced by the air resistance pushing against it

## Forces in skydiving

int-3450

**FIGURE 8.11** Forces involved in skydiving



1. Skydivers jump from about 4 kilometres above the ground when the plane is over the jump site, the skydiver leaps from the plane.

2. When skydivers jump from a plane, the Earth's pull of gravity causes them to fall with increasing speed towards the ground. At this point in the jump, the diver does not experience much air resistance. But, as the diver's speed increases during the fall, so does the size of the air resistance pushing against them.

3. By lying flat, with their arms and legs out, divers increase the air resistance pushing against them. This position decreases their acceleration. With their legs straight up and their head down, a diver falls at a faster rate.

4. During a jump, a skydiver falls faster and faster. The air resistance pushing against a diver gets bigger and bigger as the speed increases. Eventually, the upward push of the air resistance and the downward pull of gravity are balanced. When this happens, the diver falls at a steady speed. This steady speed is called terminal speed. The terminal speed of a skydiver without a parachute is very fast. A diver could not land safely at this speed, so a parachute is needed.

5. When the parachute first opens, the air resistance is larger than the gravity force pulling the skydiver down, so the diver slows down. The skydiver reaches a new, slower terminal speed soon after the parachute opens.

6. The skydiver lands safely at the drop zone.

There is something about falling through the air at 190 km/h that really gets the adrenaline pumping! Skydiving is an activity that is enjoyed by thousands of thrill seekers around the world and is an important part of military and rescue services. The process of skydiving is explored in figure 8.11.

## EXTENSION: Resistance in skydiving

Skydivers reach speeds of about 200 km/h before air resistance is great enough to balance their weight. After the parachute has opened, the air resistance is much greater than the skydiver's weight, slowing him or her down to about 20 km/h.

**FIGURE 8.12** There is more than one force acting on this skydiver.

elog-0344

## INVESTIGATION 8.4

### The landing time of a parachute

#### Aim

**To investigate the effect of a variable on the landing time of a parachute**

#### Materials

- plastic from freezer bags
- scissors
- large paperclips, or plasticine
- stopwatch
- cotton or nylon thread
- metre ruler

#### Method

Your task is to find out the effect of one of the following factors on the landing time of a parachute.

- Mass of the skydiver
- Size (area) of the canopy
- Shape of the canopy

1. Use plastic from freezer bags to make the canopy. Cotton or nylon thread can be used to hold a model skydiver, which could be represented by paperclips or plasticine.
2. Ensure that you do each of the following:
   - Keep all things constant except the factor that you are deliberately changing, so that your tests are fair. This is called controlling variables.
   - Repeat your measurements of time at least three times and work out an average.
   - Draw up a table in which to record your results. An example is provided, where the variable being investigated is listed in the first column.



### Results

**TABLE** The effect of the area of a canopy on the time for a parachute to reach the ground

| | Time taken to fall (seconds) | | | |
|---|---|---|---|---|
| **Area of canopy (square centimetres)** | **Trial 1** | **Trial 2** | **Trial 3** | **Average** |
| 24 × 24 = 576 | | | | |
| 21 × 21 = 441 | | | | |
| 18 × 18 = 324 | | | | |
| 15 × 15 = 225 | | | | |
| 12 × 12 = 144 | | | | |

### Discussion

1. Identify the independent and dependent variable in each part of the investigation.
2. Explain why the mass of the skydiver and the shape and size of the canopy affect the drop time.
3. Evaluate your results and comment on how your design could be improved.

### Conclusion

Summarise your findings and state how your chosen variable affects the landing time of a parachute.

### Extension

As an extra challenge after the investigation has been completed, see who can make the parachute that takes longest to reach the floor with a standard load of five paperclips from a height of two metres.

## on Resources

**eWorkbooks** Moon Olympics (ewbk-3937)
Gravity (ewbk-3939)

**Video eLessons** Isaac Newton (eles-1771)
Skydivers (eles-2554)

**assessON** Additional automatically marked question sets

## 8.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 5, 8, 12 | Questions<br>2, 4, 6, 9, 11 | Questions<br>3, 7, 10, 13 |

### Remember and understand

1. Describe the difference between mass and weight.
2. The force of gravity is not the same on all objects. On what property of each object does it depend?
3. If you were to land on Mars, what would change: your mass, your weight or both?
4. What is the weight on Earth of a person with a mass of 50 kilograms?
5. What is terminal speed?

## Apply and analyse

6. If every object pulls on other objects with a force of gravity, explain why you don't notice objects being attracted to you.
7. **a.** On Earth, Belinda has a weight of 450 newtons. Calculate her mass.
   **b.** On the Moon, the gravity is around one-sixth that of Earth. What would you expect Belinda's weight to be on the Moon?
8. What three forces are acting on the bungee jumper on the opening page of this topic just before reaching the water? Which force is most likely to be the largest? Explain your response.
9. When you drop a bowling ball and a feather from the same height in the Earth's atmosphere, they reach the ground at different times.
   **a.** Explain why this is the case.
   **b.** If the bowling ball and feather were falling in a vacuum where there is no air resistance acting on them, which do you think will reach the ground first?
   **c.** Find out how the acceleration of a falling object is related to the force due to gravity acting on a falling object in a vacuum. Use your research to explain your answer to part (b).

## Evaluate and create

10. SIS Would a rubber band be as effective as a spring in a force measurer? Design an investigation that would allow you to find this out.
11. SIS A number of different balls were dropped from a height of 1000 m above the ground and their velocity recorded over time, as shown in the graph.




   **a.** Of the four balls, which reached its terminal velocity first?
   **i.** baseball **ii.** ping pong ball **iii.** basketball **iv.** bowling ball
   **b.** How long did it take the basketball to reach its terminal velocity?
   **c.** What was the approximate terminal velocity of the ping pong ball?
   **d.** Explain why some balls reached their terminal velocity faster than others.
12. SIS Find out more about the contributions to science made by Sir Isaac Newton. Write a brief report about his achievements other than his Law of Universal Gravitation.
13. SIS Imagine that you are working in the first space laboratory on Mars. The pull of gravity is a little more than one-third of what it is on Earth. Write a diary entry or summary report for your very first working day in the laboratory. Your response should be an account of your day from 6 am when your alarm rings until 10 pm when you go to bed. Emphasise the effects of less gravity on daily activities.

**Fully worked solutions and sample responses are available in your digital formats.**

# 8.4 Friction

## LEARNING INTENTION

At the end of this subtopic you will be able to explain what friction is, and identify situations where friction is useful and others where it is a nuisance.

## 8.4.1 The need for friction

**Friction** is the force applied to the surface of an object when it moves against the surface of another object.

Friction can slow down an object, stop it from moving or start it moving. The skater in figure 8.13 could not start moving without friction. He starts rolling by pushing his foot backwards against the path. Imagine what would happen if the path was covered in smooth ice. There would not be enough friction to get him moving forwards. But if the skater is just rolling forwards, the friction applied to the wheels by the path will slow him down and eventually stop him.

**FIGURE 8.13** Friction is needed to start skating, and to stop.

### CASE STUDY: Crickets communicate with friction

Crickets use friction to make their familiar chirping sound. The sound is made by friction as they rub the back of the left forewing against a row of teeth on the right forewing.

You need friction to do many things. Holding objects in your hand requires friction. Have you ever dropped wet soap in the shower or bath? Wethands and soap provide little grip. Even walking requires friction. If you have ever slipped on ice or wet floor tiles you'll know why.

When you walk, you push your foot backwards against the ground so that the ground pushes you forward. Without friction your foot would slip backwards as it does on ice. This type of friction, used to assist movement, is called **traction**.

The force of friction is especially important to cars. On a level road, the friction applied by the road when the wheels turn is needed to start a car moving. This friction is another example of traction. Without this friction, the wheels would spin and the car wouldn't start moving. Without friction, cars would not be able to turn corners or stop. The decrease in friction on wet or icy roads makes it very difficult to steer and stop a car.

**friction** the force applied to the surface of an object when it is pushed or pulled against the surface of another object

**traction** a type of friction used to assist movement

## 8.4.2 Friction is sometimes a nuisance

Although friction is necessary for movement and control of movement of people and vehicles on a surface, it can also be a nuisance. Pushing objects across rough surfaces can be very difficult. You have to push it with a force larger than the friction force acting on it. And the heavier the object is, the greater the friction force.

**FIGURE 8.14** Olympic bobsled teams spend long hours smoothing and polishing the runners of their sleds.

Objects can travel faster if they are smooth. Skis and surfboards are waxed and buffed to reduce friction and make them go faster through snow or water. Bobsled teams smooth and polish the runners of their sleds to maximise their speed down a track.

The smoother the surface on which a vehicle moves, the faster it can go once it gets started. Road surfaces need to be smooth so that vehicles do not waste fuel in overcoming too much friction. However, they need to be rough enough to allow vehicles to turn and brake safely in all types of weather.

Trains and trams run on steel tracks because they produce very little friction. That makes them cheaper to run than vehicles that move on rough surfaces. Imagine how powerful a bus would need to be to carry the same load as a long freight train!

## 8.4.3 What causes friction?

Even very smooth surfaces are rough when you look at them under a very powerful microscope.

The photograph in figure 8.15 shows a smooth, polished metal surface magnified 300 times. At that magnification, you can see that the surface is actually covered in scratches, making it rough. It is this roughness that causes friction.

Friction is the interaction between surfaces as these scratches and bumps rub against each other.

**FIGURE 8.15** A close-up of a 'smooth', polished surface.



## 8.4.4 Reducing friction

### Ball-bearings

Ball-bearings are often used to reduce the friction on wheels as they spin around an axle, as seen in figure 8.16. The ball-bearings act as wheels, allowing the outside ring to 'roll' around the inside ring without sliding. (Rolling friction is much less than sliding friction. Try rolling and sliding an object.) The ball-bearings enable the wheels to turn faster, and reduce wear and tear as they lessen the amount of contact between the surfaces.

**FIGURE 8.16** Ball-bearings reduce friction between the axle and wheel hub of a skateboard.

## Lubricants

What makes a door squeak? A squeaky door can be silenced with a few drops of oil. The oil reduces the friction within the hinge. Substances like oil, grease and petroleum are called **lubricants**. They reduce the force of friction produced by the rubbing of solid surfaces.

Your joints contain a lubricant called synovial fluid to help stop bones from scraping against each other. An example of this synovial fluid in the knee is shown in figure 8.17.

Lubricants are needed in machines where wear and tear, heat and noise result from surfaces rubbing against each other. Oil and grease are used to lubricate wheel bearings on skateboards, rollerblades and bicycles.

**FIGURE 8.17** Synovial fluid reduces friction.




## 8.4.5 Fluid friction

Any substance that is able to take up the shape of its container and can flow is called a **fluid**. Air and water are both fluids. Objects travelling through air and water experience fluid friction. Like rolling friction and sliding friction, fluid friction acts against the motion of objects. Fluid friction limits the speed of objects travelling through air and water. It increases the amount of fuel needed by cars, planes, motorised boats and submarines.

Cars, planes, watercraft and bicycles are **streamlined** to reduce fluid friction. The faster a vehicle needs to travel, the more important streamlining becomes. Some athletes even shave their bodies to streamline them.

Sports scientists at the Australian Institute of Sport and universities throughout the world are constantly searching for ways to reduce friction so that swimmers, short-distance runners and cyclists can move faster through fluids. Tight-fitting and smooth materials such as Lycra® reduce fluid friction through water and air. The design of bicycle helmets is always changing as scientists and engineers find new shapes and materials that reduce fluid friction, as shown in figure 8.18.

**FIGURE 8.18** A racing cyclist's helmet, clothing and bicycle are all designed to reduce fluid friction.

**lubricants** substances with large particles that can slide easily over each other

**fluids** substances that flow and have no fixed shape, such as gases and liquids

**streamlined** being shaped so that drag through a fluid is minimised

## ACTIVITY: Reducing friction in sport

Consider a sport or activity where friction is a nuisance. Design a piece of equipment or cloth that will help reduce this friction. Draw a labelled diagram of your design and explain how the various components would reduce friction.

## SCIENCE AS A HUMAN ENDEAVOUR: Returning safely from space

When astronauts, scientists and other crew members of the International Space Station return to Earth, the greatest danger they face is re-entry into the Earth's atmosphere. Until July 2011, crew members returned on board a NASA space shuttle. Since then they have returned aboard a much smaller and differently shaped Russian *Soyuz* capsule. After travelling through space with almost no friction, both re-entry craft enter the upper atmosphere at speeds above 25 000 km/h. Because they are travelling so fast, the force of fluid friction is huge, causing temperatures on the outside of the craft to reach more than 1500 °C, enough to make them glow red hot.

**FIGURE 8.19** A recovery team locates the *Soyuz* capsule after a safe landing.

The surfaces of the NASA space shuttles were covered with thousands of ceramic tiles to protect the crew. The *Soyuz* capsule has a heat shield and a surface covered with ceramic sheets. As the space shuttles slowed down, they zigzagged through the lower atmosphere, cooling down and getting into the correct landing path. It landed like a plane at speeds of about 300 km/h. The *Soyuz* capsules jettison the heat shield on entering the lower atmosphere and are guided down by a system of parachutes. The capsule falls to the ground on the plains of Kazakhstan at about 5 km/h and its crew is assisted out of the capsule by a ground recovery team.

## ACTIVITY: The dangers of spacecraft re-entry

The dangers of the high friction re-entry of spacecraft into the atmosphere were highlighted in 2003 when the space shuttle *Columbia* broke up 16 minutes before it was due to land. All seven crew members were killed. This tragedy is believed to have been caused by minor damage done to some of the ceramic tiles on the shuttle's surface during launch. This left a very small part of the surface unprotected from the high temperatures caused by friction. The resulting fire quickly reached *Columbia*'s fuel tanks, causing a huge explosion.

**FIGURE 8.20** Damage to *Columbia's* ceramic tiles was believed to have caused it to overheat and explode on re-entry in a tragic incident in 2003.

Write and present as a play an account of a discussion between seven astronauts aboard the space shuttle as it leaves orbit, re-enters the atmosphere and lands. The re-entry is not as smooth as it should be, and the temperature inside becomes dangerously hot. Be creative and dramatic, but the play must end with a successful touchdown on Earth.

In what other situations might friction cause a dangerous level of heat?

elog-0346

## INVESTIGATION 8.5

### Friction

#### Aim

**To compare the friction of a variety of shoes on a floor surface**

#### Materials

- a floor
- a variety of different shoes
- equipment used to measure the friction between a shoe and the floor surface

#### Method

1. Design an experiment to compare the friction of a variety of shoes and a particular floor surface.
2. Collect a variety of shoes to test. Include different types of school shoes and runners.
3. Identify the equipment you will need to measure the friction that exists between each shoe and a particular floor surface.
4. Collect information about each shoe to be tested, such as length, mass, sole material and tread shape.
5. Form testable hypotheses about each variable that you decide to investigate.
6. Write up the method used in your investigation using a scientific report format.

#### Results

Record your results in a suitable table.

#### Discussion

1. Identify the variables that you controlled and the variables that you would have liked to control but could not.
2. Explain what shoes had the least friction.
3. Why do you think this is important?

#### Conclusion

Summarise your findings and outline differences in friction of various shoes.

### on Resources

| | |
|---|---|
| **eWorkbook** | Friction (ewbk-3941) |
| **Video eLessons** | Friction as a driving force (eles-0032) |
| | Synovial fluid (eles-2231) |
| | Model of a waterski (eles-2235) |
| **Interactivities** | Moving boxes (int-3447) |
| | Friction as a driving force (int-0054) |
| assessON | Additional automatically marked question sets |

# 8.4 Exercises

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4, 7, 10 | Questions<br>2, 3, 6, 9 | Questions<br>5, 8, 11 |

## Remember and understand

1. MC What is friction?
   - A. A force of attraction between two objects with mass
   - B. A force applied to the surface of an object when it moves against the surface of another object
   - C. A force between charged particles
   - D. A force of repulsion between two objects
2. Friction can cause objects to slow down. What else can it do?
3. How is traction different from other types of friction?
4. List three ways in which friction can be reduced. Give an example of each method.
5. What is fluid friction? List some examples of fluid friction.

## Apply and analyse

6. For each of the 'friendly friction' photos explain:
   - i. how the friction force is being helpful
   - ii. what would happen if the friction force was absent.

a.

b.



c.

d.

7. For each of the 'unfriendly friction' images explain:
   i. how the friction force is being a nuisance?
   ii. what could be done to reduce the effect of the force of friction?

a.

b.

### Evaluate and create

8. SIS Olympic swimmers wear smooth, tight-fitting suits, streamlining their bodies to reduce friction. Some of them even shave their heads. Research at least three other sports in which athletes attempt to reduce friction and outline how they do so.
9. Write about how frictional forces would affect astronauts aboard the space shuttle as it leaves orbit, re-enters the atmosphere and lands.
10. SIS Imagine a world without friction. Make a list of things that would be:
    a. easier to do  b. harder to do.
11. SIS Research and report on each of the following questions about car tyres.
    a. Why do tyres have tread?
    b. Are wider tyres better than narrow ones? Why?
    c. How does it affect your driving when the tread is worn away and the tyres are 'bald'?
    d. How does tread make wet weather driving safer?

**Fully worked solutions and sample responses are available in your digital formats.**

# 8.5 Keeping afloat

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe the upward force known as buoyancy, and explain how it is different to surface tension.

## 8.5.1 Buoyancy

The largest cruise ship in the world, *Symphony of the Seas*, has a mass of about 228 million kilograms. The downward pull of gravity on this giant of the sea, its weight, is huge — over 2 billion newtons. Why doesn't it sink?

There must be an upward force equal to its weight. That upward force is provided by the water it is floating on. It's called **buoyancy**.

Buoyancy is the upward push on an object that is floating on top of or submerged in a fluid. It acts in all liquids and gases. The buoyancy on an object depends on its density (mass per unit of volume). The less dense an object, the more likely it is to experience buoyancy and float.

**FIGURE 8.21** The force of buoyancy pushes upwards to keep this huge cruise ship afloat.

**buoyancy** an upward force acting on a floating object provided by a fluid

It is the force that keeps helium-filled balloons floating in the air. It is also the force that allows submarines to rise to the surface of the ocean.

Consider figure 8.22. If the buoyancy force is greater than the weight of the balloons, they will rise into the air if the girl lets go. If the buoyancy force is greater than the weight of the girl and the balloons, they will take the girl with them.

The buoyancy force of the water in the Dead Sea is so large you can lie back and read a book, as shown in figure 8.23. The unusual size of the force is caused by the large amount of salt in the water.

**FIGURE 8.22** What will happen if she lets go?

**FIGURE 8.23** Buoyancy in the Dead Sea

## ACTIVITY: Floating matches

Cut a slit in the end of a match and gently open it up a little. Float the match in a bowl of water. Carefully place a drop of dishwashing detergent in the split end of the match and watch what happens. Try to explain your observations.

elog-0348

## INVESTIGATION 8.6

### Are things really lighter in water?

#### Aim

**To measure buoyancy and its effect on the apparent weight of an object**

#### Materials

- stone
- length of string
- spring balance
- bucket
- 500-gram mass

#### Method

1. Tie some string around a large stone. Suspend the stone in a bucket of water without letting it touch the bottom.
2. Use a spring balance to find the weight, in newtons, of a 500 g mass and record it.

3. Without removing the mass from the spring balance, carefully lower it into the bucket so that it sits just under the surface of the water.
4. Record the force measured by the spring balance.

### Results

1. What did you observe when the stone was lowered into the bucket of water?
2. What was the weight, in newtons, of the 500 g mass?
3. What was the weight, in newtons, of the 500 g mass when it was submerged in water?

### Discussion

1. Does the stone feel any lighter when it is in the water? Why?
2. Use the following diagram to work out the size of the buoyancy force on the 500 g mass (The total force on the mass is zero while it is sitting still under the surface. That means that the total upward force must be equal to the total downward force.).




**Upward forces**
Upward pull of spring balance = _____ N
Buoyancy force of water = _____ N
Total upward force = _____ N

**Downward forces**
Weight of 500 g mass = _____ N
Total downward force = _____ N

3. Is the 500 g mass really lighter? Explain.

### Conclusion

Summarise your findings from this investigation, explaining why an object feels lighter in water.

## 8.5.2 Surface tension

In Investigation 8.7, the water appears to be held onto the coin by a skin. There is, in fact, no skin. The water is held in shape by **surface tension**. Surface tension is the pulling of particles in a liquid towards each other. Soaps and detergents reduce the surface tension of water.

**surface tension** the 'firmness' of the surface of a liquid created by the attraction between particles at the surface

elog-0369

## INVESTIGATION 8.7

### Water drops

#### Aim

**To investigate how dishwashing liquid affects the surface tension of water**

#### Materials

- 5-cent coin
- small beaker of water
- eye dropper
- dishwashing detergent

### Method

1. Write a hypothesis for your investigation, related to the following question: Do you think that adding dishwashing liquid to water will result in you being able to get more drops or fewer drops of water onto a 5-cent coin?
2. With great care, and from a very small height, use an eye dropper to place one drop of water at a time onto the coin. Keep count of the number of drops.
3. Dry the coin thoroughly and try again to see whether you can improve on your first attempt.
4. Compare your result with those of others in your class.
5. Repeat this challenge using water with a few drops of dishwashing detergent added to it.

### Results

1. What is the greatest number of drops of water (with no dishwashing liquid added) that you were able to place on the coin?
2. What was the greatest number of drops placed on a 5-cent coin in your class?
3. How many drops of water did you get on the coin after the dishwashing detergent was added?
4. Did the dishwashing detergent make it easier or more difficult to get drops of water to stay on the coin?

### Discussion

1. What seems to hold the water on the coin?
2. What difference does adding detergent make to your results?
3. Why do you think the detergent has changed the result?

### Conclusion

Did the addition of dishwashing detergent to the water make it easier or more difficult to keep drops of water on the coin? Briefly explain why.

## DISCUSSION: Walking on water

The water spider can walk on water. Water spiders are certainly light, but is that the only reason that they do not sink?

Surface tension is what keeps the water spider from sinking and drowning. The small weight of the water spider is well spread out over the surface and is not large enough to push the water particles apart.

What inventions apply the same principles to allow humans to move over water? What inventions apply different principles to allow us to move over water?

**FIGURE 8.24** The water spider walks on water. Why can't you?

## on Resources

**eWorkbook** Buoyancy (ewbk-3943)
**Video eLesson** Surface tension (eles-2036)
**Interactivity** Density (int-0221)
**assessON** Additional automatically marked question sets

## 8.5 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 6 | Questions<br>4, 5, 7 | Questions<br>3, 8, 9 |

### Remember and understand

1. MC Which two of the following forces act on you when you float on your back in a swimming pool?
   **A.** Gravity **B.** Friction **C.** Surface tension **D.** Buoyancy
2. Explain the difference between buoyancy and surface tension.
3. Which fluid produces the greater buoyancy force — air or water? How do you know?
4. Name the three forces acting on a water spider when it is standing on a still pond.

### Apply and analyse

5. State if an object would sink, rise to the surface or not move if plunged into a fluid where:
   a. the buoyancy force is the same as its weight
   b. the buoyancy force is less than its weight.
6. Explain in terms of gravity, buoyancy and surface tension why humans can't walk on water.

### Evaluate and create

7. SIS Different fluids produce different buoyancy forces. Drop a corn kernel or pea into a glass of water and another into a glass of soda water (or research what would happen in this situation). Which liquid applies the larger buoyancy force? Explain why.
8. SIS Design an experiment to compare the buoyancy and surface tension of water, olive oil and vinegar. Write up a report using the following headings: aim, hypothesis, materials, and method. Explain your expected results and conclusion for this investigation.
9. SIS Find out what capillary action is and how it works.

**Fully worked solutions and sample responses are available in your digital formats.**

# 8.6 Magnetic fields

### LEARNING INTENTION

At the end of this subtopic you will be able to describe the magnetic fields produced by a magnet and explain how an electromagnet works.

## 8.6.1 Magnetic attraction

Magnets can attract certain materials without actually touching them. Magnetic forces can therefore be referred to as non-contact forces.

Magnets that retain their magnetism when removed from other magnets are called **permanent magnets**. Natural permanent magnets contain one or more of the elements iron, nickel and cobalt. The most common natural permanent magnetic substance is magnetite, also known as lodestone.

**permanent magnets** magnets that retain their magnetic effect for many years

Most permanent magnets, however, are **alloys**, or mixtures, of iron, nickel or cobalt with other elements or each other. Items made of steel are attracted to magnets because steel is an alloy of iron, carbon and other substances.

**Temporary magnets** are those that lose their magnetism when removed from another magnet. The paperclips in Investigation 8.8 are temporary magnets while in contact with the permanent magnet. As soon as they are removed from the magnet, they lose their magnetism.

**alloys** a mixture of a metal with other elements
**temporary magnets** magnets that stay magnetic

**FIGURE 8.25** Magnets that might be found at home: **a.** fridge magnets, **b.** a magnetic screwdriver and **c.** a magnetic knife holder

elog-0371

## INVESTIGATION 8.8

### What does a magnet attract?

#### Aim

**To investigate the magnetic attraction of a magnet**

#### Materials

- magnet
- selection of materials to be tested (pencil, paper straw, plastic straw, coins, iron nail, stainless steel spoon, aluminium foil, paperclip, copper wire)

#### Method

1. List the materials you think will be attracted to the magnet.
2. Place a magnet close to a range of materials to find out which ones are attracted to it.
3. Record your observations in a table.

#### Results

Outline which materials were attracted to the magnet and which weren't in a table.

**TABLE** The attraction of different materials to magnets

| Attracted | Not attracted |
|---|---|
| | |
| | |

### Discussion

1. Are all metals attracted to magnets?
2. Of the materials that were attracted to the magnet, which one was attracted the most? Why do you think this was so?
3. Were there any forces other than the magnetic force acting on the objects? If so, what were they?
4. Were there any unexpected observations? If so, what were they?

### Conclusion

Summarise which objects were attracted to the magnet?

### Extension

Do some materials 'block' the magnetic force? Design an experiment to find out.

## 8.6.2 Magnetic poles

All magnets, no matter what their shape, have a **north pole** at one end and a **south pole** at the other.

When a magnet is cut in half, each half still has a north pole and a south pole. If you keep cutting a magnet in half over and over again, each half always has a north pole and a south pole. (as shown in figure 8.27). Magnet materials are thought to be made up of small mini-magnets called domains.

**FIGURE 8.26** The north and south poles of a magnet.




**FIGURE 8.27** Magnets always have a north pole and a south pole, even if broken in half.




As seen in figure 8.28, when the north poles of two magnets are brought close together, the magnets push away (or repel) each other. This same **repulsion** force is felt between two south poles.

When the north pole of a magnet comes close to the south pole of another magnet, the opposite happens. They pull on each other, or attract one another.

**north pole** the end of the magnet that, when free to rotate, points to the north pole of the Earth

**south pole** the end of the magnet that, when free to rotate, points to the south pole of the Earth

**repulsion** an opposing force in which objects are pushed away from each other

**FIGURE 8.28** In magnets, like poles repel each other and unlike poles attract.




**FIGURE 8.29** When the domains are lined up, the material will behave like a magnet.



If the domains inside magnetic materials are facing different directions, the pushes and pulls of the 'mini-magnets' are cancelled out. It results in the material not behaving like a magnet.

If the domains are lined up facing the same direction, the material has an overall north pole and an overall south pole. The material will behave like a magnet.

elog-0351

## INVESTIGATION 8.9

### Poles apart

#### Aim

**To investigate the forces of attraction and repulsion between the poles of a magnet**

#### Materials

- 2 bar magnets

#### Method

1. Take two bar magnets and identify the north and south pole of each.
2. Position the magnets near each other in the configurations shown.
3. Take note of whether the magnets attract or repel each other in each case.

**a.**

**b.**

**c.**

**d.**

### Results

**TABLE** The magnetic force between different configurations of bar magnets

| Configuration | Attraction or repulsion |
|---|---|
| a. | |
| b. | |
| c. | |
| d. | |

### Discussion

1. Describe what you observed in your investigation.
2. Were the forces you observed contact or non-contact forces?
3. If you were able to snap the magnets in half, would you expect similar results? Explain your answer.

### Conclusion

Complete the sentences to form your conclusion:

Like poles _____.

Unlike poles _____.

## 8.6.3 Magnetic fields

**FIGURE 8.30** Magnetic fields can be drawn as maps.




Iron filings line up in the direction of the magnetic force around a magnet. The area where the magnetic force acts is called the **magnetic field**.

The magnetic field can be drawn like a map, as in the diagram in figure 8.30. The lines show the direction of the magnetic force. The lines are closest together where the magnetic force is greatest and furthest apart where the magnetic field is weakest. Notice that the lines of the magnetic field point away from the north pole and towards the south: that is, from north to south. The north pole of a compass points in the direction of a magnet's magnetic field.

## 8.6.4 The Earth's magnetic field

The Earth, like the Sun and some planets, has its own magnetic field. It is very much like the magnetic field of a bar magnet. Scientists are not sure why the Earth has a magnetic field.

When a bar magnet is suspended by a string at its centre, it always lines up with the North and South Poles of the Earth.

Any magnet free to turn will line itself up along the field lines. The north pole of the magnet is the pole that points towards the North Pole of the Earth. In a similar way, the south pole of a magnet points towards the South Pole of the Earth.

A compass is just a small magnet with its poles tapered to a point. The north pole of a compass is usually coloured or marked. This end of the compass points towards the North Pole of the Earth (as shown in 8.31). However, if another magnet is brought close to a compass, the north pole of the compass points towards the south pole of the other magnet.

The direction of any magnetic field is the direction in which the north pole of a compass needle points.

**magnetic field** a map of lines showing the size and direction of a magnetic force

**FIGURE 8.31** A compass contains a small magnet that aligns with the Earth's magnetic field.

**FIGURE 8.32** The Earth's magnetic field is strongest closer to Earth.




elog-0353

## INVESTIGATION 8.10

### Mapping the magnetic field

#### Aim

**To map the magnetic field around magnets**

#### Materials

- horseshoe magnet in a plastic bag
- overhead transparency
- 2 bar magnets in plastic bags
- iron filings
- sheet of A4 paper
- small compass

#### Method

1. Place a bar magnet in the centre of a sheet of white paper. Cover the paper and magnet with an overhead transparency.
2. Carefully sprinkle iron filings over the transparency, gently tapping it to spread the filings out. Take care not to let iron filings get under the transparency.
3. Draw a diagram of the pattern made by the iron filings. Label the north pole and south pole of your magnet on the diagram. The pattern in your diagram is a map of the magnetic field around the bar magnet.
4. Place a compass at several positions around the magnet. The direction in which the compass needle points shows the direction of the magnetic field lines. Add arrows to your diagram to show the direction of the magnetic field.
5. Use the iron filings and compass to investigate the magnetic fields around a horseshoe magnet and the pairs of magnets shown.



### Results

Draw a diagram of the magnetic field (put arrows on the field lines to indicate their direction) that results from four configurations examined.

### Discussion

1. Explain how the magnetic field around the horseshoe magnet is different to that of the bar magnets.
2. Does the orientation of the bar magnets affect the magnetic field? Explain your response.
3. Suggest other configurations you may explore in this investigation.

### Conclusion

Summarise your findings in relation to the magnetic fields.

elog-0355

## INVESTIGATION 8.11

## Making your own compass

### Aim

**To make your own compass using an iron nail**

### Materials

- large iron nail (about 75 mm long)
- strong magnet
- paperclips or small nails
- sewing needle
- polystyrene cup
- compass
- container of water

### Method

1. Take a large iron nail and stroke it with a strong permanent magnet.
2. After each stroke, lift the magnet high above the nail before commencing the next one. You need to make sure that each stroke is in the same direction and made with the same end of the magnet.
3. After a total of 40 strokes, test your new magnet by trying to attract paperclips or small nails.
4. Compare the strength of your magnet with that of others in your class.
5. Use your magnet to make a compass like the one shown. You will need a container of water and a float. The bottom of a polystyrene cup will make a good float. Compare the direction of the nail to the direction of a compass.



### Results

Did the iron nail in your homemade compass point in the same direction as the real compass? In which direction did it point?

### Discussion

1. Is your magnet a permanent magnet or a temporary magnet?
2. Which end of your magnet is the north pole? How do you know?
3. Could you magnetise the sewing needle instead of an iron nail? Try it! Explain why or why not.

### Conclusion

Write a conclusion for this investigation. Compare how your iron nail compares to a normal compass, outlining what direction it points and why it became a magnet.

## 8.6.5 Electromagnets

An **electromagnet** is type of magnet that only becomes magnetic when connected to an electric current. It is often a coil of wire wrapped around an iron core. When an electric current is passed through the coil, the iron is magnetised. When the current is turned off, the iron is no longer magnetised. Being able to turn a magnet on and off at will can be very useful.

Figure 8.33 shows one such use. The electromagnet is attached to a giant crane. The electric current is turned off while the electromagnet is lowered onto the load of scrap metal to be lifted. When the current is switched on, the iron or steel in the scrap is attracted to the electromagnet and lifted to a container. The electric current is switched off and the metal falls into the container. This is useful to separate iron and steel (which are attracted to magnets) from other scrap metal.

Electromagnets are also used in doorbells, metal detectors, speakers, phones, electric motors and generators.

We use electromagnets and permanent magnets every day. Computer hard drives store information by forming magnetic patterns on disks. Electromagnets are used to store and read the magnetic patterns. Phones have microphones and speakers (shown in figure 8.34) that rely on both permanent magnets and electromagnets. Electric motors and generators use magnets. Metal detectors and many doorbells also contain electromagnets.

**FIGURE 8.33** An electromagnet on a large crane used to lift scrap metal

**FIGURE 8.34** Cross-section through a speaker




**electromagnet** a magnet that requires an electric current to become magnetic

## DISCUSSION

The maglev train gets its name from MAGnetic LEVitation. It carries passengers at speeds of up to 500 km/h and doesn't even need a normal engine to run! It uses pushing forces between electromagnets on the track and on the train to keep them apart.

Electromagnets also propel the train forwards. Magnets ahead of the train pull the train forwards. Magnets behind the train push it forwards.

The maglev train seems to float above the train tracks. The train touches the track only while it is building up speed before moving.

Are there other devices or transport systems that run on magnetic force? What devices that require power might be redesigned to use magnetic force? Could this technology be harnessed to reduce our reliance on fossil fuels?

**FIGURE 8.35** Electromagnets and the maglev train




## EXTENSION: Solenoids

The coil of wire that is wrapped around the iron core in an electromagnet is called a solenoid. Even without the iron core inside, a solenoid produces a magnetic field. Solenoids are used in many devices, including cars, to switch things on and off.

Think about the appliances and gadgets you have at home. Predict which of them might use a solenoid to switch on and off. Research each of your predictions to determine whether your guess was correct.

elog-0357

## INVESTIGATION 8.12

### Making an electromagnet

#### Aim

**To investigate the effects of voltage and number of turns of wire on the strength of an electromagnet**

#### Materials

- 2 insulated wires: one short, the other 1.5 m long
- power supply
- switch
- paperclips (many)

#### Method

1. Before you begin, answer the following questions to form your hypothesis.
   - How do you think increasing the number of turns of wire will affect the strength of the electromagnet?
   - How do you think increasing the voltage will affect the strength of the electromagnet?
2. Wind 15 turns of the longer wire around the nail. There will be a lot of wire left over but do not cut it.

3. Set up the electric circuit as shown.




4. Set the power supply to 2 volts and close the switch.
5. Test your electromagnet by opening the switch and seeing how many paperclips it will pick up.
6. Wind five more turns of wire around the nail. Record the number of paperclips picked up by your electromagnet now.
7. Keep winding the wire around the nail. Record the number of paperclips picked up by 25 and 30 turns of wire.
8. Increase the voltage to 4 volts and repeat the previous steps.

### Results

Copy and complete the following table:

**TABLE** The number of paperclips picked up at different voltages and wire turns

| Voltage of power supply (V) | Number of turns of wire | Number of paperclips picked up |
|---|---|---|
| 2 | 15 | |
| 2 | 20 | |
| 2 | 25 | |
| 2 | 30 | |
| 4 | 15 | |
| 4 | 20 | |
| 4 | 25 | |
| 4 | 30 | |

### Discussion

1. What is the effect of increasing the number of turns around the nail?
2. What is the effect of increasing the voltage?
3. Did the iron nail retain its magnetism when the current was switched off? Explain.

### Conclusion

Explain the effect of increasing the number of turns of wire and the effect of increasing the voltage on the strength of the electromagnet.

## Resources

**eWorkbook** Magnetic fields and forces (ewbk-3947)
Electromagnetism (ewbk-3435)

**Video eLessons** A Shanghai Maglev train (eles-2552)
Earth's magnetic field (eles-2798)
Electromagnet (eles-2234)
Electromagnetism (eles-1778)
The magnetic field around a bar magnet (eles-2232)

**assessON** Additional automatically marked question sets

# 8.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions | Questions | Questions |
| 1, 3, 5 | 2, 7, 9, 10 | 4, 6, 8 |

### Remember and understand

1. MC Which of the following statements is correct?
   - A. Permanent magnets never lose their magnetism.
   - B. All metals are strongly attracted to magnets.
   - C. Iron, steel and nickel are attracted to magnets.
   - D. Iron is the only substance attracted to magnets.
2. What is the difference between a permanent magnet and a temporary magnet?
3. MC How should two bar magnets be placed on a table so that they repel each other? (*Hint:* There may be more than one correct answer.)
   - A. South poles close together.
   - B. North poles close together.
   - C. One south pole and one north pole close together.
   - D. All of the above.
4. Describe a magnetic field.

### Apply and analyse

5. Describe what an electromagnet is and explain how it works. What is the advantage of an electromagnet over a permanent magnet?
6. The Magnetic North Pole of the Earth can be considered as one pole of a bar magnet. Is it a south pole or a north pole? Research this and explain your answer.
7. Explain which way would the coloured end of a compass point, if you were in a plane flying directly above the Earth's Magnetic North Pole?

### Evaluate and create

8. SIS Design an experiment to measure the strength of different magnets. Write a clear method for your experiment and outline your expected results.

9. SIS Arianna made her own electromagnet to find out how the number of windings around a nail affected the number of paperclips that the nail could pick up. She used the circuit shown in investigation 8.12 with the power supply set to 2 volts. Arianna then repeated her measurements with the power supply set to 4 volts and 6 volts. She recorded her observations in a table, then she constructed a graph as shown, which she titled 'The effect of the number of windings around a nail in an electromagnet on the number of paperclips lifted'.
   a. How many paperclips did Arianna lift with 20 windings and the power supply set to 6 volts?
   b. Arianna lifted 12 paperclips when the power supply was set to 4 volts. How many windings were there around the nail?
   c. How many paperclips could Arianna expect to lift with 50 windings around the nail and the power supply set to 2 volts?
   d. Suggest a way in which Arianna would be able to make her results more reliable.
10. SIS Design a device that uses an electromagnet to make a noise when you close a switch or push a button. Explain how your device works.




**Fully worked solutions and sample responses are available in your digital formats.**

# 8.7 Electric fields

## LEARNING INTENTION

At the end of this subtopic you will be able to describe electrical charge and the methods used to charge an object. You will also be able to explain the behaviour of an electric field produced by a charged object and the difference between a conductor and an insulator.

## 8.7.1 Charge

All matter is made up of atoms. At the centre of each atom is a heavy **nucleus**. Surrounding the nucleus is a lot of empty space and tiny particles called **electrons**. Electrons are constantly moving around the nucleus. Each electron carries a negative **electric charge**.

Inside the nucleus are two different types of particles. The **protons** and **neutrons** inside the nucleus are much heavier than electrons. Each proton carries a positive electric charge. Neutrons are similar to protons but carry no electric charge. The positive electric charge of a proton exactly balances the negative charge of an electron. Atoms usually contain an equal number of electrons and protons.

Any particle or substance that has more protons than electrons is said to be positively charged. Any particle or substance that has more electrons than protons is said to be negatively charged. Any particle or substance that has equal amounts of positive and negative charge is said to be uncharged or **neutral**.

**nucleus** central part of the atom, made up of protons and neutrons
**electrons** very light, negatively charged particles inside an atom
**electric charge** a property relating to the charge (negative or positive) on an atom or object
**protons** tiny, but heavy, positively charged particle found in the nucleus of an atom
**neutrons** tiny, but heavy, particles found in the nucleus of an atom with no electrical charge
**neutral** having the same number of protons and electrons

**FIGURE 8.36** A neutral atom contains an equal number of protons and electrons. This diagram represents a carbon atom. The number of neutrons is not always the same as the number of protons.




## 8.7.2 Becoming charged

Substances usually become charged by the addition or removal of electrons. This can be done in two ways: by friction or by contact.

### Friction

The rubbing of one neutral substance against another adds or removes electrons. When you rub a plastic ruler with wool, electrons are moved from the neutral wool onto the neutral plastic ruler. The wool, having lost electrons, becomes positively charged. The plastic ruler, having gained electrons, becomes negatively charged.

### Contact

If a neutral substance is touched by a charged object, electrons can move to or from the charged object. When the charged object is removed, the previously neutral substance has gained or lost electrons.

Electrons are the easiest particles to add to or remove from atoms, because they are not held together in the nucleus as protons are.

## 8.7.3 Electric fields

The area around an electrically charged object where objects experience an electric force is called an **electric field**. The strength of the electric field increases with the size of the charge producing it and decreases with distance. When two charged particles are near one another, their electric fields interact to produce forces of attraction or repulsion.

**electric field** an area around an electrically charged object where objects experience an electric force

When two like charges (two positive charges or two negative charges) are placed near each other, they will experience a force of attraction.

When two unlike charges (a negative charge and a positive charge) are placed near each other, they will experience a force of repulsion

## 8.7.4 Static electricity

The electricity that builds up on plastic rulers, balloons and the Van de Graaff generator (figure 8.37) is called **static electricity**. The word 'static' means standing still. The charge on the objects is called electrostatic charge (or static charge). Static charge can leak slowly through substances such as rubber and air. Substances through which electric charge cannot move quickly are called **insulators**. Static charge builds up easily in insulators. Substances through which electric charge flows easily are called **conductors**. Metals are good conductors of electricity. Static charge doesn't build up in conductors.

ewbk-3949
eles-2553
int-0031

**FIGURE 8.37 a.** In a Van de Graaff generator, charge is transferred from the rubber belt to the metal dome. In this Van de Graaff generator, a positive charge builds up on the dome. A spark discharge can be produced if an earthing wand is brought near the metal dome. **b.** The effects of a Van de Graaff generator




Objects with the same static charge repel each other while those with opposite charges attract each other. If sufficient charge builds up in oppositely charged objects, the attraction between the electric charges is so great that they can jump across small air gaps. Lightning is caused by the movement of electric charge between a cloud and the ground. However, the clouds and ground are both neutral! Lightning seems to show that electric charge can move between neutral objects as well as between oppositely charged objects.

Charged objects and neutral objects can be attracted to each other. A charged plastic pen attracts a neutral stream of water. A charged balloon sticks to a neutral wall. A charged comb will make dry hair stand up.

This effect can be seen in figure 8.38. When the negatively charged pen is close to the paper, electrons are repelled from the pen, leaving the top surface of the paper with a positive charge. Note that the whole piece of paper is still neutral. If there is enough charge and the pen is close enough to the paper, the attraction is great enough to pull the paper up. Once the paper is touching the pen, the charge moves across and arranges itself so that it is evenly spread out.

### ACTIVITY: Salt and pepper

Can static electricity be used to separate a mixture of salt and pepper? Try it! Write a report using the following headings: aim, hypothesis, materials, method, results, discussion, conclusion.

**static electricity** a build-up of charge in one place
**insulators** materials that do not allow an electric charge to flow through them
**conductors** materials that allow an electric charge to flow through them

int-3448

**FIGURE 8.38** Charged and neutral objects can be attracted to each other, such as **a.** paper and **b.** water to a charged pen




## When static electricity is a nuisance

- When you clean and polish windows and mirrors with a cloth you leave the surface with an electric charge. The light, neutral dust particles nearby are attracted to the surface in the same way that the paper is attracted to the pen. Similarly, TV and computer monitor screens attract dust while they are being used.
- When you walk on carpet, the friction between the surface and your shoes gives your body an electric charge. If the air is dry and you are wearing rubber-soled shoes, the charge does not leak away but builds up. When you touch a metal object such as a door handle, the charge moves very quickly to or from your body, causing a small electric shock.
- A moving car builds up static electric charge as its tyres move along the road and its body rushes through the air. Because its driver and passengers are in contact with the car, they share the electric charge that builds up. Sometimes you will get a small electric shock when you get out of the car and touch the metal body, because the charge moves through your body to the ground.

## When static electricity is useful

Static electricity is not always a pest. For example, photocopying machines use static electricity to make copies. Electrostatic speakers are used with some stereo equipment. Electrostatic attraction can be used to separate light particles from other substances. In a chimney, smoke particles are charged as they move past a metal grid. They are then attracted to the sides of the chimney and form a layer of soot instead of passing out to pollute the air.

## EXTENSION: When lightning strikes

The particles of water and ice inside clouds are constantly moving and colliding with each other. When they collide, electrons are transferred from the smaller particles to the larger particles. This leaves the lighter, smaller particles with a positive charge and the heavier, larger particles with a negative charge. Updrafts take the lighter positively charged particles closer to the top of the cloud. The larger negatively charged particles fall towards the lower part of the cloud.

The charges keep building up. Eventually there is so much charge built up that huge numbers of electrons move from the lower part of the cloud to either the upper part of a neighbouring cloud or the ground.

**FIGURE 8.39** Lightning takes the easiest path to the ground.

If a bolt of lightning strikes a building, it can cause a huge amount of damage. It is known that lightning takes the easiest path to the ground, so lightning rods are attached to the tops of tall buildings. Lightning rods are made of a highly conductive metal. It is more likely that lightning will strike the rod, keeping the rest of the building safe.

elog-0359

## INVESTIGATION 8.13

### The attraction of electricity

#### Aim

**To investigate static electricity**

#### Materials

- 2 balloons
- light thread
- woollen cloth
- metre ruler

#### Method

1. Suspend one balloon from the metre ruler with light thread, as shown in the diagram.
2. Rub the balloon with a woollen cloth.
3. Remove the woollen cloth and then place it close to, but not touching, the part of the balloon that was rubbed. Observe any movement of the balloon.
4. Suspend a second balloon from the metre ruler so that it is close to, but not touching, the first balloon.
5. Rub each of the balloons with a woollen cloth — rub on the surfaces that are facing each other.
6. Remove the cloth and position the balloons so that they are as close together as they can be without touching each other. Observe any movement of the balloons.




#### Results

1. Describe the movement of the single balloon. Did the balloon and the cloth attract or repel one another?
2. Describe the movement of the two balloons. Did the two balloons attract or repel one another?

#### Discussion

1. Do the balloons have the same charge as the woollen cloth after they are rubbed? How do you know?
2. After being rubbed with the woollen cloth, do the two balloons have like or unlike electric charges? How do you know?

#### Conclusion

Summarise your findings from this investigation, with reference to like and unlike charges.

elog-0361

## INVESTIGATION 8.14

### Defying gravity

#### Aim

**To investigate the forces between a charged object and an uncharged object/substance**

#### Materials

- plastic ballpoint or felt-tip pen
- woollen, cotton or nylon cloth
- balloon

### Method

1. Rub a plastic pen with a piece of cloth, then hold it near a thin stream of water from a tap.
2. Observe the behaviour of the water.
3. Rub an inflated balloon with the woollen cloth and place it against a wall. (If the balloon does *not* stick to the wall, try rubbing it with a different type of cloth.)

### Results

1. Describe what happened to the water.
2. Did the balloon stick to the wall?

### Discussion

1. Explain the behaviour of the water and balloon in your own words.
2. What is the effect of the cloth on the balloon?

### Conclusion

Summarise your findings from this investigation, explaining what happens to the stream of water and the balloon on the wall, and why this occurs.

## Resources

**eWorkbook** Electrostatic charge (ewbk-3951)

**Video eLesson** Producing static electricity (eles-0067)

**assessON** Additional automatically marked question sets

# 8.7 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 4, 6, 8 | Questions<br>2, 5, 9, 12 | Questions<br>3, 7, 10, 11 |

### Remember and understand

1. Write down the type of electrical charge of the following particles:
   a. A proton  b. A neutron  c. An electron
2. State how an object containing protons and electrons may be neutral (or uncharged).
3. When you rub a plastic ruler with a woollen cloth, the plastic ruler becomes negatively charged.
   a. What happens to the atoms in the cloth and ruler to cause this change?
   b. Choose the options to complete this sentence correctly.
   As the ruler becomes negatively charged, the cloth becomes **positively/negatively** charged because it has more **protons/neutrons** than electrons.
4. Complete each of the following sentences by choosing the words ‘attract’ or ‘repel’.
   a. Two positively charged objects would be expected to **attract/repel** each other.
   b. Two negatively charged objects would be expected to **attract/repel** each other.
   c. A positively charged object would be expected to attract/repel a negatively charged object.

### Apply and analyse

5. Explain, with the aid of a diagram, how it is possible for a neutral object to be attracted to a charged object.
6. Two balloons are hanging on threads next to each other, but not touching. They begin to move away from each other. If one of the balloons is positively charged, what is the charge of the other balloon?
7. If you placed a charged pen near a whole A4 sheet of paper, would you expect the paper to rise and stick to the pen? Give a reason for your answer.
8. Draw a labelled diagram to show how a neutral stream of water from a tap is attracted to a charged plastic pen. Use the symbols + and – to represent positive and negative charge.

### Evaluate and create

9. SIS Investigate why are you less likely to get an electric shock after walking on carpet in humid weather than in dry weather.
10. SIS As planes move through the air, they build up large amounts of static electricity. Investigate how this happens.
    Before refuelling, a wire is used to connect the plane to the ground. Investigate why this is important.
11. Devise a model (this may be diagrammatic) to represent positive and negative charges, to show how objects become positively and negatively charged. Use your model to demonstrate:
    a. whether a neutral object contains any electric charge
    b. what must happen to make an object:
        i. negatively charged.
        ii. positively charged
12. SIS Have you ever heard a crackling sound when you removed your clothes at night? What causes it? Which types of clothes are most likely to cause the crackling? Explain the reasoning behind this.

**Fully worked solutions and sample responses are available in your digital formats.**

# 8.8 Staying safe

### LEARNING INTENTION

At the end of this subtopic you will be able to apply the knowledge of forces to understand how helmets make cycling safer, airbags and seatbelts make driving safer, and how bending your knees makes landing on the ground safer.

## 8.8.1 Forces and safety

Understanding forces is extremely important in ensuring health and safety. Regulations around wearing seatbelts in cars and safety helmets while riding a bicycle have all come about from an understanding of forces and motion. These safety measures have drastically reduced deaths and injuries.

### SCIENCE AS A HUMAN ENDEAVOUR: Safer cycling

Every year in Australia, about 1200 people die as a result of road accidents. Many of the deaths and injuries can be avoided.

Bicycle riders account for well over one-third of road accident injuries in the 10–14-year-old age group. The most serious injuries tend to be to the head and face. The wearing of bicycle helmets has greatly decreased the number of head injuries to cyclists.

A bicycle helmet has a layer of polystyrene foam at least one centimetre thick inside a shell of hard plastic. A cyclist's head falling to the road hits the ground at speeds of up to 20 kilometres per hour.

**FIGURE 8.40** The law requires that cyclists wear a bicycle helmet.

Without a helmet, the head stops suddenly when it hits the ground. The sudden impact can cause serious head injuries. With a helmet, the head stops more slowly as the plastic shell and polystyrene foam are crushed. The injuries are less severe.

Cycling isn't the only sport where you need a helmet. Other activities in which helmets soften the impact of a fall or collision include motorcycling, horse riding and a wide range of other sporting activities.

**FIGURE 8.41** The plastic shell and polystyrene foam of a helmet soften the impact on the head in an accident.



elog-0365

## INVESTIGATION 8.15

### Egghead

#### Aim

**To model a bicycle helmet to observe its effect during a collision**

#### Materials

- hard-boiled egg
- selection of packing materials, such as bubble wrap, foam rubber and newspaper
- sticky tape
- cardboard
- wire

#### Method

1. Design, build and test a container that will hold a hard-boiled egg. Your aim is to create an egg container that will prevent the shell from cracking when it is dropped from a height of 1.5 metres onto a hard floor.
2. You are actually creating a model of a bicycle accident. The egg represents the head of a cyclist. Your container represents the helmet.

#### Results

Did your egg survive the fall?

#### Discussion

1. Draw a neat, labelled diagram of your final egg container.
2. What features of your container were included to protect the shell from cracking?
3. If your 'egg head' was 'injured', suggest how you could improve the effectiveness of your container.

### Conclusion

What aspects of the container helped to minimise damage to the egg? How does this translate into the safety features of a helmet?

elog-0367

## INVESTIGATION 8.16

### Crash test dummy

#### Aim

**To model the effect on a crash test dummy**

#### Materials

- pencil sharpener or eraser
- toy car
- rubber band
- block of wood
- clamp

#### Method

1. Clamp a wooden block to the end of a table.
2. Place the pencil sharpener or eraser on the toy car to represent an occupant.
3. Push the toy car towards the wooden block as fast as you can without your 'crash test dummy' falling off.
4. Observe the motion of the crash test dummy after the car collides with the wooden block.
5. Modify this experiment to include 'seatbelts' (by using a rubber band).

#### Results

1. Describe the motion of both the car and the crash test dummy after the collision without the 'seatbelt'.
2. What difference does the rubber band make to the motion of the crash test dummy during and after the collision?

#### Conclusion

Summarise your findings and relate them to the importance of wearing a seatbelt in vehicles.

## 8.8.2 Safety on four wheels

In cars and other motor vehicles, padded dashboards, collapsible steering wheels and airbags reduce injuries by allowing the upper body to slow down more gradually when a car crashes. The addition of various safety features has greatly reduced deaths and fatalities over the year.

### SCIENCE AS A HUMAN ENDEAVOUR: Safety features in cars

#### Airbags

Airbags inflate when a sensor behind them detects the sudden change in speed or direction that results from a collision, as shown in figure 8.42.

**FIGURE 8.42** Deployment of an airbag



### Seatbelts

When a car collides head on with an obstacle or another vehicle, the occupants continue to move forwards after the car stops. In fact, they continue to move forwards with the same speed and direction that the car had before the collision until they are stopped by a force. Without seatbelts the occupants would fly forwards through the windscreen, or their bodies would be stopped suddenly by the steering wheel, dashboard, roof or other parts of the inside of the car. Most deaths and injuries in car accidents are caused by a collision between the occupants and the inside of the car. With properly fitted seatbelts, car occupants stop as the car stops and are less likely to be killed or injured.

Your body is not the only thing that will keep moving once the car stops as a result of a collision. Any loose objects in the car will continue to move after the car stops. You should therefore never leave any loose objects in the car. They are much safer in the boot! In one accident a driver was killed by a paperback novel that was sitting on the shelf behind the back seat. It continued to move after the car and driver (with properly fitted seatbelt) stopped. A corner of the book struck the driver in the back of the head, killing her instantly. Unrestrained pets are also dangerous in a collision.

## 8.8.3 Bend your knees

In some sports, like basketball and volleyball, you need to jump high above the ground. But, of course, what goes up, must come down. When you land on the ground, you stop because the surface provides a large upward force. If you land on your feet with your legs straight and rigid, you stop very quickly, even with shoes that cushion. The upward force on your legs is large enough to cause damage. However, if you bend your knees as you land, you stop more slowly and the upward force is less.

**FIGURE 8.43** It's best to bend your knees when landing after a high leap.

## on Resources

**Interactivities** How an airbag works (int-5896)
Safety features in cars (int-5895)

**Weblink** Car safety — RACV

**assess on** Additional automatically marked question sets

# 8.8 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 7 | Questions<br>3, 5, 9 | Questions<br>4, 6, 8 |

### Remember and understand

1. How do bicycle helmets protect the head in an accident?
2. Explain how seatbelts decrease the chance of injury or death during a road accident.
3. Describe the likely motion of an unrestrained rear seat passenger in a car that collides with a tree at 60 kilometres per hour.

### Apply and analyse

4. When a stationary car is hit from the rear by another vehicle, it is pushed forwards rapidly. Describe the likely motion of a front seat passenger:
   a. with a head restraint fitted to the seat
   b. without a head restraint fitted to the seat.
5. SIS What is Newton's First Law of Motion and how is it relevant to seatbelts in cars?

### Evaluate and create

6. SIS Use the internet to research and report on the following questions.
   a. What evidence is there that the compulsory wearing of bicycle helmets in Australia has saved lives and prevented critical brain injuries?
   b. Not everybody believes that the wearing of bicycle helmets should be compulsory. Use a two-column table to list the reasons for and against the compulsory wearing of helmets.
7. Design a poster with the title 'Don't be an egghead. Wear a helmet'. Summarise the important aspects you included on your poster.
8. SIS Use the data in the table to answer the following questions.

**TABLE** Comparing the use of seat belts and no seat belts in car crash survivals and fatalities

| | Seat belt | No seat belt | Total |
|---|---|---|---|
| Killed | 16 001 | 31 199 | 47 200 |
| Survived | 7 758 634 | 2 791 887 | 10 550 521 |
| Total | 7 774 635 | 2 823 086 | 10 597 721 |

   a. What percentage of car occupants killed were wearing a seatbelt?
   b. What percentage of car occupants killed were not wearing a seatbelt?
   c. Display your results from (a) and (b) in a pie graph.
   d. What can you conclude from the data shown in this table?

9. SIS Use the graph to answer the following questions




a. What percentage of car occupants used seat belts in 1992?
b. In which year was the percentage of fatalities highest?
c. In which years did the fatality rate remain constant?
d. Using the data shown, can you conclude that there is a relationship between seatbelt use and car crash fatalities?

**Fully worked solutions and sample responses are available in your digital formats.**

# 8.9 Thinking tools — Cluster maps

## 8.9.1 Tell me

### What is a cluster map?

A cluster map is used to generate new ideas and the follow-on consequences or impacts of those ideas. It is like a collection of single bubble maps joined together to show connections around a single, central topic. While a single bubble map only has one level from the central bubble, a cluster map can have many levels from the centre. Cluster maps are also known as brainstorm maps or spider diagrams.

### What is a cluster map for?

A cluster diagram is a way of brainstorming. It helps you to think about how a central idea might be divided into smaller ideas or effects.

For example, you might use a cluster diagram to brainstorm:

- possible consequences of a specific action or decision
- smaller parts of one central idea.

## 8.9.2 Show me

To create a cluster map:

1. Write your topic in the middle. Around your topic, write down any ideas that link with it. Draw lines from the ideas to your topic.

**FIGURE 8.44** Start buildings ideas around your topic.




2. Write down new ideas that are related to your first ideas, and link them with lines.

**FIGURE 8.45** Add any related ideas.



3. Keeping building levels of ideas from each new idea.

**FIGURE 8.46** Continue building new ideas.




## 8.9.3 Let me do it

### 8.9 ACTIVITIES

1. **a.** Copy and complete the cluster map to show the links between the types of forces described in this chapter. Add as many links as you can to the map. Don't forget that you can sometimes make links between the different 'arms' of your cluster map.




   **b.** Suggest a different way of dividing the six forces into two groups and draw a new cluster map starting with these two groups branching from the title.
2. Create a cluster map outlining and showing the links of the different forces acting on you while you are walking between your classes during the day.
3. Create your own cluster maps to brainstorm the following topics:
   - wearing bike helmets
   - going into space.

**Fully worked solutions and sample responses are available in your digital formats.**

# 8.10 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-3960 | ewbk-3962 | ewbk-3964 |

on Resources

## 8.10.1 Summary

### Forces and their effects

- A force is a push or pull.
- Forces are represented in diagrams using arrows.
- Forces can be contact forces (when one object is in contact with another) or non-contact (when objects are not in contact).
- There is almost always more than one force acting on an object. All forces acting on an object are added together to determine the net force acting on the object.

### Gravity

- Every object in the Universe pulls on other objects with a force of gravity.
- Mass is a measure of the amount of material in an object or substance (measured in kilograms, kg).
- The weight of an object or substance is a measure of the force of gravity pulling it down (measured in newtons, N).

### Friction

- Friction is the force applied to the surface of an object when it moves against the surface of another object.
- Friction can slow down an object, stop it from moving or start it moving.
- The friction that assists movement is called traction.
- Friction also exists in fluids (fluid friction) which affects objects moving through the air and water.

### Keeping afloat

- Buoyancy is a force which keeps objects floating.
- Surface tension is the pulling of particles in a liquid towards each other.

### Magnetism

- Magnetism is a non-contact force.
- Magnets that retain their magnetism when removed from other magnets are called permanent magnets. Temporary magnets are those that lose their magnetism when removed from another magnet.
- All magnets have a north pole at one end and a south pole at the other.
- The area where the magnetic force acts is called the magnetic field.

### Electric forces

- All matter is made up of atoms. Electrons and protons are both charged particles in the nucleus (negative and positive respectively).
- Substances usually become charged by the addition or removal of electrons. This can be done in two ways: by friction or by contact.
- The area around an electrically charged object where objects experience an electric force is called an electric field.
- The electricity that builds up is called static electricity. The charge on the objects is called electrostatic charge (or static charge).

### Staying safe

- Helmets are vital to protect from injury. Without a helmet, the head stops suddenly when it hits the ground. The sudden impact can cause serious head injuries.
- Airbags and seatbelts are vital for safety in cars. Without airbags or seatbelts in a crash, occupants would fly forwards through the windscreen, or their bodies would be stopped suddenly by the steering wheel, dashboard, roof or other parts of the inside of the car. Airbags and seatbelts help prevent this.

## 8.10.2 Key terms

**air resistance** the force of air pushing on an object as it moves through the air
**alloys** a mixture of a metal with other elements
**buoyancy** an upward force acting on a floating object provided by a fluid
**conductors** materials that allow an electric charge to flow through them
**contact forces** forces between objects that are touching
**electric field** an area around an electrically charged object where objects experience an electric force
**electromagnet** a magnet that requires an electric current to become magnetic
**equilibrium** balanced or equal
**electrons** very light, negatively charged particles inside an atom
**electrostatic forces** attractive or repulsive non-contact forces of electric charges at rest
**electric charge** a property relating to the charge (negative or positive) on an atom or object
**fluids** substances that flow and have no fixed shape, such as gases and liquids
**force** a push, pull or twist
**friction** the force applied to the surface of an object when it is pushed or pulled against the surface of another object
**gravity** the force of attraction that exists between any two bodies in the universe that have mass
**insulators** materials that do not allow an electric charge to flow through them
**lubricants** substances with large particles that can slide easily over each other
**magnetic field** a map of lines showing the size and direction of a magnetic force
**magnetic forces** forces acting between magnets and magnetic objects
**mass** a measure of the amount of material (or matter) in an object
**net force** the sum of forces acting on an object
**neutral** having the same number of protons and electrons
**neutrons** tiny, but heavy, particles found in the nucleus of an atom with no electrical charge
**newton** the unit for measuring force
**non-contact force** forces between objects that are not touching
**north pole** the end of the magnet that, when free to rotate, points to the north pole of the Earth
**nucleus** central part of the atom, made up of protons and neutrons
**permanent magnets** magnets that retain their magnetic effect for many years
**protons** tiny, but heavy, positively charged particle found in the nucleus of an atom
**repulsion** an opposing force in which objects are pushed away from each other
**south pole** the end of the magnet that, when free to rotate, points to the south pole of the Earth
**static electricity** a build-up of charge in one place
**streamlined** being shaped so that drag through a fluid is minimised
**surface tension** the 'firmness' of the surface of a liquid created by the attraction between particles at the surface
**temporary magnets** magnets that stay magnetic
**terminal speed** the maximum constant speed reached by a falling body when the force of gravity pulling it down is balanced by the air resistance pushing against it
**traction** a type of friction used to assist movement
**weight** a measure of the size of the force of gravity pulling an object towards the centre of a massive body

## Resources

| | |
|---|---|
| **Digital document** | Key terms glossary (doc-34550) |
| **eWorkbooks** | Study checklist (ewbk-3953)<br>Literacy builder (ewbk-3954)<br>Crossword (ewbk-3956)<br>Word search (ewbk-3958) |
| **Practical investigation eLogbook** | Topic 8 practical investigation eLogbook (elog-0337) |

# 8.10 Exercises

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>2, 3, 4, 8, 11, 15 | Questions<br>1, 5, 7, 12, 14, 16, 18 | Questions<br>6, 9, 10, 13, 17, 19, 20 |

### Remember and understand

1. Identify the forces missing in each of the images.















2. Match the force to the effect it creates.

| Effect | Force |
|---|---|
| **a.** Pushes you up when you are swimming underwater | **A.** friction |
| **b.** Causes all objects with mass to attract each other | **B.** buoyancy |
| **c.** Acts on an object when it moves across the surface of another object | **C.** surface tension |
| **d.** Resists the motion of all objects moving through the air | **D.** gravity |
| **e.** Pushes up on objects on the surface of water, but not on objects below the surface | **E.** magnetic force |
| **f.** Can lift a paperclip from a desktop | **F.** air resistance |

3. State the units used to measure:
   **a.** mass
   **b.** weight
   **c.** force.
4. Complete the following sentence:
   Like charges **attract/repel** and unlike charges **attract/repel.**
5. The arrows in the image of the cyclist represent four of the forces acting on the cyclist riding on a smooth, flat surface.




   **a.** Which two forces are equal in size?
   **b.** Which arrow could represent air resistance?
   **c.** Is the cyclist speeding up, slowing down or travelling at a steady speed? Explain your answer.

6. Draw arrows on the following diagrams to represent the forces acting on the book:
   a. while it is at rest on the desk
   b. while it is falling towards the floor.

a.

b.

7. Draw the compass needle on the diagram to show the direction in which the needle would point.

## Apply and analyse

8. Explain why streamlining an object reduces fluid friction.
9. Electricians use screwdrivers and long-nosed pliers with handles that are coated with plastic. Suggest a reason for this.
10. When you rub your shoes on some types of carpet, your body becomes negatively charged. Explain what will happen to the extra negative charge on your body if you:
    a. stand still for a few minutes
    b. touch a metal door handle immediately after rubbing your shoes on the carpet
    c. place the palm of your hand near a negatively charged balloon hanging from a thread
    d. place the palm of your hand near a positively charged balloon hanging from a thread.
11. Use a labelled diagram to explain how a positively charged balloon can be attracted to an uncharged plaster wall.
12. Explain why the pull of gravity is less on the Moon than it is on the Earth.
13. When a package of emergency supplies is first dropped from a plane, it gains speed rapidly. Explain why it eventually stops gaining speed before reaching the ground, even without the use of a parachute.
14. Explain how lubricants such as grease and oil reduce the production of heat in the moving parts of car engines and other mechanical devices.

## Evaluate and create

15. Describe three ways in which racing cyclists reduce the effect of air resistance on their motion.
16. Scuba divers wear very heavy belts when they are diving. What difficulty would be caused if a heavy belt wasn't used? Use the terms buoyancy, gravity and net force in your answer.

17. SIS Investigate some investigations that sports scientists could undertake to improve performance in each of the following sports:
    a. tennis
    b. golf
    c. cricket.

18. Describe how your body would move if you were a passenger in a car that stopped very suddenly, and you were not wearing a properly fitted seatbelt.
19. Explain how the thick layer of polystyrene foam or similar material inside the outer shell of a helmet reduces the likelihood of severe head injuries in an accident.
20. **a.** determine the size and direction of the net force acting on the object shown in the diagram.




**b.** If the object is moving downwards, what will happen to its speed?
**c.** If the object is moving upwards, what will happen to its speed?

**Fully worked solutions and sample responses are available in your digital formats.**

## on Resources

**eWorkbook** Reflection (ewbk-3038)

## teachON

**Test maker**
Create customised assessments from our extensive range of questions, including teacher-quarantined questions.
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 8.1 Overview

**eWorkbooks**
- Topic 8 eWorkbook (ewbk-3932)
- Student learning matrix (ewbk-3936)
- Starter activity (ewbk-3934)

**Practical investigation eLogbook**
- Topic 8 Practical investigation eLogbook (elog-0337)

**Video eLesson**
- Parachutist Felix Baumgartner (eles-2229)

## 8.2 Forces

**eWorkbook**
- Types of forces (ewbk-7079)

**Practical investigation eLogbook**
- Investigation 8.1: Forces (elog-0338)

**Video eLesson**
- Pushing force (eles-2230)

**Interactivity**
- Net force (int-5894)

## 8.3 Gravity

**eWorkbooks**
- Moon Olympics (ewbk-3937)
- Gravity (ewbk-3939)

**Practical investigation eLogbooks**
- Investigation 8.2: Measuring weight (elog-0340)
- Investigation 8.3: More than one force? (elog-0342)
- Investigation 8.4: The landing time of a parachute (elog-0344)

**Video eLessons**
- Isaac Newton (eles-1771)
- Skydivers (eles-2554)

**Interactivities**
- Weight decreases with altitude while mass stays constant (int-3449)
- Skydiving (int-3450)

## 8.4 Friction

**eWorkbook**
- Friction (ewbk-3941)

**Practical investigation eLogbook**
- Investigation 8.5: Friction (elog-0346)

**Video eLessons**
- Friction as a driving force (eles-0032)
- Synovial fluid (eles-2231)
- Model of a waterski (eles-2235)

**Interactivities**
- Moving boxes (int-3447)
- Friction as a driving force (int-0054)

## 8.5 Keeping afloat

**eWorkbook**
- Buoyancy (ewbk-3943)

**Practical investigation eLogbooks**
- Investigation 8.6: Are things really lighter in water? (elog-0348)
- Investigation 8.7: Water drops (elog-0369)

**Video eLesson**
- Surface tension (eles-2036)

**Interactivity**
- Density (int-0221)

## 8.6 Magnetic fields

**eWorkbooks**
- Magnetic fields (ewbk-3947)
- Electromagnetism (ewbk-3435)

**Practical investigation eLogbooks**
- Investigation 8.8: What does a magnet attract? (elog-0371)
- Investigation 8.9: Poles apart (elog-0351)
- Investigation 8.10: Mapping the magnetic field (elog-0353)
- Investigation 8.11: Mapping the magnetic field (elog-0355)
- Investigation 8.12: Making an electromagnet (elog-0357)

**Video eLessons**
- A Shanghai Maglev train (eles-2552)
- Earth's magnetic field (eles-2798)
- Electromagnet (eles-2234)
- Electromagnetism (eles-1778)
- The magnetic field around a bar magnet (eles-2232)

## 8.7 Electric fields

**eWorkbooks**
- Electrostatic charge (ewbk-3951)
- Labelling a Van de Graaff generator (ewbk-3949)

**Practical investigation eLogbooks**
- Investigation 8.13: The attraction of electricity (elog-0359)
- Investigation 8.14: Defying gravity (elog-0361)

**Video eLessons**
- Producing static electricity (eles-0067)
- A Van de Graaff generator (eles-2553)

**Interactivities**
- The Van de Graaff generator (int-0031)
- Charged and neutral objects can be attracted to each other (int-3448)

## 8.8 Staying safe

**Practical investigation eLogbooks**
- Investigation 8.15: Egghead (elog-0365)
- Investigation 8.16: Crash test dummy (elog-0367)

**Interactivities**
- How an airbag works (int-5896)
- Safety features in cars (int-5895)

**Weblink**
- Car safety — RACV

## 8.10 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-3960)
- Topic review Level 2 (ewbk-3962)
- Topic review Level 3 (ewbk-3964)
- Study checklist (ewbk-3953)
- Literacy builder (ewbk-3954)
- Crossword (ewbk-3956)
- Word search (ewbk-3958)
- Reflection (ewbk-3038)

**Practical investigation eLogbook**
- Topic 8 Practical investigation eLogbook (elog-0337)

**Digital document**
- Key terms glossary (doc-34550)

To access these online resources, log on to **www.jacplus.com.au**



# 9 A world of machines

## LEARNING SEQUENCE


9.1 Overview ..... 466
9.2 Using levers ..... 469
9.3 Pushing uphill using ramps, wedges and screws ..... 476
9.4 Wheels, axles and pulleys ..... 480
9.5 Getting into gear ..... 487
9.6 Compound machines ..... 491
9.7 Thinking tools — Venn diagrams ..... 496
9.8 Project — Paper, Scissors, Robot ..... 498
9.9 Review ..... 499

# 9.1 Overview

Numerous **videos** and **interactivities** are embedded just where you need them, at the point of learning, in your learnON title at www.jacplus.com.au. They will help you learn the content and concepts covered in this topic.

## 9.1.1 Introduction

What do you think of when you hear the word 'machine'? Maybe you think of a car engine. Or a car-building robot in a factory, or even a computer. And you would be right — these are all examples of machines. But machines aren't always complicated things made up of lots of moving parts. As we will see in this chapter, a machine can also be something as uncomplicated as a screwdriver or an axe. The earliest machines used by humans were simple ones, such as the wedge and the wheel.

However, it would be a mistake to think that complex machines have only been around for a few hundred years. Figure 9.1 shows a fragment of the Antikythera Mechanism, which was discovered off the coast of Greece in 1902. This device — which calculated when solar and lunar eclipses would occur — was made over two thousand years ago, yet X-rays show it contains a complex series of gears.

**FIGURE 9.1** The Antikythera Mechanism is a machine that was created over two thousand years ago.

The thing that all machines have in common is that they perform specific functions that make our everyday lives easier. For example, they allow us to lift huge rocks in quarries and to travel long distances much faster than walking speed. In this chapter, we will see how machines help us by changing the direction in which a force acts, changing the size of a force, or both.

### on Resources

**Video eLesson** Robots assembling a car in fast motion (eles-2555)

Watch this video to observe the amazing ability of machines when assembling a car. The use of robots has greatly changed the world of industry. The speed in which robots can complete assembly is much faster, improving every day as machines continue to advance.

## 9.1.2 Think about machines

1. How could you lift a 200 kg refrigerator off the ground by yourself?
2. Why do bicycles have gears?
3. Why do roads wind around mountains instead of going straight up?
4. What are the hardest types of bathroom taps to use?
5. Why is it harder to open a door when the doorknob is in the centre?
6. What machine has most improved your life?

## 9.1.3 Science inquiry

### Exploring simple machines

A **machine** is a device that makes a physical task easier. That means that cars, bikes, cranes, lifts and escalators are machines. But machines like these are actually made up of many smaller machines called **simple machines**. Simple machines transfer energy from one object to another to make it move or change direction.

**machine** device that makes a physical task easier by converting energy

**simple machines** devices with minimal components such as levels and wedges designed to make work easier

**FIGURE 9.2** Some simple machines to make tasks easier

Pulley

Lever

Wheel and axle

Wedge

Inclined plane

Screw

elog-0304

## INVESTIGATION 9.1

### Exploring simple machines

#### Aim

**To explore the function of two simple machines and how they can make tasks easier**

#### Materials

- metal can with lid (a paint, coffee or Milo can all work well)
- spoon
- claw hammer
- nail in a block of wood

### Method

**Part A: Removing the lid from a can**

1. Place the lid firmly on the can.
2. Try to remove the lid without using the teaspoon. If you succeed in removing the lid, replace it.
3. Use the teaspoon to remove the lid. Replace the lid again.
4. Use the teaspoon to remove the lid again, but hold the spoon much closer to the end near the lid.

**Part B: Removing a nail**

5. Try to remove the nail from the block of wood without the hammer. Take care that you don't hurt your hand.
6. Now use the hammer to remove the nail.

### Results

Copy and complete the table with your observations.

**TABLE** Observations of the uses of teaspoons and hammers as simple machines

| | Observations without using a simple machine (no teaspoon/hammer) | Observation while using a simple machine (teaspoon/hammer) |
|---|---|---|
| Part A | | |
| Part B | | |

### Discussion

1. How does the teaspoon make it easier to remove the lid?
2. Where should you hold the spoon to lift the lid most easily?
3. Would you have been able to get the nail into the block of wood without the hammer?
4. Does the hammer make it easier to remove the nail?
5. Where should you hold the hammer to make it easier to remove the nail?
6. What is another example of something your do everyday that uses a simple machine?

### Conclusion

Write a clear conclusion for this investigation and write a brief statement about how simple machines can make a physical task easier to do.

## on Resources

**eWorkbooks**

Topic 9 eWorkbook (ewbk-3216)
Student learning matrix (ewbk-3856)
Starter activity (ewbk-3854)

**Practical investigation eLogbook**

Topic 9 Practical investigation eLogbook (elog-0303)

**learnon**

Access and answer an online Pre-test and receive **immediate corrective feedback** and **fully worked solutions** for all questions

# 9.2 Using levers

## LEARNING INTENTION

At the end of this subtopic you will be able to explain that levers of different types allow you to change the direction, speed or size of a force exerted on an object.

## 9.2.1 Levers

Can-openers, scissors, tongs, spanners, hammers, brooms, tennis racquets and staplers are **levers**. A lever is a simple machine that uses the turning effect of a force.

The turning point of a lever is called its **fulcrum**. The resistance to motion that a lever works against is called the **load**. The force used to cause movement is called the **effort**.

There are three different types (or 'classes') of lever. Levers are categorised depending upon where the fulcrum is placed relative to the load and the effort. This is shown in figure 9.3.

**lever** simple machine usually consisting of a long, rigid object that moves around a turning point when a force is applied

**fulcrum** point around which a lever turns

**load** force, such as the weight of an object, resisting motion against which a lever works

**effort** force used to cause movement

ewbk-3857

int-7685

**FIGURE 9.3** The three classes of lever differ depending on the relative positions of the fulcrum, effort and load.



## 9.2.2 Types of levers

For first- and second-class levers, the effort is smaller than the load. They are said to act as **force multipliers** because they increase the effect of the force applied to an object.

Third-class levers are not force multipliers. They move a load through a larger distance than the effort moves in the same time and are therefore **speed multipliers**. The softball bat shown in figure 9.4 is a third-class lever. Golf clubs, tennis racquets and brooms are also third-class levers designed to move a small load quickly with a large effort.

First-class and second-class levers are force multipliers. Third-class levers are speed multipliers.

**FIGURE 9.4** A softball bat is a third-class lever designed to move a small load quickly.




### What's the advantage?

The advantage of force-multiplying levers is that they allow you to move a heavy load with a small effort.

The **mechanical advantage** of a force-multiplying lever is defined as:

$$\text{mechanical advantage} = \frac{\text{load}}{\text{effort}}$$

For example, when you use the lever in figure 9.5 to raise a load of six coins with an effort of only three coins, the mechanical advantage is given by:

$$\text{mechanical advantage} = \frac{\text{load}}{\text{effort}}$$
$$= \frac{6}{3} = 2$$

In other words, the lever lifts a load that is two timeszfgv greater than the effort.

**FIGURE 9.5** The mechanical advantage of this lever is 2.




### ACTIVITY: Pushing your barrow

You'll need a wheelbarrow, a few bricks and a partner for this activity. Place a few bricks in the wheelbarrow and lift it by the ends of the handles. Without changing the load, lift the wheelbarrow with your hands as far down the handle as possible. While holding the wheelbarrow up, have your partner move the load so that it is closer to the handle. How does the position of the effort affect its ability to raise the load? How does the position of the load affect the amount of effort needed to raise it?

**force multiplier** simple machine that supplies a greater force than the effort used
**speed multiplier** simple machine that increases the speed of an object
**mechanical advantage** the advantage of force-multiplying levers or other machines as defined by divided by the effort

## SCIENCE AS A HUMAN ENDEAVOUR: Moving the world

The earliest description of the mathematics of the lever was provided by the Greek scientist Archimedes about 2300 years ago. He is famously quoted as saying 'Give me a lever long enough and a fulcrum on which to place it, and I shall move the world'. If we were to take him at his word, though, he would need a very long lever indeed — one that would need to start well outside our solar system!

**FIGURE 9.6** A fulcrum and lever can be used to move a heavy load.

elog-0306

## INVESTIGATION 9.2

### Get a load of this

#### Aim

**To investigate the relationship between effort and its distance from the fulcrum**

#### Materials

- ruler at least 30 cm long
- pencil
- 6 identical coins or 50-gram weights
- plasticine (to hold pencil in place if it rolls)

#### Method

1. Draw up a table like the one shown in the results section.
   - Use the pencil and ruler to set up a seesaw so that it balances without any weights on it.
   - Place a load of three weights 4.0 cm to the left of the fulcrum. Place the other three weights (the effort) to the right of the fulcrum so that the effort balances the load.
2. Record the distance from the effort to the fulcrum in your table.
   - Remove two of the weights from the effort and raise the load of three weights with an effort of only one weight.
3. Record the new distance from the effort to the fulcrum in your table.
   - Experiment with your seesaw to see where various efforts need to be placed to raise loads of five, four or two weights.
4. Record your observations in your table.
   - Do some more testing, including raising small loads with a small effort.

#### Results

**TABLE** The relationship between effort, load and distance

| Load | | Effort | |
|---|---|---|---|
| Number of weights | Distance from fulcrum (cm) | Number of weights | Distance from fulcrum (cm) |
| 3 | 4.0 | 3 | |
| 3 | 4.0 | 1 | |
| 5 | | 1 | |
| 4 | | 2 | |
| 4 | | 1 | |
| 2 | | 1 | |

#### Discussion

1. Explain why this type of lever is described as a force multiplier.
2. Describe any patterns that you see in this data.

3. Predict where you would place two weights in order to balance out a load of five weights placed 2 cm from the fulcrum. Explain your reasoning.
4. Describe a real world situation in which it would be useful to raise a light load with a large effort with this type of lever.

### Conclusion

Write a sentence describing the relationship between the effort and its distance from the fulcrum.

## 9.2.3 The Law of Conservation Energy

Although levers can 'multiply' a force or speed, the Law of Conservation of Energy is never broken. The Law of Conservation of Energy states that energy cannot be created or destroyed. It can only be transferred to another object or transformed into a different form. You can never get more energy out of a lever than you put in.

Many of the bones in your own body are levers. The long bones in your arms and legs are the most obvious examples of levers. Joints such as your elbow and knee act as fulcrums. Your muscles pull on part of the bone to provide the effort. The load is the resistance to motion that your bone works against. The load could be the weight of a basketball, a soccer ball, a bucket of water or a heavy weight in the gym.

### Levers in your arm

When you bend your arm to lift a weight, the effort is provided by your biceps muscle where it joins a bone called the radius in your forearm, just below the elbow. Your elbow is the fulcrum. It is the turning point of the lever. The load is the weight that you are trying to lift upwards. The effort is between the fulcrum and the load, so your forearm is acting as a third-class lever and a speed multiplier (see figure 9.7).

When you straighten your arm to push downwards, such as when you do push-ups or push a weight down, your forearm acts as a first-class lever and force multiplier. The fulcrum is your elbow. The effort is provided by your triceps muscle, which is joined to a bone in your forearm called the ulna. The load is the resistance to your downward push. In this case, the fulcrum is between the effort and the load (see figure 9.8).

**FIGURE 9.7** When you bend your arm to lift a load, your forearm acts as a third-class lever.




**FIGURE 9.8** When you straighten your arm to push down loads, your forearm acts as a first-class lever.



## Kicking a ball

When a football is kicked, bones in the lower leg act as a third-class lever (see figure 9.9). The knee is the fulcrum. The effort needed to straighten the leg is provided by muscles attached to the top of the lower leg. The load is the resistance to motion of the football. Although there is little movement where the effort is applied, the foot (where the load is) moves a long distance.

**FIGURE 9.9** The knee acts as a fulcrum in the kicking motion.




## Anyone for tennis?

In ball games such as tennis, cricket, baseball, golf and hockey, racquets, bats, clubs and sticks are used as third-class levers. The end of the lever that strikes the load (the ball) moves much faster than the end of the lever where the effort is applied.

When a tennis ball is served, the lever consists of your whole arm and the tennis racquet (see figure 9.10). The fulcrum is your shoulder, the effort is applied by the muscles attached to the bones of your upper arm, and as the ball hits the racquet, the load is at the centre of the racquet. The larger the distance between the load and the effort, the faster the serve. Professional tennis players can serve tennis balls at speeds of up to 240 km/h. This is many times the speed of the upper arm where the effort is applied.

**FIGURE 9.10** When serving, the arm and tennis racquet work together as a third-class lever and speed multiplier.

## Why warm up?

The muscles that pull on your bones to make them move are made up of tough and elastic fibres. When they are cold, the muscles are less elastic. If you overload muscles without warming up they can easily tear. Even with warming up, if muscles have not been prepared for sport by proper training, they can easily be torn when sudden movements are made.

### ACTIVITY: Encouraging warming up

Create a poster or short series of PowerPoint slides that could be used to encourage people to warm up before going for their daily run around the block.

### Resources

**eWorkbook** Loaded levers (ewbk-3859)

**assessON** Additional automatically marked question sets

## 9.2 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 3, 6, 11 | Questions<br>4, 5, 7, 8, 10, 13 | Questions<br>9, 12, 14, 15 |

### Remember and understand

1. MC Which body parts provide the effort when bones act as levers?
   **A.** Joints **B.** Muscles **C.** Nerves **D.** Bones
2. MC Which of the following best describes a lever?
   **A.** A simple machine **B.** A complex machine
   **C.** A force of attraction **D.** A machine that relies on electricity
3. When you bend your forearm upwards to lift a bucket of water, it acts as a lever.
   **a.** Where is the fulcrum?
   **b.** Which muscle provides the effort?
   **c.** What is the load?
   **d.** Which type of lever is your forearm acting as?
4. When you straighten your arm to do push-ups, your forearm acts as a lever.
   **a.** Where is the fulcrum?
   **b.** Which muscle provides the effort?
   **c.** What is the load?
   **d.** Which type of lever is your forearm acting as?
5. Why is it important to warm up before playing sport?
6. Outline why first-class and second-class levers are called force multipliers.

### Apply and analyse

7. Explain why you can't get more energy out of a lever than you put in.
8. In cricket, the arm acts as a lever when the ball is bowled.
   **a.** Which class of lever is the arm acting as?
   **b.** Is the arm acting as a speed multiplier or a force multiplier? Explain your answer.
   **c.** Which part of the body acts as the fulcrum?
9. Is height an advantage to tennis players and cricket bowlers? Explain your answer.

10. Investigate the following four examples of levers and answer the questions for each.
    i. Label the load, effort and fulcrum on a copy of each of the levers in a-d.
    ii. Which of the levers are speed multipliers? Explain your response.
    iii. Which of the levers are second-class levers? Explain your response.

a.

b.

c.

d.



11. Explain why third-class levers are called speed multipliers and provide four examples of third-class levers.

## Evaluate and create

12. Explain why door handles are placed as far away from the hinges as possible.
13. SIS Research what the scientists in the Movement Science Department of the Australian Institute of Sport are researching to improve the performance of Australian athletes. Write three key dot points to summarise this information.
14. Serious athletes don't just warm up. They also go through 'cooling down' exercises after strenuous activity. Find out why they do this and write a summary explaining this.
15. SIS
    a. What is the mechanical advantage of a lever when one coin is used to lift a load of three coins?
    b. In nature there is a wide variety of jaw shapes. Some are rather short, like a human jaw, and some jaws are long and slender, like a fish jaw. Based on what you have learned, identify whether or not an animal is a speed or force multiplier based on the shape of its mouth, and explain how this might provide an advantage.

**Fully worked solutions and sample responses are available in your digital formats.**

# 9.3 Pushing uphill using ramps, wedges and screws

**LEARNING INTENTION**

At this end of this subtopic you will be able to describe how a ramp, wedge and screw reduce the force needed to lift or move objects.

## 9.3.1 Inclined planes — Using ramps

Lifting objects can be difficult. If an object is heavy, it takes a very strong person to lift it. Many objects are too heavy for people to lift, even if they work together in a group. However, by pushing or pulling objects up **ramps**, people can quite easily lift heavy objects.

A **ramp** is a machine because it makes the physical task of raising an object easier. A ramp is simply an **inclined plane** — a surface that is set at an angle to the horizontal (see figure 9.11). It allows objects to be raised with less effort than would be needed to lift them straight up because the object is lifted gradually, instead of all at once. Stairs and ladders are examples of ramps. Imagine trying to climb straight up a wall to get to the second floor of a building. Escalators are moving ramps.

Although a smaller effort is needed when using a ramp, the load must be moved through a larger distance. Longer ramps make it easier to lift objects, but more time and overall effort is needed due to the longer distance travelled. The winding mountain road as shown in figure 9.12 is also a ramp. Imagine how much shorter the trip would be if the road went straight up the mountain — but no vehicle would be powerful enough to use the road.

When an object is pushed up an inclined plane, energy is transformed from the energy of movement (kinetic energy) into stored energy (potential energy). If an object at the top of an inclined plane is allowed to slide or roll down, some of its potential energy is transformed back into kinetic energy.

**ramp** simple machine, called an inclined plane, that reduces the effort required to raise objects to a higher level

**inclined plane** simple machine that uses a sloping surface to reduce the effort required for a task

**FIGURE 9.11** Lifting a heavy object is made much easier with a ramp.

**FIGURE 9.12** This winding mountain road is a ramp. How does this make driving easier?

## SCIENCE AS A HUMAN ENDEAVOUR: The Great Pyramid

Imagine how difficult it must have been for the ancient Egyptians to build the pyramids at Giza. The Great Pyramid was built from over 200 million blocks of limestone, most with masses over 2 tonnes. It is believed that the blocks were dragged from nearby quarries by gangs of men. The task of lifting the blocks to heights of over 140 metres was made possible by building long ramps of brick and sand. As each layer of limestone blocks was completed, the ramps were extended so that the next layer could be commenced.

**FIGURE 9.13** Building the pyramids required ramps leading to the increasingly high levels.



elog-0308

## INVESTIGATION 9.3

### Inclined to make it easier

#### Aim

**To investigate how an inclined plane changes the force and work required to complete a task**

#### Materials

- 3 textbooks
- 500-gram mass with hook
- spring balance

#### Method

1. Place three textbooks on top of each other. Measure and record the height of the textbooks.
2. Place the 500-gram mass next to the pile of books and use the spring balance to slowly lift the mass so that its base is level with the top of the pile.
3. Record the force measured by the spring balance.
4. Lean a ramp against the pile of books. Measure and record the distance from the bottom of the ramp to where it meets the top edge of the pile of books.
5. Place the 500-gram mass at the bottom of the ramp and use the spring balance to slowly pull it until its far end reaches the top of the pile.
6. Record the force measured by the spring balance.

### Results

Copy and complete the table. You may wish to add lines if you test multiple heights.

**TABLE** The effect of ramps on force

| Height of books (cm) | Force to lift mass (N) | Distance of ramp (cm) | Force to move mass up ramp (N) |
|---|---|---|---|
| | | | |

### Discussion

1. Does it take more force to lift the mass straight up or pulled along the ramp?
2. In which case does the mass have to move further — straight up or along the ramp?
3. Which method of raising the mass is better? Why?
4. The mechanical advantage of a simple machine is a measure of the number of times greater a load is than the effort (see section 9.2.2). What is the mechanical advantage of your ramp?

### Conclusion

Write a short paragraph summarising your findings.

## 9.3.2 Inclined planes — Wedges and screws

### Wedges

**Wedges** are inclined planes. They can be used to penetrate or split objects, or to stop them from moving. Axes, knives and your front teeth are examples of wedges. They reduce the force needed to cut through objects. If you have ever tried to cut through a hard piece of food like an apple with a blunt knife, you will know the value of a wedge.

**FIGURE 9.14** A participant employs a wedge to cut through a log in a wood-chopping competition.

### Screws

**Screws** are inclined planes. A screw is a curved ramp. However, instead of an object being pushed up the ramp, the ramp is pushed down into the object. The ramp cut into a screw is called the **thread**; the distance between two turns of the thread is called the **pitch**. Because the total length of the thread is so great, its force-multiplying effect is very large. Most car jacks use a large screw to lift a huge load with little effort. Similarly, a corkscrew is used to penetrate the tightly fitted cork of a wine bottle with little effort. The cork is then removed by pulling the corkscrew out directly.

**wedge** simple machine that reduces the force required to cut through objects or stop them from moving

**screw** curved inclined plane

**thread** curved ridge of a screw formed by a winding inclined plane

**pitch** the distance between two turns of the thread of a screw

elog-0310

## INVESTIGATION 9.4

### Inclined planes on the move

#### Aim

**To investigate how wedges and screws are used to make tasks easier to complete**

#### Materials

- wooden door wedge
- 2 rubber bands
- 2 blocks of wood (soft pine)
- self-tapping screw
- screwdriver

### Method

1. Use two rubber bands to hold the two blocks of wood together. Try to pull the two blocks of wood apart with your fingers. Take care not to break the rubber bands.
2. Place the sharp edge of the door wedge between the two blocks and push it down. Be very careful to ensure the elastic bands do not flick off.
3. Use the screwdriver to insert the screw halfway into one of the blocks of wood. Look closely at the thread of the screw as it moves into the wood.




### Results

1. Describe your observations when you used a wedge to try to separate the two blocks.
2. Describe your observations when you used the screwdriver to insert the screw into the block of wood.
3. Explain how the shape and movement of the screw allowed it to more easily go into the block.

### Discussion

1. Would you have been able to get the screw halfway into the wood by pushing straight down on it?
   a. Does the wedge make it easier to separate the two blocks?
   b. Explain why this is the case.
2. Describe your observations when you used the screwdriver to insert the screw into the block of wood.

### Conclusion

Explain why it is important to sharpen kitchen knives when they become blunt.

## Resources

**eWorkbook** Inclined planes (ewbk-3861)

**assessON** Additional automatically marked question sets

## 9.3 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5 | Questions<br>3, 4, 7, 9 | Questions<br>6, 8, 10, 11 |

### Remember and understand

1. What is a ramp?
2. MC Which two of the things listed are inclined planes?
   A. Playground slides B. Tables C. Ski slopes D. Doorways
3. Construct a table with three columns headed ‘Ramps’, ‘Wedges’ and ‘Screws’. List as many examples of each type of inclined plane as you can.

### Apply and analysis

4. What energy transformation takes place when an object is pushed up an inclined plane?
5. Explain the difference between the thread of a screw and the pitch of a screw.
6. A ramp makes it easier to push or pull objects upwards. What is the 'penalty' for making the task easier?
7. Explain why inclined planes are classified as force multipliers.
8. Explain how a ramp is able to produce a mechanical advantage.

### Evaluate and create

9. With reference to inclined planes, explain why it is important to sharpen kitchen knives when they become blunt.
10. SIS Research Machu Picchu, a citadel build in the mountain ranges in the 15th century. Using your knowledge of inclined planes, suggest ways that a structure such as Machu Picchu may have been built.
11. SIS Research ramps designed for wheelchair use and answer the following questions.
    a. What standards are required to be met when designing a ramp for wheelchair use?
    b. Why do there need to be regulations for ramps?
    c. Examine a location in your school (or even your home) that has stairs. Make a list of recommendations on where a ramp could be placed, what it needs to look like and why it would be important to install.

**Fully worked solutions and sample responses are available in your digital formats.**

# 9.4 Wheels, axles and pulleys

**LEARNING INTENTION**

At the end of this subtopic you will be able to describe how a wheel and axle system and pulleys can change the direction and size of forces used to move objects.

## 9.4.1 Wheels and axles

If a lever is fixed at one end and rotated, it becomes a simple machine called a **wheel and axle**, as the lever is often disguised as a circular object. The lever, or circular part, is the wheel. The axle is attached to the fulcrum, or turning point, of the system (see figure 9.15).

The doorknob in figure 9.16 is a force multiplier. The handle is the wheel, which turns in a circle. The spindle inside is the axle, and it turns in a smaller circle. You apply a small effort to the wheel to move a large load with the axle. There is, however, a penalty; you pay for the extra force with extra distance. The wheel (handle) moves further than the axle. Imagine, however, how difficult it would be to turn the axle without a handle.

Bathroom taps and car steering wheels (see figure 9.17) are also force-multiplying wheels and axles. Can you think of any others?

**FIGURE 9.15** The components of a wheel and axle




**wheel and axle** a type of lever that can rotate when an effort applied at the wheel produces a greater force on the axle

## Resources

**eWorkbook** Labelling a wheel and axle (ewbk-3945)
**Interactivity** Labelling a wheel and axle (int-8098)

**FIGURE 9.16** This doorknob is a wheel and axle machine.

**FIGURE 9.17** Steering wheels are force-multiplying levers.

### ACTIVITY: Model wheel and axle

Make a model wheel and axle. Use cotton thread and two sets of slotted weights to show how your model can be used as a force multiplier.

**a.** Calculate the mechanical advantage of your wheel and axle.
**b.** Does your model change energy from one form to another? If so, describe the change in detail.

## 9.4.2 Speed it up

Wheel and axle machines can be used to make things move faster. The ceiling fan in figure 9.18 is a wheel and axle machine. A large force is applied to the axle. Each time the axle turns, the fan blades move a much greater distance in the same amount of time and trace out a complete circle. It is a speed multiplier. The ceiling fan transfers kinetic energy, from the motor that makes the axle turn, to the fan blades.

A car wheel is another example of a speed multiplier. The axle turns when a large force is applied to it. The outside of the wheel moves faster, covering a much greater distance in the same time. Pairs of wheels and axles are sometimes joined together with a chain or belt (see figure 9.19). This either reduces the effort needed to make one of the wheels turn or makes one of the wheels turn faster. An example of this is the wheels of a tank. The chain connecting the wheels allows one engine to create a lot of force and easily move a tank.

eles-3262

**FIGURE 9.18** This ceiling fan is a speed-multiplying wheel and axle machine.

**FIGURE 9.19** These wheels and axles are joined by a belt to operate heavy machinery.

elog-0312

## INVESTIGATION 9.5

### Investigating wheels and axles

#### Aim

**To investigate how a screwdriver can be used as a wheel and axle**




#### Materials

- screw firmly embedded in a block of wood
- screwdriver

#### Method

1. Try to remove the screw from the block of wood with the screwdriver by turning the shaft instead of the handle.
2. Remove the screw by using the screwdriver as it is meant to be used — by turning the handle.
3. Use the screwdriver to replace the screw firmly into the wood.

#### Results

Summarise your observations in this investigation. What happened to the screw when the shaft was turned?

#### Discussion

1. What difference does using the handle make to the effort needed to remove the screw?
2. During one full turn of the screwdriver, which moves further — the outside edge of the handle or the outside edge of the shaft?
3. Draw a diagram of the screwdriver and show the wheel and the axle.
4. Explain why a screwdriver handle makes makes removing and inserting screws easier.

#### Conclusion

Write a short summarising paragraph about how wheels and axles make tasks easier.

elog-0314

## INVESTIGATION 9.6

### Wheels and axles at work

#### Aim

**To investigate how wheels and axles can become force or speed multipliers**

#### Materials

Selection of wheels and devices:

- doorknob
- hand drill
- toy cars
- spinning toys
- wind-up toys
- taps, screwdrivers
- wing nut
- small wheels

#### Method

1. Examine the wheel and axle machines provided.
2. Draw a diagram of each, labelling the wheel and axle.

### Results

For each machine examined write down whether it is a force multiplier or a speed multiplier, noting your observations in a table similar to the one shown.

**TABLE** Exploring different machines

| Machine | Force multiplier or speed multiplier |
|---|---|
| | |
| | |

### Discussion

1. What features did all of the objects have in common?
2. Describe what evidence you used to help you determine if a machine was a force multiplier or a speed multiplier.
3. Are any machines both force and speed multipliers? Explain your answer.

### Conclusion

In a short paragraph, summarise your findings from this investigation, outlining how wheels and axles work to act as force or speed multipliers.

## 9.4.3 Getting a lift

A pulley is a special type of wheel and axle that makes it easier for you to lift a load. The wheel has a groove around it so that a rope or cable can be passed over or under it. A pulley does not decrease the size of the force, or effort, needed to lift the load. It changes the direction of the effort.

It is easier to pull down on a rope to lift a load using a pulley than it is to pull it upwards with the rope. When you pull down on a rope, your own weight can be used to advantage.

When more than one pulley is used, a large load can be lifted with a small effort. A system of two or more pulleys therefore acts as a force multiplier. It magnifies the size of the effort as multiple pulleys create multiple ropes or cables pulling up on the load. As with other force multipliers, there is a cost. The rope needs to be pulled through a large distance to move the load through a small distance.

The woman in figure 9.20 is using the pulley to **transfer** energy from herself to the weight to make it move. In order to move the load, her muscles need to **transform** the chemical energy that she has stored by eating food into movement energy of her arms.

**transfer** move energy from one object to another using simple machines

**transform** change one form (of energy) into another

**FIGURE 9.20** A pulley changes the direction the effort is needed to lift a load, making it easier.

## EXTENSION: Multiple-pulley systems

A multiple-pulley system is usually called a **block and tackle**. Examples of this are shown in figure 9.21 and figure 9.22. The block is the frame around the pulleys. The tackle is the string or cable joining the load to the effort. With a block and tackle it is possible to lift many times your own weight. Of course, you have to pay for it by pulling over a long distance.

A block and tackle system is used in garages to lift engines out of cars. It is also used on cranes, wharves and ships.

**block and tackle** system of pulleys in which there are both fixed and moving pulleys

**FIGURE 9.21** A block and tackle




**FIGURE 9.22** A close up of a block and tackle.

## SCIENCE AS A HUMAN ENDEAVOUR: Archimedes and his multiple pulley system

Archimedes (287–212 BC), a Greek mathematician, invented the multiple pulley system. It is believed that he boasted to King Hiero II of Syracuse that he could move any object. The king challenged Archimedes to prove it. Archimedes responded by using a system of pulleys to single-handedly drag a ship, fully loaded with cargo and passengers, out of the water and onto land.

elog-0316

## INVESTIGATION 9.7

### Lifting that load

#### Aim

**To compare the mechanical advantage of three pulley arrangements**

#### Materials

- 2 single pulleys
- 2 double pulleys
- 1-metre length of string
- set of slotted 50-gram masses
- 5.0-newton spring balance
- meter ruler
- hook from which to suspend pulleys

#### Method

1. Load the slotted masses to a mass of 400 grams and attach them to one end of the string.
2. Use the spring balance to measure the weight, in newtons (N), of the slotted masses. This weight is the load that must be lifted.
3. Record the load in your table in your results.

4. Thread the other end of the length of string over the wheel of a single pulley and attach it to the spring balance as shown in diagram (a). Make sure the pulley is securely attached to a retort stand to hold it in position.
5. Pull slowly on the spring balance so that the load is lifted slowly and steadily upwards through a distance of 5.0 cm.
6. Record the force in newtons (N) measured by the spring balance. This force is the effort. Also record the distance through which you had to pull the spring balance to lift the load 5.0 cm.
   - The distance moved by the effort (your pull on the spring balance) is called the effort distance.
7. Arrange the system with two single pulleys as shown in diagram (b). The pulleys should be about 10 cm apart.
8. Pull slowly on the spring balance to lift the load steadily.
9. In your table, record the force and effort distance needed to lift the load through a distance of 5.0 cm.
10. Repeat the previous two steps using the system with the two double pulleys shown in diagram (c).




## Results

Draw up a table for your results like the one shown.

**TABLE** The effect of different pulley arrangements on load and effort

| Pulley arrangement | Load (N) | Load distance (cm) | Effort (N) | Effort distance (cm) | Mechanical advantage (load/effort) |
|---|---|---|---|---|---|
| Single pulley | | 5.0 | | | |
| Two single pulleys | | 5.0 | | | |
| Two double pulleys | | 5.0 | | | |

## Discussion

1. How does the effort needed to lift the load using two single pulleys compare with that needed to lift it with one single pulley?
2. How does the effort needed to lift the load with two double pulleys compare with that needed to lift it with one single pulley?
3. Would it be true to say that the system with two double pulleys has the same advantage as one with four single pulleys? Why?
4. How many ropes were pulling up on the load in each situation? How is this connected to the effort needed to lift the load?
5. Looking at your tabulated results, how would you say the effort needed changes as the number of pulleys increases?
6. How does the effort distance change as the effort itself decreases?
7. Predict how much effort would be needed to lift the same load by 5.0 cm if you used two triple pulleys instead of two double pulleys. How far would you need to pull on a string to lift the load 5.0 cm?

## Conclusion

Summarise your findings about the three pulley systems and differences in their mechanical advantage.

## Resources

**eWorkbook** Measuring forces (ewbk-3863)
**Video eLesson** Pulleys in action (eles-3273)
**Interactivity** Wheel or lever? (int-7686)
**assessON** Additional automatically marked question sets

# 9.4 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

## Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5, 7 | Questions<br>3, 4, 6, 10, 12 | Questions<br>8, 9, 11, 13 |

## Remember and understand

1. Which part of a circular doorknob is the wheel? Which part is the axle?
2. Is a circular doorknob a force multiplier or a speed multiplier? How do you know?
3. How is a single fixed pulley useful even though it does not decrease the size of the force needed to lift a load?
4. What is a block and tackle? What is it used for?
5. Draw up a two-column table with the headings 'Force multipliers' and 'Speed multipliers'. List as many wheel and axle machines as you can think of in the appropriate column.
6. Complete the equation:

**load × load distance = effort × _____**

## Apply and analysis

7. Explain why a ceiling fan is called a speed multiplier.
8. Draw a diagram of the car steering wheel.
   a. Draw an arrow to show where the effort is applied when turning right.
   b. Label the wheel and the location of the axle.
   c. What is the load being moved by the steering wheel?
   d. Is the steering wheel a force multiplier or a speed multiplier?
   e. If you wanted to change your steering wheel to one that was easier to turn, should you get a larger one or a smaller one?
9. Why is a system of two single pulleys better than one single pulley for lifting very heavy loads?
10. It has been said by many people: 'You don't get anything for nothing'. How does this statement apply to multiple-pulley systems that make it easier to lift a load?

### Evaluate and create

**11.** Explore the system P, R and Q shown in the provided diagram.




Identify and explain which of the systems, P, Q and R would you need to:

**a.** apply the least effort
**b.** apply the most effort
**c.** pull the string through the greatest distance
**d.** apply an effort equal to the load
**e.** apply an effort equal to half of the load?

**12.** SIS Investigate the wheels and axles on a bicycle.

**a.** How many are there?
**b.** What is the purpose of each wheel and axle?
**c.** What is the purpose of the chain?

**13.** SIS Pulleys are important in the functioning of rollercoasters. Explain what the purpose of pulleys in rollercoasters is, and describe in what part of the ride they are most important.

**Fully worked solutions and sample responses are available in your digital formats.**

# 9.5 Getting into gear

**LEARNING INTENTION**

At the end of this subtopic you should be able to explain how gears are used to change the speed and direction of rotation of objects.

## 9.5.1 Driven by gears

Gears are a combination of a wheel and axle and a wedge. A gear is a wheel and axle with teeth. The teeth of one gear fit between the teeth of another gear. When one gear turns, the other can be made to turn faster, slower or in a different direction. Multiple gears connected together are called a **gear train**.

Gears in cars and bikes can be changed to provide more force when travelling uphill, or to allow for more speed. Gears are also found in many kitchen appliances. The different speeds of a blender are controlled by gears. Gears are used in many clocks and watches to make the hour and minute hands move at different speeds. Gears are also used in wind turbines (see figure 9.23), changing the slow rotation of the blades into a faster rotation, leading to the generation of more electricity.

**FIGURE 9.23** A combination of gears in a wind turbine allow it to spin quickly.

**gear train** multiple gears connected together

In a gear train, the wheel that is moved first is called the **driving gear**. Usually the driving gear is moved by a person or a motor. On a bicycle, it is moved by pedalling, while in a wind turbine it is moved by the blades (as shown in figure 9.23).

In a gear train, any gears that are moved by the driving gear are called the driven gear. On a bicycle, these are the gears which are connected to the wheels. Gear trains are also found in clocks as shown in figure 9.25.

**driving gear** gear that causes another to move

**FIGURE 9.24** On a bicycle, the driving gear is moved by pedalling. This causes the driven gears to move.

**FIGURE 9.25** The gears in this clock form a gear train and allow its three hands to move around its face at different speeds.

**FIGURE 9.26** Here are two different gear trains consisting of a driving gear and a driven gear — the gear train on the left is a speed multiplier. The one on the right is a force multiplier.




elog-0318

## INVESTIGATION 9.8

### Looking at gears

#### Aim

**To investigate the differences between driving and driven gears and how these interact with each other**

#### Materials

- hand-operated eggbeater or hand drill

#### Method

1. Identify the driving gear and the driven gear or gears.
2. Rotate the driving gear and observe the motion of each driven gear. Record your findings in your results (including a diagram).
3. Count and record the number of teeth on the driving gear and the number of teeth on each driven gear. Record your results.
4. Use the handle to rotate the driving gear slowly through one complete turn, while your partner counts and records the number of turns completed by each driven gear.

### Results

1. Draw the diagram of the eggbeater or hand drill. Label the driving and driven gears and draw arrows to indicate the direction of motion of each gear.
2. Summarise your finding for each gear (driving and driven gears) in a table similar to the one shown.

**TABLE** Comparing driving and driven gears in a device

| Gear | Number of teeth | Number of turns in one turn of driving gear |
|---|---|---|
| Driving gear | | |
| Driven gear 1 | | |
| Driven gear 2 | | |

### Discussion

1. Which is larger, the driving gear or each driven gear?
2. Which moves faster, the driving gear or the driven gears?
3. Is this system of gears working as a force multiplier or as a speed multiplier?
4. How many times does each driven gear turn for each rotation of the driving gear?
5. Does the number of teeth on each gear seem to affect the way the gear system works? In what way?

### Conclusion

Write a short sentence summarising your findings on driving and driven gears and how these work together.

## 9.5.2 Big wheels, small wheels

Different sizes and arrangements of gears are used to make wheels turn faster, slower or in different directions, as shown in figure 9.27 and figure 9.28.

**FIGURE 9.27** Different sizes and arrangements of gears in an engine



A large driving gear makes a small driven gear move faster, but in the opposite direction. Hand-operated drills and wind turbines use this combination of gears to make things spin quickly. This arrangement is a speed multiplier.

A small driving gear makes a large driven gear move slower but in the opposite direction. This arrangement acts as a force multiplier. It is used to move large loads with a small effort. This arrangement is used in cars to allow them to climb hills or gather speed quickly. It is also used in rotating shop-window displays to make them turn slowly.

Pairs of gears the same size change the direction of turning without changing the speed.

Gear wheels at right angles to each other can change vertical motion into horizontal motion. Hand-operated eggbeaters and drills use this arrangement.

An idler gear can be used between the driving and driven gears to make them turn in the same direction.

Rack and pinion gears consist of a flat row of teeth, called a rack, and a circular gear wheel. A corkscrew uses rack and pinion gears to change the circular movement of the driving gears into the upward, straight-line movement that pulls the cork out.

**FIGURE 9.28** Different sizes and arrangements of gears make wheels turn at different speeds or directions.




## DISCUSSION

What do you think 'worm' gears look like? What about 'spiral' gears and 'helical' gears? What do you think their purpose is?

## on Resources

| | |
|---|---|
| **eWorkbook** | Gear trains (ewbk-3867) |
| **Video eLesson** | The action of gears (eles-3263) |
| **Interactivites** | Gears (int-0025) |
| | Gear ratios (int-0746) |
| **assess on** | Additional automatically marked question sets |

# 9.5 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 4 | Questions<br>3, 5, 7, 9 | Questions<br>6, 8, 10 |

### Remember and understand

1. What are gears?
2. What is the difference between a driving gear and a driven gear?
3. Which gear turns faster if:
   a. the driving gear is larger than the driven gear
   b. the driving gear is smaller than the driven gear
   c. the driving gear is the same size as the driven gear?
4. What can gears do, other than make another wheel turn faster?
5. List as many devices that use gears as you can.

### Apply and analyse

6. Explain the importance of an idler gear in a gear train.
7. Describe the differences between gears that are speed and force multipliers, providing examples of each.
8. The driving gear on a hand-operated eggbeater has 40 teeth while each driven gear has 10 teeth.
   a. How many times will the blades of the eggbeater turn for each turn of the handle?
   b. How could you change the design of the eggbeater so that you could move the blades faster without moving the handle faster?
   c. How could you change the design of the eggbeater so that it is easier to turn the handle? What would be the disadvantage of doing this?

### Evaluate and create

9. Research the gears on a mountain bike. Summarise how these gears work and what they are used for.
10. Design and draw a machine machine with at least two gears that could be used with a handle to:
    a. lift a heavy load
    b. make a wheel turn in the same direction as the handle
    c. make a wheel turn in the opposite direction from the handle.

**Fully worked solutions and sample responses are available in your digital formats.**

# 9.6 Compound machines

**LEARNING INTENTION**

By the end of this subtopic you will be able to describe a compound machine and identify the simple machines used in many common compound machines.

## 9.6.1 On your bike

All compound machines are made up of two or more simple machines, including levers, wheels and axles, pulleys and gears. A bicycle is a compound machine made up of many simple machines. The obvious ones are the front and rear wheels, handbrake and pedals. But if you look carefully you can find many others.

**FIGURE 9.29** The rear wheel of a bicycle is made to turn by the pedals.

### Front and rear wheels

Each of the front and rear wheels is an example of a wheel and axle. The rear wheel is made to turn by another wheel and axle — the pedals. The axle of the pedals is joined to the axle of the rear wheel by a chain. The rear wheel and axle is a speed multiplier. The rear wheel axle is much

smaller than the back wheel. When it turns, the back wheel turns very quickly. The front wheel is pushed along the road by the rest of the bicycle.

### Gears

The gears on a bicycle usually act as speed multipliers, as shown in figure 9.30. The front and rear gears are connected by a chain, but they work just like gears with teeth that fit together. The front gears are larger and have more teeth than the rear gears.

The highest wheel speed can be reached with the least effort when the larger front gear is used with the smallest rear gear. This combination is most suitable when riding quickly on a level road. When riding up a steep slope, speed is less important. If the smaller front gear is used with the largest rear gear, you can climb the slope with less effort. You do, however, need to make more turns of the pedals.

**FIGURE 9.30** Gears on a bicycle usually act as speed multipliers.

### Handbrake

The handbrake is an example of a first-class lever. The fulcrum is between the effort and the load. When the rider squeezes the handle of the handbrake, the effort is transferred along a cable to the brake pads that push against the wheel.

#### ACTIVITY: Examining a bicycle

Have a careful look at a bicycle in small groups. Carefully examine the wheel and axle, the gears and the handbrake, observing the different simple machines outlined. Draw a clear diagram of each part showing how each of these simple machines work.

#### SCIENCE AS A HUMAN ENDEAVOUR: The swiftwalker

One of the first bicycles invented was called the 'swiftwalker'. It didn't have pedals. The rider had to push off the ground with one foot to make the bike go forwards. The rider could then sit while the bike coasted forwards. Going downhill was a breeze, but imagine trying to go uphill! To make matters worse, the wheels were made of wood with iron rims covered with leather. It was a very bumpy ride!

Why do you think this invention was called 'the swiftwalker'?

**FIGURE 9.31** The swiftwalker

## 9.6.2 On four wheels

The car is also a compound machine. But it is made up of many more simple machines than the bicycle. Most of the simple machines in a car are under the bonnet, but the most obvious ones are the wheels and axles that roll along the road, and the steering wheel.

ewbk-3869
int-7688

**FIGURE 9.32** Steering wheels are force-multiplying levers. This contains a wheel connected to an axle and gears (rack and pinion gear).




**FIGURE 9.33** The front wheel and axle of this vehicle act as a speed multiplier. The outside edge of the wheel turns in a large circle, and much faster than the axle.

## EXTENSION

A Rube Goldberg machine is a compound machine using many simple machines to complete a very simple task. Research examples of Rube Goldberg machines and then design your own.

## on Resources

**Video eLesson** The working of a car (eles-3264)

## 9.6.3 Untouched by human hands

**Robots** are compound machines that perform physical tasks without direct human assistance. They can be used to do jobs that are unpleasant, dangerous or boring. Robots can work in hot weather, cold weather, under water, under the ground, in outer space and in noisy places. They don't spread germs and they don't get tired.

**FIGURE 9.34** These robots are used to put the parts of a car body together.

## DISCUSSION

What everyday tasks do you wish robots were able to do to make your everyday life easier? Discuss with your classmates and come up with a combined 'Top five jobs for robots' list.

**robot** complex combination of machines designed to perform tasks without human assistance

## Robot vacuum cleaners

Robotic vacuums are compound machines that also contain a variety of sensors, motors and computer circuits. Most robot vacuums have five motors in total. They are moved by two wheels controlled by individual motors so the robot can turn depending on how fast each wheel turns. A third wheel can freely rotate, and balances the robot. The other three motors control the vacuum suction, the side sweeping brush and an agitating brush.

The buttons on robotic vacuums hide levers. The wheels are connected to the motors using a wheel and axle arrangement. Gear systems are used to change the speed of the wheels allowing it change directions and move in both straight lines and in circles. An inclined plane is used to help the vacuum collect heavy pieces of dirt or dust which are too heavy to be sucked directly upwards. The speed and direction of the brushes is controlled by another set of gears.

**FIGURE 9.35** Most robot vacuums have five motors.

### ACTIVITY: A day in future

It is the year 2200. Computer-controlled robots are used to perform most jobs that humans did in the past. Teachers have been replaced by robots that talk, answer questions, set homework, mark tests and even punish misbehaving students. Robots drive cars, serve in shops, babysit children and even read the news on television.

**a.** Write a story about a day in the life of a student your own age in the year 2200.
**b.** What do you think about this imaginary year 2200? Is it really better than today?

### Resources

| | |
|---|---|
| **eWorkbook** | Compound machines (ewbk-3871) |
| **Video eLesson** | Viewing the actions of a robot vacuum cleaner (eles-3265) |
| **Weblink** | The history of the robot vacuum cleaner<br>Industrial robots |
| **assessON** | Additional automatically marked question sets |

## 9.6 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 6, 9, 11 | Questions<br>3, 4, 7, 10, 12, 14 | Questions<br>5, 8, 13, 15, 16 |

## Remember and understand

1. What is the difference between a simple machine and a compound machine?
2. List as many situations as you can in which robots could be used to rescue people where humans could not.
3. Identify which type of simple machine do bicycle pedals act as.
4. Identify which class of lever is a bicycle handbrake is.
5. Where do the following compound machines get the energy from to move and make things happen?
   a. Bicycle
   b. Car
6. How do robots differ from other machines?
7. Where is the load that a bicycle handbrake pushes against?

## Apply and analyse

8. Explain why it is necessary to use more energy to operate a machine than you can get out of it.
9. Is a bicycle handbrake a speed multiplier or a force multiplier? Explain your answer.
10. Describe some reasons robots would be very useful for packaging food products.
11. Should robots be used to replace humans wherever possible in jobs that are unpleasant or boring? Write your opinion and reasons for it.
12. SIS Research how hydraulic machines such as hydraulic lifts, cranes or brakes work.

## Evaluate and create

13. Machines are used to replace various parts of the human body. Artificial arms, hands and legs are all machines. More recently, artificial hearts have been implanted. What are the arguments for and against the use of a machine to replace a failing human heart? What do you think?
14. SIS Research one of the Australian inventions listed. Each of them is a compound machine. Report on when and by whom it was invented, how it works and how it makes life easier. Identify at least three simple machines that make the invention work.
    - Rotary clothes hoist
    - Victa lawn mower
    - Stump jump plough
15. Microbots are robots that are small enough to be injected into your veins. Use the internet to answer the following questions about microbots.
    a. Which harmful things in your bloodstream could microbots be used to destroy?
    b. How does the size of a microbot compare with the size of:
       i. a bacterium
       ii. a human red blood cell?
16. SIS Cars are compound machines that people rely on to get around. Think of the advantages of having one; but think also of all of the problems that cars cause — air pollution is just one of them.
    a. Construct a table like the one shown. List the advantages and disadvantages of cars.

**TABLE** Comparing advantages and disadvantages of cars

| Advantages of cars | Disadvantages of cars |
|---|---|
| | |
| | |
| | |
| | |

    b. After you have completed your table, answer the following:
       i. Are cars our essential servants? Could we live without them?
       ii. Do cars control our lives so much that they are our masters? Are we slaves to our cars?
    c. Finally, write one or two paragraphs to state your own opinion on whether the car is our servant or our master. Include reasons for your opinion.

**Fully worked solutions and sample responses are available in your digital formats.**

# 9.7 Thinking tools — Venn diagrams

## 9.7.1 Tell me

### What is a Venn diagram?

A Venn diagram is used to show similarities and differences between two or more things. This is shown in a visual way, using overlapping circles.

It is easy to remember the purpose of a Venn diagram if you remember what it looks like: overlapping circles. A Venn diagram looks for where the features of things overlap.

**FIGURE 9.36** A Venn diagram




### What is a Venn diagram for?

A Venn diagram can be used for analysing — brainstorming what two things have in common — or for demonstrating similarities and differences.

You might use a Venn diagram to plan or demonstrate:

- when you are asked to explain the similarities and differences between things
- when you are asked to compare and contrast.

## 9.7.2 Show me

To create a Venn diagram:

1. Draw two large overlapping circles in the middle of your page and label each with the topics you are comparing. For example, you might be comparing baseball bats and tennis racquets.

**FIGURE 9.37** Place headingsineach circle




3. List the thoughts and examples that only apply to one topic in the outside part of the circles. Then list the thoughts and examples that apply to both ideas in the overlapping parts of the circles.

**FIGURE 9.38** Add thoughts and ideas to the sections



## 9.7.3 Let me do it

### 9.7 ACTIVITIES

1. Create your own Venn diagram to show machines containing levers and machines containing inclined planes (some machines may be both and some machines may only be one). You may wish to use the images to assist you.



2. Create a Venn diagram and list similarities and differences between bicycles and cars. You should link this to simple and compound machines.
3. Create a Venn diagram to show the common and different features of machines you might see used if you went to watch two of your favourite sports.

**Fully worked solutions and sample responses are available in your digital formats.**

# 9.8 Project — Paper, Scissors, Robot

## Scenario

Robots are highly advanced electrical machines that can be programmed to perform specific tasks. Like all compound machines, they are made up of many smaller interacting devices that are referred to by engineers as simple machines. In general, there are considered to be seven types of simple machine — lever, screw, inclined plane, gear, pulley, wheel and axle, and wedge.

Our bodies are able to move around because the muscles, bones, tendons and ligaments also act like simple machines. For example, an incisor is really an organic form of a wedge, while the movement of your forearm is possible because it is a lever, with your elbow acting as the fulcrum.

The robotic hands that prosthetic engineers design are the result of combining processed materials such as metal alloys and polymers to create systems of simple machines that imitate the motion of a real hand as closely as possible.

**FIGURE 9.39** A robotic hand imitates a human hand.

## Your task

- You are going to design and build a robot hand that is capable of performing all of the hand motions used in the game of Paper, Scissors, Rock. You will then use your robot hand to compete with those created by other student groups in your class to find the Paper, Scissors, Robot champions. This tournament will be done as a round-robin competition, with each group playing every other group once. Your robot hand must be sturdy enough to keep functioning throughout the tournament.
- You will also create a user's manual that goes with your robot hand. This will provide a detailed diagram/plan of your robot hand, including an explanation of how it is constructed and how the user makes it move into the three different positions required. In the back of the manual there should also be a 'Troubleshooter' table that will tell the user what the most common problems are that they may experience when using the hand and provide solutions to fix those problems.

### on Resources

**ProjectsPlus** Paper, scissors, robot (pro-0089)

# 9.9 Review

### Access your topic review eWorkbooks

| Topic review Level 1 | Topic review Level 2 | Topic review Level 3 |
|---|---|---|
| ewbk-3880 | ewbk-3882 | ewbk-3884 |

on Resources

## 9.9.1 Summary

### Using levers

- Simple machines are devices that transfer energy from one object to another to make it move or change direction, helping make tasks easier.
- Levers are simple machines that consist of a long rigid object that moves around a turning point.
- The turning point is known as the fulcrum, the resistance to motion is the load and the force applied is the effort.
- First and second-class levers are force multiplier and increase the effect of the force.
- Third-class levels are speed multipliers that increases the speed of an object.

### Pushing uphill using ramps, wedges and screws

- A ramp or inclined plane is a simple machine that reduces the effort to raise objects to a higher level.
- Wedges are inclined planes that reduces the force to movement (like a door wedge) or to cut through objects (like an axe).
- Screws are curved inclined planes which are pushed down onto an object.

### Wheels, axles and pulleys

- Wheels and axles are simple machines where a level is fixed a one end and rotated.
- The circular part (which acts as the lever) is the wheel and the turning point (fulcrum) is attached to an axle.
- Some wheels and axles act as force-multiplier (like a doorknob). Others act as speed multipliers (like a ceiling fan).
- Pulleys are a type of wheel and axle used to help lift a load.

### Getting into gear

- Gears are a combination of a wheel and axle and a wedge.
- Multiple gears connected together is known as a gear train — when one wheel (the driving gear) is moved it causes other gears (the driven gears) to also move — this may be at different speeds or a different direction.
- The size and arrangement of the gear and the number of teeth affects how it will turn.

### Getting into gear

- A compound machine is made up of two or more simple machines.
- Examples of compound machines include bicycles and robots.

## 9.9.2 Key terms

**block and tackle** system of pulleys in which there are both fixed and moving pulleys
**driving gear** gear that causes another to move
**effort** force used to cause movement
**force multiplier** simple machine that supplies a greater force than the effort used
**fulcrum** point around which a lever turns
**gear train** multiple gears connected together
**inclined plane** simple machine that uses a sloping surface to reduce the effort required for a task
**lever** simple machine usually consisting of a long, rigid object that moves around a turning point when a force is applied
**load** force, such as the weight of an object, resisting motion against which a lever works
**machine** device that makes a physical task easier by converting energy
**mechanical advantage** the advantage of force-multiplying levers or other machines as defined by divided by the effort
**pitch** the distance between two turns of the thread of a screw
**ramp** simple machine, called an inclined plane, that reduces the effort required to raise objects to a higher level
**robot** complex combination of machines designed to perform tasks without human assistance
**screw** curved inclined plane
**simple machines** devices with minimal components such as levels and wedges designed to make work easier
**speed multiplier** simple machine that increases the speed of an object
**thread** curved ridge of a screw formed by a winding inclined plane
**transfer** move energy from one object to another using simple machines
**transform** change one form (of energy) into another
**wedge** simple machine that reduces the force required to cut through objects or stop them from moving
**wheel and axle** a type of lever that can rotate when an effort applied at the wheel produces a greater force on the axle

### Resources

**eWorkbooks**
Study checklist (ewbk-3873)
Literacy builder (ewbk-3874)
Crossword (ewbk-3876)
Word search (ewbk-3878)

**Digital document**
Key terms glossary (doc-34541)

**Practical investigation eLogbook**
Topic 9 Practical investigation eLogbook (elog-0303)

## 9.9 Exercise

learnON

To answer questions online and to receive **immediate feedback** and **sample responses** for every question, go to your learnON title at www.jacplus.com.au.

### Select your pathway

| LEVEL 1 | LEVEL 2 | LEVEL 3 |
|---|---|---|
| Questions<br>1, 2, 5, 8 | Questions<br>3, 4, 6, 7 | Questions<br>9, 10 |

## Remember and understand

1. Copy the following diagrams and label the fulcrum, load and effort on each of the levers. The first diagram is labelled for you. For each diagram, identify what type of level it is.

a.

b.

c.

d.

2. Which of the following is a speed multiplier and which is a force multiplier?

a.




b.




3. Bicycles are made up of many simple machines. Identify as many as you can. Classify the simple machines that you identify as levers, inclined planes, wheels and axles, pulleys and gears.

## Apply and analyse

4. A flight of stairs is an example of a simple machine.
   a. Which simple machine is a flight of stairs most similar to?
   b. Are stairs force multipliers or speed multipliers? Explain your answer.
5. Imagine that you wanted to drive a screw into a length of wood. If you had a choice of using one of the screwdrivers shown which one would you use? State a reason for your choice.

a.

b.

6. A softball bat is an example of a speed-multiplying lever.
   a. Explain why the softball bat is not a force-multiplying lever.
   b. Where is the fulcrum of the softball bat?
   c. Which class (first, second or third) of lever is the softball bat?
   d. Which other lever is used to help the softball on its way at high speed?

7. Describe the type of simple machine in each of the following and state if it is a speed or a field multiplier.
   a. Water tap
   b. Eggbeater
   c. Corkscrew
   d. Bicycle gears

## Evaluate and create

8. Robots are clearly very useful devices. They do, however, have some disadvantages. Construct a table to list the advantages and disadvantages of robots.
9. A student uses a pencil and ruler to model a first-class lever. It is tested by lifting 20-cent coins placed at one end of the ruler.
   a. Draw a diagram to show how a pencil and ruler can be set up to model a first-class lever. Label the fulcrum, effort and load.
   b. Calculate the mechanical advantage of the lever when it uses four coins to lift 12 coins.
   c. If the 12 coins are placed six centimetres from the fulcrum, how far should the four coins be from the fulcrum to lift the larger pile of coins?
10. The plank shown is 3.6 metres long. It is being used as a lever to lift a 40-kilogram box. This represents a load of 400 newtons.




   a. If the fulcrum were placed in the centre of the plank, what downward effort would the man on the right of the diagram need to apply to raise the box?
   b. If the man wants to push down on the end of the plank with an effort of only 200 newtons:
      i. how far along the plank should the fulcrum be
      ii. what would the mechanical advantage of the lever be?
   c. How could the mechanical advantage of the lever be increased?
   d. Is the plank being used as a speed multiplier or a force multiplier? Explain your answer.
   e. Suggest a different way of using the plank as a simple machine to get the box into the truck.

**Fully worked solutions and sample responses are available in your digital formats.**

## Resources

**eWorkbook** Reflection (ewbk-3038)

## teachON

**Test maker**
Create customised assessments from our extensive range of questions, including teacher-quarantined questions.
Access the assignments section in learnON to begin creating and assigning assessments to students.

# RESOURCE SUMMARY

on Resources

Below is a full list of **rich resources** available online for this topic. These resources are designed to bring ideas to life, to promote deep and lasting learning and to support the different learning needs of each individual.

## 9.1 Overview

**eWorkbooks**
- Topic 9 eWorkbook (ewbk-3216)
- Student learning matrix (ewbk-3856)
- Starter activity (ewbk-3854)

**Practical investigation eLogbooks**
- Topic 9 Practical investigation eLogbook (elog-0303)
- Investigation 9.1: Exploring simple machines (elog-0304)

**Video eLesson**
- Robots assembling a car in fast motion (eles-2555)

## 9.2 Using levers

**eWorkbooks**
- Labelling the three classes of levers (ewbk-3857)
- Loaded levers (ewbk-3859)

**Practical investigation eLogbook**
- Investigation 9.2: Get a load of this (elog-0306)

**Interactivity**
- Labelling the three classes of levers (int-7685)

## 9.3 Pushing uphill using ramps, wedges and screws

**eWorkbook**
- Inclined planes (ewbk-3861)

**Practical investigation eLogbooks**
- Investigation 9.3: Inclined to make it easier (elog-0308)
- Investigation 9.4: Inclined planes on the move (elog-0310)

## 9.4 Wheels, axles and pulleys

**eWorkbooks**
- Labelling a wheel and axle (ewbk-3945)
- Measuring forces (ewbk-3863)

**Practical investigation eLogbooks**
- Investigation 9.5: Investigating wheels and axles (elog-0312)
- Investigation 9.6: Wheels and axles at work (elog-0314)
- Investigation 9.7: Lifting that load (elog-0316)

**Video eLessons**
- Ceiling fan spinning (eles-3262)
- Pulleys in action (eles-3273)

**Interactivities**
- Labelling a wheel and axle (int-8098)
- Wheel or lever? (int-7686)

## 9.5 Getting into gear

**eWorkbook**
- Gear trains (ewbk-3867)

**Practical investigation eLogbook**
- Investigation 9.8: Looking at gears (elog-0318)

**Video eLesson**
- The action of gears (eles-3263)

**Interactivities**
- Gears (int-0025)
- Gear ratios (int-0746)

## 9.6 Compound machines

**eWorkbooks**
- Labelling a steering wheel (ewbk-3869)
- Compound machines (ewbk-3871)

**Video eLessons**
- The working of a car (eles-3264)
- Viewing the actions of a robot vacuum cleaner (eles-3265)

**Interactivity**
- Labelling a steering wheel (int-7688)

**Weblinks**
- The history of the robot vacuum cleaner
- Industrial robots

## 9.8 Project — Paper, Scissors, Robot

**ProjectsPlus**
- Paper, scissors, robot (pro-0089)

**Practical investigation eLogbook**
- Topic 9 Practical investigation eLogbook (elog-0303)

**Digital document**
- Key terms glossary (doc-34541)

## 9.9 Review

**eWorkbooks**
- Topic review Level 1 (ewbk-3880)
- Topic review Level 2 (ewbk-3882)
- Topic review Level 3 (ewbk-3884)
- Study checklist (ewbk-3873)
- Literacy builder (ewbk-3874)
- Crossword (ewbk-3876)
- Word search (ewbk-3878)
- Reflection (ewbk-3038)

To access these online resources, log on to www.jacplus.com.au.

# GLOSSARY

**abiotic factors** the non-living things in an ecosystem
**acoustics** the study of sound and how the design of a room or theatre affects what is heard
**agriculture** the use of land to grow crops or raise farm animals
**air resistance** the force of air pushing on an object as it moves through the air
**algae** aquatic photosynthetic organisms that are often unicellular
**alloys** a mixture of a metal with other elements
**annular solar eclipse** occurs when the Moon moves between the Sun and the Earth
**anthers** the site in which pollen is produced
**aqueous solutions** solutions in which water is the solvent
**arthropod** animal that has an exoskeleton, a segmented body and jointed legs (e.g. insects, crabs)
**assimilate** take in and process
**asymmetry** lack of symmetry
**atoms** very small particles that make up all things
**autotrophs** organisms that can produce their own nutrients
**bar chart** a diagram using the lengths of rectangles (bars) to show the size of the same property for different objects or at different times
**beaker** container for mixing or heating substances
**bilateral symmetry** symmetrical or looking the same along one plane
**binomial nomenclature** a system developed by Linnaeus for naming species using two words — the genus name and a descriptive name
**biochemist** a scientist who studies the composition and interaction of substances in living things
**biodegradable** a substance that breaks down or decomposes easily in the environment
**biological control** a method of controlling pests by introducing one of their natural enemies
**biological surveys** a procedure that involves observing, describing and counting organisms
**biomass** material produced by living organisms
**biomechanics** the study of how animals, including humans, move
**biophysicist** a scientist who studies the forces, energy and electrical processes in living things
**biostimulants** substances that stimulate processes of living
**biotic factors** the living things in an ecosystem
**black coal** a harder, drier from of coal than brown coal, formed from peat compressed over millions of years
**blackwater** wastewater from the toilet system of a household; raw sewage
**block and tackle** system of pulleys in which there are both fixed and moving pulleys
**booms** devices that float on the surface of the ocean and assist in containing oil spills by extending below the oil spill
**borehole** a deep, narrow hole made in the ground, especially to locate water or oil
**botany** the study of plants
**brown coal** a form of coal formed from peat compressed over millions of years, also known as lignite
**buoyant** the property that enables an object to float on a liquid
**buoyancy** an upward force acting on a floating object provided by a fluid
**carnivores** animals that eat other animals
**cellular respiration** the chemical reaction involving oxygen that moves the energy in glucose into the compound ATP
**centrifuging** separating a mixture by rotating the container quickly so the heavier parts of the mixture move to the outside of the spinning container
**cerebrum** the largest part of the brain responsible for higher order thinking and decision making
**chemical control** the control of plant or animal pests by the use of chemicals
**chemical reaction** a chemical change in which one or more new chemical substances is produced
**chlorophyll** the green-coloured chemical in plants that absorbs the light energy used in photosynthesis to make food from carbon dioxide and water

**chromosome** tiny, thread-like structure that contains the DNA that carries genetic information
**colloid** a mixture in which extremely small particles of one substance are spread evenly throughout another substance
**column graph** *see* bar chart
**categorical** data related to categories or non-numerical values; also known as qualitative
**continuous** numerical data that can be measured and be any value in a range, including decimals
**commensalism** a relationship where one organism benefits without affecting the other
**community** populations of various species living in a given area at the same time
**compost** waste material deliberately left to be decomposed by organisms such as fungi, bacteria and worms
**concentrated** a solution containing a large amount of solute
**concentration** the process of making a substance purer by removing the inessential portion
**concept map** a visual thinking tool that shows the connection between ideas
**conclusion** a general statement that sums up the observations or results of an experiment
**condensation** to turn vapour or gas to a liquid
**condense** change state from liquid to gas
**conductors** materials that allow an electric charge to flow through them
**consumers** organisms that rely on other organisms for food
**contact forces** forces between objects that are touching
**contaminated** when a useful substance that contains one or more other substances that affect its use
**continuum** a visual thinking tool that shows extremes of an idea or where people 'stand' on a particular idea or issue
**controlled** a parallel experiment where everything is the same as the test set-up except the variable
**corrosive** describes a chemical that wears away the surface of substances, especially metals
**crust** the outer layer of the Earth, including all landforms, rocks and soil
**crystallisation** a separation technique that uses evaporation to separate the parts of a solution, leaving the solute as crystals
**cycle** a visual thinking tool that shows order and sequence
**data** observations or measurements made and recorded during an investigation
**dead** once alive but now not alive
**decanting** pouring liquid off the top when sediment has settled to the bottom of the container
**decomposers** small organisms that break down dead and decaying matter
**deforestation** the removal of trees from the land
**dependent variable** a variable that is observed or measured during the experiment
**deposition** the laying down of weathered rock particles and soil by rivers, wind, oceans and glaciers
**desalination** the conversion of sea water to fresh water
**detritivores** organisms that consume detritus; that is decomposing plant and/or animal parts or faeces
**denitrifying bacteria** bacteria that can convert nitrites and nitrates back into nitrogen
**dichotomous key** diagrams used to classify things, by grouping them into smaller and smaller groups based on choosing one of two features
**dilution** the process of adding more solvent to a solution to make it less concentrated
**discrete** numerical data that can be counted and can only be certain values
**dissolved** a substance that has mixed completely with a liquid so that it is no longer visible
**distillate** the liquid collected during distillation when the evaporated substance condenses
**distillation** a separation technique that uses evaporation to separate substances
**distilled water** pure water collected by condensing steam
**driving gear** gear that causes another to move
**ecological footprint** estimate of the amount the Earth's productive land and water required to supply the resources for an individual's or group's activities
**ecology** the study of the way in which living things interact with each other organisms and with their environment
**ecosystem** community of living things that interact with each other and with the environment in which they live
**ectoparasite** parasite that lives on the outside of its host

**effort** force used to cause movement
**electric field** an area around an electrically charged object where objects experience an electric force
**electric charge** a property relating to the charge (negative or positive) on an atom or object
**electromagnet** a magnet that requires an electric current to become magnetic
**electrons** very light, negatively charged particles inside an atom
**electrostatic forces** attractive or repulsive non-contact forces of electric charges at rest
**elliptical** an oval or egg shape. The shape of the Earth's orbit around the Sun
**emulsion** a colloid where droplets of one liquid spread evenly through another
**endoparasite** parasite that lives inside its host
**endoskeleton** skeleton or shell inside the body
**entomology** the study of insects
**equilibrium** balanced or equal
**equinox** days with the same number of daylight hours as night hours
**erosion** the process of moving weathered rock or soil from one place to another
**etymology** the study of words, their origin and their grammar
**eutrophication** a form of water pollution involving an excess of nutrients leaching from soils
**evaporate** change state from liquid to gas
**evaporation** to turn from liquid to vapour (a state that is a mixture of both gas and liquid) or gas
**excrete** get rid of waste
**exoskeleton** skeleton or shell that lies outside the body
**fair test** a method for determining an answer to a problem without favouring any particular outcome
**fertilisers** chemicals added to soil to provide the nutrients needed for plant growth
**filter** a device that allows some materials to pass through. It blocks particles too large to fit through the holes or pores
**filter funnel** used with filter paper to separate solids from liquids
**filtrate** liquid that has passed through a filter
**filtration** the process of separating suspended particles from fluid through a filter
**fishbone diagram** a visual thinking tool that identifies causes of an event
**flammable** substances such as methylated spirits that burn easily
**floatables** substances that are less dense than water so can float on water
**floc** a clump of particles heavy enough to sink to the bottom rather than remain floating in a liquid
**flocculation** the process of adding a chemical to a suspension to create flocs, which settle to the bottom
**flowchart** a visual thinking tool that shows order and sequence
**fluids** substances that flow and have no fixed shape, such as gases and liquids
**food chain** a diagram showing feeding relationships in an ecosystem
**food web** a number of food chains joined together
**force multiplier** simple machine that supplies a greater force than the effort used
**force** a push, pull or twist
**forensic psychology** a branch of psychology dealing with the law
**forensic scientists** people who use methodical gathering and analysis of scientific evidence to establish facts that can be presented in a legal proceeding
**fossil fuels** substances that are formed from the remains of ancient organisms and are often burnt as fuels to produce heat
**friction** the force applied to the surface of an object when it is pushed or pulled against the surface of another object
**froth flotation** process used to separate a mixture of mineral particles by adding a substance that floats to the top with one of the minerals attached
**fulcrum** point around which a lever turns
**full moon** the view of the Moon seen from Earth when the whole of its near side is in sunlight
**fungi** eukaryotic organisms that generally use spores to reproduce and contain cell walls made of chitin
**gangue** leftover waste rock and mineral material
**gear train** multiple gears connected together

**geothermal energy** heat transferred from rocks below the Earth's surface
**germination** first sign of growth from the seed of a plant
**gravitational force** an attractive force between two objects which have mass
**gravity** the force of attraction that exists between any two bodies in the universe that have mass
**gravity separation** separation of heavier particles in a mixture, by shaking or spinning them
**greenhouse effect** a natural effect of the Earth's atmosphere trapping heat
**greywater** wastewater from the kitchen, bathroom or laundry system of a household; it can be reused for other purposes
**groundwater** water that has moved underground, under the pull of gravity and through pore spaces between sediments and within rocks
**grow** undergo development
**groynes** structures, such as jetties and breakwaters, built into the sea to prevent the erosion of the beach
**gyres** permanent circulating surface ocean currents that enclose huge areas between continents
**habitat** the place in which a particular organism lives
**habits of mind** types of thinking behaviours promoted by Bena Kallick and Arthur Costa
**helitorch** a device used to drop flaming fuel onto another substance in order to ignite it
**herbivores** animals that only eat plants
**heterotrophs** organisms that depend on another organism to supply their complex molecules and energy
**histograms** a graph with equal intervals marked on the x-axis for the values of a quantity, and frequency of occurrence of each value shown by the height of adjoining columns
**host** the organism on which a parasite feeds
**humus** organic matter resulting from the decomposition of plant and animal tissue in the soil
**hydroelectric power** produced by the energy of falling water
**hypothesis** a suggested testable explanation for observations or experimental results; it acts as a prediction for the investigation
**inclined plane** simple machine that uses a sloping surface to reduce the effort required for a task
**independent variable** the variable that the scientist changes to observe its effect on another variable
**inference** a suggested logical explanation for an event or occurrence
**infiltration** the seeping of a liquid through soil and rocks by filtrations to form underground water
**insoluble** a substance that will not dissolve in a liquid
**insulators** materials that do not allow an electric charge to flow through them
**introduced species** species that are not native to an ecosystem
**invertebrates** animals without backbones
**kerogen** the solid organic material found in some rocks that produces hydrocarbons when heated
**kingdom** a scientific classification referring to a group of related phyla with similar features and distinctive characteristics
**landfill** an area set aside for the dumping of rubbish
**lever** simple machine usually consisting of a long, rigid object that moves around a turning point when a force is applied
**lichen** mutualistic symbiotic relationship of a fungus with an alga and/or a cyanobacterium
**line graph** a graph made by plotting pairs of data as points and joining the points together
**load** force, such as the weight of an object, resisting motion against which a lever works
**lobe** one of the four primary areas of the cerebrum
**lubricants** substances with large particles that can slide easily over each other
**lunar eclipse** occurs when the Earth moves between the Sun and the Moon so that some or all of the Moon's surface does not receive light from the Sun and cannot be seen
**lunar month** the time period between the appearance of one new moon to the next which equates to 29.5 days
**machine** device that makes a physical task easier by converting energy
**magnetic field** a map of lines showing the size and direction of a magnetic force
**magnetic forces** forces acting between magnets and magnetic objects
**manufacturing processes** processes used to make products

**marsupial** the order of non-placental mammals that are born at a very early stage of development and then grow inside their mother's pouch
**mass** a measure of the amount of material (or matter) in an object
**matrixes** thinking tools that can be used to compare properties of multiple topics
**measuring cylinder** used to measure volumes of liquids accurately
**mechanical advantage** the advantage of force-multiplying levers or other machines as defined by divided by the effort
**meniscus** the curve seen at the top of a liquid, when in contact with a surface, specifically within a tube
**metabolism** the chemical reactions occurring within an organism that enable the organism to use energy and grow and repair cells
**method** the steps of an investigation or experiment
**microbiology** the study of micro-organisms, living things too small to see without a microscope
**microorganisms** microscopic (very small) life forms
**minerals** natural solid substances that make up rocks
**mining** the process of removing mineral ore from the ground
**mixture** a substance that is made by a combination of two or more components which is easy to separate
**monocultures** crops grown on land used for one kind of crop only
**monotreme** the order of non-placental mammals that lay leathery-shelled eggs and secrete milk through pores in the skin
**multicellular** an organism that is made up of many cells
**multiple intelligences** eight types of intelligences suggested by Howard Gardner
**mutualism** a relationship between two organisms in which both benefit
**natural gas** a fossil fuel consisting of mainly methane
**neap tide** a weaker high and low tide that occurs when the Sun and the Moon are not in the same line as the Earth
**net force** the sum of forces acting on an object
**neuron** cell designed to carry electrical impulses by which the nervous system functions nerve cells
**neutral** having the same number of protons and electrons
**neutrons** tiny, but heavy, particles found in the nucleus of an atom with no electrical charge
**newton** the unit for measuring force
**niche** how an organism obtains its food, its habitat and its relationships to other species
**nitrifying bacteria** bacteria that change dissolved ammonia into nitrite compounds, or nitrites into nitrate compounds
**nitrogen-fixing bacteria** bacteria which take nitrogen containing compounds from the atmosphere and convert them into other compounds, which are able to be contained within soil
**non-contact force** forces between objects that are not touching
**non-living** not ever alive, as distinct from dead
**non-renewable resources** resources that are depleted or are not naturally replaced within a human lifetime
**North Pole** the end of the magnet that, when free to rotate, points to the North Pole of the Earth
**nuclear energy** the energy stored at the centre of atoms, the tiny particles that make up all substances
**nucleus** central part of the atom, made up of protons and neutrons
**numerical** data related to numbers; also known as quantitative
**observations** information obtained by the use of our senses or measuring instruments
**ocean wave energy** a renewable energy created by converting the mechanical energy of ocean waves to electrical energy
**oil spill dispersants** chemicals that when sprayed onto an oil spill, can break the oil into smaller particles
**omnivores** animals that eat plants and other animals
**open-cut mining** a method of mining mineral ores that are close to the surface — a large hole is made to expose the rocks, which are broken up using explosives
**optimum range** the range of environmental conditions in which a species can thrive
**orbit** the curved path of a celestial object or spacecraft about a star or planet, for example the path of the Earth around the Sun or the Moon around the Earth

**ore mineral** a mineral from which a valuable metal can be removed for profit
**organisms** living things made up of one or more cells
**osmosis** the process of separating using a membrane through which one constituent cannot pass
**ovaries** organs that contain the female sex cells or ova
**ovules** receptacle within an ovary that contains egg cells
**palaeontology** the study of fossils
**paper chromatography** method of separating a mixture of different colours positioned on filter paper using a solvent
**parallax error** a reading error when scales are read from a different angle, the reading is not accurate
**parasite** an organism that lives on or within another organism to get all or some of its nourishment
**parasitism** a relationship between two organisms in which one benefits by using the host's nourishment
**partial solar eclipse** occurs when the Moon moves between the Earth and the Sun and prevents some of the Sun's light reaching a place on Earth
**peat** partially decomposed plant matter, lightly buried and compressed over a thousand years
**permanent magnets** magnets that retain their magnetic effect for many years
**pesticides** a substance or preparation for destroying pests, usually by being poisonous to them
**pharmacology** the study of the effect of drugs on living things
**phases** shapes observed in a repeated pattern of changes
**phloem** vascular tissue that transports organic substances (such as sugars) within plants
**photosynthesis** a process which carbon dioxide, water and energy from the Sun to produce food in the form of sugar
**pie chart** uses sectors of a circle to compare the size of parts making up the whole
**pie chart** a diagram using sectors of a circle to compare the size of parts making up the whole; also called a sector graph
**pitch** the distance between two turns of the thread of a screw
**placental mammal** the order of mammals in which the young grow inside the mother, receiving nutrition via a cord attached to the placenta, and are born at a well-developed stage
**PMI chart** a thinking tool that helps you visualise and reflect on an idea, consisting of three columns headed 'plus', 'minus' and 'interesting'
**pollen** fine powder containing the pollen grains (the male sex cells of a plant)
**pollination** transfer of pollen from the stamen (the male part) of a flower to the stigma (the female part) of a flower
**pollinators** organisms such as bees, flies, and other organisms which carry pollen between flowering plants
**pollutant** harmful substance released into the environment
**pollution** the introduction of harmful substances or products into the environment
**population** organisms of one particular species in a given area at one time
**porous** having many pores or other small spaces that can hold a gas or liquid or allow it to pass through
**precipitation** rain, snow, sleet, or hail that falls to the ground
**pressure** the physical force squeezing or pushing on an object
**primary consumer** organism that eats plants
**prions** infectious proteins that can cause disease
**priority grid** a thinking tool that helps quantify or rank ideas
**proboscis** a long feeding tube attached to the head of some insects. It sometimes rolls up when not in use
**producers** organisms that use photosynthesis to make their own food from the Sun's energy
**properties** the qualities and characteristics of materials and the substances that they are composed of
**protons** tiny, but heavy, positively charged particle found in the nucleus of an atom
**pure substance** a form of matter that cannot easily be separated into its components
**purification** the removal of impurities from metals to produce a pure metal
**radial symmetry** symmetrical about the centre axis
**radiochemistry** the study of radioactive substances
**ramp** simple machine, called an inclined plane, that reduces the effort required to raise objects to a higher level
**raw materials** materials before they are made into a final form

**recycling** treating items such as glass, paper, plastic, aluminium and steel so that new products can be made from them
**reduction** bringing an ore mineral into a metallic state by separating the non-metallic constituents
**relationships** interactions with other species within an ecosystem
**renewable resources** resources that are not depleted (used up) or are naturally replaced within a human lifetime
**reproduce** to create offspring
**repulsion** an opposing force in which objects are pushed away from each other
**residue** the material remaining as a solid on a filter paper after a liquid passes through in the filtration procedure
**respond** react to a stimulus
**results** the details or data that are recorded from the outcome of an investigation
**reverse osmosis** a technique by which a fluid moves under pressure through a membrane from a high solute concentration to a lesser concentration; used to purify water
**revolution** movement around an orbit
**robot** complex combination of machines designed to perform tasks without human assistance
**rotation** the turning of an object about its own axis (between the North and South Poles)
**safety glasses** plastic glasses used to protect the eyes during experiments
**saprophytes** organisms such as fungi which obtain nutrients from dead organic matter
**satellite** a body such as a moon that orbits another celestial body of a larger size and mass
**saturated** unable to dissolve any more solute
**screw** curved inclined plane
**secondary consumer** organism that eats primary consumers
**sector graph** uses sectors of a circle to compare the size of parts making up the whole
**sediment** the insoluble material that collects at the bottom of a container when suspensions are left to stand
**seed** product of a fertilised ovule
**seismology** the study of earthquakes
**separating funnel** a pear-shaped glass container, with a tap at its base, used to separate two liquids that do not mix
**septic tank** a sewage treatment system placed underground in backyards of houses not connected to town sewage treatment plants
**setae** bristle like structures often found on invertebrates
**sewage** a mixture of water and substances that flow from laundries, bathrooms, kitchens and toilets
**sewerage** the system of drains and pipes that takes sewage away from a property
**sieving** separating particles of different sizes by allowing the smaller particles to fall through holes in a container
**simple machines** devices with minimal components such as levels and wedges designed to make work easier
**skimmers** devices dragged by boats that scrape the oil of the surface
**smelting** melting ore minerals as a process of reduction
**solar eclipse** occurs when the Moon moves between the Earth and the Sun and prevents some or all of the Sun's light reaching a place on Earth
**solar energy** the solar radiation emitted from the Sun as sunlight, which can be captured and converted into electricity by photovoltaic cells
**soluble** a substance that will dissolve in a liquid
**solute** a substance that is dissolved in a solvent to form a solution
**solution** a mixture of a solute dissolved in a solvent
**solvent** a substance in which a solute dissolves to form a solution
**South Pole** the end of the magnet that, when free to rotate, points to the South Pole of the Earth
**species** a group of organisms with many features in common that can mate with each other to produce fertile young under natural conditions
**speed multiplier** simple machine that increases the speed of an object
**sports psychology** the study of how athletes train their minds to help improve sporting prowess
**spring tide** very high tide that occurs when there is a new or full moon
**static electricity** a build-up of charge in one place

**STEM** acronym stands for the disciplines of science, technology, engineering, and mathematics
**stigma** the female part of a flower, at the top of the carpel, that catches the pollen during pollination
**storyboard** a visual thinking tool that shows order and sequence
**streamlined** being shaped so that drag through a fluid is minimised
**style** the supporting part of a flower which holds the stigma
**summer solstice** the day of the year with the most daylight hours
**surface tension** the 'firmness' of the surface of a liquid created by the attraction between particles at the surface
**surfactants** substances that can break up substances such as oil into smaller particles
**suspended** hanging, not falling or sinking
**suspension** a mixture of an insoluble substance in a liquid or gas
**sustainability** able to be sustained or to continue for an indefinite time
**sustainable** using the Earth's resources so that the needs of the world's present population can be met, without damaging the ability of future populations to meet their needs
**SWOT analysis chart** a visual thinking tool that helps classify or organise thoughts
**symbiosis** an ongoing relationship between members of different species
**symmetry** the quality of being a mirror image across an axis
**target map** a visual thinking tool that analyses and compares
**taxonomy** the study of the classification of organisms
**technology** the application of science to the design of a device or process
**temporary magnets** magnets that stay magnetic
**terminal speed** the maximum constant speed reached by a falling body when the force of gravity pulling it down is balanced by the air resistance pushing against it
**tertiary consumer** organism that eats secondary consumers
**test tube** thin glass container for holding, heating or mixing small amounts of substances
**thermometer** a device which measures temperature
**thinking hats** a thinking tool developed by Edward de Bono using different coloured hats for different types of thinking
**thinking keys** a tool developed by Tony Ryan to help unlock thinking
**thread** curved ridge of a screw formed by a winding inclined plane
**tidal energy** a renewable energy that can be harvested from the tides in the ocean
**tide** the regular rise and fall of water level of the ocean, in a cycle close to twelve and a half hours
**timeline** a visual thinking tool that helps sequence thoughts
**tolerance range** the range of environmental conditions in which a species can survive
**total solar eclipse** occurs when the Moon moves between the Earth and the Sun so that all of the Sun's light to a place on Earth is blocked by the Moon
**tracheophyta** plants with a vascular system
**traction** a type of friction used to assist movement
**transfer** move energy from one object to another using simple machines
**transform** change one form (of energy) into another
**transpiration** the exhalation of water vapour by a plant
**trophic level** a feeding level within a food chain
**turbidity** a measure of how 'murky' or 'cloudy' a liquid is
**turbine** wheels that, when turned, drive electrical generators
**underground mining** a method of mining mineral ores that are deep below the surface, using shafts and tunnels dug deep into the ground
**unicellular** an organism made up of a single cell
**universe** all of space and the matter and energy contained in it
**variables** quantities or conditions in an experiment that can change
**vascular tissue** plant tissue involved in the transport of substances within the plant (and in plant support)
**vector** an organism that does not cause disease, but transports another disease-causing organism
**Venn diagram** a visual thinking tool that analyses and compares

**vertebrates** animals with backbones
**viroids** the smallest infectious known pathogen, comprised solely of a short single-stranded piece of RNA
**virus** a non-cellular pathogen that uses the host cells in order to reproduce
**vulcanology** the study of volcanoes
**waning** the change in the Moon's appearance between a full moon and the following new moon
**water cycle** the constant circulation of water on Earth, as it evaporates from the sea, condenses into clouds and precipitates back to the sea
**water table** the top portion of the ground saturated by water
**waxing** the change in the Moon's appearance between a new moon and the following full moon
**weathering** the process of breaking down rocks by conditions in the atmosphere
**wedge** simple machine that reduces the force required to cut through objects or stop them from moving
**weight** a measure of the size of the force of gravity pulling an object towards the centre of a massive body
**wheel and axle** a type of lever that can rotate when an effort applied at the wheel produces a greater force on the axle
**wind energy** a renewable energy derived from the wind (caused by uneven heating of the Earth and its oceans by the Sun)
**winter solstice** the day of the year with the fewest daylight hours
***x*-axis** the horizontal axis on a graph
**xylem** vascular tissue that carries water and minerals from the roots up to the leaves
**Y chart** a visual thinking tool that helps you visualise and reflect
***y*-axis** the vertical axis on a graph
**zoology** the study of animals

# PERIODIC TABLE




- Alkali metal
- Alkaline earth metal
- Transition metal
- Lathanoids
- Actinoids
- Unknown chemical properties
- Post-transition metal
- Metalloid
- Reactive non-metal
- Halide
- Noble gas

**Lanthanoids**

| 57 Lanthanum **La** 138.9 | 58 Cerium **Ce** 140.1 | 59 Praseodymium **Pr** 140.9 | 60 Neodymium **Nd** 144.2 | 61 Promethium **Pm** (145) | 62 Samarium **Sm** 150.4 | 63 Europium **Eu** 152.0 |
|---|---|---|---|---|---|---|

**Actinoids**

| 89 Actinium **Ac** (227) | 90 Thorium **Th** 232.0 | 91 Protactinium **Pa** 231.0 | 92 Uranium **U** 238.0 | 93 Neptunium **Np** (237) | 94 Plutonium **Pu** (244) | 95 Americium **Am** (243) |
|---|---|---|---|---|---|---|

| Group 10 | Group 11 | Group 12 | Group 13 | Group 14 | Group 15 | Group 16 | Group 17 | Group 18 |
|---|---|---|---|---|---|---|---|---|
| | | | | | | | | Noble gases → Group 18 |
| | | | | Non-metals → | | | Halogens → Group 17 | |
| | | | 5 Boron **B** **10.8** | 6 Carbon **C** **12.0** | 7 Nitrogen **N** **14.0** | 8 Oxygen **O** **16.0** | 9 Fluorine **F** **19.0** | 2 Helium **He** **4.0** |
| | | | 13 Aluminium **Al** **27.0** | 14 Silicon **Si** **28.1** | 15 Phosphorus **P** **31.0** | 16 Sulfur **S** **32.1** | 17 Chlorine **Cl** **35.5** | 10 Neon **Ne** **20.2** |
| 28 Nickel **Ni** **58.7** | 29 Copper **Cu** **63.5** | 30 Zinc **Zn** **65.4** | 31 Gallium **Ga** **69.7** | 32 Germanium **Ge** **72.6** | 33 Arsenic **As** **74.9** | 34 Selenium **Se** **79.0** | 35 Bromine **Br** **79.9** | 18 Argon **Ar** **39.9** |
| 46 Palladium **Pd** **106.4** | 47 Silver **Ag** **107.9** | 48 Cadmium **Cd** **112.4** | 49 Indium **In** **114.8** | 50 Tin **Sn** **118.7** | 51 Antimony **Sb** **121.8** | 52 Tellurium **Te** **127.6** | 53 Iodine **I** **126.9** | 54 Xenon **Xe** **131.3** |
| 78 Platinum **Pt** **195.1** | 79 Gold **Au** **197.0** | 80 Mercury **Hg** **200.6** | 81 Thallium **Tl** **204.4** | 82 Lead **Pb** **207.2** | 83 Bismuth **Bi** **209.0** | 84 Polonium **Po** **(210)** | 85 Astatine **At** **(210)** | 86 Radon **Rn** **(222)** |
| 110 Darmstadtium **Ds** **(271)** | 111 Roentgenium **Rg** **(272)** | 112 Copernicium **Cn** **(285)** | 113 Nihonium **Nh** **(280)** | 114 Flerovium **Fl** **(289)** | 115 Moscovium **Mc** **(289)** | 116 Livermorium **Lv** **(292)** | 117 Tennessine **Ts** **(294)** | 118 Oganesson **Og** **(294)** |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 64 Gadolinium **Gd** **157.3** | 65 Terbium **Tb** **158.9** | 66 Dysprosium **Dy** **162.5** | 67 Holmium **Ho** **164.9** | 68 Erbium **Er** **167.3** | 69 Thulium **Tm** **168.9** | 70 Ytterbium **Yb** **173.1** | 71 Lutetium **Lu** **175.0** |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 96 Curium **Cm** **(247)** | 97 Berkelium **Bk** **(247)** | 98 Californium **Cf** **(251)** | 99 Einsteinium **Es** **(252)** | 100 Fermium **Fm** **(257)** | 101 Mendelevium **Md** **(258)** | 102 Nobelium **No** **(259)** | 103 Lawrencium **Lr** **(262)** |

# INDEX


**A**

abiotic factors 161–163, 237
  dispersal 189–190
  in ecosystem 162
  interactions 188–189
  measuring 166–167
  physical environment and 171
  pollination 188–189
Aboriginal and Torres Strait Islander peoples 205–209
acid rain 388
acoustics 4, 53
adaptation 113
agriculture 210, 237
  development 210
  purpose of 210
airbags 453
air resistance 418, 459
algae 140, 142, 147
  definition 140
alloys 434, 459
*Alocasia macrorrhizos* 130
alum, definition 281
ancient knowledge 205
angiosperms 128, 188
animals
  arguments against keeping 221–223
  Australian 83
  in captivity 223
  classifying 96–104
    asymmetry 99–102
    endoskeletons 98
    exoskeletons 98
    invertebrates 97–98
    into phyla 100–101
    by structural features 96–97
    symmetry 99–102
    vertebrates *see* vertebrates
  with endoskeletons and exoskeletons 97
  identity 90
  lifespan 222
  with no skeleton 98
  without backbones 118–119
annular solar eclipses 306, 323, 324, 341
anthers 188, 237
aqueous solutions 251, 294
arthropods 120–121, 147
  classification of 120
  definition 120
  field guide 120
artificial ecosystems 210–211
  carbon dioxide 211–212
  climate change 211–212
  monocultures 210
assimilate 66, 147
astronomy 5
  ancient Greek 332–333
  developments in 331–336
asymmetry 99–102, 147
  definition 99
atoms
  borrowing 195–196
  definition 164
  interacting 164–168
  recycling 195–198
Australia
  ancient megafauna of 114–117
  brown and black coal mines 358
  floral emblems of 137
  mammals in 113
  minerals commonly mined in 350
  natural gas and oil in 360
  snakes alive 145–146
  unique flora of 134–140
    *Banksia* 136–139
    genus 135
    proteaceae 135–139
  vertebrates 110
  water quality 385
  water use in 380–381
autotrophs 172, 237

**B**

bacteria 284
ball-bearings 424–425
*Banksia* 136–139
bar chart 30–31, 53
bar graph 35–36
beaker 12, 53
bedbugs 125
being scientific 24–26
  fair testing 25–26
  variables 24–25
belt up 453
bicycle helmet 450
big wheels 489–490
bilateral symmetry 99, 147
  definition 99
binomial nomenclature 81–82, 147
biochemist 6, 53
biodegradable 198, 276, 294, 382, 399
  definition 198, 382
  materials 215
biodegradable organic substances 215
biodegradation 276
biological control 212–213, 237
  definition 212
biological organisation, levels of 164
biological surveys 228, 237
biomass 366, 399
biomechanics 4, 53
biophysicist 6, 53
biostimulants 277, 294
biotic factors 161, 163–164, 237
  in ecosystem 162
  interactions 188–189
  measuring 166–167
'bird-hipped' dinosaurs 88
black coal 357, 399
blackwater 382–383, 399
block and tackle 484, 500
blood
  separate 263
  types and uses 264
body levers
  in arm 472–473
  kicking a ball 473
  for tennis 473
  warm up 473–474
bones 472
booms 277, 294
boreholes 381, 399
botanists 192–193
botany 4, 53
  definition 4
branches of science 4–8
  astronomy 5
  biology 4
  chemistry 5–6
  geology 5
  physics 4–5
  psychology 5
  scientific knowledge 4
brown coal 357, 399
Bunsen burner 13–21
buoyancy 429–431, 459
  force of 429
buoyant 277, 294

## C

*Callistemon citrinus* 128
carbon cycle 164, 200–201
carbon dioxide 164, 172, 200
211–212, 251
carnivores 174, 237
car wheel 481
ceiling fan 481
cellular respiration 164, 172, 237
centrifuging 263–265, 294
charge 444–445
charts 42–43
chemical control 212, 237
definition 212
chemical reaction 251, 294
chemicals 74
chemistry 5–6
chlorophyll 74, 172, 237
chromatography 246, 269–271
in industry 270
separating technique of 271
chromoplasts 74
circular muscles 98
classification
algae 140–142
animals 96–104
asymmetry 99–102
endoskeletons 98
exoskeletons 98
invertebrates 97–98
by structural features 96–97
symmetry 99–102
vertebrates *see* vertebrates
changing 140–142
dead 66–67
field guides 91–94
five-kingdom system 68–70
fungi 140–142
grouping to order and organise
67–68
hierarchy 81
identification, keys for 88–91
circular keys 90–91
dichotomous keys 88–89
importance of 66
invertebrates 119–126
arthropods 120–121
common features of 119–120
groups of 120
insects 121
phyla of 119
keys to unlock identity 87–96
levels of 81
lichens 140–142
living things 66–67
made up of cells 68
mammals 112–113
non-living 66–67
patterns in scientific language
74–81
historic keys 74
unlocking patterns 74–79
plants 127–134
evergreen quest 128–129
language of 128
using patterns to 127–128
scientific names 77, 81–86
binomial nomenclature 81–82
classifying and comparing
82–83
levels of classification 81
unlocking 83–85
systems 66–74
change 68, 70–72
unique flora of Australia 134–140
*Banksia* 136–139
*Eucalyptus* 135
genus 135
proteaceae 135–139
vertebrates 104–112
*see also* vertebrates
climate change 211–212
clouds
forming 374
observing 374–375
Cnidaria phyla 99
coal formation 357–359
black coal 357
brown coal 357
as fuel 358–359
peat 357
process of 357
colloids 256, 259–260, 294
column graphs 30–31, 35–36
commensalism 176–177, 179, 237
community 171, 237
compass 437, 439
competition 175–176
predator–prey relationships 176
symbiotic relationships 176–177
commensalism 177, 179
mutualism 177
parasitism 177
compost 227, 237
definition 227
composting 227
compound machines 491–495
on bike 491–492
front and rear wheels 491–492
gears 492
handbrake 492
robot vacuum cleaners 494
untouched by human hands
493–494
on wheels 492–493
concentrated 254, 294
concentration 254, 352, 399
conclusion 21, 53
condensation 372, 399
condenses 266, 294
conductors 446, 459
conical flask 267
consumers 171, 174–175
contact 445
contact forces 409–410, 459
definition 409
contaminated 279, 294
contamination 279
control 25, 53
control group 27
controlled 29
definition 25
including 27
controlled investigations 24–28
being scientific 24–26
fair testing 25–26
variables 24–25
including 27
reliability 26
repetition 26
uncontrolled variables 26
Copernicus's heliocentric model 334
copper 274–275
corona 323
corrosive 13, 53
corrosive substances 13
cotyledons 190
crime scene investigators 21
crust 350–351, 399
definition 350
cryptobiosis 71
cryptonym 77–78
crystallisation 267, 271–272, 294

## D

dangerous plants 131
data 26, 39–42, 53
reformatting 48
data analyse 29–35
column graph/bar chart 30–31
histogram 31
line graph 31–32
pie chart/sector graph 29–30
using graphs 29
dead 66–67, 147
definition 66
dead organism 199
death of tiny organisms 359

decanting 258, 263, 294
decomposers 174, 196–198, 237
  bacteria 200
  cycles in nature 199–203
  role of 196
deforestation 211, 388, 399
*Dendrocnide excelsa* 130
denitrifying bacteria 200
dependent variables 24, 27, 29, 53
  definition 24
deposition 387, 399
desalination 228, 384–385, 399
desalination plants 279, 280
descriptive name 81
desert island solution 268–269
detritivores 174, 196
detritus 196
diamond flush 292
dichotomous keys 88–89, 105, 147
dicotyledons 190
dill 129
dilution 254, 294
*Dimetrodon* 107
*Diprotodon optatum* 114
diprotodons 114–117
disaccharides 75
dissolved 251, 294
distillate 267, 294
distillation 266–267, 294
  definition 266
  equipment used for 267
  solar 268
distilled water 267, 294
dragon mapping 65
drinking water 228
driven gear 488
driving gear 488, 500
*Dromaeosaurfiormipes rarus* 76
*Dromaeosauripus jinjuensis* 76
dugongs 206–207
dung beetles 175

## E

Earth
  fossil fuels 356–364
    *see also* fossil fuels
  magnetic fields 437–440
  mineral resources 350–356
    extracting metal 352–354
    metal resources 350–351
    mining ore 351–352
    natural resources 350
    ore minerals 351
  renewable energy 364–372
Earth, in space 304–305
  cyclical motions of 306
  eclipses 320–327
    lunar 320
    solar *see* solar eclipses
  looking up 314
  measuring time 308–310
  moon 314–317
    mapping 314–316
    phases of 317–320
    profile of 314
    surface 316
    tides and 327–328
  night and day 307–308
  night sky 331
  orbit 306–314
  rotation of 328
  seasons 310–312
  tides 327–331
earthworms 98
eclipses 320–327, 340
  lunar 320
  solar *see* solar eclipses
ecological footprints 225–237
  comparison of 225
  definition 225
  sustainability 226–227
ecological niche 175
ecology 160–161, 237
  definition 160
ecosystems 158–162, 170, 237
  abiotic factors in 162–163
  artificial 210–211
    carbon dioxide 211–212
    climate change 211–212
    monocultures 210
    use of fertilisers 210–211
  biotic factors in 162–164
  in bottle 165–166
  connection of Indigenous Australians to 205–209
  cycles of nature in 165
  decomposition 195–205
  definition 159
  ecological footprints 225
    precious water 228–229
    sustainability 226–227
    worm farms 227
  ecology 160–161
  energy flow in 180
  flowering plants, importance of 188–195
    by design 188
  food chains 179
  food webs 182–183
  habitat 162
  human impact on 209–220
  interacting atoms 164–168
  introduced species 213–215
  living and non-living things within 159
  modelling interactions 159–160
  nature's recycling 195–205
    decomposers 196–198
  need relationships
    competition 175–176
    consumers 174–175
    interacting through feeding relationships 170–171
    living levels of organisation within 171–172
    producers 172–174
  organisms in 161, 163
  preserving 217
  recycling atoms in 195–198
  science inquiry 159–160
ectoparasites 120, 147
ectotherms 105, 147
effort 469, 500
electric current 440
electric fields 444–450, 459
  becoming charged 445
    contact 445
    friction 445
  charge 444–445
  definition 445–446
  static electricity 446–449
electric forces 459
electromagnets 440–443
  and maglev train 441
  circuit for 442
electrons 444, 459
electrostatic attraction 447
electrostatic forces 410, 459
elliptical 306, 341
emulsions 256, 259–260, 294
endoparasites 120, 147
endoskeletons 97–98, 147
endotherms 105, 147
*Endoxyla leucomochla* 205–206
entomology 4, 53
  definition 4
environment 284
equilibrium 410
equinox 309, 341
erosion 386–388, 390, 399
  definition 387
  preventing 390
  protection 388–390
etymology 74, 147
*Eucalyptus* 135
*Eucalyptus regnans* 189
eutrophication 210, 237
evaporation 266, 294, 372, 399

Evergraze 393
evergreen quest 128–129
excrete 66, 147
exoskeletons 97–98, 147
experiment, good quality report of 38
external skeleton 97
extinction 220–225
  reasons for 220
  saving endangered species 220–221

## F

fair test 25–26, 53
  definition 25
feeding relationships
  between animals and plants 189
  fruits and seeds 190
  interacting through 170–171
female mosquitoes 122
fertile soil 387
fertilisers 210, 237
  definition 210
  use of 210–211
fictional detections 22
field guides 91–94
  arthropods 120
filter 256, 285, 294
filter funnel 12, 53
filter paper 269
filtrate 256, 294
filtration 256, 294
  definition 256
  in laboratory 257–258
  separating mixtures 256–258
five-kingdom classification system 68–70
  divide organisms into 69
flammable 13, 53, 276, 294
flavourings 251
floatables 285, 294
floc 281, 294
flocculation 281–283, 294
  definition 281
floral emblems of Australia 137
flotation, separation by 275
flowers — feeding relationships 188–189
fluid friction 425–428
fluids 425, 459
food chains 171, 179, 237
  energy flows 180–182
  and food webs 182–183
  visiting a rock pool 183–185
food webs 171, 182–183, 237
  making 184
  organisms in 181
force multipliers 470, 500
force-multiplying levers 493
forces 408–413, 459
  cluster map 456
  contact 409–410
  definition 408
  electric fields *see* electric fields
  everyday effects of 412
  everywhere 408–409
  friction 423–429
    *see also* friction
  gravity 413–423
    attractive force 413
    free-fall 418–421
    measuring weight and mass 415–417
    weight 413–415
  keeping afloat 429–433
    buoyancy 429–431
    surface tension 431–433
  magnetic fields 433–444
  more than one 410–412
  no contact 409–410
  representing 410
  staying safe 450
    belt up 453
    bend knees 453–454
    cycling 450–451
    safety on four wheels 452–453
forearm 472
forensic psychology 5, 53
forensic scientists 270, 294
forward force 410
fossil fuels 200, 237, 356–364, 399
  coal *see* coal formation
  definition 356
  impact of using 360–362
  negative effects 361
  oil and natural gas 359–360
    in Australia 360
    death of tiny organisms 359
    hydrocarbon conversion 359
    migration 359
    trapped 359–360
  reducing 364
free-fall 418–421
friction 423–429, 445
  causes 424
  crickets communicate with 423
  definition 423
  fluid 425–428
  need for 423–424
  nuisance 424
  reducing 424–425
    ball-bearings 424–425
    lubricants 425
fridge magnets 434
FrogID 107
front wheel 491–492
froth flotation 274, 294
fruits 190
fulcrum 469, 471–473, 492, 500
  knee acts as 473
full moon 317, 341
fungi 140, 142
  definition 140
fuzzy shadows 325

## G

gangue 352, 399
Garbage Patch 378
gear 487–491
  big wheels 489–490
  sizes and arrangements of 490
  small wheels 489–490
gear train 488
geology 5
geothermal energy 367–368, 399
geothermal heat pumps 367
germination 190–193, 237
giant kangaroo 114
glucose 75, 172
gold 275
good observer 22
graphing temperature 41–42
graphs 29
  charts 42–43
  column graph 30–31
  histogram 31
  line graphs 29, 31–32
  pie chart 29–30
  summary of 32
  types of 29
gravitational force 306, 328, 341
gravity 410, 413–423, 458, 459
  attractive force 413
  force of 413
  free-fall 418–421
  weight 413–415
gravity separation 275, 294
Great Pyramid 477
greenhouse effect 375, 399
  works 375
greywater 382–383, 399
groundwater 381–382, 399
grow 66, 147
groynes 390, 399
gymnosperms 128
gyres 378, 399

**H**

habitat 162, 175, 237
hawk moth 122
heating flame 14
heating substances 13–18
  and containers 15
  in test tube 17
heliocentric model 334
  Aristarchus 333
  Copernicus 334
helitorch 276, 294
herbicides 212
herbivores 174, 181, 237
heterogenous mixtures 250, 294
heterotrophs 174
histograms 31, 53
homogenous mixtures 250, 294
Homo sapien 82
horizontal axis 31
horizontal forces 411
host 177, 237
household rubbish 286
Hubble Space Telescope 335
human factor 391–392
human impact on ecosystems 209–220
  agriculutre 210–211
  artificial ecosystems 210–211
  impact of rubbish 215–216
    landfill 215
  introduced species 213–215
  pest control 212–213
    biological control 213
    chemical control 212
  pollution 216–217
humus 387, 399
hydrocarbon conversion 359
hydroelectricity 368
hydroelectric 368
hydroelectric power 368, 399
hypothesis 21, 53
  aim and forming 23–24

**I**

idler gear 489
Incas of Peru 333–334
inclined planes 476–478, 500
  on move 478–479
independent variables 24, 27, 29, 53
  definition 24
industry
  chromatography in 270
inferences 21, 53
  observing and making 21–23
infiltration 373, 399
  definition 373
inorganic molecules 196
insecticides 212
insects 121
  biting and chewing 123–124
  different 121
  functional features of 121–124
  sap and nectar sucking 121–123
insoluable substance 256
insoluble 251, 294
insulators 446, 459
interacting atoms 164–168
internal skeleton 97
introduced species 213–215, 237
  definition 213
invertebrates 97–98, 119–126, 147
  arthropods 120–121
    classification of 120
  common features of 119–120
  groups of 120
  insects 121
  phyla of 119
investigations
  exrtended 45
  planning 46–48
  reporting on 36–45

**J**

Jade Rabbit 315
joints 472

**K**

kerogen 359, 399
kingdoms 67, 147
knowledge of scientific language 128

**L**

laboratory equipment 9–10
  danger in 9
  measuring volume 10–11
  parallax error 11
  reading scales 11
  safety in 11–13
  temperature measurement 11
  working with dangerous chemicals 13
lagoon sewage treatment system 285
landfill 215, 286, 294
language of plants 128
Law of Conservation Energy 472–474
lemon balm 129
lemon thyme 129
leucoplasts 74
levers 469–471, 500
  in arm 472–473
  classes of 469
  force-multiplying 481, 493
  mechanical advantage 470
  speed up 481–483
lichens 140–142
  definition 140
lightning rods 448
lightning strikes 447
limestone 201
line graph 31–32, 36, 53
living things 66–67
  classification of 66
  features common to 67
  types of 87
'lizard-hipped' dinosaurs 88
load 469, 500
lodestone 433
longitudinal muscles 98
lubricants 425, 459
  definition 425
lunar eclipses 320, 321, 341
  definition 320
  partial 322
  solar and 324–325
  total 321
lunar month 318, 341

**M**

machines 467, 500
  compound *see* compound machines
  definition 467
  gear 487–491
    big wheels 489–490
    small wheels 489–490
  Law of Conservation Energy 472–474
  levers 469–470
  pushing uphill 476–480
  science inquiry 467–469
  in spin
    getting lift 483–486
    speed up 481–483
    wheels and axles 480–481
*Macropus giganteus* 82
magnetic attraction 433–435
  of magnet 434
magnetic fields 433–437, 444, 459
  definition 437
  Earth 437–440
  electromagnets 440–443
  magnetic attraction 433–435
  magnetic poles 435–437
  mapping 438–439
magnetic forces 410, 459

magnetic poles 435–437
magnetism 458
mammals
  ancient megafauna of Australia 114–117
    diprotodons 114–117
    giant kangaroo 114
  in Australia 113
  classification 112–113
  events 115
manufacturing processes 286, 294
marsupial mammals 113, 114, 147
marsupials 113
mass 413, 459
  measuring 415–417
  weight and 415
measuring cylinder 12, 53
mechanical advantage 470, 500
megafauna 114–117
meniscus 10, 53
metabolism 195, 237
metal detectors 440
metal resources 350–351
method 21, 53
microbiology 4, 53
  definition 4
microorganisms 158, 238
migration 359
mind map 337–339
  seasons in 339
mineral resources, in Earth 350–356
  metal resources 350–351
  natural resources 350
  ore minerals 351
minerals 350, 399
mining 351, 399
  definition 351
  separating mixtures in 274–275
mining ore 351–352
mixtures 246, 249–251, 293–294
  and solutions 249–255
  definition 246
  equipment used to filter 257
  separation *see* separating mixtures and solutions 257, 258
  types of 250
model maps 337
molecules 164
monocotyledons 190
monocultures 210, 238
monosaccharides 75
monotremes 113, 148
moon 314–317, 340
  mapping 314–316
  phases of 317–320
  profile of 314
  surface 316
  tides and 327–328
mosquitoes 122
muddy water 256
multicellular 68
multiple-pulley system 484
mutualism 177

N

natural fertile soils 388
natural gas 359–360, 399
natural permanent magnets 434
natural resources 350
neap tides 329, 341
negative electric charge 444, 459
*Nepenthes attenboroughii* 87
net force 410, 459
neutral 444, 459
neutral objects 447
neutral substance 445
neutrons 444, 459
newton 408, 413, 459
niche 175, 238
night and day 307–308
night sky 331
  astronomy, developments in 331–336
nitrifying bacteria 199, 238
nitrogen cycle 199–200
  bacteria involved in 199
nitrogen-fixing bacteria 199, 238
no contact forces 409–410
nonbiodegradable materials 198, 215
non-contact force 409, 410, 459
  definition 410
non-living things 66–67, 148, 159
  definition 66
non-potable water 383
non-renewable resources 349, 399
North Pacific Gyre 378
north pole 435, 437, 460
northern Pacific sea star 213
nuclear energy 368–369, 399
  definition 368
  effects of using 368
  positive and negative features of 368
nucleus 444

O

observations 21, 39–42, 53
  to conclusion 45
ocean
  cleaning up oil spills in 276–278
  currents 378
ocean wave energy 366, 399
  definition 366
ocean waves 366
oil and natural gas 359–360
  death of tiny organisms 359
  hydrocarbon conversion 359
  in Australia 360
  migration 359
  trapped 359–360
oil spill dispersants 276, 294
omnivores 174, 238
open-cut mining 352, 399
optimum range 162, 238
orbit 306, 341
  definition 306
  Earth in 306–314
ore minerals 350, 399
  finding 351
organic matter 174
organic molecules 196
organisation, living levels of 171–172
organisms 66–68, 70, 81, 148, 158, 164, 238
  communities of 171
  in ecosystem 161
  in food web 181
  habitat 162
osmosis 279, 294
  processes of 280
ovaries 188, 238
ovules 188, 238
oxygen 172

P

palaeontology 5, 53
paper chromatography
  definition 269
  process of 269
parallax error 11, 53
parasites 120, 177, 238
parasitism 176–177, 238
partial solar eclipses 322–324, 341
patterns in scientific language
  historic keys 74
  unlocking patterns 74–79
    chemicals and substances 75
    plants and pigments 74–75
peat 357, 399
pedalling 488
pelycosaurs 107
pentadactyl limb 104
permanent magnets 433, 460
pest control 212–213
  biological control 213

chemical control 212
pesticides 212, 238
definition 212
pharmacology 5, 53
phases 318, 341
definition 318
of moon 317–319
photosynthesis 172, 180, 191, 238
inputs and outputs of 172
phyla 96, 99
classifying animals into 100–101
of invertebrates 119
physical environment
and abiotic factors 171
physics 4–5
pie chart 29–30, 35–53
constructing 35
pigments 74–75
pinion gears 489
pitch 478, 500
placental mammal 113, 148
plants 172
algae 141
Australian 84
beware 130–131
customs 130
poisons 130
stinging hairs 130
superstition 130
witchcraft 130
classification 127–134
evergreen quest 128–129
using patterns 127–128
dangerous 131
desalination 228
flowering 188–195
by design 188
dispersal 189–190
germination 190–193
pollination 188–189
fungi 141
language of 128
lichens 141
and pigments 74–75
poisonous 92
plasma 263
plastic shell 451
platelets 263
platypus 113, 116
Plus, Minus, Interesting (PMI) charts 396–397
poisonous plants 92
polished surface 424
pollen 188, 238
pollination 188–189, 238
pollinators 188, 238
pollutant 216, 238
definition 216
human activities in 216
pollution 216–217, 270, 294
polysaccharides 75
polystyrene foam 451
populations 171
porous 359, 399
positive electric charge 444
power plants pump 367
precious water 228–229
precipitation 372, 399
predator–prey relationships 176
prefix 75
scientific terms 76
terminology using 75
pressure 251, 295
primary consumer 179, 238
primary producers 181
prions 68, 148
proboscis 121, 148
Procoptodons 114
producers 171–174, 238
properties 247, 295
protons 444, 460
psychology 5
pteridophytes 128
Ptolemy's theory 332
pure substances 246, 247, 249–251, 293, 295
purification 352, 399
pushing uphill 476–480
inclined planes 476–478

R

rabbits 214
rack gears 489
radial symmetry 99
definition 99
radiochemistry 5, 53
ramp 476, 500
raw materials 286, 295
reading scales 11
measuring and 20
rear wheel 491–492
recycled water 229, 383–384
recycling 286, 295
atoms in ecosystems 195–198
borrowing atoms 195–196
centres sort through waste 287
definition 286
red blood cells 263
reduction 352, 399
relational diagrams 232–234
relationships 175, 238
flowers — feeding 188–189
interacting through feeding 170–171
predator–prey 176
in rockpool 183
symbiotic 176–177
reliability 26
renewable energy 364–372
biomass 366
geothermal energy 367–368
hydroelectricity 368
nuclear energy 368–369
reducing fossil fuel use 364
solar energy 364–365
tidal energy 366–367
wind energy 365–366
renewable resources 228, 349, 399
repetition 26
representing forces 410
reproduce 66, 148
repulsion 435, 460
residue 256, 295
respond 66, 148
results 24, 53
reverse osmosis 279, 295
processes of 280
reviewing solutions 266
revolution 308, 341
robotic hand 496, 498
robots 493, 500
robot vacuum cleaners 494
rosemary 129
rotation 307, 341
rubbish
impact of 215–216
in ocean 215–216

S

safer cycling 450–451
safety
flame 14
on four wheels 452–453
in laboratory equipment 11–13
safety glasses 13, 53
salinity 168
saltbush 393
saprophytes 196, 238
sap-sucking insect 121–123
satellite 314, 341
saturated 254, 295
science
branches of 4–8
astronomy 5
biology 4
chemistry 5–6
geology 5
physics 4–5

psychology 5
scientific knowledge 4
equipment 37
exrtended investigation 45
heating substances 13–18
inquiry 305, 467–469
laboratory 8–20
equipment *see* laboratory equipment
getting to know 8–9
reading scales 20
reporting on investigations 36–45
data 39–42
observations 39–42
scientific reports 36–37
scientific inquiry 21–23
using Bunsen burner 20–21
using technology 42–43
spreadsheets 42–43
science, technology, engineering and mathematics (STEM) 5–7, 53
scientific curiosity 87
scientific inquiry 21–23
scientific investigations 21
scientific knowledge 4
scientific language
historic keys 74
knowledge of 128
patterns in 74
unlocking patterns 74–79
scientific names 77, 81–86
binomial nomenclature 81–82
classifying and comparing 82–83
levels of classification 81
unlocking 83–85
scientific reports 36–37
scientists, in different disciplines 6
screwdriver 482
screws 478, 500
seasons, in mind map 339
secondary consumer 179, 182, 238
secondary treatment 285
sector graph 29–30, 53
sedimentary rocks 357
sediments 256, 295, 387
seeds 188, 190, 238
seismology 5, 53
separating funnel 262–263, 295
definition 262
separating mixtures 247, 293
and solutions 249–255
concentration 254
mistures 249–251
pure substances 249–251
'do-it-yourself' fizz 251–254
by chromatography 271
in dairy industry 277
design and 247–248
by flotation 275
in industry 274–275
cleaning up oil spills 276–278
in mining 274–275
other separating techniques 262–266
centrifuging 263–265
of chromatography 271
separating funnel 262–263
separating solids 256–261
colloids 259–260
decanting 258
emulsions 259–260
filtering 256–258
sieving 258–259
and solutions 249–255
concentration 254
'do-it-yourself' fizz 251–254
mistures 249–251
pure substances 249–251
waste water treatment 284
in wine industry 277
separating solids 256–261
colloids 259–260
decanting 258
emulsions 259–260
filtering 256–258
sieving 258–259
separating solutions 266–274
chromatography 269–271
crystallisation 271–272
desert island solution 268–269
distillation 266–267
reviewing 266
slow evaporation 267–269
separation process 285–288
septic tank 284, 295
septic tank system 284
setae 98, 148
sewage 284, 295
sewage system 286
sewerage 284, 295
sieving 258–259, 295
simple machines, definition 467
single bubble map 290–292
skimmers 277, 295
slow evaporation 267–269
small wheels 489–490
smelting 352, 399
*Snugglepot and Cuddlepie* 134–135
soil
elements of 387
erosion 386–389
reducing human impact 390–391
as resource worth conserving 386–398
weathering 386–388
soil salinity 393
solar distillation 268
solar eclipses 322, 341
annular 323, 324
definition 322
and lunar eclipses 324–325
partial 323
total 322, 323
solar energy 364–365, 399
definition 364
solenoids 441
soluble 251, 295
solute 246, 251, 295
solutions 246, 249–255, 295
separating 266–274
solvent 246, 251, 295
south pole 435, 460
Southern Hemisphere 310, 311
species 67, 148, 162, 238
extinct and threatened 221
interactions between 175–177
saving endangered 220–221
species names 81, 83
Australian animals and 83
Australian plants and 84
speed multipliers 470, 475, 500
sports psychology 5, 53
spreadsheets 42–43
spring tides 328
starch 75
static electricity 446–449, 460
definition 446
steering wheels 481, 493
stigma 188, 238
stinky forensics 197
streamlined 425, 460
style 188, 238
substances 75, 286
sucrose 75
suffixes 76
scientific terms 76
summer solstice 309, 341
sun, effect of 328–329
surface tension 431–433, 460
surfactants 276, 295
suspendeds 285, 295
suspension 256, 295
sustainability 226–227, 238
composting 227
cyberhunt 226
definition 226
sustainable 279, 295
sustainable cyberhunt 226

sustainable water management 228
sweet basil 129
symbiosis 176, 238
symbiotic relationships 176–177
  commensalism 177, 179
  mutualism 177
  parasitism 177
  types of 176
symmetry 99–102, 148
  definition 99
  type of 99
synovial fluid lubricates 425

T

taxonomy 67, 148
technology 6, 42–43, 53
temporary magnets 434, 460
terminal speed 419, 460
tertiary consumer 179, 180, 238
test tube 12, 53
thermometers 11, 53
thread 478, 500
tidal energy 366–367, 399
tides 327–331, 340–341
  definition 327
  and moon 327–328
  and neap tides 329
time measuring 308–310
tiny organisms, death of 359
tolerance range 162, 238
Toowoomba 383
total solar eclipse 322, 323, 341
tracheophyta 128, 148
traction 423, 460
transfer 483, 500
transform 483, 500
transpiration 162, 238, 373, 399
tree maps 143–145
*Trifolium pratense* 130
trophic level 181, 238
turbidity 228, 238
turbines 364, 400
*Tyrannosaurus rex* 195

U

uncontrolled variables 26
underground mining 352, 400
unhomogenised milk 259
unicellular 68, 148
universe 304, 341
unlock farm animal identity 90
unlocking names 83–85
unlocking patterns 74–79

V

Van de Graaff generator 446
variables 24–25, 53
  definition 24
  uncontrolled 26
vascular tissue 128, 148
vectors 120, 148
venn diagram 496–498
venom 116
vertebrates 97–98, 104–112, 148
  common features of 104
  forelimbs of 104
  main groups of 105–108
  with reproductive features 108
  types of 105
vertical axis 31
vertical forces 411
Victorian Gold Rush 353–354
viroids 68, 148
virus 68, 148
volume measuring 10–11
vulcanology 5, 53

W

waning 318, 341
warm up 473–474
waste water treatment 284
water
  blackwater 382–383
  dealing with drought 381–385
  desalination 384–385
  drops 431–432
  greywater 382–383
  groundwater 381–382
  harmful substances in 279
  in motion 372–380, 398
    global climate change 375–379
    water cycle 372–375
  precious 228–229
  quality, monitoring 385
  recycled 229, 383–384
  as resource 380–386
  soluble in 252–253
  use in Australia 380–381
  walking on 432
water condenser 266
water cycle 372–375, 400
  definition 372
  impact on 377–379
water reclamation 383
water table 381, 400
waterwatch 228
  surveys 228
waxing 318, 341
weathered 276
weathering 386–388, 390, 400
wedges 478
weight 413–415, 460
  and mass 415
  measuring 415–417
wheels and axles 480–481
  investigation 482
  at work 482–483
white blood cells 263
white plague 168
wind energy 365–366, 400
wind turbine 487
wine industry 277
winter solstice 309, 341
witchcraft 130
Witjuti tucker (Endoxyla leucomochla) 205–206
worm farms 227

X

*x*-axis 31, 53
xylem 128, 148

Y

*y*-axis 31, 53

Z

zoology 4, 53
  definition 4